LEICESTERSHIRE DAILY RAINFALL

1911 - 1920

ASHBY-DE-LA-ZOUCH COLE ORTON HALL	1911 - 1920
ASFORDBY RECTORY	1920
BARKBY HALL	1911-15, 17, 19-1920
BARROW-UPON-SOAR THE MOUNT	1911 - 1920
BARROW-ON-SOAR.	1915, 17, - 1918
BELVOIR CASTLE GDNS.	1911-16, 19- 1920
BITTESWELL SCHOOL GDNS	1913 - 1920
BLABY WHETSTONE RD	1911 - 1919
BURTON-ON-THE-WOLDS BURTON HALL	1911 - 1920
CHARNWOOD FOREST, BLACKBROOK RES	1911 - 1920
COALVILLE BARDON P. STN.	1913 - 1914
COUNTESTHORPE WIGSTON S. FM	1911 - 1920
CROPSTONE BRADGATE RES	1911 - 1920
CROXTON KERRIAL VICARAGE	1911 - 1920
DESFORD INDUSTRIAL SCH	1911 - 1919
EAST LANGHTON GRANGE	1911 - 1920
LEICESTER GILROES CEMETERY	1911 - 1920
LEICESTER HALLATON HALL	1914
HUNGERTON BAGGRAVE HALL	1912
KIBWORTH BEAUCHAMP	1911 - 1920
KNOSSINGTON RECTORY	1918 - 1920
LEICESTER DE MONTFORT ST	1912 - 1917
LEICESTER QUORN GRAMMAR SCH.	1916
LEICESTER STOUGHTON DRIVE	1911 - 1920
LEICESTER TOWN HALL SQ.	1911 - 1920
LEICESTER WESTCOTES DRIVE	1920
LEICESTER SPRINGFIELD RD	1915
LODDINGTON THE COTTAGE	1913 - 1914
LOUGHBOROUGH NAN PANTAN RES	1911 - 1920
LOUGHBOROUGH SEWAGE FARM	1911 - 1920
NEW HARCOURT	1911 - 1912
MARKFIELD ULVERCROFT	1911 - 1912
MARKET FIELD BOSWORTH OSBASTON HALL	1911 - 1920
MARKET HARBOROUGH ROSE HILL	1911 - 1920

MELTON MOWBRAY.	1913 – 1920
MELTON MOWBRAY WHITE LODGE	1920
PRESTWOLD HALL	1911 – 1920
RATCLIFFE-ON-WREAKE COLLEGE	1911-17, 19-1920
SWITHLAND THE BRAND	1911 - 1920
SYSTON	1911; 1913 – 1915
THORNTON RES	1911 – 1920
WALTHAM-ON-THE-WOLDS	1911 – 1917
WELFORD THE RESERVOIR	1918 – 1920
WITHCOTE HALL GDNS	1912-15, 1917
WISTON HALL GDNS	1911 – 1920

LEICESTER.
ASHBY-DE-LA-ZOUCH
COLE ORTON HALL.

1911– 1920

FORM A.
BRITISH RAINFALL.

REC … 9 11

Kept at Cole Or…
in the County of Leic…
by H. Wils…

…ng.
…on Ashby de la Zouch
9 A M
…ge 5 in.
above Ground 2 ft. in.
Sea Level 540 ft.

NOTE.—Rain should be measure… of rain and particulars as to the Briti… to Dr. H. R. MILL, 62, Camden Squa… Full instructions for the measurement … Observers," sent post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0·13				0·15	0·05			0·01		1
2	0·06				0·12			0·12			0·03		2
3		0·01		0·05	0·15					0·08	0·05	0·03	3
4	0·04	0·01	0·11			0·04		0·02		0·28	0·16	0·17	4
5	0·01	0·01		0·05				0·06		0·03			5
6	0·31		0·01	0·01				0·03		0·06	0·06	0·40	6
7										0·04	0·12	0·01	7
8	0·12		0·26						0·06	0·09	0·03	0·26	8
9	0·04										0·10		9
10	0·02	0·07	0·24					0·27				0·68	10
11			0·46								0·36	0·02	11
12	0·15								0·20		0·28		12
13	0·04								0·09			0·36	13
14	0·01	0·07	0·01								0·05	0·49	14
15		0·12									0·08	0·08	15
16										0·05	0·13	0·07	16
17										0·01	0·06	0·15	17
18		0·22		0·02		0·03					0·08	0·10	18
19						0·09	0·07	0·01	0·10	0·20	0·24	0·07	19
20		0·09		0·09				0·34	0·13	0·06		0·30	20
21		0·44						0·19		0·35		0·06	21
22			0·05	0·05						0·04	0·03	0·32	22
23		0·10	0·17			0·17			0·49	0·24		0·12	23
24		0·09	0·01	0·11		0·89		0·02				0·06	24
25		0·13		0·21		0·08		0·03				0·06	25
26		0·03		0·25	0·35	0·21				0·22	0·47	0·30	26
27		0·27	0·10	0·07				0·35	0·21		0·02	0·09	27
28		0·22		0·20		0·25			0·07		0·05	0·01	28
29						0·20	0·29		0·23	0·32	0·01	0·04	29
30			0·01	0·01		0·04				0·08		0·02	30
31					0·05					0·03			31
Total	0·80	1·88	156	1·12	0·67	2·00	0·51	1·49	1·58	2·18	2·42	4·27	TOTAL for year 20·48 20·48
No. of Rain Days	10	15	12	12	4	10	3	12	9	17	21	25	150

6,000, XI, '08.
EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

FORM A.
BRITISH RAINFALL
3 JAN 12

REC 9 11

Kept at Cole Orton Hall
in the County of Leicester 4
by H. Wilson

Long.
Nearest Railway Station Ashby de la Zouch
Time of Observation 9. AM
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " Sea Level 540 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.13				0.15	0.05			0.01		1
2	0.06				0.12			0.12			0.03		2
3		0.01		0.05	0.15					0.08	0.05	0.03	3
4	0.04	0.01	0.11			0.04		0.02		0.28	0.16	0.17	4
5	0.01	0.01		0.05				0.06		0.03			5
6	0.31		0.01	0.01				0.03		0.06	0.06	0.40	6
7										0.04	0.12	0.01	7
8	0.12		0.26						0.06	0.09	0.03	0.26	8
9	0.04										0.10		9
10	0.02	0.07	0.24					0.27				0.68	10
11			0.46								0.36	0.02	11
12	0.15								0.20		0.28		12
13	0.04								0.09			0.36	13
14	0.01	0.07	0.01								0.05	0.49	14
15		0.12									0.08	0.08	15
16										0.05	0.13	0.07	16
17										0.01	0.06	0.15	17
18		0.22		0.02		0.03					0.08	0.10	18
19						0.09	0.07	0.01	0.10	0.20	0.24	0.07	19
20		0.09		0.09				0.34	0.13	0.06		0.30	20
21		0.44						0.19		0.35		0.06	21
22			0.05	0.05						0.04	0.03	0.32	22
23		0.10	0.17			0.17			0.49	0.24		0.12	23
24		0.09	0.01	0.11		0.89		0.02				0.06	24
25		0.13		0.21		0.08		0.03				0.06	25
26		0.03		0.25	0.35	0.21				0.22	0.47	0.30	26
27		0.27	0.10	0.07				0.35	0.21		0.02	0.09	27
28		0.22		0.20		0.25			0.07		0.05	0.01	28
29						0.20	0.29		0.23	0.32	0.01	0.04	29
30			0.01	0.01		0.04				0.08		0.02	30
31					0.05					0.03			31
Total	0.80	1.88	156	1.12	0.67	2.00	0.51	1.49	1.58	2.18	2.42	4.27	TOTAL for year 2048 20.48
No. of Rain Days	10	15	12	12	4	10	3	12	9	17	21	25	150

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Co. for part W.D. H.R.B.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 19

Kept at Cole Orton Hall
in the County of Leicester 4
by H. T. Wilson

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station Ashby de la Zouch
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						0.34		0.06	0.07			0.32	1
2			0.02	0.02		0.39	0.45						2
3		0.04	0.03			0.11	0.07	0.66	0.04			0.09	3
4	0.14		0.06	0.01	0.15	0.71		0.29			0.30		4
5	0.16		0.46		0.04	0.21		0.10	0.10		0.02		5
6	0.05	0.06	0.18		0.02	0.06		0.30		0.01			6
7	0.66	0.15			0.01	0.20		0.22				0.09	7
8		0.06		0.08		0.05		0.05				0.06	8
9	0.33	0.26	0.19	0.16		0.10		0.08	0.17			0.30	9
10	0.10		0.16			0.04		0.39			0.36		10
11						0.11	0.20	0.08		0.02	0.06	0.61	11
12	0.08	0.08				0.03	0.21						12
13	0.07	0.43	0.12			0.15							13
14		0.06				0.12							14
15	0.19		0.42			0.20		0.10		0.23		0.10	15
16	0.14	0.05	0.16		0.36	0.09		0.04	0.01		0.02		16
17	0.48		0.18		0.06	0.32	0.06	0.17			0.09	0.51	17
18	0.36		0.15					0.42		0.09		0.10	18
19	0.51		0.07			0.05	0.60	0.08		0.04	0.04	0.01	19
20	0.28	0.08	0.02		0.06		0.10	0.44		0.24			20
21	0.14		0.15				0.12	0.06					21
22		0.01	0.21		0.72	0.09	0.50	0.19			0.01	0.34	22
23	0.08	0.09			1.27	0.39	0.57	0.52		0.04	0.13	0.02	23
24	0.09	0.14	0.30			0.09	0.47	0.48				0.51	24
25	0.18	0.04	0.03			0.45		0.14			0.26		25
26	0.01						0.17	0.38		0.48		0.20	26
27		0.02	0.07		0.01	0.15	0.06	0.96		0.84		0.21	27
28			0.03			0.01			0.03	0.13		0.40	28
29		0.04				0.15		0.47	0.43	0.12	0.34		29
30	0.06		0.02		0.31			0.03	0.09	0.06			30
31			0.12		0.05		0.61	0.12				0.05	31
Total	4.11	1.61	3.15	0.27	3.06	4.59	4.19	6.83	0.94	2.30	1.63	3.92	YEAR'S TOTAL 36.60
Rain Days.	20	16	22	4	12	25	14	26	8	12	11	17	187

W. 7,500, XI. ·12

√

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL. 4-JAN 1914

Kept at Cole Orton Hall Ex. Hole 4

in the County of Leicester

by H. T. Wilson

Lat. Long. —

Time of Observation 9 A.M.

Nearest Railway Station Ashby de la Zouch

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01		0.07	0.02					1.02		0.02		1
2	0.01	0.10	0.02	0.06					0.04				2
3	0.03				1.09				0.07		0.12	0.04	3
4	0.77	0.02	0.11		0.14		0.07		0.01			0.46	4
5	0.07					0.03	0.10		0.15	2.37	0.02	0.06	5
6	0.01	0.08	0.13		0.34	0.14	0.80			0.12	0.12	0.04	6
7		0.08			0.19	0.07	0.05			0.48			7
8			0.03		0.17	0.18		0.12		0.92	0.03		8
9		0.32	0.04		0.04	0.60					0.08		9
10	0.04			0.14	0.05	0.01		0.23			0.30		10
11	0.74			0.34	0.06			0.14		0.04	0.26		11
12										0.01	0.45		12
13	0.05		0.19	0.07					0.04		0.19		13
14	0.10	0.03	0.54	0.03				0.04		0.19			14
15	0.09	0.04	0.51						0.12		0.14		15
16	0.04		0.91	0.10				0.12	0.16				16
17	0.02		0.04	0.32							0.01		17
18			0.16	0.17	0.02		0.09			0.02	0.02	0.03	18
19	0.12		0.04			0.05	0.08		0.63				19
20	0.12		0.07	0.04					0.05	0.29	0.08		20
21			0.12	0.03	0.07		0.08				0.30		21
22	0.42		0.47					0.25	0.37		0.02		22
23								0.09	0.06		0.01		23
24	[illegible]12			0.07							0.02		24
25				0.07								0.06	25
26		0.10	0.11	0.15				0.09		0.27		0.25	26
27			0.02	0.07					0.02	0.07			27
28	0.42		0.27	0.55	0.02					0.06		0.03	28
29	0.01		0.47	0.56				0.26		0.21	0.03	0.15	29
30	0.33										0.03		30
31			0.04										31
Total	3.52	0.77	4.36	2.79	2.19	1.08	1.27	1.34	2.74	5.05	2.25	1.12	YEAR'S TOTAL 28.48
Rain Days.	20	8	21	17	11	7	7	9	13	~~20~~ 13	20	9	155

W.7,000, XI. 13

Enc Mlg.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

19 JAN 1915

Kept at Cole Orton Hall
in the County of Leicester 4
by H. T. Wilson

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Ashby-de-la-Zouch
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.03					0.97	0.15		0.05		0.02	1
2								0.26			0.48	0.26	2
3			0.04		0.15		0.35	0.18			0.01		3
4	0.26		0.12	0.22	0.09			0.09			0.59	0.27	4
5	0.14		0.18	0.27	0.03	0.28	0.23				0.07	0.04	5
6		0.03			0.09						0.04		6
7		0.14	0.42	0.07	0.02		0.12	0.09				0.10	7
8	0.14	0.01		0.12	0.02	0.96		0.26				0.04	8
9	0.35		0.09	0.13		1.15		0.03	1.53				9
10		0.09	0.02	0.24	0.07				0.15			0.02	10
11		0.06	0.30	0.03					0.04		0.74	0.42	11
12		0.08	0.17	0.07	0.02				0.25		0.07	0.34	12
13	0.06	0.10	0.24						0.04	0.22	0.17	0.40	13
14			0.10				0.13			0.26	0.11	0.27	14
15	0.03	0.04	0.20						0.05		0.07		15
16			0.06				0.32		0.07				16
17		0.10					0.06		0.10			0.23	17
18			0.04			0.06	0.05					0.05	18
19							0.81				0.02	0.55	19
20		0.14	0.03				0.03		0.04		0.05	0.10	20
21	0.03	0.38					0.06			0.10		0.40	21
22		0.02			0.75	0.03	0.07	0.10		0.21	0.04	0.02	22
23		0.08	0.15		0.19		0.16			0.04			23
24		0.02			0.26		0.03	0.33		0.14	0.22		24
25								0.27		0.52	0.05	0.23	25
26	0.02		0.07				0.05	0.18		0.09	0.18	0.20	26
27	0.05						0.03			0.06	0.16	0.16	27
28	0.07	0.08								0.28	0.22	0.62	28
29			0.15								0.06		29
30		×									0.38		30
31		×		×		×	0.28		×	0.09	×		31
Total	1.15	1.40	2.38	1.15	1.69	2.48	3.75	1.94	2.27	2.06	3.73	4.74	YEAR'S TOTAL 28.74
Rain Days.	10	16	17	8	11	5	17	11	9	12	20	21	157

W. 8,000. X. 14.

2627

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Cole Orton Hall
in the County of Leicester
by H. T. Wilson

Lat. Long.
Time of Observation 9.
Nearest Railway Station Ashby-de-la-Zouch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.10	0.25	0.06		0.47				0.10	0.01	0.04	0.04	1
2		0.05	0.28	0.16		0.17		0.38		0.25	0.02	0.04	2
3	0.58		0.05	0.14			0.65	0.20	0.03		–	0.11	3
4	0.03				0.07		1.30				0.01	1.30	4
5	0.05	0.37					0.77	0.04			0.04	0.11	5
6	0.05	0.37	0.02		0.05		0.08					0.50	6
7	0.26	0.44		0.30		0.21		0.30	0.02				7
8	0.11	0.07	0.02					0.05			0.07	0.57	8
9		0.05		0.03							0.37	0.01	9
10	0.41		0.10	0.04				0.02		0.02	0.21	0.16	10
11	0.06				0.25		0.24	0.14			0.59		11
12				0.26	0.27		0.05	0.01		0.05	1.13	0.03	12
13		0.44			0.65			0.12		0.01		0.32	13
14	0.09				–			0.11	0.05	0.01	0.02	0.25	14
15	0.40				0.06		0.05	0.08			0.26	0.03	15
16	0.06	0.29					3.40	0.12				0.01	16
17		0.16	0.20				0.22						17
18	–	0.07	0.05		–		0.02				0.03.	0.14	18
19		0.05			0.02		0.23					0.09	19
20	0.14			0.06				0.01				0.04	20
21	0.07			0.01			0.28			0.01		0.26	21
22	0.05		0.24				0.12					0.18	22
23	0.01	0.02	0.08			0.05	0.24		0.09	0.27		0.24	23
24	0.01		0.02				0.02		0.80	0.03	0.03	0.18	24
25						0.77	0.07		0.10	0.02	0.02	0.24	25
26		0.04					0.08		0.08		0.02	0.32	26
27		0.11					0.31			0.62		0.14	27
28		0.15	0.07			0.29	0.10	0.25	0.04	0.04			28
29						0.09		0.02			0.11	0.28	29
30	0.06	X		0.04		0.47		0.03		0.06		0.04	30
31	0.07	X		X		X		0.09	X	0.27	X	0.16	31
Total	2.61	2.93.	1.19	1.04	1.84	2.05	8.23	1.97	1.31	1.67	2.97	5.79	YEAR'S TOTAL 33.60 ✓
Rain Days.	19	16.	12.	9	8	7	19	17	9	14	16.	27.	173. ✓

W. 8,000. X. 15.

Obr says no R on Aug 29.

[illegible] 0.20 on Aug 29

FORM A2.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Cole Orton Hall

in the County of Leicester

by H. T. Wilson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. – in.
„ „ „ Sea Level 540 ft.

Time of Observation 9. A M

Nearest Railway Station
Name Ashby-de-la-Z.
Distance 2½ m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03		0.33		0.14	0.14	0.12				0.24		1
2	0.34	0.08	0.30		0.33		0.57		0.05	0.46	0.08		2
3		0.45					0.04		0.29	0.29	0.07		3
4	0.25	0.04	0.01		0.59	0.34				0.25	0.18		4
5	0.05				0.06	0.20				0.12	0.25		5
6	0.18	0.24	0.16		0.35		0.46			0.04	0.25		6
7	0.05									0.15	0.21	0.18	7
8	0.01	0.02	0.09				0.06			0.26	0.04	0.16	8
9			0.06		0.34	0.02			0.09			0.08	9
10		0.11	0.09	0.15		0.05			0.11	0.09			10
11	0.11		0.12	0.19	0.03	0.18	0.01		0.03			0.17	11
12	0.12	0.03	0.17	0.04	0.54	0.05			0.02	0.08			12
13	0.01	0.25	0.10	0.09	0.06		0.42	0.17				0.03	13
14		0.58		0.09	0.05			0.32		0.06		0.01	14
15	0.06	0.39	0.73					0.29		0.03			15
16	0.10	0.23	0.54	0.48	0.03		0.09	0.37	0.01	0.03			16
17	0.02	0.11		0.28			0.17	0.15	0.23	0.18			17
18	0.14	0.15	0.04	0.06			0.07	0.14	0.25	0.04	0.99	0.05	18
19	0.10	0.17	0.33					0.01	0.21		0.49	0.07	19
20		0.01	0.32	0.25							0.11	0.12	20
21	0.02		0.15		0.03		0.12				0.02	0.18	21
22			0.01			0.08						0.40	22
23	0.09	0.41	0.01	0.07		0.02		0.06		0.08	0.08	0.39	23
24		0.72		0.02				0.16		0.05		0.16	24
25	0.07	0.07	0.20		0.03			0.19		0.18	0.21	0.03	25
26	0.04	0.14	0.04			0.04		0.03		0.20	0.08		26
27		0.15	0.41			0.02		0.16		0.03		0.05	27
28		0.33	0.35	0.02					0.01	0.43	0.01	0.20	28
29		0.16				0.23						0.20	29
30	0.01					0.14				0.09			30
31								0.06		0.18		0.04	31
~~Total~~	1.80	4.84	4.56	1.74	2.58	1.51	2.13	2.11?	1.30	3.32	3.31	2.52	TOTAL for year 3172
No. of Rain Days.	20	22.	22.	12.	13.	13.	11	13.	11	22.	16.	18.	193

A

P.S.
Please note
change in
Postal address

Attach to A

The Gardens
Cole Orton Hall
Nr. Leicester

May 3rd 1917

To Carl Salter Esq.

Sir

The Rainfall for August 1916 is 2.11.in on 13 Days. I have no Rain recorded for Aug 29 there is no mistake as I usually take all measurements myself but often times heavy rains fall in the neighbourhood. which we escape.

Yours faithfully H Wilson

FORM A
BRITISH RAINFALL
2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Cole Orton Hall
in the County of Leicester
by H. T. Wilson

Lat. Long.
Time of Observation 9. A M
Nearest Railway Station Ashby-de-la-Zouch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0.14		0.05		1.51	0.21		0.01	0.07	1
2	0.03					0.34		0.17		0.05	0.04		2
3	0.04	0.10						0.11		0.32	0.08		3
4	0.02	0.10	0.12							0.72		0.02	4
5	0.23		0.08	0.23				0.02	0.02	0.22	0.11		5
6	0.02		0.14			0.55			0.16	0.18	0.12		6
7	0.45							0.02		0.46	0.05		7
8	0.16			0.11		0.03		0.29		0.44	0.17	0.21	8
9			0.15	0.24	0.11			0.20		0.02	0.22	0.01	9
10	0.30		0.35		0.57			0.05					10
11	0.14	0.03	0.10					0.02		0.18		0.04	11
12	0.08		0.01		0.21			0.21		0.15	0.04		12
13				0.11						0.07	0.01		13
14	0.12		0.14	0.16				0.93			0.01	0.12	14
15	0.08			0.04	0.03		0.20			0.05		0.03	15
16	0.03	0.15		0.10			0.03					0.12	16
17			0.02	0.08	0.45	0.60	0.35	0.25	0.12	0.09			17
18	0.12	0.09		0.05	0.39		0.55	0.04	0.74	0.11			18
19		0.17	0.19		0.45	0.10			0.06			0.01	19
20	0.04	0.26	0.21		0.38	0.11		0.16	0.07		0.10	0.01	20
21			0.01	0.05	0.34	0.43		0.07		0.02			21
22	0.02		0.12					0.20	0.06	0.12	0.01		22
23	0.01	0.11			0.19			0.08	0.02	0.07		0.03	23
24	0.02					0.61	0.86	0.06		0.38	0.06		24
25		0.01	0.04										25
26						0.03		0.65	0.21		0.30		26
27			0.02			0.46	0.34	0.53		0.07	0.04	0.04	27
28			0.08					0.48		0.02			28
29						0.10	0.08	0.07		0.28		0.43	29
30		X	0.02			0.25	0.09	0.32		0.06			30
31		X		X		X	0.02		X		X	0.06	31
Total	1.91	1.02	1.80	1.31	3.12	3.66	2.52	6.44	1.67	4.08	1.37	1.20	YEAR'S TOTAL 30.10
Rain Days.	18	9	17	11	10	13	9	23	10	22	16	14	172

1·98

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
2. 1. 19

Kept at Cole Orton Hall
in the County of Leicester
by H. T. Wilson

Lat. .... Long. ....
Time of Observation 9 A.M
Nearest Railway Station Ashby de la Zouch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.05		0.07					0·10	0·05	0·26	0·23	1
2	0.03	0.12		0·18				1·22	0·04	0·06		0·45	2
3	0.01	0.02	0.05	0·06	0·60			0·15	0·39	0·02	0·30		3
4		0.03						0·07	0·81	0·05	0·65	0·21	4
5		0.01	0.01						0·38	0·15		0·03	5
6		0.05		0·27	0·15	0·17			0·03	0·12			6
7		0.10		0·27		0·05			0·37		0·15	0·01	7
8	0.03	0.07	0.12						0·11	0·11	0·02	0·04	8
9		0.41		0·09		0·17	0·22		0·41		0·01	0·02	9
10	0.17	0.01		0·18			0·47		0·14	0·33	0·03	0·05	10
11	0.03			0·04	0·15		0·19		0·05	0·12		0·15	11
12	0.02	0.29	0·04	0·01	0·13		0·03		0·21	0·02		0·07	12
13	0.33	0.04			0·15	0·01			0·28	0·09		0·02	13
14						0·04	0·27		0·23	0·19		0·21	14
15	0.63			0·15		0·02	0·26		0·21			0·33	15
16			0.03	0·19		0·06	0·31	0·02	0·22	0·01	0·02	0·11	16
17	0.25						0·16		0·21	0·14	0·01	0·09	17
18	0.45					0·12			0·33			0·42	18
19	0.03	0.03		0·10			0·05				0·03	0·35	19
20	0.07	0.08		0·57		0·11			0·09	0·01	0·01		20
21	0.03	0.03		0·17			0·16		0·33	0·09		0·03	21
22	0.05				0·44	0·04	0·10	0·01	0·09	0·05			22
23	0.18				0·94		0·14		0·06			0·43	23
24		0.16					0·09	0·01		0·03		0·07	24
25							0·12	0·48	0·08	0·05			25
26							0·01	0·02				0·07	26
27								0·44	0·31		0·12	0·23	27
28											0·15	0·31	28
29			0·38					0·03	0·71		0·30	0·01	29
30	0.01	✕	0·50						0·02			0·07	30
31		✕	0.17	✕		✕		0.08	✕		✕		31
Total	2·32	1·50	1·30	2·35	2·56	0·79	2·58	2·53	6·21	1·69	2·06	4·01	YEAR'S TOTAL 29·90
Rain Days.	16	16	8	14	7	10	15	11	26	19	14	25	181

W, 6,500, VII. 18. W W C

2289

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cole Orton Hall
in the County of Leicester
by H. T. Wilson

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Ashby-de-la-Zouch
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.33	0.05	0.02		0.35	0.03	0.48			0.27	0.12	0.30	1
2	0.15	0.05	0.03				0.41	0.25	0.12		0.12	0.07	2
3	0.70	0.01	0.02		0.06		0.05		0.09	0.04	0.33	0.15	3
4	0.03		0.33				0.05	0.28	0.15		0.03	0.24	4
5	0.02	0.12		0.01			0.03		0.24	0.03	0.03	0.20	5
6	0.07		0.14		0.37								6
7	0.02		0.31	0.05					0.01			0.03	7
8	0.14		0.03	0.06		0.06						0.10	8
9			0.03	0.07								0.01	9
10	0.03		0.46	0.04							0.07	0.01	10
11	0.08	0.02	0.93		0.14		0.36				0.02		11
12			0.28	0.04		0.33				0.07	0.12	0.03	12
13	0.23			0.27					0.45	0.12		0.01	13
14	0.56	0.01		0.15					0.05	0.04		0.47	14
15	0.19	0.03	0.07	0.16						0.02	0.12	0.02	15
16	0.16	1.37		0.03				0.05			0.21		16
17	0.10	0.39		0.03	0.11	0.02						0.31	17
18			0.15				0.05	0.73	0.07		0.39	0.01	18
19	0.09	0.32	1.23			0.16	1.21	0.36	0.19		0.29	0.08	19
20	0.47	0.07	0.33				0.35		0.01			0.39	20
21	0.05	0.41	0.04					0.11	0.04		0.03	0.86	21
22	0.02	0.17				0.07			0.53		0.05	0.05	22
23	0.01	0.01								0.87	0.03		23
24		0.02		0.12	0.05	0.01				0.48	0.15	0.08	24
25	0.15	0.03		0.09	0.23		0.03	0.29				0.40	25
26	0.03		0.27	0.05				0.05	0.12			0.05	26
27	0.17			0.46				0.17				0.39	27
28	0.05			0.05				0.68			0.11	0.17	28
29	0.07		0.03			0.04		0.02		0.60	0.14	0.23	29
30	0.03		0.19	0.13		0.38				0.07	0.03	0.07	30
31	0.03				0.10		0.05			0.08			31
TOTAL	3.98	3.08	4.89	1.81	141	1.10	3.07	2.99	2.07	2.69	2.39	472	YEAR'S TOTAL 34.20
Days with ·01 in. or more	27	16	19	17	8	9	11	11	13	12	19	26	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

To X M d

4 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cole Orton Hall

in the County of Leicester

by H. T. Wilson

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Ashby de la Zouch

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 540 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02			0.27			0.27		0.06	0.19		0.23	1
2				0.25	0.24		0.91		0.14	0.09		0.06	2
3	0.08	0.09		0.04	0.44	0.05	0.84		0.10	0.18		0.03	3
4		0.02		0.37			0.33	0.36		0.35		0.01	4
5			0.04	0.05			0.09	0.07	0.33	0.08			5
6			0.18		0.11		0.07	0.03		0.01		0.07	6
7		0.01	0.13	0.07	0.37		0.07						7
8	0.28	0.09		0.67			0.29			0.01			8
9	0.40	0.01		0.37			0.03	0.17		0.01		0.01	9
10	0.25	0.23	0.05	0.03			0.10			0.01	0.09		10
11	0.24	0.02	0.04	0.36	0.40	0.05	0.08			0.01	0.02	0.07	11
12	0.04		0.03	0.19		0.37	0.03				0.07	0.15	12
13	0.11	0.15	0.20	0.37		0.02	0.03			0.02	0.07	0.02	13
14	0.03	0.12	0.71	0.28		0.45			0.34		0.14	0.03	14
15	0.01	0.13	0.11	0.09		0.01			0.15	0.12	0.02		15
16				0.05	0.10	0.19	0.14	0.12	0.07	0.21			16
17					0.11	0.06			0.67	0.07		0.01	17
18	0.14			0.05			0.07	0.03	0.41	0.01			18
19	0.04	1.07		0.25			0.03		0.04				19
20	0.07	0.01		0.19		0.35				0.03	0.01		20
21	0.03	0.02					0.40	0.14	0.01		0.02		21
22	0.03			0.27			0.10	0.07	0.04				22
23		0.01					0.11	0.07	0.01	0.03		0.47	23
24	0.02		0.12	0.02			0.03			0.01		0.12	24
25		0.05	0.07	0.17		0.05	0.47		0.01				25
26	0.23	0.02	0.15				0.12					0.03	26
27	0.11	0.04		0.05	0.07	0.27	0.04			0.02	0.29	0.47	27
28	0.89		0.06	0.10	0.08	0.04	0.09			0.02	0.07	0.54	28
29	0.06		0.20	0.03	0.83					0.01	0.09	0.31	29
30	0.02	✕	0.10	0.23	0.09	0.16	0.04		0.10	0.29	0.16		30
31	0.12	✕	0.25	✕	0.04	✕	0.01		✕		✕	0.04	31
													YEAR'S TOTAL
TOTAL	3.22	2.09	2.44	4.82	2.88	2.07	4.79	1.06	2.48	1.78	1.05	2.67	31.35
Days with ·01 in. or more	22	17	16	25	12	13	26	9	15	22	12	18	207
Days with ·04 in. or more	15	9	15	22	12	11	20	7	12	9	8	11	151

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2513.

ASFORDBY RECTORY

LEICESTERSHIRE
1920 - ~~30~~ 31

JAN 1921

FORM A. METEOROLOG… …NIZATION.

REG…

…57

Kept at Asfordby … …ga by … …rdby

in the County of Leic… …auge 5 in.

…round ft 11 in.

by Rev. W. R. … …ea Level 212 ft.

IMPORTANT NOTE.—… …d to the previous day.

If an Observer prefers not to … to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				25	13		14		07	45		11	1
2				·32		04	30		07	05		03	2
3				22			23		06	05		02	3
4				22			41	23	02	33		08	4
5			·03		26		11	21	02			07	5
6			·17	04	04		36	04				08	6
7			·12	12	01		14						7
8	·14	·06		47	07		19				03		8
9	·33			58			·06	06					9
10	·22	08	06								04		10
11	·75	·04	04	10	16	08	·04	11				06	11
12	·02		·11	24		21		04			03	10	12
13	·0.4	·12		25		19					03		13
14		06	44	18		49				04	17		14
15		08	1·10x	24						03		02	15
16				04	10				1·86x	06			16
17					11		·05					02	17
18	13			13	05			15	20				18
19	·06	30		13			·17	07	02			02	19
20	·04	29		34		10							20
21				·02		28		11					21
22				16			23		10				22
23	·02	·02					·03					29	23
24			10				·12					05	24
25		·08	·04	13		·07	41				03		25
26	13		·06	·04			07						26
27	07	·02	·09	08	04	31					40	·20	27
28	54			03	02		05				04	·05	28
29	·04		·07		34		09		02		07	28	29
30	02			·16	03		02		13		12	20	30
31	08		·03		06					19		05	31
TOTAL	2·03	~~1·05~~ 1·15	2·46	4·49	1·42 1·42	1·75	3·22	1·02	1·57	1·20	~~·95~~ ·96	1·73	YEAR'S TOTAL 23·00 ~~23·91~~
Days with ·01 in. or more	16	11	14 15	24	14	9	20	9	12	8	10	18	165

(44,283). Wt.21,958—218 7500. 10/19. Gp.132.2 A.&E.W.

x March 15 + Sept 16 & 17. see accompanying letter

FORM A. XIV

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Asfordby Rectory

in the County of Leicester

by Rev. W. R. Finch

Lat. 52·46 Long. 0·57

Time of Observation always 9 a.m.

Nearest Railway Station Asfordby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 212 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				25	13		14		07	45		11	1
2				·32		04	30		07	05		03	2
3				22			23		06	05		02	3
4				22			41	23	02	33		08	4
5			·03		26		11	21	02			07	5
6			·17	04	04		36	04				08	6
7			·12	12	01		14						7
8	·14	·06		47	07		19				03		8
9	·33			58			·06	06					9
10	22	08	06								04		10
11	·15	·04	04	10	16	06	·04	11				06	11
12	·02		·11	24		21		04			03	10	12
13	·04	·12		25		19					03		13
14		06	·44	18		49				04	17		14
15		08	1·10 x	24						03		02	15
16				04	10				1·86 x	06			16
17					11		·05					02	17
18	13			13	05			15	20				18
19	·06	30		13			·17	07	02			02	19
20	·04	·29		34		10							20
21				·02		28		11					21
22				16			23		10				22
23	·02	·02					·03					29	23
24			10				·12					05	24
25		·08	·04	13		·07	41				03		25
26	13		·06	·04			07						26
27	07	·02	·09	08	04	31					40	·20	27
28	54			03	02		05				04	·05	28
29	·04		·07		34		09		02		07	28	29
30	02	✕		·16	03		02		13		12	20	30
31	08	✕	·03	✕	06	✕			✕	19	✕	05	31
TOTAL	2·03	~~1·05~~ 1·15	2·46	4·49	1·42	1·75	3·22	1·02	1·57	1·20	~~·95~~ ·96	1·73	YEAR'S TOTAL 23·00 ~~23·91~~
Days with ·01 in. or more	16	11	~~14~~ 15	24	14	9	20	9	12	8	10	18	165

(44,283). Wt.27,958—219. 7500. 10/19. Gp.132. A.&E.W.

x March 15 x Sept 16 & 17. see accompanying letter

13 9 18 8 9 6 13 163 137

F 11

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at Bark 5 in.
ve Ground — ft. 2½ in. 2508
in the County of L Sea Level 217 ft.
by Frank a.m
Name Syston. M.R.
Distance 1½m. Direction West

—

BARKBY HALL

LEICESTERSHIRE

1911 –15, 17, 19–1920.

IMPORTANT NO d the result entered to the previous day. If an C iversal rule, he is earnestly requested to add the re year in the space provided for it at the end of th ement of rain, the selection and plac British Rainfall Organization are given i application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.
·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·06	·00	·00	·00	·07	·15	·00	·00	·04	·00	1
2	·11	·00	·00	·04	·16	·00	·00	·15	·00	·00	·02	·03	2
3	·00	·02	·00	·00	·15	·00	·00	·20	·00	·03	·02	·00	3
4	·02	·01	·11	·07	·00	·00	·00	·00	·04	·13	·19	·30	4
5	·01	·00	·00	·03	·00	·00	·00	·07	·00	·02	·04	·00	5
6	·24	·00	·01	·00	·00	·00	·00	·02	·00	·64	·03	·36	6
7	·01	·00	·00	·02	·00	·00	·00	·00	·00	·14	·14	·07	7
8	·12	·00	·28	·00	·00	·00	·00	·00	·05	·00	·02	·14	8
9	·07	·00	·00	·00	·09	·00	·00	·00	·00	·00	·12	·04	9
10	·07	·10	·21	·00	·00	·00	·00	·13	·00	·00	·04	·45	10
11	·22	·00	·00	·00	·00	·00	·00	·13	·00	·00	·33	·00	11
12	·04	·00	·42	·00	·00	·00	·00	·00	·11	·00	·12	·00	12
13	·00	·00	·05	·00	·00	·00	·00	·00	·12	·00	·03	·51	13
14	·00	·07	·00	·00	·00	·00	·00	·00	·00	·02	·00	·37	14
15	·00	·09	·15	·00	·00	·00	·00	·00	·02	·05	·06	·04	15
16	·00	·00	·06	·00	·00	·04	·00	·00	·00	·00	·16	·10	16
17	·00	·01	·00	·00	·00	·01	·00	·00	·00	·00	·08	·15	17
18	·00	·29	·00	·00	·00	·07	·00	·00	·00	·00	·16	·12	18
19	·00	·00	·00	·00	·00	·31	·00	·00	·14	·10	·59	·06	19
20	·00	·06	·00	·00	·00	·00	·00	124	·06	·00	·00	·36	20
21	·00	·20	·12	·04	·00	·00	·00	·36	·00	·18	·00	·07	21
22	·00	·07	·10	·03	·00	·06	·00	·02	·00	·29	·04	·28	22
23	·00	·10	·00	·00	·00	·57	·00	·00	·35	·01	·00	·12	23
24	·00	·09	·11	·00	·00	·55	·00	·03	·00	·56	·00	·10	24
25	·00	·28	·00	·10	·71	·06	·00	·00	·00	·00	·00	·02	25
26	·00	·00	·00	·26	·38	·00	·00	·01	·00	·26	·24	·26	26
27	·00	·25	·16	·22	·00	·00	·00	·30	·19	·02	·03	·09	27
28	·00	·33	·00	·21	·00	·19	·00	·00	·00	·00	·05	·00	28
29	·00		·00	·06	·00	·18	·00	·00	·16	·22	·00	·00	29
30	·00		·00	·00	·06	·02	·00	·10	·00	·10	·00	·00	30
31	·00		·04		·06		·00	·00		·03		·00	31
Total	91	197	188	108	161	206	·07	291	124	280	255	404	TOTAL for year 2312
No. of Rain Days.	10	15	14	11	7	11	1	14	10	17	22	22	154

W. 8,000, X. '11

11

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at Barkby Hall

in the County of Leicester 4

by Frank Pawley

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 2½ in.
" " " Sea Level 217 ft. 2508

Time of Observation 9 a.m

Nearest Railway Station
Name Syston. M.R.
Distance 1¼ m. Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·06	·00	·00	·00	·07	·15	·00	·00	·04	·00	1
2	·11	·00	·00	·04	·16	·00	·00	·15	·00	·00	·02	·03	2
3	·00	·02	·00	·00	·15	·00	·00	·20	·00	·03	·02	·00	3
4	·02	·01	·11	·07	·00	·00	·00	·00	·04	·13	·19	·30	4
5	·01	·00	·00	·03	·00	·00	·00	·07	·00	·02	·04	·00	5
6	·24	·00	·01	·00	·00	·00	·00	·02	·00	·64	·03	·36	6
7	·01	·00	·00	·02	·00	·00	·00	·00	·00	·14	·14	·07	7
8	·12	·00	·28	·00	·00	·00	·00	·00	·05	·00	·02	·14	8
9	·07	·00	·00	·00	·09	·00	·00	·00	·00	·00	·12	·04	9
10	·07	·10	·21	·00	·00	·00	·00	·13	·00	·00	·04	·45	10
11	·22	·00	·00	·00	·00	·00	·00	·13	·00	·00	·33	·00	11
12	·04	·00	·42	·00	·00	·00	·00	·00	·11	·00	·12	·00	12
13	·00	·00	·05	·00	·00	·00	·00	·00	·12	·00	·03	·51	13
14	·00	·07	·00	·00	·00	·00	·00	·00	·00	·02	·00	·37	14
15	·00	·09	·15	·00	·00	·00	·00	·00	·02	·05	·06	·04	15
16	·00	·00	·06	·00	·00	·04	·00	·00	·00	·00	·16	·10	16
17	·00	·01	·00	·00	·00	·01	·00	·00	·00	·00	·08	·15	17
18	·00	·29	·00	·00	·00	·07	·00	·00	·00	·00	·16	·12	18
19	·00	·00	·00	·00	·00	·31	·00	·00	·14	·10	·59	·06	19
20	·00	·06	·00	·00	·00	·00	·00	124	·06	·00	·00	·36	20
21	·00	·20	·12	·04	·00	·00	·00	·36	·00	·18	00	·07	21
22	·00	·07	·10	·03	·00	·06	·00	·02	·00	·29	·04	·28	22
23	·00	·10	·00	·00	·00	·57	·00	·00	·35	·01	00	·12	23
24	·00	·09	·11	·00	·00	·55	·00	·03	·00	·56	00	·10	24
25	·00	·28	·00	·10	·71	·06	·00	·00	·00	·00	00	·02	25
26	·00	·00	·00	·26	38	·00	·00	·01	·00	·26	·24	·26	26
27	·00	·25	·16	·22	·00	·00	·00	·30	·19	·02	·03	·09	27
28	·00	·33	·00	·21	·00	·19	·00	·00	·00	·00	·05	·00	28
29	·00		·00	·06	·00	·18	·00	·00	·16	·22	00	·00	29
30	·00		·00	00	·06	·02	·00	·10	·00	·10	00	·00	30
31	·00		·04		·06		·00	·00		·03		00	31
Total	91	197	188	108	161	206	·07	291	124	280	255	404	TOTAL for year 2312
No. of Rain Days.	10	15	14	11	7	11	1	14	10	17	22	22	154

W. 8,000, X. '11.

EXMS

FORM A.
BRITISH RAINFALL
- JAN
2508

REGISTER OF RAINFALL IN 1912

Kept at Barkby Hall
in the County of Leicester 4
by Victor R. Pochin

Lat. 52·40N Long. 1·3'30"
Time of Observation 9 a.m
Nearest Railway Station Syston, Midland Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 2½ in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	00	00	00	00	11	00	00	05	00	00	28	1
2	00	00	00	00	00	24	64	00	01	00	00	03	2
3	04	00	00	00	00	11	09	38	06	00	00	04	3
4	17	00	54	·05	11	55	00	24	00	00	31	00	4
5	06	00	20	00	00	19	00	15	03	00	06	00	5
6	47	15	00	00	02	10	05	22	00	00	00	09	6
7	00	02	00	00	00	21	00	12	00	00	00	02	7
8	22	28	00	00	00	12	06	05	08	00	00	03	8
9	04	04	00	10	10	25	00	00	00	00	00	32	9
10	00	00	00	00	00	07	00	34	02	00	13	00	10
11	12	11	09	00	00	10	00	03	00	00	11	38	11
12	06	25	20	00	12	00	14	00	00	00	03	00	12
13	00	03	00	00	00	07	00	17	00	00	14	00	13
14	15	00	37	00	00	06	00	01	00	00	00	00	14
15	02	03	14	00	29	13	00	04	00	00	00	12	15
16	37	00	15	00	13	04	00	10	00	04	00	00	16
17	08	00	10	00	00	22	00	17	00	00	10	48	17
18	30	00	10	00	00	00	02	07	00	02	02	05	18
19	38	07	00	00	00	00	20	21	00	03	02	00	19
20	11	00	53	00	02	00	24	25	00	20	00	00	20
21	00	00	22	00	55	00	03	36	00	30	00	02	21
22	07	10	00	00	91	00	52	33	00	00	00	15	22
23	07	08	00	00	00	02	81	50	00	00	16	19	23
24	24	00	00	00	00	20	04	15	00	00	00	12	24
25	00	00	00	00	00	65	00	35	00	00	22	31	25
26	00	06	00	00	00	00	80	122	00	42	24	30	26
27	00	00	00	00	00	21	08	00	00	50	00	16	27
28	00	04	02	00	00	10	18	37	02	21	31	42	28
29	00	00	00	00	00	06	31	00	65	15	04	01	29
30	00	--	00	00	15	00	00	00	02	15	00	00	30
31	07	--	04	--	10	--	67	12	--	00	--	09	31
Total	304	126	270	·15	250	381	488	595	·94	202	189	361	YEAR'S TOTAL ✓
Rain Days.		430	700	715	965	13,46	18,34	24,29	25,23	27,25	29,14	32·75	32·75
	19	13	13	2	11	22	17	24	9	10	14	21	175 ✓

W. 7,500, XI. '12

✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3 JAN 1914

2508

Kept at Barkby Hall

in the County of Leicester

by Victor R. Pochin

4

Lat. 52·41 N. Long. 1° 3′ 30″ W.

Time of Observation 9 A.M.

Nearest Railway Station Syston Midland Rly

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground —— ft. six in.

" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	00	00	06	02	00	00	00	00	100	00	06	00	1
2	00	15	04	10	00	00	00	00	00	00	00	00	2
3	02	00	23	00	38	00	00	00	03	00	00	00	3
4	57	00	04	00	04	02	00	00	00	18	07	33	4
5	13	02	01	00	00	00	14	00	06	91	02	00	5
6	01	00	04	00	35	21	98	00	00	03	00	02	6
7	00	10	00	00	20	03	00	00	00	57	04	00	7
8	00	00	00	00	15	27	00	00	00	28	11	00	8
9	00	35	03	00	01	40	00	19	00	00	10	00	9
10	00	00	00	06	07	00	00	16	00	00	32	00	10
11	35	00	00	30	02	00	00	29	00	02	30	00	11
12	00	00	00	00	09	00	00	00	00	00	35	00	12
13	05	00	06	06	00	00	00	03	03	00	19	00	13
14	15	02	76	03	00	00	00	09	00	12	05	00	14
15	11	03	42	32	00	00	05	00	12	00	04	00	15
16	06	03	25	18	00	00	00	00	23	00	00	00	16
17	03	06	41	18	00	12	07	00	09	00	01	00	17
18	00	00	16	09	00	00	04	00	00	00	00	02	18
19	08	00	04	00	00	00	06	00	06	00	00	00	19
20	11	00	03	04	00	00	00	00	05	19	15	00	20
21	03	00	15	00	11	00	05	00	00	00	27	00	21
22	31	00	45	00	00	00	00	04	25	00	00	00	22
23	00	00	00	00	00	04	00	10	10	00	00	00	23
24	05	00	00	05	00	00	00	03	00	00	00	00	24
25	00	01	00	09	00	00	00	00	03	00	00	00	25
26	00	11	20	15	08	00	00	05	00	26	03	25	26
27	00	01	03	02	00	00	00	00	00	00	00	00	27
28	40	00	28	27	00	00	00	00	00	10	00	03	28
29	00	--	19	56	00	00	00	52	00	10	00	27	29
30	33	--	02	06	00	00	02	00	00	08	05	00	30
31	00	--	00	--	16	--	00	04	--	00	--	00	31
Total	2·79	·89	3·90	2·58	1·66	1·09	1·41	1·54	2·05	2·84	2·16	·92	YEAR'S TOTAL
Rain Days.		3·68	7·58	10·16	11·82	12·91	14·32	15·86	17·91	20·75	22·91	23·83	23·83
	17	11	22	18	12	7	8	11	12	12	17	6	153

W.7,000, XI. 13

Ex. W9.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2 JAN 1915

2508

Kept at Barkby Hall

in the County of Leicester 4

by Victor R. Pochin.

Lat. 52·41 N Long. 1° 3' 30" W.
Time of Observation 9 A.M.
Nearest Railway Station Syston Midland Rly
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground —— ft. six in.
" " " " Sea Level 217 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	00	00	02	03	00	00	10	33	00	00	00	02	1
2	00	00	00	00	00	00	00	21	00	00	85	23	2
3	00	00	00	01	11	00	22	31	00	00	05	00	3
4	25	00	10	15	00	00	00	01	00	00	42	28	4
5	15	00	14	25	00	15	22	02	00	00	01	00	5
6	00	05	00	06	06	00	00	00	00	00	11	06	6
7	00	13	48	07	02	00	04	00	00	00	00	06	7
8	11	00	04	13	07	78	24	24	00	00	00	04	8
9	33	00	14	21	00	112	00	08	02	00	00	00	9
10	15	12	00	17	05	00	00	00	06	00	00	00	10
11	00	09	34	00	11	03	00	00	04	00	71	23	11
12	02	01	10	00	00	00	00	00	20	00	03	36	12
13	02	13	20	00	00	00	00	00	01	05	24	33	13
14	03	03	25	00	00	00	15	00	00	21	09	38	14
15	06	00	19	00	00	00	00	00	02	01	12	06	15
16	01	00	07	00	00	00	29	00	05	00	03	00	16
17	00	22	11	00	00	00	09	00	14	00	00	18	17
18	00	00	00	00	00	00	20	00	00	00	00	40	18
19	00	01	00	00	00	00	01	00	02	00	04	03	19
20	00	14	21	00	00	00	04	00	00	00	00	00	20
21	00	28	08	00	00	29	00	00	00	05	03	31	21
22	03	01	00	00	48	00	04	10	00	18	00	00	22
23	00	12	11	00	26	00	00	00	00	04	00	03	23
24	00	00	08	00	33	00	10	00	00	34	19	00	24
25	03	00	00	00	00	00	01	22	00	48	01	25	25
26	00	00	00	00	00	00	02	09	00	19	18	24	26
27	04	00	00	00	00	00	00	00	00	00	01	14	27
28	00	04	00	00	00	00	12	00	00	06	34	80	28
29	04	╳	13	00	00	00	00	00	00	40	09	00	29
30	00	╳	00	00	00	05	00	01	00	02	36	16	30
31	03	╳	00	╳	00	╳	29	00	╳	00	╳	07	31
Total	1·30	1·38	2·79	1·08	1·49	2·42	2·21	1·72	·56	2·03	3·44	4·68	YEAR'S TOTAL 25·10
Rain Days.	15	14	18	9	9	6	17	11	9	12	20	22	162

W. 8,000. X. 14.

X: 1109

2622

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.
3 - JAN 1916

Kept at Barkby Hall.
in the County of Leicester.
by ~~Frank Pawley~~. Victor R. Pochin

Lat. 52°41' N Long. 1°3'30" W.
Time of Observation 9 A.M.
Nearest Railway Station Syston M.R.
Diameter of Funnel of Rain Gauge Five in. 2508
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 214 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	·25	·11	·00	·49	·00	·00	·01	·19	·00	·06	·06	1
2	·01	·09	·15	·13	·00	·13	·01	·71	·00	·11	·00	·07	2
3	·30	·00	·03	·15	·00	·00	·09	·79	·06	·00	·00	·23	3
4	·13	·00	·00	·00	·02	·00	1·58	·23	·00	·00	·00	1·00	4
5	·05	·28	·00	·00	·31	·00	·00	·02	·00	·00	·04	·32	5
6	·06	·10	·02	·26	·00	·00	·73	·00	·00	·00	·00	·06	6
7	·14	·26	·00	·00	·00	·05	·16	·23	·00	·00	·00	·69	7
8	·07	·07	·00	·07	·00	·00	·00	·04	·00	·00	·01	·00	8
9	·00	·15	·00	·00	·00	·00	·00	·00	·00	·00	·14	·34	9
10	·42	·00	·00	·00	·00	·00	·00	·01	·00	·00	·20	·00	10
11	·02	·00	·05	·04	·20	·00	·13	·01	·00	·00	·42	·04	11
12	·01	·00	·00	·21	·26	·00	·00	·09	·00	·00	1·05	·00	12
13	·02	·41	·00	·00	·70	·00	·00	·00	·00	·00	·00	·00	13
14	·03	·09	·00	·00	·00	·00	·00	·23	·05	·00	·00	·31	14
15	·30	·00	·00	·00	·03	·00	·00	·09	·00	·01	·13	·12	15
16	·00	·26	·00	·00	·03	·00	1·45	·00	·00	·00	·00	·00	16
17	·00	·16	·00	·00	·00	·00	·90	·01	·00	·00	·00	·00	17
18	·00	·28	·12	·00	·00	·00	·00	·00	·00	·00	·00	·02	18
19	·00	·02	·04	·00	·02	·00	·16	·00	·00	·00	·00	·00	19
20	·15	·00	·00	·00	·00	·00	·00	·02	·00	·00	·00	·35	20
21	·12	·08	·00	·00	·07	·00	·15	·00	·00	·00	·00	·15	21
22	·18	·00	·11	·06	·00	·00	·39	·00	·00	·00	·00	·09	22
23	·05	·05	·03	·00	·00	·07	·12	·00	·08	·11	·00	·14	23
24	·00	·00	·05	·07	·00	·01	·44	·00	·89	·09	·00	·16	24
25	·00	·00	·04	·00	·00	·70	·24	·00	·00	·04	·00	·19	25
26	·00	·13	·00	·00	·00	·00	·02	·00	·01	·00	·00	·20	26
27	·00	·07	·00	·00	·00	·02	·42	·00	·00	·44	·00	·15	27
28	·00	·14	·06	·00	·00	·18	·02	·14	·00	·11	·00	·00	28
29	·00		·02	·00	·00	·01	·00	·14	·00	·00	·25	·19	29
30	·06	X	·00	·02	·00	1·61	·00	·05	·00	·00	·02	·10	30
31	·05	X	·00	X	·00	X	·00	·03	X	·25	X	·10	31
Total	2·31	2·89	·83	1·01	2·13	2·78	7·01	2·85	1·28	1·16	2·32	5·02	YEAR'S TOTAL 31·59
Rain Days.	20	18	13	9	10	9	17	18	6	8	10	23	161

W. 8,000. X. 15.

2430

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

and for anth

Kept at Barkby Hall
in the County of Leicester
by Victor R. Pochin

Lat. 52 41 N Long. 1° 3' 30" W
Time of Observation 9 A.M.
Nearest Railway Station Syston Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 217 ft.

5 JAN 19 503

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	00	00	00	00	00	00	135	12	00	01	08	1
2	06	00	00	15	00	10	00	19	00	04	03	00	2
3	00	00	00	15	00	00	00	55	00	02	01	00	3
4	01	00	00	32	00	00	00	15	00	82	00	01	4
5	13	00	08	12	00	00	00	10	06	09	15	00	5
6	02	00	00	00	00	34	00	00	00	00	10	00	6
7	41	00	00	00	00	04	00	02	00	50	02	11	7
8	80	00	00	11	00	00	22	26	00	45	10	67	8
9	07	00	04	06	01	00	03	12	00	00	20	01	9
10	02	00	28	03	35	00	00	02	00	00	07	00	10
11	32	00	07	20	00	00	00	14	00	20	02	00	11
12	22	07	00	06	12	00	00	08	00	18	00	01	12
13	03	00	01	02	00	00	00	22	11	00	00	00	13
14	07	00	03	22	00	00	00	03	00	00	00	05	14
15	04	00	00	00	00	00	14	30	00	06	02	04	15
16	04	17	00	16	00	01	00	00	00	03	00	15	16
17	03	02	03	15	41	20	07	00	15	10	00	05	17
18	06	00	00	15	24	00	70	03	75	01	00	00	18
19	04	10	21	00	15	00	00	00	10	00	00	00	19
20	00	18	03	00	73	01	00	02	05	00	12	00	20
21	00	02	06	00	05	31	00	02	00	02	00	00	21
22	00	00	07	00	00	00	00	03	02	13	00	00	22
23	02	07	00	00	12	00	00	15	07	05	00	00	23
24	00	00	03	00	00	44	00	09	00	35	04	00	24
25	00	00	08	00	00	04	00	00	00	00	08	00	25
26	00	00	00	00	00	00	00	40	31	00	12	00	26
27	00	00	00	00	00	44	07	45	00	00	00	06	27
28	00	00	20	00	00	52	00	19	00	02	00	10	28
29	00		00	00	00	29	00	02	00	40	00	34	29
30	00		00	00	00	00	38	26	00	00	00	04	30
31	00		00		00		05	14		00		05	31
Total	2·39	·63	1·22	1·90	2·18	2·74	1·66	5·33	1·74	3·47	1·09	1·77	YEAR'S TOTAL 25·52
Rain Days.	18	7	14	14	9	12	8	26	10	18	15	15	166

2·52

W. 8,000, IX. 17.

~~W~~ 97 L 2286

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

6 JAN 20

2508

Kept at BARKBY HALL

in the County of Leicester

by Victor R. POCHIN

Lat. 52° 41′ N. Long. 1° 3′ W

Time of Observation 9 A.M.

Nearest Railway Station Syston Mid. Rly

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground — ft. six in.

" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	40	06	06	00	31	00	20	00	00	06	04	35	1
2	21	11	03	00	00	00	25	04	72	13	14	05	2
3	25	00	04	00	00	00	32	00	07	00	(26)	04	3
4	38	00	32	00	00	13	00	27	07	00	01	25	4
5	06	06	00	00	00	00	02	02	27	00	00	14	5
6	02	00	08	00	58	00	00	00	00	00	01	03	6
7	02	00	36	00	00	00	00	00	00	00	00	00	7
8	12	00	02	11	00	09	00	00	00	00	02	00	8
9	00	00	03	10	00	00	00	00	00	00	01	00	9
10	00	00	31	02	00	00	00	00	00	00	01	07	10
11	03	00	47	01	02	00	57	00	00	12	00	00	11
12	00	00	21	06	00	20	03	00	02	02	04	00	12
13	24	00	00	18	00	07	00	00	00	00	12	04	13
14	38	05	00	17	00	00	00	00	22	00	00	02	14
15	57	00	10	11	00	00	00	00	00	00	04	71	15
16	12	112	00	05	00	00	00	01	00	00	25	00	16
17	02	30	00	02	00	02	03	00	00	00	28	00	17
18	00	05	16	00	00	00	00	27	00	00	00	24	18
19	02	20	68	00	00	11	198	40	16	00	12	07	19
20	42	08	32	00	00	06	67	27	00	00	17	11	20
21	16	37	05	00	00	00	33	00	42	00	06	29	21
22	00	07	01	00	00	00	04	00	00	00	01	58	22
23	00	00	00	00	00	02	02	02	00	50	00	02	23
24	00	00	00	16	12	03	12	00	00	35	07	07	24
25	07	00	00	09	19	03	00	43	00	00	00	00	25
26	01	03	22	06	00	00	00	05	06	00	01	31	26
27	08	00	01	27	00	01	00	00	00	00	03	04	27
28	21	00	00	10	00	00	00	75	00	02	00	36	28
29	09		00	02	00	00	00	18	00	36	16	04	29
30	00		03	27	00	21	00	00	00	03	09	21	30
31	02		01		00		03	00		04		00	31
TOTAL	3·90	2·50	3·52	1·80	1·22	·98	4·61	2·71	2·01	1·63	1·95	4·04	YEAR'S TOTAL
Days with ·01 in. or more	23	12	21	17	5	12	14	12	9	10	22	22	30·87

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W WAD only mm dates 2193

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

2508

Kept at BARKBY HALL

in the County of Leicester

by Victor R. Pochin

Lat. 52° 41′ N Long. 1° 3′ W.

Time of Observation 9 A.M.

Nearest Railway Station SYSTON. (Midland)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 227 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	00	00	00	26	16	00	23	00	00	41	00	16	1
2	00	00	00	12	00	00	17	00	11	12	00	04	2
3	02	04	00	46	00	01	48	00	05	07	00	00	3
4	00	00	00	15	01	00	05	28	00	34	00	12	4
5	00	00	03	00	30	00	39	21	12	01	00	04	5
6	00	00	23	05	04	00	14	02	00	00	00	05	6
7	00	00	10	13	12	00	04	00	00	00	00	00	7
8	21	06	00	57	11	00	19	00	00	00	00	00	8
9	47	01	02	64	00	00	00	08	00	00	00	00	9
10	25	17	10	01	00	00	07	00	00	00	03	00	10
11	20	04	02	08	23	03	01	05	00	00	00	04	11
12	02	00	00	22	00	15	15	00	00	00	01	00	12
13	05	08	18	24	00	03	00	00	00	00	00	06	13
14	00	05	65	26	00	21	01	00	15	04	20	(04)	14
15	00	08	55	37	00	00	00	00	06	07	00	00	15
16	00	01	00	04	05	00	00	00	08	03	00	00	16
17	00	00	00	00	14	00	01	00	73	05	00	02	17
18	12	00	00	14	06	00	42	14	25	00	00	00	18
19	14	32	00	22	00	00	00	08	04	00	00	01	19
20	05	SNOW 35	00	37	00	35	01	00	00	00	00	00	20
21	10	00	00	00	00	00	19	(12)	00	00	00	00	21
22	01	00	00	19	00	00	02	00	06	00	00	00	22
23	00	00	00	00	00	00	15	00	00	00	00	42	23
24	00	00	11	00	00	00	00	00	00	00	00	08	24
25	02	09	03	08	32	10	48	00	00	00	00	00	25
26	19	00	11	04	00	00	02	00	00	00	00	02	26
27	10	00	00	11	05	41	03	00	00	00	42	20	27
28	57	00	65	02	13	00	64	00	00	00	02	09	28
29	07	00	28	00	32	00	04	00	00	00	07	38	29
30	03	✕	00	13	04	01	09	00	08	00	08	18	30
31	06	✕	00	✕	07	✕	00	00	✕	27	✕	07	31
TOTAL	2·68	1·30	2·46	4·90	2·15	1·30	3·43	·98	1·72	1·41	·83	2·02	YEAR'S TOTAL 25·18
Days with ·01 in. or more	19	12	14	24	16	9	24	8	11	10	7	18	172
Days with ·04 in. or more	14	10	10	22	15	5	17	7	11	8	4	15	138

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

BARROW - UPON - SOAR.

THE MOUNT.

LEICESTERSHIRE

1911 – 1920

911

Kept at The Mount
in the County of Le
by Mrs C. St

p 5 in.
bove Ground 1 ft. 6 in.
„ Sea Level ft.
9. a. m.
Name Barrow-upon-Soar.
Distance Direction

IMPORTANT N and the result entered to the previous day. If an niversal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and pl British Rainfall Organization are given n application to Dr. H. R. Mill, 62,

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·05				0·06	0·02		0·01	0·05		1
2	0·09				0·16			0·06				0·04	2
3				0·01	0·19			0·28			0·01		3
4	0·03	0·01	0·15	S0·11				0·02	0·03	0·32	0·15	0·22	4
5				S0·02						0·01	0·02		5
6	0·26							0·05		0·08		0·39	6
7	0·03		0·03							0·29	0·17	0·10	7
8	0·11		0·18								0·10		8
9	0·05											0·07	9
10	0·09	0·08						0·02				0·49	10
11	0·18		0·20					0·13			0·27		11
12	0·01		0·32						0·26		0·18	0·01	12
13			0·03						0·11		0·05	0·46	13
14			0·03		0·05							0·33	14
15		0·11								0·05	0·05		15
16			0·12			0·03				0·02	0·17	0·09	16
17						0·07					0·07	0·21	17
18		0·29				0·07					0·16	0·11	18
19						0·21			0·06	0·11	0·37	0·06	19
20		0·05		0·04		0·01		0·67	0·07	0·01		0·36	20
21		0·42	0·10					0·26		0·19	0·06	0·08	21
22			0·03					0·02		0·18		0·29	22
23	0·01	0·11	0·12			0·43			0·28	0·03		0·01	23
24			0·04	0·08		0·53		0·15		0·32		0·03	24
25		0·18	0·02	0·09		0·02			0·01		0·04	0·07	25
26				0·21		0·03				0·21	0·29	0·23	26
27		0·19	0·12	0·03	0·25			0·78	0·19	0·03		0·07	27
28		0·32		0·15		0·24			0·02		0·07		28
29			0·01		0·48	0·20				0·32	0·02	0·01	29
30			0·02	0·04	0·03	0·03				0·11		0·02	30
31										0·06		0·01	31
Total	0·86	1·76	1·57	0·78	1·16	1·87	0·06	2·46	1·03	2·35	2·30	3·76	TOTAL for year 19·96
No. of Rain Days.	10	10	17	10	6	12	1	12	9	18	19	24	148

W. 8,000, X. '11.

911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at The Mount, Barrow-upon-Soar

in the County of Leicester 4

by Mrs. C. Stuart Thomson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Barrow-upon-Soar.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·05				0·06	0·02		0·01	0·05		1
2	0·09				0·16			0·06				0·04	2
3				0·01	0·19			0·28			0·01		3
4	0·03	0·01	0·15	s0·11				0·02	0·03	0·32	0·15	0·22	4
5				s0·02						0·01	0·02		5
6	0·26							0·05		0·08		0·39	6
7	0·03		0·03							0·29	0·17	0·10	7
8	0·11		0·18								0·10		8
9	0·05											0·07	9
10	0·09	0·08						0·02				0·49	10
11	0·18		0·20					0·13			0·27		11
12	0·01		0·32						0·26		0·18	0·01	12
13			0·03						0·11		0·05	0·46	13
14			0·03		0·05							0·33	14
15		0·11								0·05	0·05		15
16			0·12			0·03				0·02	0·17	0·09	16
17						0·07					0·07	0·21	17
18		0·29				0·07					0·16	0·11	18
19						0·21			0·06	0·11	0·37	0·06	19
20		0·05		0·04		0·01		0·67	0·07	0·01		0·36	20
21		0·42	0·10					0·26		0·19	0·06	0·08	21
22			0·03					0·02		0·18		0·29	22
23	0·01	0·11	0·12			0·43			0·28	0·03		0·01	23
24			0·04	0·08		0·53		0·15		0·32		0·03	24
25		0·18	0·02	0·09		0·02			0·01		0·04	0·07	25
26				0·21		0·03				0·21	0·29	0·23	26
27		0·19	0·12	0·03	0·25			0·78	0·19	0·03		0·07	27
28		0·32		0·15		0·24			0·02		0·07		28
29			0·01		0·48	0·20				0·32	0·02	0·01	29
30			0·02	0·04	0·03	0·03				0·11		0·02	30
31										0·06		0·01	31
Total	0·86	1·76	1·57	0·78	1·16	1·87	0·06	2·46	1·03	2·35	2·30	3·76	TOTAL for year 19·96
No. of Rain Days.	10	10	17	10	6	12	1	12	9	18	19	24	148

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19 1~~1~~2

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

Kept at The Mount, Barrow-upon-Soar

in the County of Leicester. 4

by Wm C. Stuart Thomson.

Lat. Long. —

Time of Observation 8.30 a.m.

Nearest Railway Station Barrow-upon-Soar.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			0·06			0·25		0·08	0·03			S+R 0·46	1
2		0·03	0·12	0·10		0·15	0·56		0·01			0·02	2
3	0·06		0·04			0·18	0·02	0·53	0·05			0·03	3
4	0·11		0·48		0·11	0·52	0·02	0·19	0·01		0·22		4
5	0·05	Snow 0·09	0·10		0·04	0·11	0·01	0·06	0·05		0·05		5
6	S+R 0·66	0·18				0·03	0·03	0·16				0·14	6
7		0·07				0·13		0·04				0·02	7
8	0·27	0·19	0·25	0·06		0·08	0·18	0·07	0·06				8
9	0·06		0·03	0·05		0·25	0·06	0·02				0·29	9
10	0·01							0·37			0·21		10
11	0·11					0·11					0·04	0·49	11
12	0·06	0·43	0·16			0·03		0·02			0·03	0·01	12
13	0·01	0·08				0·13		0·09		0·08		0·02	13
14	0·18		0·33			0·07		0·03			0·10		14
15	0·06	0·04	0·11		0·22	0·16							15
16	0·52		0·16		0·09			0·09		0·14		0·01	16
17	Snow 0·35		0·11			0·24	0·03	0·21		0·03	0·11	0·66	17
18	0·16		0·11					0·05			0·05		18
19	0·36	0·18					0·33	0·73		0·02			19
20	0·16		0·10				0·32	0·07		0·28			20
21	0·02		0·18		0·56		0·03	0·26		0·33		0·12	21
22	0·04	0·11			0·63	0·06	0·62	0·29					22
23	0·04	0·10	0·26			0·05	0·82	0·34			0·15		23
24	0·17	0·01				0·12	0·37	0·09				0·29	24
25						0·48		0·19			0·24	0·24	25
26		0·05	0·06			0·12	0·15	1·16		0·65	0·34	0·34	26
27					0·01	0·27	0·17			0·67		0·22	27
28						0·08	0·12	0·43	0·01	0·28	S+R 0·44	0·41	28
29		0·02				0·03	0·13		0·59	0·17			29
30	0·03				0·12	0·01				0·11		0·01	30
31					0·02		0·62	0·06				0·10	31
Total	3·49	1·58	2·66	0·21	1·80	3·66	4·59	5·63	0·81	2·76	1·98	3·88	YEAR'S TOTAL 33·05 ✓
Rain Days.	22	14	17	3	9	24	19	25	8	11	12	19	183 ✓

W. 7,500, XI. ·12

FORM A1.
BRITISH RAINFALL.

15 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Mount, Barrow-upon-Soar
in the County of Leicester 4
by Wm C. Stuart Thomson.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level ft.
Time of Observation 9. a.m.
Nearest Railway Station
Name Barrow-upon-Soar
Distance Close Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0·10	0·03					0·76				1
2	0·02	0·14	0·03	0·02									2
3	0·01		0·21		0·56							0·02	3
4	0·61	0·01			0·02					0·05	0·19	0·46	4
5	0·03		0·04			0·07	0·05			1·03			5
6	0·02	~~0·18~~	0·11		0·47	0·03	0·49		0·04	0·05	0·07		6
7		0·10			0·17		0·04			0·48			7
8		0·02			0·14	0·19				0·63			8
9		0·29				0·43					0·18		9
10				0·11	0·18			0·38		0·02	0·20		10
11	0·89 s			0·35 s	0·02			0·21	0·01		0·32		11
12					0·17						0·48		12
13	0·08 s		0·15	0·04				0·01			0·14		13
14	0·06	0·02	0·63	0·03				0·10		0·08	0·03		14
15	0·07	0·10	0·56	0·29			0·01		0·11		0·07		15
16	0·01		0·64 s	0·07			0·04	0·04	0·16		0·01		16
17	0·02	0·07	0·03	0·09		0·03			0·10				17
18			0·14	0·09							0·03		18
19	0·09			0·05					0·09				19
20	0·07		0·09	0·04					0·06	0·17	0·18		20
21					0·12						0·27		21
22	0·37		0·53			0·11	0·01	0·20	0·26				22
23								0·07					23
24	0·06	0·03				0·05							24
25	0·02			0·02					0·02				25
26		0·11	0·17	0·12					0·01	0·25		0·28	26
27			0·03	0·24							0·04		27
28	0·43		0·30	0·29						0·16			28
29			0·17	0·51				0·55		0·08		0·21 s	29
30	0·40									0·14	0·04	0·04 s	30
31								0·03					31
Total	3·26	0·89	3·93	2·39	1·85	0·91	0·64	1·59	1·62	3·14	2·25	1·01	TOTAL for year 23·48
No. of Rain Days	18	10	17	17	9	7	6	9	11	12	15	5	136

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
13 JAN 1915

Kept at The Mount, Barrow-upon-Soar
in the County of Leicester 4
by Mrs C. Stuart Thomson.

Lat. ________ Long. ________
Time of Observation 9 a.m.
Nearest Railway Station Barrow-upon-Soar
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date	Jan.	Feb.	March	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·04				0·93	0·20			0·02	0·02	1
2	0·03			0·01				0·18			0·42	0·15	2
3				0·02	0·11		0·14	0·14					3
4	0·02		0·04	0·09	0·03			0·09			0·01	0·34	4
5	0·31		0·11	0·39		0·13	0·43				0·52		5
6	0·01	0·03		0·12	0·10							0·03	6
7		0·07	0·40	—	0·05	0·01	0·03	0·02					7
8	0·02				0·04	0·70	0·13	0·27					8
9	0·33		0·07	0·25	0·02	0·97		0·04				0·03	9
10		0·11	0·36	0·15					0·02				10
11		0·08		0·24	0·05				0·09		0·75	0·34	11
12	0·02		0·08		0·08				0·10		0·06	0·28	12
13		0·15	0·10						0·12	0·06	0·17	0·37	13
14		0·03	0·08				0·13			0·16	S.+R. 0·15	0·29	14
15	0·08		0·11						0·05			0·03	15
16			0·03				0·25		0·02				16
17			0·08				0·02		0·14			0·34	17
18	0·02	0·19					0·15					0·54	18
19	0·03		0·02				0·02						19
20		0·18	S.+R. 0·30				0·14			0·02		0·04	20
21		0·32								0·05		S.+R. 0·31	21
22			0·02		0·69					0·03			22
23		0·08	0·13		0·26		0·14			0·14		0·05	23
24			0·12		0·35	0·02	0·09	0·22		0·16	0·16		24
25							0·03	0·21		0·53	0·02	S.+R. 0·37	25
26							0·04	0·32			0·27	0·26	26
27	0·06		0·03							0·11	0·05	0·13	27
28	0·03	0·05	0·19							0·09	0·28	0·85	28
29	0·05									0·42		0·04	29
30		×									0·42	0·24	30
31		×		×		×	0·22		×		×		31
Total	1·01	1·29	2·31	1·27	1·78	1·83	2·89	1·69	0·54	1·77	3·30	5·04	YEAR'S TOTAL 24·72 ✓
Rain Days.	13	11	19	8	11	5	16	10	7	11	14	21	146 ✓

W. 8,000. X. 14.

cndly B. 29.11.16

2623

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5. JAN. 19

Kept at The Mount, Barrow-upon-Soar
in the County of Leicester
by Mrs C. Stuart Thomson.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Barrow-upon-Soar: Stn. M.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·16	0·25	0·07		0·32	0·01	0·01	0·10	0·04		0·06		1
2	0·06	0·11	0·13	0·18		0·08		0·45	0·03	0·11		0·05	2
3	0·35			0·06			1·06	0·15				0·25	3
4	0·14				0·04		1·14	0·07				1·02 1·05	4
5	0·05	0·29						0·05			0·06	0·37	5
6	0·04	0·09		0·17	0·11	0·01	0·70	[illegible]				0·05	6
7	0·13	0·37		0·14S		0·07	0·25	0·15				0·47	7
8	0·09	0·06						0·05			0·02		8
9		0·14						0·04		0·04	0·15	0·45	9
10	0·44		0·09					0·02			0·29		10
11	0·02			0·04	0·14		0·07	0·12			0·52	0·21S	11
12	0·02			0·21	0·24		0·04	0·09		0·05	0·98		12
13	[illegible]	0·42			0·58			0·02			0·19S		13
14	0·01	0·04						0·01	0·05			0·27	14
15	0·31						0·07	0·19				0·12	15
16		0·35			0·02		2·70						16
17		0·22					0·28	0·06					17
18	0·01	0·21	·38 0·38									0·05	18
19							0·13					0·02	19
20	0·11							0·02				0·34	20
21	0·18S	0·14					0·16					0·07	21
22	0·09	0·02	0·14	0·08			0·15					0·06	22
23		0·06S				0·06	0·10		0·07	0·24		0·25	23
24			0·08			0·01	0·03		0·75	0·04		0·01	24
25						0·62			0·04	0·02		0·27	25
26		0·19	0·02				0·04		0·03			0·29	26
27			0·03			0·01	0·19			0·59		0·19	27
28		0·28	0·05			0·34	0·06	0·19	0·01				28
29		S+R.				0·17					0·21	0·22	29
30	0·05	X		0·03		0·32					0·05	0·05	30
31	0·06	X		X		X	0·02	0·07	X	0·22	X	0·15	31
Total	2·32	3·24	0·99	0·91	1·45	1·70	7·20	1·85	1·02	1·31	2·53	5·23	YEAR'S TOTAL 29·75
Rain Days.	19	17	9	8	7	11	19	18	8	8	10	23	157

W. 8,000. X. 15.

2563

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at The Mount, Barrow-upon-Soar
in the County of Leicester
by Wm. C. Stuart Thomson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Barrow-upon-Soar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·05		S+R 0·17			0·06	0·21				0·19		1
2	0·33	0·52	S 0·19		0·41		0·22		0·03	0·33	0·07		2
3	0·01	0·07	0·11		0·38		0·05		0·25	0·29	0·03		3
4	0·24				0·07	0·26				0·11	0·22		4
5	0·02	0·01				0·16			0·02	0·09	0·12		5
6	0·05		S 0·20		0·16					0·12	0·22		6
7			S 0·27		0·02		0·26		0·01	0·26	0·12	0·16	7
8			S 0·07				0·21			0·10	0·02	0·13	8
9		0·10	S 0·10		0·34	0·11	0·05		0·03				9
10			S 0·08	0·05		0·05			0·07			0·07	10
11		0·07	0·10	0·07		0·12			0·03	0·09		0·05	11
12	0·07	0·35	0·11	0·02	0·75	0·11							12
13		0·17	0·08		0·07	0·03		0·07					13
14		S 0·58						0·80				0·01	14
15		0·31	0·57	0·08			0·09	0·17		0·04			15
16	0·02	0·16	0·49	0·25			0·17	0·01	0·09	0·05			16
17	0·04	0·07						0·12	0·11	0·15			17
18		0·16	0·05	0·02				0·07	0·12				18
19	0·14	0·03	0·30	0·01							S+R 0·68	S 0·16	19
20	0·15		0·34	0·20							0·41	0·11	20
21	0·01		0·07		0·05			0·01			0·05	S+R 0·36	21
22					0·06					0·05	0·02	S 0·11	22
23	0·06	S 0·63						0·04			0·09	S 0·39	23
24		S 0·59	S 0·08					0·12				0·14	24
25		0·07	0·22		0·08			0·23			0·13		25
26	0·04	0·02				0·04		0·04		0·03	0·05		26
27		S 0·45	S 0·80				0·04	0·08		0·34			27
28		S+R 0·36	S 0·49			0·36		1·06		0·07		0·22	28
29		0·07				0·18			0·02	0·28			29
30		X						0·07		0·29		0·04	30
31		X		X		X		0·03	X	0·07	X	0·11	31
Total	1·23	4·79	4·89	0·70	2·39	1·48	1·30	2·92	0·78	2·76	2·42	2·06	YEAR'S TOTAL 27·72
Rain Days.	14	20	21	8	11	11	9	15	11	18	15	14	167

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4. JAN 1918

Kept at The Mount, Barrow-upon-Soar
in the County of Leicester
by Mr C. Stuart Thomson.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Barrow-upon-Soar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·01 S		0·06 S				1·12	0·15		0·02	0·15 S+R	1
2	0·04					0·05		0·20		0·04			2
3		0·03 S						0·32		0·11			3
4	0·02	0·05 S	0·06 S					0·14		0·55	0·03		4
5	0·08			0·21 S+R					0·14	0·12	0·09		5
6						0·20				0·10	0·08	0·03	6
7	0·39		0·04 S					0·25		0·43			7
8	0·61			0·11			0·19	0·73		0·40	0·03		8
9	S+R 0·03		0·15	S+H 0·06 S				0·16		0·03	0·23		9
10	0·35 S		S 0·38		0·71			0·01			0·02		10
11	0·08		0·06	0·19 S				0·07		0·21	0·07		11
12	0·12	0·02 S		0·08	0·10	0·03			0·12	0·14		0·05	12
13	0·09 S			0·02				0·13		0·02			13
14	0·10 S		0·05	0·02			0·21	0·24		0·06	0·01	0·06	14
15	0·01			0·01			0·04			0·03		0·10	15
16	0·08	0·12		0·09			0·11	0·08				0·14 S	16
17	0·02		0·02	0·11	0·42	0·14			0·11	0·09		0·02	17
18	0·06					0·01	0·82		0·66			0·02	18
19	0·07	0·14	0·11		0·19	0·03			0·06		0·08		19
20		0·21	0·02		0·57	0·16		0·05	0·05				20
21		0·02	0·08 S		0·07	0·49		0·04		0·01			21
22			0·07 S					0·02	0·04	0·10			22
23		0·07			0·12			0·12	0·02	0·03			23
24			0·01			0·42	0·02	0·08		0·26	0·06		24
25		0·02	0·07			0·01					0·02		25
26			0·01					0·27	0·25		0·11		26
27						0·36	0·11	0·65				0·01	27
28			0·12			0·24		0·16		0·01		0·10	28
29	0·02 S					0·18	0·13	0·02		0·32			29
30		X					0·24	0·22				0·32	30
31		X	0·11 S	X		X	0·02	0·06	X		X	0·06	31
Total	2·17	0·69	1·36	0·96	2·18	2·32	1·89	5·14	1·60	3·06	0·85	1·06	YEAR'S TOTAL 23·28
Rain Days.	17	10	16	11	7	13	10	23	10	20	13	12	162

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

3. 1.

Kept at The Mount, Barrow-upon-Soar
in the County of Leicester
by Mr C. Stuart Thomson.

Lat. .... Long. ....
Time of Observation 9. a. m.
Nearest Railway Station Barrow-upon-Soar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·05		0·05					0·11	0·02	0·11	0·02	1
2		0·09		0·06				0·53		0·01	0·02	0·26	2
3		0·03	0·06		0·56			0·17			0·30		3
4	0·03		0·03				0·12	0·06	0·94	0·04	0·34	0·06	4
5					0·06			0·16	0·04	0·11		0·01	5
6				0·22						0·07			6
7	S. 0·11			0·23		0·02			0·03		0·10	0·02	7
8	0·01	0·21	S+R 0·11						0·07	0·01		0·06	8
9	0·05	0·36		0·12		0·07	0·29		0·38	0·20		0·01	9
10	0·07			0·04			0·36		0·01	0·13			10
11		0·05		0·03	0·09		0·17	0·01	0·05	0·03		0·10	11
12		0·16	0·05		0·14		0·09		0·21			0·04	12
13				0·03	0·10				0·16	0·02		0·06	13
14	S+R 0·34			0·04		0·02	0·13		0·19			0·14	14
15	S 0·63			0·35		0·04	0·10		0·10	0·03		0·11	15
16	0·01		0·06	0·19					0·21				16
17	0·26			0·02		0·11	0·32		0·22	0·06		0·15	17
18	0·37					0·10	0·11		0·42			0·28	18
19	0·08			S+R. 0·13			0·05			0·05			19
20	0·02	0·04		S+R 0·36		0·05	0·02		0·01	0·01			20
21	0·05	0·02		0·14		0·02	0·05		0·27	0·15		0·13	21
22	0·08						0·04		0·02	0·07		0·02	22
23	0·06				0·39		0·23		0·04	0·05		0·28	23
24		0·16					0·14		0·07	0·01	0·08		24
25								0·19			0·02		25
26						0·01		0·03	0·05		0·06	0·09	26
27								0·28	0·15		0·10	0·10	27
28		S 0·36	0·24					0·15		0·02	0·20	0·12	28
29			0·05						0·65		0·09	0·06	29
30		X	0·24						0·07			0·09	30
31		X	0·09	X		X		0·05	X	0·01	X		31
Total	2·17	1·53	0·93	2·01	1·34	0·44	2·22	1·63	4·47	1·10	1·42	2·21	YEAR'S TOTAL 21·47
Rain Days.	15	11	9	15	6	9	15	10	24	20	11	22	167

W. 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

6 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at The Mount, Barrow-upon-Soar

in the County of Leicester

by Mrs C. Stuart Thomson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Barrow-upon-Soar - M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·38	S+R 0·06	0·04		0·14		0·16			0·08	0·17	0·34	1
2	0·17	0·04	0·03		0·21		0·24	0·11	0·49	0·21	0·25	0·05	2
3	S+R 0·29		0·01		0·01	0·03	0·21	0·14			S+R 0·24	0·02	3
4	S. 0·04	0·01	0·33			0·09			0·06			0·28	4
5	0·07		0·10						0·23			0·16	5
6	0·03	0·10	0·28		0·56								6
7	0·01		0·05	0·01									7
8	0·06			0·13		0·04							8
9	0·04		0·03	0·02									9
10			0·19									0·10	10
11	0·03		0·54	0·01			0·44				S+R 0·06		11
12			0·31	0·03		0·20	[illegible]		0·04		S. 0·11		12
13	0·31		0·05	0·19		0·02						0·03	13
14	0·26			0·16					0·19		S 0·03	0·02	14
15	0·29	0·09	0·09	0·09							0·01	0·63	15
16	0·08	S+R 1·17						0·04			S+R 0·17		16
17		S+R 0·49									0·25		17
18	0·04	[illegible]	0·21					0·17	0·01		0·06	0·24	18
19	0·02	0·29	0·79			0·07	1·75	0·67	0·14		0·14	0·03	19
20	0·41	0·05	0·26			0·03	0·47	0·18				0·02	20
21	0·14	0·35	0·09				0·25		0·23		0·17	0·32	21
22		0·06					0·01				0·05	0·46	22
23	0·01									0·73		0·01	23
24				0·12	0·10		0·07			0·25			24
25	0·06			0·08	0·22			0·54				0·02	25
26		0·01	0·27					0·01	0·06			0·36	26
27	S. 0·29			S+R 0·29		0·01					0·02	0·03	27
28				0·13			0·05	0·84		0·02		0·34	28
29	0·01							0·11		0·38	S 0·25	0·08	29
30		X		0·18		0·18						0·23	30
31	S+R 0·04	X		X		X	0·07		X	0·03	X	0·02	31
TOTAL	3·08	2·72	3·67	1·44	1·24	0·67	3·72	2·81	1·45	1·70	1·98	3·79	YEAR'S TOTAL 28·27
Days with ·01 in. or more	23	12	18	13	6	9	11	10	9	7	15	22	155

2498 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Mount, Barrow-upon-Soar

in the County of Leicester

by Mrs C. Stuart Thomson

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Barrow-upon-Soar

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·27	0·20		0·21		0·03	0·31		0·14	1
2				0·24			0·28		0·10	0·09		0·04	2
3	0·02	0·06		0·09			1·07		0·07	0·10		0·03	3
4		0·01		0·25			0·07	0·29		0·38		0·05	4
5			0·04		0·28		0·28	0·11	0·10	0·01		0·09	5
6			0·22	0·09	0·04		0·12	0·02					6
7			Snow 0·10	0·06	0·05		0·05						7
8	0·10	0·06		0·58	0·06		0·16						8
9	0·32	0·01		0·42				0·24					9
10	0·28	0·15	0·07	0·06		0·09	0·02				0·09		10
11	0·22	0·03	0·04	0·09	0·26	0·31	0·07					Snow. 0·04	11
12	0·02	0·01		0·21		0·05					0·04	Snow 0·17	12
13		0·08	0·16	0·45							0·02	Snow 0·02	13
14		0·06	0·56	0·17		0·35			0·19		0·11		14
15		0·10	Snow & rain 0·69	0·37			0·01		0·02				15
16				0·05	0·13				0·03	0·03			16
17		0·01			0·06		0·05		0·41	0·10		0·01	17
18				0·08			0·17	0·09	0·16				18
19	0·23	Snow & Rain 0·99		0·27		0·02		0·16	0·02				19
20	0·13	Snow. 0·07		0·19		0·27	0·03						20
21							0·16	0·09					21
22				0·20			0·05		0·04				22
23	0·07											0·37	23
24			0·10	0·01								0·08	24
25		0·07	0·02	0·08			0·48						25
26	0·11		0·07	0·03		0·05	0·05				0·07	0·03	26
27	0·12			0·04		0·25	0·03				0·28	0·35	27
28	0·56		0·04	0·08	0·02		0·02					0·09	28
29	0·05		0·14		0·10						0·11	0·48	29
30			0·02	0·15	0·47	0·02			0·09		0·16	0·29	30
31										0·28		0·05	31
TOTAL	2·23 ~~2·22~~	1·71 ~~1·61~~	2·27 ~~2·07~~	4·53	1·67	1·41	3·38	1·00	1·26	1·30	0·88	2·33	YEAR'S TOTAL 23·97 ~~23·66~~
Days with ·01 in. or more	13	14	14	25	11	9	20	7	12	8	8	17	158
	11	9	12	23	10	7	15	6	8	6	7	13	127

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LEICESTER

BARROW ON SOAR

1915, 17, 18

REGISTE

FORM A. BRITISH RAINFALL.

26 FEB 1916

Kept at Barrow on … 15 a…

in the County of Leice… …arrow on Soar

by George Fell…

…auge ………… in.

Ground ………… ft. ………… in.

Sea Level 220 ft. about.

IMPORTANT NOTE.—Ra… …he result entered to the previous day. If an Observer … to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·26	·16					08	·04		04	·03	1
2	·05	·12	·12	·15	34	·08		45		·10		04	2
3	·35			·05			1·77	17	·03			15	3
4	·02				·03		·66	05				1·08	4
5	·13	·27			·11			02			·04	·36	5
6	·05	·06	·01	·15			·65	01				·06	6
7	·10	·37				·03	·12	15				·40	7
8	·08		·03	·12 SN				04			03		8
9	·42	·05						04			73	·46	9
10	·02	·12	·09								35	·01	10
11					·13		·08	·08			49	·19 SN	11
12					·27			·05		·04	1·04		12
13	·02			·25	·55								13
14		·45 (2 days)							·05	·01			14
15	·27				·01		·08	·26			·17	·37 = 2 days fall	15
16							3·12			·01			16
17		·57					·08	·05			·02	·01	17
18		·03	·35 SN							·01		·01	18
19		·18	·03 "		·02		·11						19
20	·09	·01						·01			·01	·31	20
21	·16			·02	·03		·15					·11	21
22	·12 SN	·13	·13				·13		·01			·05	22
23	·01	·01		·06	~~·45~~	·05	·13		04	·20		·21	23
24	·01		·08		~~·07~~	·01	·03		80	·02		·09	24
25				·02	~~·55~~	·56	·04		02	·01		·17	25
26			·01				·02		02			·31	26
27		·17	·02		~~2~~	·01	·17			·58		·03	27
28		·01	·03			·44	·04	·20		·02			28
29					·01	·10		·02			·19	·20	29
30	·03	X				·32	·01	·02			05	·04	30
31		X		X		X		·06	X	·17	X	·11	31
Total	2·00	2·75	1·06	·82	1·50	1·60	7·39	1·76	1·01	1·17	2·56	4·80	YEAR'S TOTAL 28·42
Rain Days.	18	17	12	8	10	9	18	18	8	11	12	25	166

W. 8,000. X. 15.

REGISTE

FORM A.
BRITISH RAINFALL.

26 FEB 1916

Kept at Barrow on Soar

in the County of Leicester

by George Fellows

Time of Observation 9·15 am

Nearest Railway Station Barrow on Soar

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 220 ft. about.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·26	·16					08	·04		04	·03	1
2	·05	·12	·12	·15	34	·08	·	45		·10		04	2
3	·35			·05			1·77	17	·03			15	3
4	·02				·03		·66	05				1·08	4
5	·13	·27			·11			02			·04	·36	5
6	·05	·06	·01	·15			·65	01				·06	6
7	·10	·37				·03	·12	15				·40	7
8	·08		·03	·12 SN				04			03		8
9	·42	·05						04			73	·46	9
10	·02	·12	·09								35	·01	10
11					·13		·08	·08			49	·19 SN	11
12					·27			·05		·04	1·04		12
13	·02			·25	·55								13
14		·45 (2 days)							·05	·01			14
15	·27				·01		·08	·26			·17	·37 = 2 days	15
16							3·12			·01			16
17		·57					·08	·05			·02	·01	17
18		·03	·35 SN							·01		·01	18
19		·18	·03 "		·02		·11						19
20	·09	·01						·01			·01	·31	20
21	·16			·02	·03		·15					·11	21
22	·12 SN	·13	·13				·13		·01			·05	22
23	·01	·01		·06	~~·45~~	·05	·13		04	·20		·21	23
24	·01		·08		~~·07~~	·01	·03		80	·02		·09	24
25				·02	~~·55~~	·56	·04		02	·01		·17	25
26			·01				·02		02			·31	26
27		·17	·02		~~2~~	·01	·17			·58		·03	27
28		·01	·03			·44	·04	·20		·02			28
29					·01	·10		·02			·19	·20	29
30	·03	X				·32	·01	·02			05	·04	30
31		X		X		X		·06	X	·17	X	·11	31
Total	2·00	2·75	1·06	·82	1·50	1·60	7·39	1·76	1·01	1·17	2·56	4·80	YEAR'S TOTAL 28·42
Rain Days.	18	17	12	8	10	9	18	18	8	11	12	25	166

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
3 JAN 1918

Kept at STRANCLIFFE, BARROW-ON-SOAR, LOUGHBOROUGH.
in the County of Leicestershire.
by George Fellows.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Barrow on Soar
Diameter of Funnel of Rain Gauge as previous in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		s ·01		s. ·05				1·19	·12		·01	s ·10	1
2	·04					·04		18		01	·02		2
3		s 06		s ·07				32		21			3
4	01	s 03	(s) 05					08		44			4
5	05			·11					·14	13	·08		5
6	01					·21				24	07		6
7	36		(s) ·02					22		26	01		7
8	62			s ·07			·22	67		39	05	·19	8
9			s ·16	s ·07	·25			12		02	21		9
10	s 29		s ·37	s 03	·43			01			05	·03	10
11	08		s 04	s ·18				06	01	24			11
12	11	s ·01			·08	·03		02	01	15			12
13	s 07			·06				12	05	02			13
14	13		05	·03				17				·05	14
15							·13	01		05	·01	·02	15
16	s 04	·11		·09			·06					SN ·19	16
17	01		01	·11	·40	·13		·08	·11	·07			17
18	05	·01		·07	25		·83		·57				18
19	03	11	11		18	·03		01	·06				19
20		18	s 02		55	·14		03	·08		·04		20
21	01	01	s 08		05	·47		04				·01	21
22			s 10					03	·05	·06			22
23		05			12			12		·02			23
24						·50	·01	04		·23	·03		24
25			06			·07							25
26			s 02					23	·19		·11		26
27						49	·15	64				·03	27
28		01	·08			18		17		·01		07	28
29						17	·12	01		·29		31	29
30							·24	17					30
31			s ·10				·02	·08				06	31
Total	1·91	·59	1·27	·94	2·31	2·40	1·78	4·82	1·39	2·84	·69	1·06	YEAR'S TOTAL 22.00
Rain Days.		2·50	3·77	4·71	7·02	9·42	11·20	16·02	17·41	20·25	20·94	22·00	
	16	11	15	12	9	12	9	26	11	18	12	11	162

W. 8,000, IX. 17.

B. Mode

27

FORM A.
BRITISH RAINFALL.

13. 1.

REGISTER OF RAINFALL IN 1918

Kept at STRANCLIFFE, BARROW-ON-SOAR, LOUGHBOROUGH

in the County of Leicestershire

by GEORGE FELLOWS, STRANCLIFFE, BARROW-ON-SOAR. LOUGHBOROUGH.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Barrow on Soar & Quorn

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·05		03					10	01			1
2		·08		25				·55	01	12		26	2
3		·01	·06		·55			20			·32		3
4		·02	·03				07	04	95	03	·36	05	4
5				06	·09			19	03	08			5
6		03		20		02		01	01				6
7	·15 5	08		10		01			02	03	·09		7
8		06	·07	01						16		03	8
9		38		11		08	29		43	12			9
10	·03			05			31		01	03		03	10
11	·06	05		01	·10		17					07	11
12	·01	16	03	01	·24		07		10	01		64	12
13				01	·07				13	04			13
14	33			03		01	12		17			12	14
15				34		05	17		18			12	15
16	·59			23			01		12			02	16
17	·22					08	30		14	05		15	17
18	·33					10	04		10			29	18
19	·04		(04) ~~04~~	12 5			03		47	07		10	19
20	·13	03		27 5		03	01			03			20
21	·07	02		12	04		01		01			03	21
22	·08				08		03	01	26	24		26	22
23	·10				·31		13		01	07			23
24		·15				02	01		02	06	06	01	24
25							12	15	03 01	02	02		25
26								05	·02		10	06	26
27								26	16		05	09	27
28		·30 sn	·30					16			20	16	28
29									65			01	29
30		X	29	01					05		11	07	30
31		X	06	X	~~1·48~~	X		03	X		X		31
Total	2·03	1·42	·88	1·76	1·48	·40	1·89	1·68	4·16	1·07	1·31	1·97	YEAR'S TOTAL 20·02
Rain Days.	14	14	8	18	~~1~~·48 8	9	17	11	26	17	9	20	171

W. 8,000, IX. 17.

BARROW-ON-SOAR,
LOUGHBOROUGH.

I send detailed Register
of Rainfall 1918 for what it is worth
but Home I am not certain that the
distribution of the fall for a few days
about October 22nd is accurate, as I
was away from home & my deputy
was not very reliable — the bulk
is correct for the month of Oct: but the
detail may be wrong as to distribution.

G Fellows

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

BELVOIR CASTLE GDNS

LEICESTERSHIRE.

1911 -16, 19- 1920

19*11*

ordinary

Kept at *Belv*

top *8* in.

above Ground *1* ft. *—* in.

„ Sea Level *260* ft.

in the County of *Le*

9.a

by *W. H. D*

tion { Name *Redmile*
Distance *3m* Direction *NNW*

IMPORTANT … and the result entered to the previous day. If a … universal rule, he is earnestly requested to add the … ng year in the space provided for it at the end … asurement of rain, the selection and … e British Rainfall Organization are giv… on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·01	—	—	—	·01	·03	—	—	·02	—	1
2	·22	—	—	—	·12	—	—	·05	—	·01	·02	·07	2
3	—	—	—	—	·10	—	—	·25	—	·01	·02	·01	3
4	·02	·02	·19	·18s	—	—	—	·01	·13	·14	·09	·25	4
5	·05	—	—	·02s	—	—	—	·03	—	·05	—	—	5
6	·31	—	—	—	—	—	—	·03	—	·08	—	·24	6
7	·02	·01	·01	·02	—	—	—	—	—	·02	·06	·14	7
8	·26	—	·19	—	—	—	—	—	·05	—	·02	·14	8
9	·06	—	—	—	—	—	—	—	—	—	·20	·02	9
10	·01	·04	·12	·01	—	—	—	·02	—	·01	·20	·37	10
11	·24	—	—	—	—	—	—	·11	—	—	·22	—	11
12	·10s	—	·36	—	—	—	—	—	·19	—	·07	—	12
13	—	—	·08	—	—	·06	—	·01	·11	·02	·02	·41	13
14	·01	—	·08s	—	·70	—	·01	—	—	·02	·01	·37	14
15	—	·08	·09sH	—	—	—	—	—	·02	·10	·06	·02	15
16	·01	—	·03	—	—	·02	·01	—	—	·03	·13	·05	16
17	—	—	·02	·01	—	·02	—	—	—	·02	·02	·10	17
18	·01	·32	·02	·01	—	·08	—	—	—	·02	·18	·06	18
19	·01	·02	—	—	·01	·02	·01	·01	·02	·20	·28	·03	19
20	·01	·03	—	·04	—	—	·01	·43	·02	·03	—	·32	20
21	·01	·30	·03	—	—	·01	—	·14	·02	·20	·01	·10	21
22	·04	·02	·02	·02	—	—	—	·03	—	·23	·04	·20	22
23	·01	·07	·17	—	—	·71	—	·02	·33	·02	—	·09	23
24	—	·03	·04s	·03	—	·95	—	·02	—	·39	—	·19s+R	24
25	—	·12	—	·06	·24	·01	—	·02	·02	—	·04s	·02	25
26	—	·02	—	·13	1·20	·02	—	—	—	·22	·35s	·30	26
27	—	·08	·20	·02	—	—	·08	·54	·21	·05	·01	·02	27
28	—	·36	—	·16	—	·08	—	—	·01	·01	·04	·10	28
29	—		·02	·01	—	·12	·05	—	·16	·14	·01	·01	29
30	—		·02	·07	·05	·06	—	—	·01	·14	—	·01	30
31	—		·05		·01		—	—				·01	31
Total	1·41	1·52	1·75	0·79	2·43	2·16	0·18	1·75	1·30	2·16	2·12	3·65	TOTAL for year 21·22
No. of Rain Days.	19	15	20	15	8	13	7	17	14	24	24	27	203

W. 8,000, X. '11.

1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Belvoir Castle

in the County of Leicester 4

by W. H. Divers

RAIN GAUGE
Pattern ordinary
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 260 ft.

Time of Observation 9. a

Nearest Railway Station
Name Redmile
Distance 3m Direction NNW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·01	—	—	—	·01	·03	—	—	·02	—	1
2	·22	—	—	—	·12	—	—	·05	—	·01	·02	·07	2
3	—	—	—	—	·10	—	—	·25	—	·01	·02	·01	3
4	·02	·02	·19	·18s	—	—	—	·01	·13	·14	·09	·25	4
5	·05	—	—	·02s	—	—	—	·03	—	·05	—	—	5
6	·31	—	—	—	—	—	—	·03	—	·08	—	·24	6
7	·02	·01	·01	·02	—	—	—	—	—	·02	·06	·14	7
8	·26	—	·19	—	—	—	—	—	·05	—	·02	·14	8
9	·06	—	—	—	—	—	—	—	—	—	·20	·02	9
10	·01	·04	·12	·01	—	—	—	·02	—	·01	·20	·37	10
11	·24	—	—	—	—	—	—	·11	—	—	·22	—	11
12	·10s	—	·36	—	—	—	—	—	·19	—	·07	—	12
13	—	—	·08	—	—	·06	—	·01	·11	·02	·02	·41	13
14	·01	—	·08s	—	·70	—	·01	—	—	·02	·01	·37	14
15	—	·08	·09s+R	—	—	—	—	—	·02	·10	·06	·02	15
16	·01	—	·03	—	—	·02	·01	—	—	·03	·13	·05	16
17	—	—	·02	·01	—	·02	—	—	—	·02	·02	·10	17
18	·01	·32	·02	·01	—	·08	—	—	—	·02	·18	·06	18
19	·01	·02	—	—	·01	·02	·01	·01	·02	·20	·28	·03	19
20	·01	·03	—	·04	—	—	·01	·43	·02	·03	—	·32	20
21	·01	·30	·03	—	—	·01	—	·14	·02	·20	·01	·10	21
22	·04	·02	·02	·02	—	—	—	·03	—	·23	·04	·20	22
23	·01	·07	·17	—	—	·71	—	·02	·33	·02	—	·09	23
24	—	·03	·04s	·03	—	·95	—	·02	—	·39	—	·19s+R	24
25	—	·12	—	·06	·24	·01	—	·02	·02	—	·04s	·02	25
26	—	·02	—	·13	1·20	·02	—	—	—	·22	·35s	·30	26
27	—	·08	·20	·02	—	—	·08	·54	·21	·05	·01	·02	27
28	—	·36	—	·16	—	·08	—	—	·01	·01	·04	·10	28
29	—		·02	·01	—	·12	·05	—	·16	·14	·01	·01	29
30	—		·02	·07	·05	·06	—	—	·01	·14	—	·01	30
31	—		·05		·01		—	—				·01	31
Total	1·41	1·52	1·75	0·79	2·43	2·16	0·18	1·75	1·30	2·16	2·12	3·65	TOTAL for year 21·22
No. of Rain Days.	19	15	20	15	8	13	7	17	14	24	24	27	203

W. 8,000, X. '11.

E X M L

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

Kept at Belvoir Castle

in the County of Leicester 4

by W. H. Divers

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	—	·31	·02	·04	·03	—	—	·43 s+R	1
2	—	·01	·02	·03	—	·08	·66	—	·04	—	—	·05	2
3	·11	·01	·01	—	·04	·39	·03	·48	·12	—	—	·05	3
4	·05	—	·38	—	·06	·32	—	·20	·02	—	·34	—	4
5	·07	·02 s	·05	—	—	·12	—	·04	—	—	·04	—	5
6	·54	·10	—	—	·02	—	·11	·30	—	—	—	·10	6
7	—	·06	—	—	—	·08	·02	·06	—	—	—	·01	7
8	·26	·26	·25	·07	—	·01	·18	·04	·25	·01	—	·04	8
9	·10	·11	·08	·16	—	·25	—	·01	—	·01	·01	·20	9
10	—	—	·02	—	—	·23	—	·70	—	—	·14	—	10
11	·09	·06	·02	—	·01	·05	—	—	·03	—	·03	·65	11
12	·05	·32	·06	—	·01	·24	·34	—	—	—	·05	—	12
13	·01	·04	—	—	—	·08	—	·03	—	·03	·08	·03	13
14	·09	·01	·31	—	·01	·15	—	·14	—	—	—	—	14
15	·01	·03	·10	—	·39	·18	—	·01	—	—	—	·07	15
16	·51 s+R	—	·12	—	—	·19	—	·09	—	·18	—	—	16
17	·11 s	—	·10	—	—	·16	—	·13	—	—	·04	·40	17
18	·15 s+R	—	·10	—	—	—	—	·07	—	·02	·03	·01	18
19	·22	·10	—	—	·01	·08	·22	·20	·01	—	·02	—	19
20	·11	·03	·10	—	·10	—	·59	·04	—	·19	—	—	20
21	—	—	·56	—	·49	—	·18	·09	—	·16	·02	·01	21
22	·02	·11	·03	—	1·31	—	·74	·31	—	·03	—	·13	22
23	·10	·07	·25	—	·03	·05	·42	·56	·01	·02	·12	·05	23
24	·29 s	—	·02	—	—	·04	·02	·12	—	—	—	·16	24
25	·01	—	—	—	—	·36	—	·21	—	·01	·26	·25	25
26	—	·01	·03	—	—	·08	·37	1·22	—	·47	·17	·33	26
27	—	—	—	—	·01	·08	·01	—	—	·53	—	·15	27
28	·01	—	—	—	—	·09	·18	·32	·01	·20	·45	·41	28
29	—	·02	·05	—	—	·05	·10	—	·38	·15	·29 s+R	—	29
30	·08 s		·01	—	·33	—	—	—	·08	·03	—	—	30
31	—		·06		·64		·62	·16		—		·03	31
Total	2·99	1·37	2·74	0·26	3·46	3·67	4·81	5·57	0·98	2·04	2·09	3·56	TOTAL for year 33·54
No. of Rain Days.	22	18	24	3	15	24	18	25	11	15	16	21	212 days

W. 8,000, X. '11.

refused 4·4·14

Cor. by obs. 16·IV·14.

REGISTER OF RAINFALL IN 19/3

FORM A.
BRITISH RAINFALL.
31 JAN 1914

Kept at Belvoir Castle
in the County of Leicester
by W. H. Divers V. M. H.

4

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

Telegrams:
WOOLSTHORPE 1 MILE

Station:
REDMILE, 3 MILES

The Gardens,
Belvoir Castle,
Grantham.

7 APR 1914

April 6. 1914

To C. Salter Esq

Dear Sir

The daily amounts of rainfall are correct. I am sorry a mistake was made in counting the total. which ought to be 2·55 as you have made it.

Yours very truly
W. H. Divers

13	·07	·01	·10	·08	—	—	—	·03	·02	—	·13	—	13
14	·05	·01	·55	·02	—	—	·02	·02	—	·09	·01	—	14
15	·10	·01	·38	·26	—	—	—	—	·27	—	·04	—	15
16	·04	·06	·51s	·14	—	—	—	—	·52	·01	·01	—	16
17	·03	·04	·15	·05	—	·89	·02	—	·10	—	·02	—	17
18	—	—	·14	·10	—	—	·06	—	·01	—	·01	·02	18
19	·09	—	·06	—	—	·02	—	—	·04	—	—	·02	19
20	·08	—	·05	·06	—	—	—	—	·02	·15	·07	—	20
21	—	—	·23	—	·06	—	·17	—	—	—	·22	—	21
22	·15	—	·31	—	—	—	—	·15	·28	—	·06	—	22
23	—	—	·02	—	—	—	·01	·05	·10	—	—	—	23
24	·03	—	—	·04	—	·01	—	·03	—	·01	—	—	24
25	—	·03	—	·15	—	·03	—	—	·02	—	—	·01	25
26	—	·08	·23	·12	—	—	—	—	—	·30	·04	·12	26
27	—	·06	·01	·01	—	·01	—	—	—	—	—	—	27
28	·20	—	·32	·18	—	—	—	—	·01	·16	—	·09s	28
29	·02	/	·14	·49	·07	—	—	·25	—	·02	—	·35s	29
30	·45	/	·02	·01	—	—	—	—	—	·08	·05	—	30
31	—	/	—	/	·11	/	—	·02	/	—	/	—	31
Total	~~2·65~~ 2·55	0·76	3·69	2·25	1·72	1·52	0·66	0·79	2·39	4·21	2·17	0·87	YEAR'S TOTAL ~~23·68~~ 23·58
Rain Days.	18	12	23	20	13	10	11	11	17	14	22	10	181

W. 7,500, XI. 12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·13	·02	—	—	—	—	·77	—	·04	—	1
2	·01	·10	·03	·08	—	—	·03	—	·12	—	·02	—	2
3	—	—	·15	—	·40	—	—	—	·02	—	—	·02	3
4	·41	—	—	—	·08	—	·02	—	·01	·01	·12	·17	4
5	·10	—	·01	—	·01	—	·06	—	·06	1·40	·01	·05	5
6	·02	—	·09	—	·50	·05	·05	—	—	·41	·01	—	6
7	—	·05	—	·01	·11	·06	—	—	—	·81	·02	—	7
8	—	·01	·01	—	·16	·18	—	—	·02	·75	·10	—	8
9	—	·30	·05	·01	·02	·26	·20	·08	—	—	·12	—	9
10	—	—	—	·11	·16	—	·02	·05	—	—	·41	—	10
11	·68s	—	—	·31s	·02	·01	—	·10	—	—	·39	—	11
12	—	—	—	—	·02	—	—	·01	—	·01	·32	·02	12
13	·07	·01	·10	·08	—	—	—	·03	·02	—	·13	—	13
14	·05	·01	·55	·02	—	—	·02	·02	—	·09	·01	—	14
15	·10	·01	·38	·26	—	—	—	—	·27	—	·04	—	15
16	·04	·06	·51s	·14	—	—	—	—	·52	·01	·01	—	16
17	·03	·04	·15	·05	—	·89	·02	—	·10	—	·02	—	17
18	—	—	·14	·10	—	—	·06	—	·01	—	·01	·02	18
19	·09	—	·06	—	—	·02	—	—	·04	—	—	·02	19
20	·08	—	·05	·06	—	—	—	—	·02	·15	·07	—	20
21	—	—	·23	—	·06	—	·17	—	—	—	·22	—	21
22	·15	—	·31	—	—	—	—	·15	·28	—	·01	—	22
23	—	—	·02	—	—	—	·01	·05	·10	—	—	—	23
24	·03	—	—	·04	—	·01	—	·03	—	·01	—	—	24
25	—	·03	—	·15	—	·03	—	—	·02	—	—	·01	25
26	—	·08	·23	·12	—	—	—	—	—	·30	·04	·12	26
27	—	·06	·01	·01	—	·01	—	—	—	—	—	—	27
28	·20	—	·32	·18	—	—	—	—	·01	·16	—	·09s	28
29	·02		·14	·49	·07	—	—	·25	—	·02	—	·35s	29
30	·45		·02	·01	—	—	—	—	—	·08	·05	—	30
31	—		—		·11		—	·02		—		—	31
Total	~~2·65~~ 2·55	0·76	3·69 ✓	2·25 ✓	1·72 ✓	1·52 ✓	0·66 ✓	0·79 ✓	2·39 ✓	4·21 ✓	2·17 ✓	0·87 ✓	YEAR'S TOTAL ~~23·68~~ 23·58
Rain Days.	18	12	23	20	13	10	11	11	17	14	22	10	181 ✓

W. 7,500, XI. ·12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

19 JAN 1915

Kept at Belvoir Castle

in the County of Leicester 4

by W. H. Divers

Lat. 52°. 54" Long. 0. 47" W

Time of Observation 9 a

Nearest Railway Station Redmile

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·02	·01	–	–	·94	·20	–	–	·02	–	1
2	–	–	–	–	–	–	·05	·25	–	–	·09	·20	2
3	–	–	·02	·01	·17	–	·21	·14	–	–	·08	–	3
4	·23	–	–	·20	–	–	–	·05	–	–	·41	·25	4
5	·03$_5$	–	·15	·28	·12	·10	·15	·09	–	–	·02	–	5
6	–	·03	–	·11	·12	–	·08	·01	–	–	·05	·03	6
7	–	·09	·41	·01	·10	·02	–	·01	–	–	–	·10	7
8	·07	·02	·02	·05	·13	·85	·02	·20	·15	–	·01	·07	8
9	·46	·01	·15	·14	–	1·12	–	·04	·07	·01	–	·01	9
10	·39	·09	·06	·13	·01	–	–	–	·02	·01	–	–	10
11	·01$_5$	·05	·35	·39	·09	·10	–	–	·02	–	·48	·25	11
12	·02$_5$	·01	·11	–	·01	·03	·43	–	·34	–	·02	·30	12
13	·01$_5$	·09	·15	–	–	–	–	–	·01	·20	·39	·10	13
14	·02	·02	·15	–	–	–	·20	–	·02	·39	·16	·29	14
15	·09	–	·18	–	–	·01	–	·01	·01	·01	·10	·15	15
16	·02	–	·02	–	–	–	·21	·01	·02	–	·02	–	16
17	–	·20	·07	–	–	–	·03	–	·18	–	–	·19	17
18	–	–	·06	–	–	·49	·12	–	–	–	–	·51	18
19	–	·05	·01	–	–	·04	·02	–	–	·01	·04	·13	19
20	–	·10	·20	–	–	–	–	–	·03	·02	–	–	20
21	·02	·27	·08	–	–	·13	–	–	–	·05	·02	·11	21
22	–	·01	–	–	·53	–	·02	·05	–	·22	–	·02	22
23	–	·12	·07	–	·20	·02	·12	–	–	·05	·01	–	23
24	·01	·02	·30	·03	·39	–	·01	–	–	·09	·40	–	24
25	–	–	–	–	·02	–	·07	·10	–	·75	·01	·32	25
26	–	–	·02	–	–	–	·02	·08	–	·14	·35	·25	26
27	·03	–	·01	–	–	–	·02	–	–	–	·01	·19	27
28	·09	·02	–	–	·02	–	–	–	–	·07	·51	·75 S+R.	28
29	·07	✕	·11	·02	·01	–	–	–	–	·44	·03	–	29
30	–	✕	–	·01	–	·05	–	–	–	·03	·31	·23	30
31	–	✕	–	✕	·05	✕	·30	–	✕	·09	✕	·10	31
Total	1·58	1·20	2·72	1·39	1·97	2·96	3·02	1·24	0·87	2·58	3·54	4·55	YEAR'S TOTAL 27·62
Rain Days.	17	17	23	13	15	12	19	14	11	17	23	22	203

W. 8,000. X. 14.

2438

FORM A.
BRITISH RAINFALL.
4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Belvoir Castle
in the County of Leicester
by W. H. Divers

Lat. Long.
Time of Observation 9. a
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·13	·02	—	·42	—	—	·03	·24	—	·08	·09	1
2	·01	·02	·10	·15	—	·08	—	·46	·05	·01	—	·02	2
3	·42	—	·04	·14	—	—	·25	·33	·12	—	·02	·14	3
4	·38	—	—	—	—	—	1·44	·44	—	—	—	1·01	4
5	·04	·23	—	—	·15	—	—	·04	—	—	·08	·37	5
6	·02	·18	·04	·10	—	—	·74	·07	—	—	—	·05	6
7	·22	·34	·02	·02	—	·08	·24	·25	—	—	·01	·44	7
8	·11	·10	·02	·06	—	—	—	·05	—	—	·02	—	8
9	·01	·07	—	—	—	·02	—	—	—	·03	·07	·45	9
10	·26	·01	·01	—	—	—	—	·13	—	—	·20	—	10
11	—	·01	·02	·04	·22	—	·13	·42	—	—	·42	·15s	11
12	·03	—	—	·30	·21	—	·04	·36	—	—	1·04	—	12
13	—	·52	—	—	·58	—	—	·03	—	—	—	—	13
14	—	·10	—	—	·02	—	—	—	·01	—	—	·24	14
15	·31	·02	—	—	—	—	·05	·11	—	—	·32s	·11	15
16	—	·20	—	—	·08	—	1·53	—	—	·02	—	·01	16
17	—	·12	—	—	—	—	·20	—	—	—	—	·02	17
18	—	·16	·34s	—	—	—	—	—	—	·02	·04	·01	18
19	—	·05	—	—	—	—	·12	—	—	·01	·02	—	19
20	·41	—	—	·02	—	—	—	—	—	—	—	·32	20
21	·18s	·09	—	—	·06	—	·20	—	—	—	—	·08	21
22	·18	—	·18	·05	·01	—	·15	—	—	—	—	·12	22
23	·01	·07	·02	—	—	—	·11	—	·06	·08	—	·20	23
24	·02	—	·10	·01	—	—	·17	—	·71	—	·04	·08	24
25	—	—	·02	—	—	·43	·01	—	—	—	—	·07	25
26	·01	·16	—	—	—	—	·01	—	·01	—	—	·22	26
27	—	·10	—	—	—	·23	·17	—	—	·51	—	·11	27
28	—	·22	·08s	—	—	·09	—	·26	—	·21	—	—	28
29	—	✕	—	—	—	·04	—	·06	—	—	·21	·27	29
30	·06	✕	—	·02	—	·39	—	·01	—	—	·02	·08	30
31	·05	✕	—	✕	—	✕	·01	·17	✕	·16	✕	·11	31
Total	2·88	2·90	1·01	0·91	1·75	1·36	5·57	3·22	1·20	1·05	2·59	4·77	YEAR'S TOTAL 29·21
Rain Days.	20	21	14	11	9	8	18	17	7	9	15	25	174

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Belvoir Castle
in the County of Leicester
by W. H. Divers

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·23	—	—	·13	·06	—	—	—	·22	—	1
2	·28	·06	·23	—	·41	—	·41	—	·04	·15	·11	—	2
3	—	·30	·01	—	—	—	·21	—	·45	·18	·05	—	3
4	·20	·12	—	—	·32	·26	·01	—	·30	·22	·12	—	4
5	·01	—	·01p	·02	·04	·08	—	—	—	·08	·12	—	5
6	·06	·08	·13p	·01	·09	·03	·26	—	—	—	·30	·01	6
7	·02	—	·14p	—	·05	·01	·11	—	—	·04	·14	·18	7
8	—	·01	·09p	—	—	—	—	—	—	·01	·01	·13	8
9	—	—	·05p	—	·36	·01	—	—	·03	—	—	·04	9
10	—	·02	·10p	·08	—	·08	·05	—	·06	·05	—	·14	10
11	·02	·46s	·21p	·10	·01	·09	—	—	·02	—	—	·02	11
12	·04	·02	·16	·20	·41	·18	·14	—	—	·02	—	·01	12
13	—	·17	·20	·06	·08	·04	·05	·06	—	—	—	·02	13
14	—	·31s	—	—	·04	—	—	·23	·02	·06	—	·01	14
15	—	·26	·32	—	—	—	·22	·26	—	·02	—	—	15
16	—	·12	·19	·17	·01	—	·08	·12	—	·09	—	·01	16
17	·03	·16	·01	·15	—	—	·14	1·93	·16	·17	—	—	17
18	—	·18	·01	·06	—	·02	—	·06	·16	·01	1·07	·01	18
19	·07	·02	·24	·17	—	—	—	·07	·08	—	·26	·48	19
20	·18	—	·35	·13	—	—	—	—	—	—	·03	·13	20
21	·02	·01	·23	·01	·05	—	·05	—	—	—	·01	·44s	21
22	—	·05	·01	—	·08	·01	—	—	—	·03	—	·35	22
23	·03	·36s	—	·02	—	·06	·01	—	—	·01	·09	·42s	23
24	—	·72s	—	·04	—	—	—	—	—	·01	—	·15	24
25	—	·08s	·20	—	·05	—	—	·15	—	·08	·10	—	25
26	·04	·17s	·03	—	—	·02	—	·01	—	·06	·01	—	26
27	—	·17s	·56p	—	—	·01	—	·02	—	·13	—	—	27
28	—	·19	·39p	·02	—	—	—	—	·01	·03	·01	·22	28
29	—	·24	—	—	·03	·24	—	·93	—	·22	—	·14	29
30	—		—	—	·01	·08	—	—	—	·07	—	·04	30
31	—		—		—		—	·01		·04		—	31
Total	1·02	4·28	4·10	1·24	2·04	1·35	1·80	3·85	1·33	1·78	2·65	2·25	TOTAL for year 27·69
No. of Rain Days	14	24	24	15	16	17	14	12	11	23	16	20	206

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex. C.a.b. 4/2/20

2300

B. Meade

5 FEB 20

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Belvoir Castle

in the County of Leicester

by David Gibson, for the Duke of Rutland

Lat. 52° 54' N Long. 0° 47' W.
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 259 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6·9	2·6	1·2	-	6·0	-	6·2	0·6	-	1·3	2·1	11·2	1
2	4·0	0·3	-	-	-	-	9·0	-	18·2	1·9	4·1	1·2	2
3	20·5	-	1·4	-	-	-	7·7	-	4·1	-	6·2	0·4	3
4	0·7	-	7·8	-	-	0·3	-	5·6	1·6	-	1·4	8·8	4
5	3·5	1·2	-	-	-	1·9	0·1	0·5	7·1	0·1	-	1·2	5
6	0·3	-	1·1	-	30·3	-	-	-	-	-	1·7	3·5	6
7	0·1	-	8·7	0·1	-	-	-	-	-	-	-	-	7
8	2·4	-	-	2·1	-	-	-	-	-	0·2	0·2	-	8
9	-	-	0·1	1·6	-	0·2	-	-	0·1	-	0·5	0·2	9
10	-	-	6·7	1·2	-	-	-	-	0·1	0·2	1·4	2·1	10
11	1·1	-	19·0	0·5	0·3	-	12·2	-	-	-	0·3	-	11
12	-	-	9·9	1·3	-	-	-	-	0·7	0·3	1·9	-	12
13	3·6	-	-	3·9	-	3·9	-	-	2·7	0·4	-	0·3	13
14	7·0	0·3	-	4·1	-	-	-	-	13·1	0·1	0·5	-	14
15	13·6	0·3	4·1	2·8	-	-	-	-	-	-	0·8	13·5	15
16	0·1	25·2	-	0·1	-	-	-	-	-	-	2·5	0·2	16
17	0·1	6·7	-	0·2	0·1	-	-	-	-	-	4·6	-	17
18	-	-	1·1	-	-	-	-	0·2	0·7	-	0·2	3·2	18
19	0·2	3·4	13·8	-	-	-	40·5	15·8	4·2	-	1·3	0·6	19
20	9·1	2·1	12·2	-	-	2·7	26·7	4·9	0·3	-	0·9	1·8	20
21	6·6	8·5	1·7	-	-	0·3	7·8	-	0·2	0·2	0·4	6·8	21
22	-	3·2	0·2	-	-	0·9	-	-	11·2	0·1	0·2	9·8	22
23	-	-	-	0·1	-	-	1·9	0·2	-	19·8	0·3	0·3	23
24	-	-	-	3·2	4·3	1·0	-	-	-	4·6	2·5	-	24
25	1·1	0·7	-	2·2	1·2	1·8	-	14·2	-	-	-	1·3	25
26	0·1	0·2	4·1	0·3	-	0·5	-	1·5	2·2	0·3	0·3	8·4	26
27	6·0	1·8	0·2	9·8	-	-	-	-	-	0·3	0·4	1·6	27
28	0·2	-	-	0·2	-	-	-	20·8	0·1	1·4	-	6·6	28
29	1·5		-	0·3	-	-	0·2	2·7	-	6·4	5·8	2·3	29
30	0·6		0·6	7·1	0·1	6·6	-	-	-	0·9	1·5	6·1	30
31	0·6		0·1		-		-	-		2·5		0·8	31
Total	89·9	56·5	94·0	41·1	42·3	20·1	112·3	67·0	66·6	41·0	42·0	92·2	Year's Total 765·0
Days with 0·2 mm. or more	20	14	17	16	5	11	9	11	13	15	25	24	180

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from 1913202

765

2207

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Belvoir Castle (MO)

in the County of Leicester

by David Gilson, for the Duke of Rutland K.G.

Lat. 52° 54′ N Long. 0° 47′ W

Time of Observation 9h (G.M.T.)

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 259 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	3.0	-	4.6	5.5	-	6.3	-	0.3	4.8	0.6	1.6	1
2	-	-	-	5.9	-	-	4.8	-	3.7	2.3	-	1.7	2
3	-	1.1	-	3.3	-	1.5	29.6	0.3	1.5	0.9	-	-	3
4	-	-	-	5.6	-	-	4.1	6.8	1.1	7.2	-	1.6	4
5	-	-	.07	-	6.7	-	8.4	2.9	0.2	-	-	1.7	5
6	-	-	.13	0.8	0.6	-	2.3	0.3	-	-	-	1.3	6
7	0.2	-	.02	3.3	0.4	-	8.9	-	-	-	-	-	7
8	3.7	1.6	-	14.1	1.5	-	2.9	-	-	-	-	-	8
9	7.1	0.6	-	15.6	-	-	-	1.4	-	0.2	-	-	9
10	4.4	2.6	.05	0.6	-	-	0.7	1.8	-	0.1	-	-	10
11	4.6	-	.06	5.3	2.4	1.5	0.2	-	-	-	-	3.4	11
12	1.1	-	.01	4.3	-	6.4	-	3.4	-	0.2	1.3	3.5	12
13	0.6	1.1	.11	13.1	-	16.5	-	0.2	-	-	-	-	13
14	0.2	0.4	.50	5.2	-	7.9	1.1	-	3.9	0.6	4.6	-	14
15	-	2.3	1.27	10.6	1.1	-	0.2	-	0.4	3.2	0.6	0.5	15
16	-	-	-	2.6	1.9	-	0.1	-	0.9	1.5	-	-	16
17	-	-	-	-	2.2	-	0.2	-	13.6	0.5	-	0.6	17
18	3.8	-	-	2.2	-	2.3	0.2	3.6	3.9	-	-	0.2	18
19	1.4	10.3	-	4.6	-	3.3	-	0.3	1.6	-	-	0.3	19
20	0.6	13.5	-	11.3	-	8.4	0.9	-	-	-	-	0.1	20
21	0.5	-	-	0.6	-	-	4.8	3.1	0.1	-	-	-	21
22	0.3	-	-	5.4	-	-	4.2	-	2.4	-	-	-	22
23	-	0.3	-	0.2	-	-	3.9	-	0.2	0.2	1.1	7.8	23
24	-	-	.12	0.5	-	-	-	-	-	0.2	-	2.2	24
25	-	1.8	.04	1.6	0.6	1.0	16.4	-	-	0.3	-	-	25
26	4.2	-	.04	0.2	0.4	-	2.3	-	-	0.2	-	0.2	26
27	1.4	-	-	1.9	2.3	9.4	1.8	-	-	0.2	7.8	6.3	27
28	12.7	-	.13	-	-	-	1.3	-	-	0.1	2.0	1.8	28
29	1.0	-	.09	0.6	18.4	-	2.1	-	-	-	1.3	8.2	29
30	0.9		-	4.0	0.5	1.5	-	-	6.2	-	2.2	6.3	30
31	3.0		.04		1.1		2.2	-		4.8		2.2	31
TOTAL	51.7 ✓	38.6 ✓	2.63 ✓ 66.8	128.0 ✓	45.6 ✓	59.7 ✓	109.9 ✓	24.1 ✓	40.0 ✓	27.5 ✓	21.5 ✓	51.5 ✓	YEAR'S TOTAL 664.9 ✓
Days with 0·2 mm. or more	19 ✓	12 ✓	15 ✓	27 ✓	15 ✓	11 ✓	24 ✓	11 ✓	14 ✓	16 ✓	9 ✓	19 ✓	261 192 ✓
	12	7	12	20	10	11	18	7	9	6	7	14	135

(14,284). Wt 22,958—218. 500. 10/19. Gp.132 [illegible]&E.

copied from M.O. 3202

LEICESTER.

CROXTON KERRIAL
VICARAGE

1911 – 1920

✓

REC 911

Kept at Croxton

in the County of Leices

by Revd W. E. T.

nowdon

p 5 in.

bove Ground 1 ft. 0 in.

,, Sea Level 480 ft.

9. A.M.

n { Name Grantham
Distance 7 miles Direction NNE

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·01	—	—	—	·02	·05	—	—	·03	·01	1
2	·19	—	—	·01	·10	—	—	·13	—	—	·01	·04	2
3	·01	·02	—	—	·13	—	—	·18	—	·01	·01	·02	3
4	·05	·01	·18	·18	—	—	—	·02	·06	·16	·10	·25	4
5	·05	—	—	·04	—	—	—	·08	—	·08	—	·01	5
6	·28	—	·01	·03	—	—	—	·04	—	·23	—	·28	6
7	—	·01	—	·01	—	—	—	—	—	·02	·09	·13	7
8	·27	—	·17	—	—	—	—	—	·62	—	·01	·15	8
9	·05	—	·01	·01	—	—	—	—	—	—	·22	·02	9
10	·01	·05	·14	·01	—	—	—	—	—	—	·20	·44	10
11	·27	—	—	—	—	—	—	·13	—	—	·30	—	11
12	·12	—	·38	—	·01	—	—	—	·13	·01	·08	·01	12
13	—	—	·08	—	—	·03	—	—	·15	·03	·05	·41	13
14	·01	·01	·09	—	·25	—	—	—	—	·01	·01	·49	14
15	—	·07	·12	—	—	—	·02	—	·01	·08	·06	·01	15
16	·01	—	·02	·01	—	·04	—	—	—	·03	·17	·04	16
17	—	—	—	—	—	·01	—	—	—	·01	·05	·08	17
18	·01	·25	·01	—	—	·25	—	—	—	·01	·15	·04	18
19	·02	·05	—	—	·01	·02	·01	—	·02	·18	·47	·06	19
20	·01	·05	—	·05	—	—	—	·41	·03	·05	—	·40	20
21	—	·47	·03	·01	—	·01	—	·16	·02	·16	·02	·09	21
22	·05	·04	·01	·01	—	·01	—	·07	—	·29	·06	·24	22
23	·01	·03	·20	·01	—	·79	·02	·02	·47	·01	·01	·10	23
24	—	·06	·03	·02	—	·90	—	·01	—	·42	—	·19	24
25	—	·07	·05	·09	·36	·04	—	—	·01	·01	·03	·06	25
26	—	·01	—	·15	1·04	·03	—	—	—	·26	·41	·30	26
27	—	·15	·22	·03	·01	·01	·08	·27	·26	·06	·02	·03	27
28	—	·30	—	·18	—	·07	—	·01	—	—	·04	·05	28
29	—		·02	—	—	·13	·04	·01	·11	·18	·01	·01	29
30	—		·02	·09	·02	·05	—	—	·01	·20	·01	·01	30
31	—		·05		·01		—	—		·03		—	31
Total	1·45	1·65	1·85	·94	1·94	2·39	·19	1·59	1·90	2·53	2·62	3·97	TOTAL for year 23·02
No. of Rain Days.	18	17	21	18	10	15	6	15	13	24	26	29	212

W. 8,000, X. '11.

✓

REC 911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Croxton Kerrial

in the County of Leicestershire 4

by Revd W. E. T. Malden

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 480 ft.

Time of Observation 9. AM.

Nearest Railway Station
Name Grantham
Distance 7 miles Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	–	·01	–	–	–	·02	·05	–	–	·03	·01	1
2	·19	–	–	·01	·10	–	–	·13	–	–	·01	·04	2
3	·01	·02	–	–	·13	–	–	·18	–	·01	·01	·02	3
4	·05	·01	·18	·18	–	–	–	·02	·06	·16	·10	·25	4
5	·05	–	–	·04	–	–	–	·08	–	·08	–	·01	5
6	·28	–	·01	·03	–	–	–	·04	–	·23	–	·28	6
7	–	·01	–	·01	–	–	–	–	–	·02	·09	·13	7
8	·27	–	·17	–	–	–	–	–	·62	–	·01	·15	8
9	·05	–	·01	·01	–	–	–	–	–	–	·22	·02	9
10	·01	·05	·14	·01	–	–	–	–	–	–	·20	·44	10
11	·27	–	–	–	–	–	–	·13	–	–	·30	–	11
12	·12	–	·38	–	·01	–	–	–	·13	·01	·08	·01	12
13	–	–	·08	–	–	·03	–	–	·15	·03	·05	·41	13
14	·01	·01	·09	–	·25	–	–	–	–	·01	·01	·49	14
15	–	·07	·12	–	–	–	·02	–	·01	·08	·06	·01	15
16	·01	–	·02	·01	–	·04	–	–	–	·03	·17	·04	16
17	–	–	–	–	–	·01	–	–	–	·01	·05	·08	17
18	·01	·25	·01	–	–	·25	–	–	–	·01	·15	·04	18
19	·02	·05	–	–	·01	·02	·01	–	·02	·18	·47	·06	19
20	·01	·05	–	·05	–	–	–	·41	·03	·05	–	·40	20
21	–	·47	·03	·01	–	·01	–	·16	·02	·16	·02	·09	21
22	·05	·04	·01	·01	–	·01	–	·07	–	·29	·06	·24	22
23	·01	·03	·20	·01	–	·79	·02	·02	·47	·01	·01	·10	23
24	–	·06	·03	·02	–	·90	–	·01	–	·42	–	·19	24
25	–	·07	·05	·09	·36	·04	–	–	·01	·01	·03	·06	25
26	–	·01	–	·15	1·04	·03	–	–	–	·26	·41	·30	26
27	–	·15	·22	·03	·01	·01	·08	·27	·26	·06	·02	·03	27
28	–	·30	–	·18	–	·07	–	·01	–	–	·04	·05	28
29	–		·02	–	–	·13	·04	·01	·11	·18	·01	·01	29
30	–		·02	·09	·02	·05	–	–	·01	·20	·01	·01	30
31	–		·05		·01		–	–		·03		–	31
Total	1·45	1·65	1·85	·94	1·94	2·39	·19	1·59	1·90	2·53	2·62	3·97	TOTAL for year 28·02
No. of Rain Days.	18	17	21	18	10	15	6	15	13	24	26	29	212

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Croxton Kerrial Vicarage

in the County of Leicester 4

by Revd. W. E. P. Malden

Lat. Long.

Time of Observation 9·30 Am.

Nearest Railway Station Grantham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	'35	'06	'02	'03	–	–	'39	1
2	–	'06	'01	'02	–	'06	'85	–	'03	–	–	'03	2
3	'13	'03	'01	–	'04	'44	'01	'45	'12	–	–	'05	3
4	'05	–	'36	–	'06	'56	–	'21	–	–	'36	–	4
5	'10	'03	'14	–	–	'08	–	'06	–	–	'03	–	5
6	'55	'13	–	–	'01	–	'10	'20	–	–	–	'03	6
7	–	'07	–	–	–	'08	'03	'16	–	–	'01	'02	7
8	'33	'34	'24	'03	–	'06	'10	'03	'21	'01	–	'04	8
9	'03	'04	'08	'15	–	'14	–	–	–	–	'02	'19	9
10	–	–	'01	–	–	'23	–	'26	–	–	'13	–	10
11	'10	'21	'01	–	–	'09	–	–	'04	–	'03	'59	11
12	'06	'31	'06	–	'02	'22	'25	–	–	–	'05	–	12
13	–	'10	–	–	–	'06	–	'10	–	'02	'11	'03	13
14	'09	–	'33	–	–	'11	–	'13	'01	'01	–	–	14
15	'02	'01	'11	–	'41	'15	–	–	–	–	–	'09	15
16	'58	–	'15	–	–	'21	–	'09	–	'21	'01	–	16
17	'19	–	'08	–	–	'17	–	'14	–	–	'03	'47	17
18	'17	–	'10	–	–	–	–	'24	–	'02	'02	'01	18
19	'20	'10	'02	–	–	–	'23	'03	'02	–	'02	–	19
20	'10	'01	'22	–	'09	–	'71	'11	–	'25	–	–	20
21	–	–	'44	–	'42	–	'15	'12	–	'21	'03	'01	21
22	'01	'09	'05	–	1'55	–	'90	'38	–	'02	–	'08	22
23	'16	'10	'25	–	'04	–	'43	'42	–	–	'16	'08	23
24	'21	–	'01	–	–	'05	'02	'07	–	–	–	'11	24
25	'01	–	–	–	–	'45	'01	'35	–	–	'30	'43	25
26	'01	'01	'04	–	–	'04	'25	1·25	–	'50	'20	'35	26
27	–	–	–	–	'01	'10	'05	'01	–	'53	–	'13	27
28	–	–	–	–	–	'05	'06	'38	'03	'30	'40	'43	28
29	–	'01	'04	–	–	'15	'17	–	'40	'14	'10	'01	29
30	'05		'01	–	'26	'02	–	–	'12	'06	–	–	30
31	–		'07		'72		'69	'14		–		'04	31
Total	3·15	1·65	2·84	'20	3·63	3·87	5·07	5·35	1·01	2·28	2·01	3·61	YEAR'S TOTAL 34·67
Rain Days.	21	17	24	3	12	23	19	24	10	13	18	22	206

W. 7,500, XI. 12

✓

[illegible]

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

3 JAN 1914

Kept at Croxton Kerrial Vicarage
in the County of Leicester
by Revd W. E. P. Malden

4

Lat. 52·51 N. Long. 0·45 W.
Time of Observation 9·30 Am.
Nearest Railway Station Grantham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	-	·10	·01	-	-	-	-	·82	-	·03	-	1
2	·01	·08	·01	·07	-	-	·04	-	·06	-	·09	-	2
3	-	-	·11	-	·40	-	·01	-	·03	-	-	·02	3
4	·41	-	·01	-	·11	-	·01	-	·01	·02	·13	·17	4
5	·06	-	·01	-	-	-	·05	-	·12	1·23	-	-	5
6	-	-	·10	-	·50	·03	·03	-	-	·20	-	-	6
7	-	·03	-	·01	·11	·03	-	-	-	·81	·02	-	7
8	-	·01	-	-	·18	·16	-	-	·02	1·03	·10	-	8
9	-	·29	·04	·01	·01	·22	·12	·16	-	-	·12	-	9
10	-	-	-	·10	·23	-	·24	·08	-	-	·40	-	10
11	1·14	-	-	·30	-	·01	-	·12	-	-	·36	·01	11
12	-	-	-	·01	·03	-	-	-	-	-	·33	-	12
13	·08	-	·10	·05	-	-	-	·01	·02	-	·14	-	13
14	·07	·01	·55	·03	-	-	·01	·04	-	·09	·01	-	14
15	·06	-	·34	·27	-	-	-	-	·22	-	·08	-	15
16	·04	·09	·54	·01	-	-	-	-	·60	-	-	-	16
17	·02	·03	·21	·10	-	·52	·03	-	·29	·01	·03	·01	17
18	·01	-	·12	·10	-	·01	·08	-	-	-	·01	·02	18
19	·08	-	·04	-	-	·01	-	-	·02	-	-	·02	19
20	·10	-	·05	·05	-	-	-	-	·01	·17	·10	-	20
21	·01	-	·18	-	·04	-	·11	-	-	-	·22	-	21
22	·16	-	·33	-	-	-	-	·05	·20	-	-	-	22
23	·01	-	·04	-	-	·05	·01	·04	·08	-	·01	-	23
24	·02	-	-	·05	-	-	-	·06	-	·01	-	-	24
25	-	·02	-	·09	-	·03	-	-	·02	-	-	-	25
26	-	·11	·26	·08	-	-	-	-	-	·28	·04	·20	26
27	-	·06	·02	·01	-	·01	-	-	-	-	-	-	27
28	·20	-	·28	·15	-	-	-	-	·01	·06	-	·19	28
29	·01		·16	·48	·30	-	-	·39	-	·02	-	·27	29
30	·34		·03	·01	-	-	·01	-	-	·11	·08	·01	30
31	-		-		·28		-	·01		-		-	31
Total	2·85	·73	3·63	1·99	2·19	1·08	·75	·96	2·53	4·04	2·30	·92	YEAR'S TOTAL 23·97
Rain Days.	20	10	23	21	11	11	13	10	16	13	19	10	177

W. 7,500, XI. 12

Eyre DB

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Croxton Kerrial

in the County of Leicester 4

by Chas. J. Prowse

Lat. 52·51 N Long. 0·45 W

Time of Observation 8·45 a.m

Nearest Railway Station Grantham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	·03	·01	–	·04	·89	·27	–	–	·03	·02	1
2	–	–	–	–	–	–	·09	·31	–	–	·10	·19	2
3	–	–	·02	·01	·12	–	·22	·22	–	–	·10	–	3
4	·24	–	·01	·17	·01	–	–	·07	–	–	·46	·30	4
5	–	–	·13	·20	·12	–	·01	·11	–	–	·03	·02	5
6	·02	·02	–	·10	·12	·08	–	·01	–	–	·06	·03	6
7	–	·05	·39	·01	·05	–	–	·01	–	–	·02	·05	7
8	·04	·02	·01	·11	·10	·78	·02	·24	·12	–	–	·03	8
9	·45	·01	·15	·24	–	1·30	–	·10	·07	·01	–	–	9
10	·29	·06	·01	·22	·01	·02	–	–	·11	·01	–	–	10
11	–	·03	·34	·27	·10	·04	–	–	·04	–	·41	·31	11
12	·01	·01	·10	–	·01	·02	·40	–	·28	–	·01	·35	12
13	–	·09	·11	–	–	–	·01	–	·01	·14	·31	·17	13
14	·05	–	·22	–	–	–	·17	–	·04	·32	·02	·28	14
15	·09	–	·15	–	–	–	·01	·03	·01	·01	·26	·12	15
16	·01	–	·02	–	–	–	·22	·01	·04	–	·02	–	16
17	·01	·21	·08	–	–	–	·02	–	·29	–	·01	·20	17
18	–	–	·01	–	–	·40	·15	–	·01	–	·02	·41	18
19	–	·06	·01	–	–	–	·02	–	–	–	·05	·08	19
20	·01	·10	·23	–	–	·01	·01	–	·05	·05	–	·02	20
21	·03	·27	·04	–	–	·03	–	–	–	·05	·07	·18	21
22	–	·02	·02	–	·62	–	·03	·08	–	·40	–	·03	22
23	–	·11	·05	–	·03	–	·12	–	–	·05	–	·04	23
24	–	·01	·30	·03	·10	–	–	–	–	·11	·31	·04	24
25	–	–	–	–	–	–	·05	·24	–	·68	·02	·35	25
26	–	–	·01	–	–	–	·02	·08	–	·16	·33	·26	26
27	·03	–	·01	–	–	–	·02	–	–	·01	·02	·15	27
28	·05	·04	–	–	–	–	–	–	–	·18	·31	·82	28
29	·05	X	·08	·02	·01	–	–	–	–	·39	·03	·09	29
30	–	X	–	·01	·01	·06	–	–	–	·04	·30	·23	30
31	–	X	–	X	–	X	·33	–	X	·07	X	·06	31
Total	1·39	1·11	2·53	1·40	1·51	2·78	2·81	1·78	1·07	2·68	3·30	4·83	YEAR'S TOTAL 27·19
Rain Days.	16	16	25	13	14	11	20	14	12	17	24	27	209

W.7,000, XI. 13

Slip made

2637

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Croxton Kerrial
in the County of Leicester
by Chas J. Prowse.

Lat. 52·51 Long. 0·45 W
Time of Observation 8·45 a-m
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·15	·06	—	·36	—	·03	·06	·09	—	·08	·10	1
2	·02	·03	·14	·16	—	·09	·02	·49	·02	·02	—	·03	2
3	·48	—	·07	·14	—	—	1·09	·32	·07	—	·03	·17	3
4	·37	—	—	—	—	—	·60	·34	—	—	·01	1·05	4
5	·04	·30	—	—	·15	—	·01	·06	—	—	·10	·50	5
6	·04	·20	·03	·12	—	—	·82	·02	—	·01	—	·05	6
7	·18	·38	·03	—	·02	·04	·12	·22	—	—	—	·54	7
8	·10	·11	—	·07	—	—	—	·04	—	—	·02	—	8
9	·03	·11	—	—	—	·01	—	—	—	·02	·08	·49	9
10	·39	·02	·03	—	—	—	—	·07	—	—	·16	·02	10
11	·02	—	·04	·05	·20	—	·09	·31	—	—	·40	·16	11
12	·03	·02	—	·31	·17	—	·05	—	—	·02	1·13	·02	12
13	·02	·66	—	·01	·43	—	—	·05	·03	—	·02	—	13
14	—	·09	—	—	·05	—	—	·04	·02	·01	—	·30	14
15	·23	·02	—	—	·01	—	—	·25	—	·03	·20	·16	15
16	—	·23	—	—	·05	—	1·81	—	—	·01	·08	·02	16
17	—	·10	—	—	—	—	·24	—	—	—	·02	·02	17
18	—	·15	·58	—	—	—	·01	—	—	·02	·05	·03	18
19	—	·14	·01	—	—	—	·11	—	—	—	·02	—	19
20	·25	—	—	·02	·03	—	—	—	—	—	—	·34	20
21	·10	·04	—	—	·15	—	·17	—	—	—	—	·08	21
22	·18	—	·19	·05	·02	—	·33	—	·01	—	—	·14	22
23	·09	·02	·02	—	—	—	·12	—	·06	·14	·03	·18	23
24	·03	·08	·08	·03	—	—	·10	—	·83	·06	—	·09	24
25	·02	—	·04	—	—	·36	·36	—	·02	·03	—	·11	25
26	·01	·20	—	—	—	—	·03	—	·04	—	—	·34	26
27	—	·06	·02	—	—	·19	·36	—	—	·69	—	·04	27
28	—	·16	·05	—	—	·03	·02	·25	—	·12	—	—	28
29	·02	X	—	—	—	·01	—	·06	—	·02	·30	·26	29
30	·05	X	—	·01	—	·84	—	·02	—	—	·04	·09	30
31	·04	X	·01	X	—	X	—	·14	X	·17	X	·11	31
Total	2·90	3·27	1·40	·97	1·64	1·57	6·49	2·74	1·19	1·37	2·77	5·44	YEAR'S TOTAL 31·75
Rain Days.	24	22	16	11	12	8	21	17	10	15	18	27	201

W. 8,000. X. 15.

2573

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Croxton Kerrial

in the County of Leicester

by Chas. J. Prowse

Lat. 52·51 N Long. 0·45 W

Time of Observation 8·45 a.m

Nearest Railway Station Grantham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 4[illegible]0 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	-	·40	-	-	·12	·12	-	-	-	·24	-	1
2	·29	·05	·24	-	·42	-	·34	-	·04	·15	·04	-	2
3	-	·35	·02	·02	-	-	·25	-	·95	·18	·06	-	3
4	·21	·14	-	-	·34	·30	·02	-	·17	·12	·17	-	4
5	·03	-	·03	-	·04	·13	-	-	-	·11	·16	-	5
6	·09	·10	·26	·02	·05	·04	·27	·01	-	-	·28	·02	6
7	·03	-	·26	-	·05	-	·17	-	-	·09	·24	·14	7
8	-	-	·17	-	-	·02	-	·01	·02	-	·03	·18	8
9	-	·02	·09	·01	·38	·12	-	-	·05	·02	-	·17	9
10	-	·03	·18	·10	-	·13	·10	-	·04	·27	-	·11	10
11	-	·48	·25	·08	·02	·06	-	-	·02	-	-	·04	11
12	·04	·02	·14	·08	·50	·24	·19	-	-	·04	-	-	12
13	-	·17	·22	·05	·09	·05	·09	·07	-	-	-	-	13
14	-	·36	·02	-	·03	-	-	·39	-	·04	-	·02	14
15	-	·20	·34	·01	·02	-	·26	·08	-	-	-	-	15
16	-	·14	·21	·34	-	-	·10	·17	-	-	-	·03	16
17	·05	·12	·02	·12	-	-	·16	1·82	·17	·20	-	·02	17
18	-	·14	·02	·08	-	-	-	·07	·10	-	1·16	-	18
19	·07	·03	·26	·14	-	·03	-	·07	·14	-	·39	·07	19
20	·14	-	·40	·14	-	-	-	-	-	-	·09	·17	20
21	·05	·02	·41	-	·03	-	·03	-	-	-	·02	·45	21
22	-	·03	·03	-	·04	·02	-	-	-	·03	-	·33	22
23	·05	·80	-	·03	-	·07	·02	·04	-	·02	·11	·60	23
24	-	·85	-	·06	-	-	-	·03	-	-	-	·27	24
25	-	·36	·12	-	·04	-	-	·22	-	·10	·13	·02	25
26	·05	·15	·02	-	-	·02	-	·05	-	·09	·03	-	26
27	·02	·12	·50	-	-	·02	·28	·05	-	·19	-	·03	27
28	-	·28	1·02	·06	-	-	-	-	·02	·04	-	·28	28
29	-	·24	-	-	·03	·26	-	·93	-	·26	-	·19	29
30	-	X	-	-	·02	·07	-	·07	-	·09	-	-	30
31	-	X	-	X	-	X	-	·03	X	·05	X	-	31
Total	1·16	5·20	5·63	1·34	2·10	1·70	2·40	4·11	1·72	2·09	3·15	3·14	YEAR'S TOTAL 33·74
Rain Days.	14	24	25	16	16	17	15	17	11	19	15	19	208

W. 8,000, VIII. 16

2444

FORM A.
BRITISH RAINFALL
3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Croxton Kerrial

in the County of Leicester

by Chas. J. Prowse

Lat. 52.51 N Long. 0.45 W.
Time of Observation 8.45 a.m
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·02	-	·28	-	-	-	1·12	·05	-	·03	-	1
2	·03	-	-	·02	-	·06	-	·16	-	·02	·08	-	2
3	·03	·05	·02	·12	-	-	-	1·13	-	·20	-	-	3
4	-	·08	·06	·05	-	-	-	·09	-	·58	-	-	4
5	·18	-	·06	·19	-	-	-	·03	·10	·03	·17	-	5
6	·02	-	-	-	-	-	-	-	-	·26	·05	-	6
7	·34	-	·04	-	-	·04	-	·02	-	·28	-	-	7
8	·50	-	-	·09	-	-	·17	·87	-	·45	·07	·02	8
9	·10	-	·03	·07	-	-	-	·13	-	·03	·13	-	9
10	·30	-	·44	·15	·15	-	-	·14	-	·05	·04	·02	10
11	·05	-	·08	·20	-	-	-	·10	-	·24	-	-	11
12	·17	·05	·02	-	·10	-	-	·04	·02	·18	·02	·01	12
13	·04	·05	·03	·04	-	-	-	·22	·03	-	·02	-	13
14	·18	-	-	·07	-	-	-	·12	-	-	·02	·04	14
15	·15	-	-	-	·04	-	·30	-	-	·08	-	·02	15
16	·12	·22	-	·10	-	-	·03	-	-	·04	-	·16	16
17	·02	·04	·07	·24	·37	·06	·08	·04	·05	·11	-	·10	17
18	·10	-	-	·13	·10	·02	·84	-	·59	-	-	·02	18
19	·08	·14	·06	-	·35	-	-	·03	·06	-	-	-	19
20	·06	·25	·06	-	·27	-	·02	·16	·06	-	·30	-	20
21	·04	·02	·06	-	-	·16	-	·02	-	·03	-	·01	21
22	·02		·14	-	-	-	-	·02	·08	·10	-	-	22
23	·07	·04	·09	-	·10	-	-	·13	·07	·11	-	·02	23
24	-	-	-	-	-	·39	·07	-	-	·36	·11	-	24
25	-	·03	·06	-	-	-	·05	-	-	-	·04	-	25
26	-	-	·07	-	-	-	-	·56	·15	-	·09	-	26
27	-	·02	-	-	-	·07	·05	·48	-	·01	-	·04	27
28	-	-	·09	-	-	·29	-	·31	-	-	-	·14	28
29	-	X	-	-	·24	·25	·07	-	-	·36	-	·12	29
30	·05	X	-	-	-	-	·78	·19	-	-	-	-	30
31	·05	X	·02	X	-	X	·07	·11	X	-	X	·10	31
Total	2·70	1·07	1·50	1·75	1·72	1·34	2·53	6·22	1·26	3·52	1·17	·82	YEAR'S TOTAL 25·54
Rain Days.	23	13	19	14	9	9	12	24	11	20	14	14	182

W. 8,000, IX. 17.

3·33

37

FORM A.
BRITISH RAINFALL

8.1.19

REGISTER OF RAINFALL IN 1918

Kept at Croxton Kerrial

in the County of Leicester

by Chas. J. Prowse

Lat. 52.51 N Long. 0.45 W

Time of Observation 8.45 a.m

Nearest Railway Station Grantham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·04	·30	–	–	–	–	–	·05	–	·19	·03	1
2	–	·30	–	·09	–	–	–	·63	·04	·02	·03	·26	2
3	–	·04	·10	–	·50	–	–	·19	·03	·01	·45	–	3
4	·02	·04	·07	–	–	–	·07	·05	·90	–	·30	·05	4
5	–	–	–	·02	·14	–	–	·07	·13	·13	–	–	5
6	–	·07	–	·22	–	·01	–	–	·02	·07	–	–	6
7	·10	·12	–	·24	–	–	–	–	·04	·07	·12	–	7
8	–	·04	·03	·02	–	–	·06	–	·35	·04	–	·06	8
9	·02	·32	–	·12	–	·05	·13	–	·02	·25	–	–	9
10	·08	·03	–	·05	–	–	·43	–	·02	·22	·02	·04	10
11	·03	·07	–	·03	·24	–	·05	–	·07	·20	·02	·07	11
12	–	·22	·04	·03	·08	–	·18	–	·02	·03	–	·02	12
13	–	·02	–	·03	·16	–	–	–	·20	–	–	–	13
14	·36	–	–	·08	–	–	·09	–	·22	·10	–	·13	14
15	·30	–	–	·49	–	–	·07	–	·12	–	–	·17	15
16	·02	–	–	·42	–	–	–	–	·09	–	–	·02	16
17	·60	–	–	·04	–	–	·49	·03	·03	·08	–	·18	17
18	·34	–	–	·01	–	·07	·15	–	·30	–	–	·18	18
19	·04	·02	·10	·04	–	·08	–	–	–	·11	–	·19	19
20	–	·05	–	·15	–	·06	·05	–	·02	·02	·02	–	20
21	·04	–	–	·17	–	·02	–	–	·29	·23	·01	·02	21
22	·13	–	–	·01	–	·04	·02	–	·02	·02	·02	·30	22
23	·14	–	–	–	·61	–	·06	–	·01	–	–	–	23
24	–	·17	–	–	–	–	·18	–	·04	·05	·17	–	24
25	–	–	–	–	–	–	·09	·23	–	·03	·09	–	25
26	–	–	–	–	–	–	·37	–	·08	–	·13	·09	26
27	–	·02	–	·04	·01	·03	·07	·25	·24	–	·16	·06	27
28	–	–	·16	–	–	–	–	–	·01	–	·19	·41	28
29	–		–	–	–	–	–	–	·66	–	–	–	29
30	·02	X	·39	·03	–	–	–	–	·06	–	·08	·42	30
31	–	X	·11	X	–	X	–	·07	X	–	X	·02	31
Total	2·26	1·57	1·30	2·33	1·74	·36	2·56	1·52	4·08	1·68	~~1·80~~ 2·00	2·72	YEAR'S TOTAL ~~23·92~~ 24·12
Rain Days.	16	16	9	21	7	8	17	8	28	18	16	20	184

W, 6,500, VII. 18. W W C

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

3 JAN 20

Kept at Croxton Kerrial
in the County of Leicester
by Chas. J. Prowse

Lat. 52.51 N Long. 0.45 W
Time of Observation 8.45 a.m
Nearest Railway Station Grantham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29	–	·04	–	·25	–	·25	–	–	·08	·12	·42	1
2	·24	·19	·05	–	·03	–	·48	–	·50	·11	·19	–	2
3	·76	–	–	–	–	–	·17	–	·18	–	·15	·06	3
4	·12	–	·31	–	–	·08	·02	·16	·05	–	·09	·25	4
5	·14	·06	–	–	–	–	–	·04	·33	–	–	·03	5
6	–	·07	·05	–	1·59	–	–	–	–	–	·06	·16	6
7	·03	–	·24	–	–	–	–	–	·02	–	·05	–	7
8	·09	–	–	·10	–	·03	–	–	–	–	·03	–	8
9	–	–	·02	–	·02	–	–	–	–	–	·02	–	9
10	–	–	·23	·06	–	–	–	–	–	·02	·03	·08	10
11	·08	–	·53	·03	·09	–	·42	–	–	–	·02	–	11
12	–	–	·55	·04	–	·19	·02	–	·08	·02	·06	–	12
13	·20	·02	–	·13	–	–	–	–	·07	·04	·04	·02	13
14	·40	·04	–	·14	–	–	–	–	·20	–	–	–	14
15	·27	·03	·17	·14	–	–	–	–	·03	–	·18	·56	15
16	·02	·57	–	·02	–	–	–	·03	–	–	·02	·02	16
17	·03	·69	–	·02	·02	·05	·04	–	–	–	·21	–	17
18	–	·40	·03	–	–	–	–	·25	·02	–	–	·13	18
19	–	·28	·90	–	–	·06	2·80	·58	·27	–	·01	·03	19
20	·54	·14	·32	–	–	·09	·80	·33	·02	–	·06	·10	20
21	·37	·37	·28	–	–	·05	·36	–	–	–	·02	·28	21
22	–	·17	·04	–	–	–	·02	–	·34	–	·03	·37	22
23	–	–	–	–	–	–	·09	·02	·03	·76	–	·02	23
24	·02	–	·02	·13	·15	·10	–	–	–	·18	·01	–	24
25	·07	·02	–	·04	·12	·05	–	·55	–	–	·11	·06	25
26	–	–	·18	·04	–	–	–	·07	·08	–	–	·42	26
27	·10	·13	–	·32	–	·02	–	–	–	·03	·03	·14	27
28	·15	–	–	·08	–	–	·05	·82	–	·03	·04	·35	28
29	·12	–	–	·02	–	–	–	·17	–	·32	·06	·07	29
30	·02	✕	·04	·35	–	·26	–	–	–	·05	·21	·30	30
31	·08	✕	·04	✕	–	✕	·05	–	✕	·16	✕	·05	31
Total	4·14	3·18	4·04	1·66	2·27	·98	5·57	3·02	2·22	1·80	1·85	3·92	Year's Total 34·65
Days with ·01 in. or more	22	15	19	16	8	11	14	11	15	12	25	22	190

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W long and [illegible]

2206

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at Croxton Kerrial

in the County of Leicester

by Chas. J. Prowse

Lat. 52·51 N. Long. 0·45 W

Time of Observation 8·45 a-m

Nearest Railway Station Grantham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·17	·15	–	·20	–	·03	·24	·04	·07	1
2	–	–	–	·18	·20	–	·46	–	·15	·17	–	·07	2
3	–	·05	–	·11	–	·08	·31	–	·05	·03	–	–	3
4	–	–	–	·24	–	–	·18	·29	·03	·33	–	·03	4
5	–	–	·03	–	·27	–	·46	·09	–	–	–	·03	5
6	–	–	·15	·04	·03	–	·13	·03	–	–	–	·11	6
7	–	–	·05	·12	–	–	·37	–	–	–	–	·04	7
8	·06	·06	–	·47	·09	–	·08	–	–	–	–	–	8
9	·36	·02	–	·68	–	–	·02	–	–	·02	–	–	9
10	·20	·09	·08	·02	–	–	·03	·14	–	–	–	–	10
11	·20	–	·05	·19	·13	·08	·02	–	–	–	–	–	11
12	·04	–	–	·24	–	·13	·13	·21	–	–	–	·09	12
13	·02	·08	·13	·50	–	·54	–	–	·03	–	–	·19	13
14	–	·07	·56	·23	–	·40	·02	–	·12	·03	·13	·03	14
15	–	–	·66	·23	–	–	–	–	·02	·04	·12	·01	15
16	–	–	·57	·05	·02	–	–	–	·06	·03	·01	–	16
17	–	–	–	–	·12	–	·02	–	·53	–	–	·04	17
18	·20	–	–	·08	·11	–	·09	·15	·15	–	–	·01	18
19	·06	·30	–	·20	–	·20	–	·02	·08	–	–	·03	19
20	·03	·47	–	·33	–	·15	·03	–	–	–	–	–	20
21	·03	·01	–	·03	–	·27	·17	·14	–	–	–	–	21
22	–	–	–	·24	–	–	·10	–	·16	–	–	–	22
23	–	·01	–	–	–	–	·13	–	–	–	–	·33	23
24	–	–	·11	–	–	–	–	–	–	–	–	·08	24
25	–	·09	·03	·09	·05	·04	·65	–	–	·02	–	–	25
26	·16	–	·05	·02	·02	–	·15	–	–	–	–	–	26
27	·08	·03	·04	·06	·02	·50	·09	–	–	–	·30	·27	27
28	·54	–	·15	·05	·02	–	·06	–	–	·02	·07	·04	28
29	·06	–	·10	–	·51	–	·07	–	–	–	·07	·45	29
30	·05	✕	–	·15	·05	–	–	–	·24	–	·08	·33	30
31	·10	✕	·07	✕	·04	✕	–	–	✕	·19	✕	·09	31
Total	2·19	1·28	2·83	4·72	1·83	2·39	3·97	1·07	1·65	1·12	·82	2·34	YEAR'S TOTAL 26·21 26[illegible]12
Days with ·01 in. or more	16	12	16	25	16	10	24	8	13	11	8	20	179
Days with ·04 in. or more	13	8	14	22	11	10	18	6	9	5	7	14	137

(44,283). 10/19. (52,638). Wt.10,000—339. 10,000. (2). 7/20. Gp.132. A.&E.W.

R 11

FORM A2. BRITISH RAINFALL. 4 - JAN 1912

EAST LAUGHTON GRANGE

LEICESTERSHIRE

1911 – 1920

Kept at East Laug

in the County of Ma

by John W. Log

egretti

5 in.

ove Ground 1 ft. in.

„ Sea Level ft.

9 AM

Name

Distance Direction

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of ement of rain, the selection and pla British Rainfall Organization are given on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·02	·04	1
2	·11		·04								·05	·08	2
3					·55			·08					3
4			·09						·12	·11	·27	·33	4
5				Snow ·23				·11		·02	·04		5
6	·32										·08	·35	6
7											·15	·08	7
8	·12		·15							·20	·06	·13	8
9	·07										·15		9
10	·05		·24					·10				·54	10
11	·18							·09			·44		11
12			·43						·16		·10		12
13			·05						·20			·42	13
14		·09			·12						·08	·40	14
15		·10	·11							·06		·03	15
16			·08								·22	·12	16
17						·02					·07	·17	17
18		·25				·10				·05	·15		18
19						·18	·17			—	·68	·11	19
20		·07						·42	·20				20
21		·20	·56					·43		·20		·10	21
22	·04		·10					·09		·17	·02	·35	22
23		07	·23			·28			·30			·11	23
24		·10				·60				·87		10	24
25		·10	·08	·12	·90	·45		·07					25
26				·27	·57	·15				·16		·22	26
27		·29	·14	·16				·30	·15	·03	·28	09	27
28		·15		·20			08	·08					28
29				04		·18			·22	·15			29
30			·01		·17					·11			30
31										·19			31
Total	·89	1·42	2·31	1·02	2·31	1·96	·25	1·77	1·35	2·32	2·86	3·77	TOTAL for year 22·23
No. of Rain Days	7	10	14	6	5	8	2	10	7	13	17	19	118

9,000, IX. '10.

11

FORM A2.
BRITISH RAINFALL

4 - JAN 1912

Kept at East Langton Grange

in the County of Market Harboro' 2 Leicestershire

by John W. Logan.

RAIN GAUGE
Pattern Negretti
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9. A M

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·02	·04	1
2	·11		·04								·05	·08	2
3					·55			·08					3
4			·09						·12	·11	·27	·33	4
5				Snow ·23				·11		·02	·04		5
6	·32										·08	·35	6
7											·15	·08	7
8	·12		·15							·20	·06	·13	8
9	·07										·15		9
10	·05		·24					·10				·54	10
11	·18							·09			·44		11
12			·43						·16		·10		12
13			·05						·20			·42	13
14		·09			·12						·08	·40	14
15		·10	·11							·06		·03	15
16			·08								·22	·12	16
17						·02					·07	·17	17
18		·25				·10				·05	·15		18
19						·18	·17			—	·68	·11	19
20		·07						·42	·20				20
21		·20	·56					·43		·20		·10	21
22	·04		·10					·09		·17	·02	·35	22
23		07	·23			·28			·30			·11	23
24		·10				·60				·87		10	24
25		·10	·08	·12	·90	·45		·07					25
26				·27	·57	·15				·16		·22	26
27		·29	·14	·16				·30	·15	·03	·28	09	27
28		·15		·20			08	·08					28
29				04		·18			·22	·15			29
30			·01		·17					·11			30
31										·19			31
Total	·89	1·42	2·31	1·02	2·31	1·96	·25	1·77	1·35	2·32	2·86	3·77	TOTAL for year 22·23
No. of Rain Days	7	10	14	6	5	8	2	10	7	13	17	19	118

9,000, IX. '10.

corr fr arith 8.111.13

REGISTER OF RAINFALL IN 1912.

FORM A2. BRITISH RAINFALL.
8 - JAN 1913

Kept at J. W. Logan Esq. M.P. East Langton Grange Market Harboro 2
in the County of Leicester.
by

RAIN GAUGE
Pattern Negretti Round
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 A M

Nearest Railway Station
Name East Langton
Distance ½ mile Direction Westerly

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						7			08			25	1
2			5			41	42					8	2
3	10		4		8	22	5	32	4			7	3
4	8		50		10	51	10	30			30		4
5			37			15		28	4		5	1	5
6	42					10		20				7	6
7		15				13		02				2	7
8	27	37	24			5	7		8			3	8
9		10	15	10		15		03				14	9
10								20			12	39	10
11	10	12				10					5		11
12	5	18	9		12		36				8		12
13						15		02			11		13
14	3		28			10		03					14
15	1	3	5		26	10						18	15
16	30		8					10		7			16
17			8		2	26	5	18			5	34	17
18	70		9				10	13			2	5	18
19	28							37	2	4			19
20	25		22				1·13	84		20			20
21			14		45			50		20	7		21
22	25	10			97		1·37	33				3	22
23	6	22	21			5	35	45		1	7	25	23
24	11					12		15				23	24
25						50		20			28	29	25
26						3		1·13		56	19	41	26
27						10	36	6		57		20	27
28						11	26	53	3	30	22	50	28
29		5				9	32		62	22			29
30					15	13			3	20			30
31			8		11		44	13				5	31
Total	3·01	1·32	2·67	·10	2·26	3·63	5·38	6·50	·94	2·38	1·61	3·59	TOTAL for year 33·38
No. of Rain Days.	3.01 15	9	16	1	9	3·63 22	14	23	8	2·37 10	13	20	33·38 160

W. 8,000, X. '11.

cod by mm stats – fm autr } 8.IV.14

FORM A2.
BRITISH RAINFALL.
6- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at East Langton Grange

in the County of Leicester 2

by J. W. Logan Esq. M.P.

RAIN GAUGE
Pattern circular Negretti
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 - A M

Nearest Railway Station
Name East Langton
Distance ½ mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0-04	0-11	0-03	0-02				0-90		0-07		1
2	0-02	0-10		0-13					0-07	0-03	0-03		2
3	0-01		0-17		0-45				0-05	0-02	0-04	0-02	3
4	0-46				0-07		0-11		0-05	51	0-08	0-15	4
5	0-04						0-09			0-85	0-03		5
6		0-07	0-05		0-33	0-17	1-09			0-07	0-06		6
7		0-13			0-06	0-03				0-59	0-04		7
8					0-12	0-17				0-22			8
9		0-28	0-05			0-20	0-05				0-15	0-07	9
10							0-25				0-37		10
11				0-43				0-15		0-06	0-48		11
12	Snow				0-29						0-52		12
13	0-56		0-06								0-21		13
14	0-66		0-47	0-04				0-10		0-10	0-07		14
15	0-09	0-11	0-35	0-47									15
16	0-03		0-19	0-09				0-02	0-17				16
17	0-13		Snow	0-07							0-10		17
18			0-85	0-09			0-10					0-01	18
19	0-15		0-03						0-05				19
20	0-23		0-07	0-03						0-20	0-06		20
21	0-02		0-20	0-04			0-11				0-37		21
22	0-39		0-34					0-12	0-24				22
23			0-03					0-05					23
24	0-05			0-08									24
25		0-07		0-13	0-05						0-02		25
26		0-04	0-21	0-16	0-04			0-05		0-27	0-02	0-25	26
27			0-02	0-04									27
28	0-41		0-27	0-27						0-07			28
29			0-16	0-46				0-46		0-07			29
30	0-30									0-12	0-21		30
31					0-12			0-04					31
Total	3-55	0-84	3-63	2-56	1-55	0-57	1-80	0-99	1-53	3-18	2-93	5-0	TOTAL for year 23-63
No. of Rain Days.	16	8	18	16	10	4	7	8	7	14	19	5	~~23-63~~ 132

W. 8,000, X. '11.

Exc. M.g.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
2 - JAN 1915

Kept at East Langton Grange
in the County of Leicestershire 2
by J. W. Logan Esq. M.P.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05				·25			·07	·01	1
2	·31			·12			·41	·12			17	·24	2
3					·18		·22				04		3
4	·25		·01	·16				·24			41	·24	4
5			·10	·20	·22	·15	·14						5
6		·10			·03		·07	·10			11	·03	6
7	·25	·06	·40		·09		·02					·06	7
8		·02	·10		·16	1·22		·21					8
9	·42		·24	·39		·93			·27				9
10	18	·12			·05				08				10
11		·21	·26	16	·19	·07			01		·39	·31	11
12			·11						·24		·02	·36	12
13		·14	·21						·04	·14	·14	·28	13
14			·12				·16			·42	·10	·34	14
15	·06		·10								·05	·10	15
16			·10				·17						16
17		·21	·09				·06					·21	17
18							·18					·48	18
19			·07								·07		19
20		·20	·16									·01	20
21		·25	·08			·39				·07		·40	21
22					·50	·05		·12		32			22
23		·10	·04		·06		·03			·04			23
24			·03				·18			·20	·11		24
25	·05						·03	·14		·40		·26	25
26								07		·06		·37	26
27	·04										·15	·20	27
28		·07	·11							·20	·09	·81	28
29	·02									·38	·16		29
30		X				·10				·04	·27	·41	30
31		X		X		X	·23		X		X		31
													YEAR'S TOTAL
Total	1·58	1·48	2·33	1·08	1·48	2·91	1·90	1·25	·64	2·27	2·35	5·12	24·39
Rain Days.	9	11	18	6	9	7	13	8	5	11	16	19	132

W. 8,000. X. 14.

2599

cord for auth 29.111.16

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at East Langton Grange

in the County of ~~Market Harboro~~ Leicestershire

by J. W. Logan Esq M. P.

Lat. Long.

Time of Observation 9 A M

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·14					·15	·03	·36			·15	1
2		·09	·11	·25	·17	·10	·38	1·07	·06	·09		·05	2
3	·25		·06	·10				·92				·15	3
4	·10						·08	·02				·52	4
5		·34			·02		·05	·03				·28	5
6	·13			·25			·80					·02	6
7	·10	·34		·03			·26	·28			·03	·25	7
8	·02	·13		·05							·05		8
9		·01						·03			·17	·43	9
10	·32							·08			·08		10
11	·03			·02	·11		·05				·51		11
12	·03			·22	·30			·28	·10		1·17		12
13	·02	·44			·77								13
14		·03							·12			·32	14
15	·26				·06			·04			·11	·17	15
16		·40			·01		1·38						16
17		·16					·50					·03	17
18		·25											18
19	·46	·08			·07								19
20	·16						·12					·37	20
21	·21	·13					·13					·14	21
22	·03		32	·04		·03	·22					·11	22
23									·07	·18		·26	23
24							·16		·75	·17			24
25						39	·12			·05			25
26		·18	14			03			·03	·41		·63	26
27							·22			·13			27
28		09				·88			·07				28
29						·21	·04	·14			·21	·18	29
30		X									·04	06	30
31	·08	X		X		X			X	·33	X	·08	31
Total	2·40	2·81	0·63	0·96	1·51	1·64	4·76	2·92	1·56	1·36	2·37 2·37	4·20	YEAR'S TOTAL 27·92
Rain Days.	16	15	14	8	8	6	16	11	8	7	9	19	137

W. 8,000. X. 15.

W35 2534

REGISTER OF RAINFALL IN 1916

FORM A. 3.
BRITISH RAINFALL.

2 JAN 1917

Kept at East Langton Grange
in the County of Market Harborough Leicester
by J. W. Logan Esq.

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	K	·14			·10	·10				·31		1
2	·40	·04	·12		·23		·25		·04	42	·13		2
3	30	·39					·23		·82	13	·04		3
4		·12	about 11 in snow		·27	·25	·10				·13		4
5	·03				·03	·17				19	·18		5
6		·14		·03			·38			05	·29		6
7			·32		·08		·35			·10	·30	·14	7
8	·15		·23								·05	·16	8
9					·25	·25	·05						9
10		·10		·10		·04			·08			·7	10
11		20	·23	·11	·23	·21						·10	11
12	·15		19		·50	·11						·4	12
13		·27	13	·12		·05		·12					13
14		6 inch snow	~~22~~	·12	·05			·09					14
15		58	52							28			15
16		·07	35	·15			12	13					16
17	·05			·15				13	16				17
18				·06				16	15		Snow 4 inch 30		18
19	·08		·30	·19					13		·31	Snow 3 inch	19
20	07	·05		·08							28	·30	20
21	·02		·33			·05		·07				Snow 4in 45	21
22												·48	22
23								·04		08	·06	·16	23
24	·04	Snow about 10 inch	·05							02		·41	24
25								·30			·12		25
26			Snow 1·17			·04		·17		09			26
27							·06	·10	07	·16			27
28		1·82								·02	·02	·20	28
29		15	1·45		·13	·21		1·26		22		·05	29
30		✕	·05					07		17			30
31		✕		✕		✕		04	✕	07	✕	·01	31
Total	1·38	3·93 ~~4·20~~	3·58	1·11	1·77	1·48	1·64 ~~1·60~~	2·68 ~~2·65~~	1·45	2·00	2·52	2·51	YEAR'S TOTAL 26·05 26·35
Rain Days.	11	13	15	10	9	11	~~10~~ 9	13	7	14	14	13	139

W. 8,000. X. 14.

crd for auth

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

14. JAN 1918

Kept at East Langton Grange Market Harboro
in the County of Leicester
by J. W. Logan Esq.

Lat. ………… Long. …………
Time of Observation ……………
Nearest Railway Station ……………
Diameter of Funnel of Rain Gauge …………… in.
Height of top of Gauge above Ground …………… ft. …………… in.
" " " " Sea Level …………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ……

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~02~~			·08				·88	·25	·12			1
2	·02		·10					·16			·03		2
3				·22				·51		·19	·04		3
4								·04		·47	·07		4
5	·14							·27	·03	·07	·07		5
6								·17		·37	·06		6
7	·42					·12				·35			7
8	·62			·10			·23				·09	·07	8
9	·08			·8				·11			·13		9
10			·32	·10	·25								10
11	·38								·11	·21	·12		11
12	·21							·15				·06	12
13				·13				·16		·35			13
14				·08			·04	·03					14
15			33				·24	·11		·02			15
16				·17						05			16
17				·16	·48	·82	09		·02				17
18	·18				·62		·23	·14	·87				18
19		·47			·22				·08		·15		19
20		·20	·20		·78					·05	·04		20
21			·05		·06								21
22										·16			22
23		·07			·09			·11		06			23
24		04				·43			·10	·28			24
25								·05	·14		·20		25
26								·41			·10		26
27						·54		·50		06			27
28			·25		·15	·48		·13		·44		·35	28
29						·13		·17				·30	29
30		X				~~13~~	·4						30
31		X		X		X	·5		X		X	·15	31
Total	2·05	·78	1·25	1·12	2·65	2·52	1·29	4·10	1·60	3·25	1·10	·93	YEAR'S TOTAL 22·64 22 64
Rain Days.	~~8~~	~~4~~	~~6~~	~~9~~	~~8~~	~~6~~	~~6~~	~~18~~	~~8~~	~~16~~	~~12~~	~~4~~	~~107~~

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4. 1.

Kept at East Langton Grange. Market Harboro
in the County of Leicestershire
by J. W. Logan Esq. –

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station East Langton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·24				·19			·17	·12	1
2		·22										·15	2
3		·02	·31		·34			·32			·47	·04	3
4								·03		·15	·47	·06	4
5		·07			·12								5
6		·04		·17						·06			6
7		·10	·04	·10		·06					11		7
8		·03	·13						·24	·07		·17	8
9	·09	·20		·15			·18		·28	·32		·05	9
10				·10			·25			·17		·04	10
11	·22				·20		·25			·27		·10	11
12		·15			·14		·11		·20			·08	12
13									·30	·02			13
14	·31			·03		·10	·19		·21			·04	14
15				·45			·15		·11			24	15
16				·30				16	·10				16
17	·80			·05		·12	·52					13	17
18	·27					·06	·08	·03	·43			·30	18
19			·07							·14		·20	19
20		·07		·45					·12	·04			20
21	·09			·24	·05				·30			·13	21
22	·20						·05		·03			·33	22
23	·09				·35				·03	09			23
24		·20					·27			·03	·16		24
25								·28		·05			25
26											·09	·13	26
27							·22	·23	·32		·10		27
28								·11					28
29			·21						·89		·13		29
30		X	·23						·15		05	·09	30
31		X	·26	X		X			X		X		31
Total	2·07	1·10 ~~·90~~	1·25	2·28	1·20	·34	2·27	1·35	3·71	1·41	1·75 ~~1·70~~	2·40	YEAR'S TOTAL 21·15 ~~20·88~~
Rain Days.	8	10	7	11	6	4	11	8	15	12	9	18	114

W. 8,000, IX. 17.

W ML

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at East Langton Grange
in the County of Leicester
by J. W. Logan Esq.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35											·47	1
2	·10	(·62)	·07		·17	·09	·06		·11		·28	·13	2
3	·81	·03	·04				·37		·24		·27	·05	3
4	·15		·38				·30	·11	·20				4
5	·02								·04			·14	5
6			·06		·57				·40	·15		·18	6
7	·03										·02		7
8	·10		·20	·18								·05	8
9			·05	·11							·06		9
10			·35										10
11	·07		·33	·03									11
12			·17		·10	·34	·43			·20	·25		12
13	·15			·18									13
14	·32			·20					·20				14
15			·12	·16								·57	15
16	·14	Snow ·85		·02							·25		16
17	·06	·30									·29		17
18			·10					·14	·03			·20	18
19		·31	·62			·25	·79	·13			·08	·05	19
20	·48		·19			·10	·40	·24			·08	·06	20
21	·22	·11	·08				·25		·40		·05	·20	21
22		·25					·06					·50	22
23						·07		·09		·72			23
24				·18			·18	·25		·31	·05	·19	24
25	·13			·32									25
26	·06			·10				·06				·37	26
27			·20	·36									27
28				·10				·71				·28	28
29	(·50)							·15		·32		·08	29
30			·30	·23		·31		15			·32		30
31							·04			·10			31
TOTAL	(3·69) ~~3·47~~	(1·97) ~~2·46~~	3·26 ~~2·68~~	2·17	·84	1·16	2·88	2·03 ~~2·14~~	1·62	1·80	2·00	3·52	YEAR'S TOTAL 26·94 26·74
Days with ·01 in. or more	16	7	16	13	3	6	10	10	8	6	12	16	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

123

VII [illegible] RI 2175

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at East Langton Grange

in the County of Leicestershire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·8	20	25		15						1
2				17			}	09	10	12			2
3				76			87			17		19	3
4				10				36		31			4
5			13		27		72		07			03	5
6			10				21						6
7			8	25	·3								7
8	20	10		57	11		10	13					8
9	41	6	11	1·07			6	32					9
10	25		·5	·7	22								10
11	13			11				03					11
12		6	·3	13		21		05	10				12
13	~~06~~	10	·7	10		35							13
14			50	15					10	30	15		14
15			91						15	11	19		15
16		8		10					12				16
17					16				52				17
18	(·10)			8			·3	17	55			29	18
19	06	12		22									19
20				37		45							20
21	(·04)						20	15					21
22				15				10					22
23							·20 102					25	23
24			15				23						24
25				14	13		60						25
26	30			·2			04		18			05	26
27	(·10)		·5	11		59					55	22	27
28	46											11	28
29	5		17		32	10						42	29
30				·5	5		08		13		28	13	30
31	10									43			31
TOTAL	2·28	·52	2·43	1·92	1·54	1·70	3·49	1·40	2·02	1·44	1·17	1·69	YEAR'S TOTAL 24·60
Days with ·01 in. or more	(13)	6	13	21	9	5	13	9	10	6	4	9	...
Days with ·04 in. or more	9	6	12	20	8	5	11	8	10	6	4	8	...

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2504 LEICESTER

GILROES CEMETERY.

1911 – 20

782711

F 11

FORM A2. BRITISH RAINFALL.
16 JAN 1912

Kept at Leicester

in the County of Le

by E George M

den

5 in.

Ground 1 ft. 0 in.

Sea Level 284.79 ft.

am

Name Gt. Central Ry. Stn Gt. Central St.

Distance 2 1/8 Direction

IMPORTANT NOT he result entered to the previous day. If an Ob almost universal rule, he is earnestly requested to add the read a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.070	—	—	—	0.020	—	—	—	0.040	—	1
2	0.090	—	—	—	0.150	—	—	0.150	—	—	0.030	—	2
3	—	0.010	—	—	0.150	—	—	0.230	—	0.050	0.025	0.030	3
4	0.020	—	0.100	0.140	—	0.020	—	0.030	0.035	0.160	0.210	0.210	4
5	—	—	—	0.040	—	—	—	0.050	—	0.030	0.030	—	5
6	0.200	—	0.030	—	—	—	—	0.020	—	0.150	0.030	0.360	6
7	0.030	—	0.050	0.060	—	—	—	—	—	0.080	0.140	0.070	7
8	0.090	—	0.200	—	—	—	—	—	0.015	—	0.020	0.150	8
9	0.030	—	—	0.005	—	—	—	—	—	—	0.130	0.500}	9
10	0.040	0.080	0.190	0.005	—	—	—	0.030	—	—	0.030		10
11	0.195	—	—	—	—	—	—	0.180	—	—	0.360	—	11
12	0.030	—	0.410	—	—	—	—	—	0.370	—	0.150	—	12
13	—	—	0.045	—	0.140	—	—	—	0.100	—	0.020	0.440	13
14	—	0.070	0.030	—	0.050	—	—	—	—	0.130	—	0.360	14
15	—	0.080	0.120	—	—	—	—	—	—	0.030	0.060	0.040	15
16	—	—	0.020	—	—	0.030	—	—	—	0.020	0.120	0.060	16
17	—	—	—	—	—	—	—	—	—	—	0.050	0.140	17
18	—	0.280	—	—	—	0.130	—	—	—	0.010	0.430}	0.125	18
19	—	0.020	—	—	0.020	0.315	0.120	—	0.200	0.150		0.050	19
20	0.050	0.070	—	0.040	—	—	—	0.395	0.030	—	—	0.370	20
21	—	0.200	0.090	—	—	—	—	0.340	0.030	0.190	0.020	0.070	21
22	—	—	0.025	0.045	—	—	—	—	—	0.190	0.025	0.310	22
23	—	0.075	0.240	—	—	0.330	—	—	0.380	—	—	0.100	23
24	—	0.080	0.045	0.020	—	0.540	—	0.030	—	0.440	—	0.090	24
25	0.010	0.120	—	0.090	0.570	0.060	—	—	—	—	—	0.380}	25
26	—	0.020	—	0.280	0.180	0.025	—	—	—	0.240	0.200		26
27	—	0.245	0.130	0.170	—	—	—	0.310	0.200	0.020	0.040	0.095	27
28	—	0.320	—	0.175	—	0.150	—	—	0.040	—	0.090	0.015	28
29	—		0.010	—	—	0.180	0.050	—	0.210	0.170	0.015	—	29
30	—		0.020	0.110	0.085 } 2 days	0.020	—	—	—	0.070	—	0.020	30
31	—		0.010				—	—		0.055		—	31
Total	0.785	1.670	1.835	1.180	1.345	1.800	0.190	1.765	1.610	2.185	2.215	3.985	TOTAL for year 20.615
No. of Rain Days.	11	14	19	11	9	11	3	11	11	18	24	24	166

E George Mawbey

W. 8,000, X. '11.

R 11

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

Kept at Leicester, Gilroes Cemetery

in the County of Leicester 4

by E. George Mawbey, M. Inst. CE.

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 284.79 ft.

Time of Observation 9 am

Nearest Railway Station
Name Gt Central Ry. Stn. Gt. Central St.
Distance 2⅛ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.070	—	—	—	0.020	—	—	—	0.040	—	1
2	0.090	—	—	—	0.150	—	—	0.150	—	—	0.030	—	2
3	—	0.010	—	—	0.150	—	—	0.230	—	0.050	0.025	0.030	3
4	0.020	—	0.100	0.140	—	0.020	—	0.030	0.035	0.160	0.210	0.210	4
5	—	—	—	0.040	—	—	—	0.050	—	0.030	0.030	—	5
6	0.200	—	0.030	—	—	—	—	0.020	—	0.150	0.030	0.360	6
7	0.030	—	0.050	0.060	—	—	—	—	—	0.080	0.140	0.070	7
8	0.090	—	0.200	—	—	—	—	—	0.015	—	0.020	0.150	8
9	0.030	—	—	0.005	—	—	—	—	—	—	0.130	0.500}	9
10	0.040	0.080	0.190	0.005	—	—	—	0.030	—	—	0.030		10
11	0.195	—	—	—	—	—	—	0.180	—	—	0.360	—	11
12	0.030	—	0.410	—	—	—	—	—	0.370	—	0.150	—	12
13	—	—	0.045	—	0.140	—	—	—	0.100	—	0.020	0.440	13
14	—	0.070	0.030	—	0.050	—	—	—	—	0.130	—	0.360	14
15	—	0.080	0.120	—	—	—	—	—	—	0.030	0.060	0.040	15
16	—	—	0.020	—	—	0.030	—	—	—	0.020	0.120	0.060	16
17	—	—	—	—	—	—	—	—	—	—	0.050	0.140	17
18	—	0.280	—	—	—	0.130	—	—	—	0.010	0.430{	0.125	18
19	—	0.020	—	—	0.020	0.315	0.120	—	0.200	0.150		0.050	19
20	0.050	0.070	—	0.040	—	—	—	0.395	0.030	—	—	0.370	20
21	—	0.200	0.090	—	—	—	—	0.340	0.030	0.190	0.020	0.070	21
22	—	—	0.025	0.045	—	—	—	—	—	0.190	0.025	0.310	22
23	—	0.075	0.240	—	—	0.330	—	—	0.380	—	—	0.100	23
24	—	0.080	0.045	0.020	—	0.540	—	0.030	—	0.440	—	0.090	24
25	0.010	0.120	—	0.090	0.570	0.060	—	—	—	—	—	0.380}	25
26	—	0.020	—	0.280	0.180	0.025	—	—	—	0.240	0.200		26
27	—	0.245	0.130	0.170	—	—	—	0.310	0.200	0.020	0.040	0.095	27
28	—	0.320	—	0.175	—	0.150	—	—	0.040	—	0.090	0.015	28
29	—		0.010	—	—	0.180	0.050	—	0.210	0.170	0.015	—	29
30	—		0.020	0.110	}0.085 2 days	0.020	—	—	—	0.070	—	0.020	30
31	—		0.010				—	—		0.055		—	31
Total	0.785	1.670	1.835	1.180	1.345	1.800	0.190	1.765	1.610	2.185	2.265	3.985	TOTAL for year 20.615
No. of Rain Days.	11	14	19	11	9	11	3	11	11	18	24	24	166

E George Mawbey

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

14 JAN 1913

4

Kept at Leicester, Gilroes Cemetery
in the County of Leicester
by E. George Mawbey. Esq. M. Inst. C. E. Boro' Surveyor.

Lat. 52° 38' N. Long. 1° 8' W.
Time of Observation 9 am
Nearest Railway Station G^t Central Ry. Sta. G^t Central Sta
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 284.79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	0.160	0.020	—	0.050	—	—	0.225 Snow + Sleet	1
2	—	—	0.060	—	0.010	0.940	0.450	—	0.010	—	—	0.070	2
3	0.090	—	0.030	—	0.005	0.100	0.030	0.515	0.040	—	—	0.060	3
4	0.120	—	0.440	—	0.130	0.550	—	0.160	—	—	0.360	—	4
5	0.060	0.060	0.230	—	0.020	0.140	—	0.115	0.040	—	0.040	—	5
6	0.480 (Snow + rain)	0.100	—	0.010	0.025	0.090	—	0.280	—	—	—	0.060	6
7	—	0.030	—	—	—	0.190	—	0.050	—	—	—	—	7
8	0.270	0.250	0.210	0.050	—	0.050	—	0.050	0.100	—	—	0.030	8
9	0.040	—	0.050	0.110	0.100	0.110	—	0.020	—	—	—	0.300	9
10	—	—	—	—	—	0.020	—	0.380	0.020	—	0.160	—	10
11	0.120	0.100	0.010	—	—	0.100	—	0.010	—	—	0.040	0.500	11
12	0.070	0.330	0.110	—	0.130	—	0.030	—	—	—	0.040	—	12
13	—	0.040	—	—	0.050	0.010	—	—	—	—	0.110	0.005	13
14	0.200	—	0.320	—	—	0.060	—	0.015	—	0.010	—	—	14
15	0.120	0.050	0.070	—	0.200	0.170	—	—	—	—	—	0.130	15
16	0.300 Snow + Rain	—	0.080	—	0.020	0.010	—	0.100	—	0.120	—	—	16
17	0.660 Snow + Rain	—	0.100	—	—	0.260	0.030	0.230	—	—	0.060	0.520	17
18	0.180 Snow + Rain	—	0.075	—	—	—	—	0.060	0.010	0.030	0.030	0.040	18
19	0.380	0.130	—	—	0.010	—	0.210	0.430	—	—	0.030	0.010	19
20	0.050	—	0.310	—	—	—	0.230	0.370	—	0.200	—	—	20
21	0.010	0.010	0.220	—	0.520	—	0.020	0.380	—	0.260	0.010	—	21
22	0.110	0.070	—	—	1.650	—	0.580	0.480	—	—	—	0.150	22
23	0.090	0.060	0.250	—	0.010	0.070	0.300	0.350	—	—	0.120	0.200	23
24	0.210	—	0.020	—	—	0.100	0.270	0.100	—	—	—	0.140	24
25	—	—	—	—	—	0.470	—	0.360	—	—	0.200	} 0.600	25
26	—	0.090	0.050	—	—	0.020	0.380	1.120	—	0.550	0.250		26
27	—	—	—	—	0.010	0.260	0.200	—	—	0.560	—	0.160	27
28	—	0.015	—	—	—	0.100	0.080	0.420	—	0.270	0.280	0.400	28
29	—	0.020	—	—	—	0.180	0.270	0.010	0.560	0.160	0.030	0.010	29
30	0.060 (Snow)		—	—	0.200	0.030	0.010	—	0.010	0.090	—	—	30
31	—		0.050		0.080		0.780	0.080		—		0.120	31 ✓
Total	3.620	1.355	2.685	0.170	3.170	4.190	3.890	6.085	0.840	2.250	1.760	3.730	YEAR'S TOTAL 33.745
Rain Days.	20	15	19	3	16	24	17	24	9	10	15	20	192 ✓

E. George Mawbey.

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

10 JAN 1914

REGISTER OF RAINFALL IN 1913

W. H.

Kept at Leicester. Gilroes Cemetery
in the County of Leicester 4
by E. George Mawbey, Esq. M. Inst C.E.

Lat. 52° 38 N Long. 1° 8' W.
Time of Observation 9 am
Nearest Railway Station ~~Gt. Central Ry.~~ Gt Central St
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 284·79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·060	0·020	—	—	—	—	0·660	—	0·045	—	1
2	0·020	0·120	0·020	0·060	—	—	—	—	—	0·010	—	—	2
3	0·010	—	0·220	—	0·385	—	—	—	0·030	0·050	—	0·020	3
4	0·600	0·010	—	—	0·050	0·035	0·020	—	—	0·075	0·080	0·210	4
5	0·065	0·020	0·030	—	—	0·020	0·100	—	0·040	1·640	0·010	0·025	5
6	—	0·020	0·030	—	0·240	0·410	1·000	—	—	0·060	—	0·025	6
7	—	0·090	—	—	0·150	0·180	—	—	—	0·380	0·060	0·010	7
8	—	0·350	—	—	0·140		—	—	—	0·110	0·080	—	8
9	—		0·040	0·020	0·050	0·315	—	0·180	—	—	0·090	—	9
10	0·010	—	—	0·100 Slight Snow & Rain	0·020	—	—		—	—	0·230	—	10
11	1·290 Snow fall	—	—	0·300 Snow & Rain	0·130	0·030	—	0·050	—	0·015	0·395	0·005	11
12	—	—	—	—	0·140	0·010	—	—	—	—	0·450	—	12
13	0·040 Snow	—	0·060	0·060	—	—	—	0·040	0·050	—	0·200	—	13
14	0·070	0·020	0·690 Rain & Snow	0·030	—	—	—	0·120	—	0·120	0·070	—	14
15	0·060	0·050	0·450	0·370	—	—	—	—	0·070	—	0·040	—	15
16	0·065	0·030	0·650	0·050	—	—	—	—	0·150	—	0·005	—	16
17	0·030	0·050	0·040	0·170	—	0·090	0·030	—	0·030	—	—	—	17
18	—	—	0·120	0·055	—	—	0·030	—	—	—	—	0·010	18
19	0·080	—	0·030	0·030	—	—	0·020	—	0·090	—	—	—	19
20	0·110	—	0·040	—	—	—	—	—	0·060	0·150	0·190	—	20
21	0·020	—	0·100	0·020	0·130	—	0·050	—	—	—	0·290	—	21
22	0·380 Snow & Rain	—	0·420	—	—	—	—	0·040	0·270	—	—	—	22
23	0·010	—	0·010	—	—	0·060	0·010	0·160	0·080	—	0·010	—	23
24	0·070	—	—	0·060	—	0·010	—	0·030	—	—	—	—	24
25	—	0·010	—	0·060	—	0·005	—	—	0·020	—	—	—	25
26	—	0·060	0·140	0·205	0·110	—	—	0·060	—	0·290	0·020	0·200	26
27	—	—	0·020	0·070	—	—	—	—	—	—	—	—	27
28	0·400	—	0·230	0·250	0·010	—	—	—	0·005	0·150	0·005	0·020 Snow	28
29	—		0·170	0·470	—	—	—	0·320	—	0·055	—	0·125 Snow	29
30	0·370 Rain & Snow		0·010	0·020	—	—	0·010	—	—	0·100	0·040	0·030	30
31	—		0·030		—		—	0·045		—		—	31
Total	3·700	0·830	3·610	2·420	1·555	1·165	1·270	1·045	1·555	3·205	2·310	0·680	YEAR'S TOTAL 23·345
Rain Days.	19	13	23	20	12	11	9	11	~~12~~ 13	14	~~17~~ 18	10	~~171~~ 173

E. George Mawbey

W. 7,500, XI. ·12

Exc. M.g.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
11 JAN 1915

Kept at Leicester, Gilroes Cemetery
in the County of Leicester 4
by E. George Mawbey M. Inst. C.E.

Lat. 52° 38 N. Long. 1° 8 W.
Time of Observation 9 am
Nearest Railway Station Gt. Central Ry. Stn. Gt. Central St.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 284.79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.100

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.030	—	—	0.530	0.210	—	0.015	0.025	0.015	1
2	0.015	—	—	0.005	—	—	—		—	—	0.450	0.190	2
3	—	—	0.040	0.020	0.090	—	0.150	0.400 (Total of 3 days)	—	—	0.025	—	3
4	0.135	—	0.050	0.140	—	—	—		—	—	0.385	0.320	4
5	0.135 (Rain & Snow)	—	0.110	0.260	—	0.120	0.340	0.030	—	—	0.020	—	5
6	—	0.040	—	0.035	0.040	—	—	—	—	—	0.100	0.080	6
7	0.010	0.070	0.480	0.070	0.060	0.010	0.060	0.080	—	—	—	0.045	7
8	0.120	0.010	0.015	0.040	0.045	0.860	0.350	—	0.010	—	—	0.040	8
9	0.360	—	0.110	0.175	—	0.990	—	—	0.130	—	—	—	9
10	0.100	0.110	—	0.160	0.050	—	—	—	0.075	—	—	—	10
11	—	0.060	0.290	0.200	0.115	0.030	—	—	0.015	—	0.530	0.270	11
12	0.020 (Rain & Snow)	0.010	0.120	—	—	0.010	—	—	0.230	—	0.055	0.255	12
13	0.015 (Rain & Snow)	0.130	0.140	—	—	—	—	—	0.020	0.050	0.120	0.390	13
14	0.030	—	0.090	—	—	—	0.120	—	—	0.210	0.105	0.265	14
15	0.030	—	0.200	—	—	—	—	—	0.040	—	0.020 (Slight Snow)	0.020	15
16	—	—	0.005	—	—	—	0.260	—	0.060	—	—	—	16
17	—	0.170	0.060	—	—	—	0.060	—	0.150	—	—	0.200	17
18	0.020	—	—	—	—	—	0.150	—	—	—	—	0.335	18
19	—	0.010	0.100	—	—	—	0.040	—	—	—	0.045	—	19
20	—	0.180	0.100 (Sleet & Snow)	—	—	—	0.040	—	0.060	0.020	—	0.035	20
21	—	0.310	0.040	—	—	0.120	—	—	—	0.080	—	0.380 (Sleet & Snow)	21
22	—	0.015	—	—	0.700	0.020	0.045	0.060	—	0.140	0.030	—	22
23	—	0.095	0.090	—	0.150	0.050	—	—	—	0.060	—	—	23
24	—	0.010	0.040	—	0.170	—	0.190	0.015	—	0.250	0.165	—	24
25	0.030	—	—	—	—	—	—	0.185	—	0.380	0.025	—	25
26	0.015	—	0.030	—	—	—	—	0.120	—	0.150	0.150	0.420	26
27	0.045	—	—	—	—	—	—	—	—	—	0.030	0.095	27
28	0.005	0.045	—	—	—	—	—	—	—	0.055	0.400 gale. 29th	0.835 (Snow & rain)	28
29	0.025		0.130	—	0.030	—	—	—	—	0.270		—	29
30	—	╳	—	—	—	0.025	—	—	—	0.030	0.350	0.145	30
31	—	╳	—	╳	—	╳	0.270	—	╳	—	╳	0.070	31
Total	1.110	1.265	2.240	1.135	1.450	2.235	2.605	1.100	0.790	1.710	3.030	4.405	YEAR'S TOTAL 23.075
Rain Days.	~~16~~ 17	15	19	10 11	10	10	14	10	10	13	20	20	~~167~~ 169

E. George Mawbey

W. 8,000. X. 14.

GILROES CEMETERY.

2618

FORM A.
BRITISH RAINFALL.

7 - JAN. 19

REGISTER OF RAINFALL IN 1915

Kept at Leicester, Gilroes Cemetery

in the County of Leicester

by E. George Mawbey M. Inst. C.E.

Lat. 52° 38' N Long. 1° 8' W

Time of Observation 9 am

Nearest Railway Station Gt. Central Rly. Gt. Central St.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 284.79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.025

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.100	0.275	0.060	—	0.440	—	—	—	0.120	0.010	0.040	0.040	1
2	0.400	0.070	0.225	0.150	—	0.130	—	0.440	—	0.160	—	0.065	2
3		—	0.030	—	—	—	1.010	0.315	0.040	—	—	0.220	3
4	0.090	—	—	—	0.050	—	0.830	0.060	—	—	—	0.820	4
5	0.035	0.265	—	—	0.070	—	—	0.020	—	—	0.050	0.350	5
6	0.065	0.110	0.020	0.260	—	—	0.645	0.015	—	—	—	0.070	6
7	0.115	0.250	—	—	—	0.075	0.070	0.240	—	—	—	0.560	7
8	0.055	0.040	—	0.035	—	—	—	0.030	—	—	0.010	—	8
9	—	0.120	—	0.005	—	—	—	0.005	—	—	0.290	0.390	9
10	0.280	—	0.050	—	—	—	—	0.015	—	0.250	0.080	—	10
11	0.035	—	0.010	0.040	0.185	—	0.080	0.020	0.010	—	0.480	0.125	11
12	0.040	—	—	0.180	0.375	—	0.020	0.070	—	0.030	0.890	—	12
13	0.025	0.380	—	—	0.580	—	—	—	—	—	—	—	13
14	0.025	0.055	—	—	—	—	—	0.605	0.090	—	—	0.460	14
15	0.290	—	—	—	0.050	—	0.070	0.680	—	—	0.120	0.095	15
16	—	0.260	—	—	0.030	—	1.690	0.010	—	—	—	0.015	16
17	—	0.190	—	—	—	—	0.270	0.030	—	—	—	0.020	17
18	—	0.200	0.320 (Snow)	—	—	—	0.030	—	—	—	0.070	0.020	18
19	—	0.010	0.030 (Snow)	—	0.030	—	0.140	—	—	0.015	—	—	19
20	0.200	—	—	0.025	—	—	0.010	—	—	—	—	0.310	20
21	0.150	0.060	—	0.030	0.010	—	0.170	—	—	—	—	0.150	21
22	0.110	—	0.130	—	—	—	0.235	—	—	0.015	—	0.070	22
23	0.015	0.065	0.025	—	—	0.055	0.150	—	0.085	0.140	—	0.200	23
24	0.010	—	0.030	0.040	—	0.030	0.260	—	0.660	0.070	—	0.080	24
25	—	—	0.025	—	—	0.570	0.190	—	0.010	0.030	—	0.260	25
26	—	0.110	—	—	—	—	0.020	—	0.025	—	—	0.255	26
27	—	0.065	—	—	—	—	0.260	—	—	0.460	—	0.055	27
28	—	0.090	0.055 (Snow)	—	—	0.275	—	0.285	0.010	0.105	—	—	28
29	—		—	—	—	0.050	—	0.030	0.015	—	0.230	0.140	29
30	0.060	✕	—	0.020	—	0.435	—	0.020	—	—	0.070	0.070	30
31	0.035	✕	—	✕	—	✕	0.020	0.040	✕	0.190	✕	0.090	31
Total	2.135	2.615	1.010	0.785	1.820	1.620	6.170	2.930	1.065	1.475	2.330	4.930	YEAR'S TOTAL 28.885
Rain Days.	21	18	13	9	10	8	20	18	10	12	11	25	175

George Mawbey

W. 8,000. X. 14.

ex f

2553

FORM A. BRITISH RAINFALL.

20. JAN 19

REGISTER OF RAINFALL IN 1916

Kept at Leicester, Gilroes Cemetery

in the County of Leicester

by E. George Mawbey M Inst C E. Borough Surveyor

Lat. 52° 38' N. Long. 1° 8' W

Time of Observation 9 am

Nearest Railway Station Gt. Central Ry. Gt Central St

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 285.53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.025	—	0.180 Snow + Rain	—	0.035	0.105	0.075	—	—	—	0.215	—	1
2	0.310	0.040	0.080	—	0.215	0.030	0.100	—	0.035	0.400	0.010	—	2
3	0.005	0.550	—	—	—	0.065	0.050	—	0.280	0.200	0.110	—	3
4	0.205	0.030	—	—	0.400	0.235	—	—	—	0.090	0.100	—	4
5	0.040	—	—	—	0.050	0.090	—	—	—	0.100	0.085	—	5
6	0.030	0.120	0.165 Snow	0.030	0.105	—	0.365	—	—	0.035	0.230	—	6
7	0.025	—	0.185 Snow	—	0.030	0.015	0.120	—	—	0.110	0.225	Snow + Sleet 0.150	7
8	0.015	—	0.055 Snow + Rain	—	0.090	0.120	—	—	—	—	0.045	0.100	8
9	—	—	0.060 Snow + Rain	—	0.275	0.035	—	—	—	0.040	—	—	9
10	—	0.110	0.090 Snow	0.060	—	0.015	—	—	0.020	0.055	—	0.080	10
11	0.020	0.320 Rain + Snow	0.080 rain + Snow	0.160	0.030	0.185	—	—	0.025	—	—	0.060	11
12	0.080	—	0.085	0.035	0.795	0.090	0.030	—	0.015	0.040	—	—	12
13	0.020	0.200	0.110	0.070	0.030	0.020	—	0.090	—	0.030	—	0.010	13
14	—	0.580 Snow	0.010	0.170 (Snow &c.)	0.025	—	—	0.170	—	0.055	—	—	14
15	—	0.230	0.660	—	0.010	—	0.065	0.200	—	0.030	—	—	15
16	0.025	0.155	0.475	0.245	0.025	—	0.290	0.030	—	0.030	—	—	16
17	0.075	0.050	—	0.180	—	—	0.070	0.090	0.110	0.175	—	—	17
18	0.020	0.180	0.025	0.025	—	—	—	0.240	0.190	—	0.710 (Rain + Snow)	0.080 Snow	18
19	0.085	0.070	0.265	0.020	—	—	—	—	0.090	—	0.500 (Rain + Snow)	0.035 Snow	19
20	0.070	—	0.310	0.070	—	—	—	—	—	—	0.100	0.090	20
21	0.055	—	0.155	—	0.060	—	—	—	—	—	0.020	0.390 Snow + Rain	21
22	—	0.055 Snow	0.020	0.015	0.035	0.010	—	—	—	0.030	—	0.490	22
23	0.050	0.530 Snow	0.030	0.060	—	0.040	0.010	0.040	—	0.030	0.060	0.220 Snow + rain	23
24	—	0.645 Snow	—	—	—	0.065	—	0.055	—	0.030	—	0.150	24
25	—	0.070 Snow	0.110 rain + Snow	—	—	—	—	0.205	—	0.020	0.170	—	25
26	0.045	0.115 Snow	0.015 rain + Snow	—	—	0.020	—	0.350	—	0.050	0.010	—	26
27	0.030	0.375 Snow	0.905 Snow + Rain	—	—	0.015	—	0.055	0.075	0.120	—	—	27
28	—	0.220 Snow + rain	0.460 Snow + Sleet	0.005	—	—	—	—	0.055	0.040	—	0.205	28
29	—	0.070	—	—	0.075	0.160	—	0.875	—	0.220	—	0.115	29
30	—	✕	—	—	—	0.140	—	0.050	—	0.120	—	—	30
31	—	✕	—	✕	0.010	✕	—	0.040	✕	0.040	✕	0.010	31
Total	1.230	4.715	4.530	1.145	2.295	1.455	1.175	2.490	0.895	2.090	2.590	2.185	YEAR'S TOTAL 26.795
Rain Days.	~~19~~ 20	21	23	13	18	19	10	14	10	24	15	15	~~201~~ 202

E George Mawbey

W. 8,000, VIII. 16

2426

18. FORM 1912 BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Leicester, Gilroes Cemetery
in the County of Leicester
by E. George Mawbey Esq. M. Inst. C.E.

Lat. 52° 38 N Long. 1° 8 W.
Time of Observation 9 am (± 10 oc during summer time = 9 oc. Greenwich)
Nearest Railway Station Gt. Central Ry. Stn Gt. Central St.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 285.53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.005

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.145 (Snow)	—	—	—	1.180	0.100	—	0.015	0.070	1
2	0.045	—	—	—	—	0.070	—	0.175	0.010	0.060	0.015	—	2
3	0.005	{ 0.210	—	0.350 Snow + Rain	—	—	—	0.345	—	0.255	0.035	—	3
4	—		0.075	0.015 Snow + Rain	—	—	—	0.140	—	0.385	—	0.020	4
5	0.140	—	0.030 Rain + Sleet	0.110	—	—	—	0.005	0.055	0.150	0.135	—	5
6	—	—	—	—	—	0.090	—	—	—	0.230 (approx.)	0.075	0.010	6
7	0.480 Rain + Snow	—	0.015 Snow	—	—	—	—	—	—	0.220	0.010	—	7
8	0.580 Rain + Snow	—	0.140 Snow	0.110 Snow + Rain	—	—	0.265	0.525	—	0.420	0.095	0.220	8
9	0.045 Rain + Snow	—	—	0.110 Snow	0.165	—	—	0.170	—	—	0.245	0.010	9
10	0.380 Snow	—	0.275	0.030 Snow	0.440	—	—	0.080	—	0.005	0.085	—	10
11	0.050	—	0.100	0.170	—	—	—	0.130	0.015	0.200	0.020	—	11
12	0.110	0.080 Sleet + Snow	—	—	0.070	0.420	—	0.045	0.010	0.180	0.010	0.020	12
13	0.020 Rain + Snow	—	0.020	—	—	—	—	0.170	0.120	—	0.005	0.020	13
14	0.080 Snow	—	0.080	0.230	—	—	—	0.090	—	0.010	0.005	0.105	14
15	0.020 Snow	—	—	0.060	—	—	0.200	—	—	0.045	—	0.080	15
16	0.040 Snow	0.110	—	0.110	—	0.020	—	—	—	0.015	—	0.135	16
17	0.010 Snow	{ 0.030	—	0.170	0.300	0.280	0.345	0.030	0.155	0.055	—	0.020	17
18	0.050 Rain + Snow		—	0.065	0.300	—	0.390	0.040	0.825	0.025	—	—	18
19	0.035 Rain + Snow	0.160	0.250	0.005	0.120	0.030	—	0.095	0.015	—	—	—	19
20	{ 0.035 Snow	0.190	0.035	—	0.580	0.240	—	—	0.070	—	0.075	—	20
21		0.020	0.110	—	0.390	0.150	—	0.030	—	0.015	—	—	21
22	—	—	0.050	—	—	—	—	0.040	{ 0.070	0.080	—	—	22
23	—	0.070	—	—	0.105	—	—	0.320		0.060	—	—	23
24	—	—	—	—	—	0.565	—	0.035	—	0.320	0.080	0.015	24
25	—	0.030	0.045	—	—	0.110	—	—	—	0.020	0.080	—	25
26	—	—	0.010	—	—	—	—	0.240	0.335	—	0.120	—	26
27	—	—	0.040	—	—	0.465	0.050	0.660	—	—	0.010	—	27
28	—	—	0.120	—	—	0.300	—	0.125	—	0.050	—	0.080	28
29	—		—	—	—	0.050	0.035	0.040	—	0.400	—	0.290	29
30	0.020 Snow	X	0.005	—	—	—	0.320	0.305	—	—	—	0.010	30
31	—	X	0.080	X	—	X	0.030	0.153	X	0.005	X	0.305	31
Total	2.145	0.900	1.480	1.680	2.470	2.790	1.635	5.170	1.780	3.205	1.115	1.410	YEAR'S TOTAL 25.780
Rain Days.	18	11	17 18	13	9	13	8	~~24~~ 25	13	21 22	~~16~~ 17	16	179 183

E George Mawbey

W. 8,000, IX. 17.

19

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Leicester Gilroes Cemetery

in the County of Leicester

by E. George Mawbey, M. Inst C.E.

Lat. 52° 38' N Long. 1° 8' W

Time of Observation 9 am (Greenwich)

Nearest Railway Station Gt Central Ry Stn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 285.53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.005	0.060	—	0.040	—	—	—	—	0.010	0.020	0.120	0.005	1
2	—	0.065	—	0.045	—	—	—	0.955	0.050	0.010	0.120	0.260	2
3	—	0.020	0.060 Snow & Rain	—	0.540	—	—	0.095	0.170	0.010	0.350	—	3
4	—	0.020	0.030	—	—	—	0.015	×	0.900	0.050	0.325	0.065	4
5	—	0.030	—	0.040	0.075	—	—	0.250 ×	0.075	0.230	—	0.055	5
6	0.015	0.060	0.020	0.205	—	0.075	—	0.005	0.010	0.110	—	—	6
7	0.110 Snow	0.070	—	0.130	0.020	0.050	—	—	0.080	0.030	0.090	—	7
8	—	0.080	0.105	0.050	—	—	—	—	0.030	0.065	—	0.120	8
9	0.030	0.390	—	0.080	—	0.210	0.360	—	0.350	0.260	0.015	0.040	9
10	0.145	0.015	—	0.135	—	—	0.550	—	0.035	0.180	—	0.060	10
11	0.060	0.045	—	0.025	0.110	—	0.085	—	0.050	0.070	—	0.070	11
12	—	0.150	0.035	0.010	0.185	—	0.130	—	0.110	—	—	0.090	12
13	0.010	—	—	—	0.080	0.025	0.040	—	0.150	0.025	—	0.035	13
14	0.330	—	—	0.045	—	0.020	0.100	—	0.080	0.065	—	0.100	14
15	0.590 Snow	—	—	0.335	—	—	0.175	—	0.130	—	—	0.355	15
16	0.040 Snow	—	—	0.230	—	0.025	0.005	0.005	0.090	—	—	0.015	16
17	0.305 Snow & Rain	—	—	0.010	—	0.235	0.350	0.030	0.045	0.040	—	0.115	17
18	0.355	—	—	—	—	0.080	0.110	—	0.490	0.005	—	0.320	18
19	0.050	0.010	0.060	0.210 Snow	—	—	0.020	—	—	0.060	—	0.175	19
20	0.025	0.050	—	0.330 Snow & Rain	—	0.145	0.020	—	0.015	0.010	0.015	0.010	20
21	0.070	—	—	0.175 Snow & Rain	—	—	0.090	—	0.240	0.075	—	0.060	21
22	0.075	—	—	—	0.150	—	0.065	—	0.035	0.130	—	0.360	22
23	0.140	—	—	—	0.660	—	0.130	—	0.035	0.005	0.010	—	23
24	0.010	0.160	—	—	—	—	0.180	—	0.050	0.035	0.095	—	24
25	—	—	—	—	—	—	0.200	0.190	0.005	0.060	0.030	—	25
26	—	—	—	—	—	—	0.020	0.020	0.005	0.005	0.130	0.100	26
27	—	0.070 Snow	—	0.010	—	0.010	0.005	0.200	0.175	—	0.115	0.120	27
28	—	0.260 Snow	0.190	0.010	—	—	—	0.045	—	—	0.195	0.220	28
29	0.005	—	0.035	—	—	—	—	—	0.685	—	—	0.005	29
30	—	×	0.290	—	—	—	—	0.010	0.080	—	0.180	0.070	30
31	—	×	0.260	×	—	×	—	—	×	—	×	0.340	31
Total	2.370	1.555	1.085	2.115	1.820	0.875	2.650	1.805	4.180	1.550	1.790	3.165	YEAR'S TOTAL 24.960
Rain Days.	~~17~~ 18	17	10	19	8	10	~~18~~ 19	~~9~~ 11	~~26~~ 27	~~20~~ 22	14	~~23~~ 24	~~191~~ 199

George Mawbey

W. 6,500, VII. 18. W W C

Ex. 1856

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

24 JAN 20

Kept at Leicester (Gilroes Cemetery
in the County of Leicester
by E. George Mawbey M. Inst C. E.

Lat. 52° 38 Long. 1° 8 W.
Time of Observation 9 am
Nearest Railway Station G.C.Ry. Gt. Central St.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 285.53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.010

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0.075	0.050	–	0.220	–	0.195	–	0.010	0.100	0.035	0.320	1
2	0.210	0.040	0.025	–	–	–	0.270	0.025	0.660	0.020	0.100	0.040	2
3	1.400 Snow	–	0.015	–	0.010	0.020	0.210	–	0.090	–	0.270	0.045	3
4	0.025	–	0.305	–	–	0.055	0.015	0.220	0.105	–	0.015	0.210	4
5	0.090	0.100 Snow	–	–	–	–	0.030	–	0.260	–	–	0.140	5
6	0.015	–	0.110	–	0.560	–	–	–	–	–	0.025	0.070	6
7	0.020	–	0.250	0.050	–	–	–	–	–	–	–	–	7
8	0.110	–	0.030	0.080	–	0.080	–	–	–	–	0.020	–	8
9	–	–	0.050	0.050	0.010	–	–	–	–	–	–	–	9
10	–	–	0.310	0.630	–	–	–	–	–	0.015	0.005	0.095	10
11	0.025	–	0.380	0.010	0.010	–	0.615	–	–	–	–	–	11
12	–	–	0.210	–	–	0.255	–	–	0.030	0.100	0.680 Snow	–	12
13	0.215	–	–	0.240	–	–	–	–	0.110	0.120	–	0.650	13
14	0.325	0.040	–	0.155	–	–	–	–	0.115	0.010	–	0.015	14
15	0.605	–	0.065	0.250	–	–	–	–	–	0.020	–	0.565	15
16	0.115	0.880	–	0.115	–	–	–	–	–	–	0.235 Snow & rain	0.005	16
17	0.080	0.375 rain & Snow	–	0.020	–	0.020	0.030	–	–	–	0.270	0.010	17
18	–	–	0.210	–	–	–	–	0.270	0.035	–	0.010	0.290	18
19	0.050	0.235	0.660	–	–	0.095	1.530	0.380	0.100	–	0.120	0.015	19
20	0.450	0.070	0.175	–	–	0.025	0.360	0.180	0.010	–	0.115 Snow & rain	0.100	20
21	0.090	0.440	0.070	–	–	–	0.300	–	–	–	0.045	0.290	21
22	–	0.070	–	–	–	–	0.005	–	0.455	–	–	0.655	22
23	–	–	–	–	–	–	–	0.010	0.005	0.575	0.020	0.030	23
24	–	–	–	0.095	0.020	0.005	0.155	0.005	–	0.335	0.080	0.080	24
25	0.055	–	–	0.085	0.230	–	–	0.630	–	–	0.015	0.085	25
26	0.080	0.045 Snow	0.250	0.080	–	–	–	0.050	0.085	–	0.030	0.285	26
27	0.320 Snow	0.010	0.020	0.330 Snow	–	0.010	–	0.070	–	–	0.015	–	27
28	0.025	–	–	0.685	–	–	0.010	0.675	–	0.035	0.145 Snow & rain	0.435	28
29	0.070 rain & Snow	–	–	0.016	–	–	–	0.105	–	0.270	0.105 Snow & rain	0.040	29
30	0.010 Snow	×	0.120	0.180	–	0.300	–	–	–	0.030	0.150	0.190	30
31	0.020 Snow	×	–	×	–	×	0.065	–	×	0.075	×	0.020	31
TOTAL	4.405	2.380	3.305	1.865	1.060	0.865	3.790	2.620	2.070	1.705	2.505	4.680	YEAR'S TOTAL 31.250
Days with ·01 in. or more	23	12	19	17	7	9	14 ~~13~~	~~1~~ 11	14 ~~13~~	13	21	25 ~~24~~	~~182~~ 185

E. George Mawbey
M. Inst C.E.
City Engineer & Surveyor. Leicester

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2190

26 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Leicester, Gilroes Cemetery
in the County of Leicester
by E. George Mawbey Esq M Inst C E.
City Engineer & Surveyor

Lat. 52° 38′ N Long. 1° 8′ W.
Time of Observation 9 am. Greenwich m. Time.
Nearest Railway Station G. Central Ry. G. Central St.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 285.53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.29.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.010	—	—	0.280	0.180	—	0.095	—	0.025	0.350	0.010	0.180	1
2	0.035	—	—	0.205	—	—	0.420	0.005	0.060	0.155	—	0.050	2
3	0.010	0.025	—	0.375	—	0.030	0.690	—	0.065	0.090	—	0.025	3
4	—	—	0.035	0.170	—	—	0.045	0.240	0.055	0.330	—	0.040	4
5	—	—	0.045	—	0.350	—	0.325	0.130	0.080	0.020	—	0.020	5
6	—	—	0.310	0.040	0.020	—	0.090	0.005	—	—	—	0.040	6
7	—	—	0.080	0.100	0.070	—	0.060	—	—	—	—	—	7
8	0.215 Snow & rain	0.075	0.020	0.625	0.085	—	0.180	—	—	0.005	—	—	8
9	0.480	0.010	0.010	0.450	—	—	0.005	0.060	—	—	—	—	9
10	0.220	0.120	0.095	0.030	—	—	0.075	—	—	—	0.010	—	10
11	0.160	0.095	0.025	0.210	0.260	0.045	0.015	—	—	—	—	0.020 Snow	11
12	0.010	0.005	—	0.140	—	0.175	0.030	—	—	—	0.015	0.125 Snow	12
13	0.060	0.095	0.195	0.250	—	0.015	—	—	0.005	—	0.010	0.025	13
14	0.020	0.010	0.875 Snow	0.175	—	0.230	0.005	—	0.210	—	0.160	—	14
15	—	0.100	0.290 Snow	0.375	—	—	—	—	0.010	0.110	—	—	15
16	—	—	0.010	0.040	0.095	0.030	0.030	—	0.040	0.120	—	—	16
17	—	—	—	—	0.115	—	—	—	0.940	0.045	—	0.025	17
18	0.095	—	—	0.085	0.075	—	0.205	0.095	0.160	—	—	—	18
19	0.020	0.510	—	0.345	—	0.105	—	0.095	0.020	—	—	0.015	19
20	0.055	0.105	—	0.405	—	0.335	0.020	—	—	—	0.010	0.005	20
21	0.020	—	—	—	—	—	0.230	0.105	0.010	—	—	0.005	21
22	0.015	—	—	0.195	—	—	0.045	—	0.050	—	—	—	22
23	0.010	0.010	—	—	—	—	0.140	0.010	0.005	0.005	0.010	0.395	23
24	—	—	0.105	0.015	—	—	—	—	—	0.005	—	0.080	24
25	0.010	0.080	0.015	0.095	—	0.060	0.460	—	—	—	—	0.010	25
26	0.155	—	0.090	0.040	—	—	0.620	—	—	0.005	—	0.015	26
27	0.090	—	0.015	0.115	0.045	0.360	0.130	—	0.005	0.005	0.315	0.280	27
28	0.550 Snow & rain	—	0.070	0.015	0.190	—	0.035	—	0.005	0.005	0.030	0.090	28
29	0.075	—	0.280	—	0.555	—	0.115	—	—	—	0.135	0.455	29
30	0.150	╳	0.005	0.145	0.140	0.100	0.105	—	0.095	—	0.110	0.170	30
31	0.065	╳	0.050	╳	0.080	╳	—	—	╳	0.230	╳	0.045	31
TOTAL	2.530	1.240	2.620	4.920	2.260	1.485	3.570	0.745	1.840	1.480	0.815	2.115	YEAR'S TOTAL 25.620
Days with ·01 in. or more	23	12	19	25	14	11	23	7	14 16	~~9~~ 12	11	20 21	~~188~~ 19
Days with ·04 in. or more	13	8	12	22	13	8	17	6	10	8	4	12	133

E George Mawbey M. Inst C E
City Engineer & Surveyor

(44,283). 10/19. (52.638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG 14

LEICESTER.

HALLATON HALL

1914.

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Hallato
in the County of Leice
by W Saye

ong.
9, a.m
ion
ge 8 in.
e above Ground 1 ft. 3 in.
„ Sea Level 366 ft.

IMPORTANT NOTI a.m. and the result entered to the previous day. If an Obs prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								25			6		1
2								18			23		2
3				14	23		35	16					3
4	24							25			50	34	4
5		7	15	27			14				7		5
6				0	24								6
7					10		28						7
8	15		75			1.75		21					8
9			25	27		97							9
10	43	15		45	15								10
11		20	20		16						48	45	11
12									42				12
13		12	18						9		17	67	13
14			15							60			14
15	27		20				21				.18		15
16							20						16
17		20											17
18							24					38	18
19											9		19
20		22										50	20
21		27				11							21
22					43			16		40		24	22
23		11			4					2			23
24							22	17			20		24
25	6							7		55		25	25
26										10	13	22	26
27			41									14	27
28		5								24	8	110	28
29			19							30	10		29
30						5				4	20	11	30
31	6					0	23					11	31
Total	1.21	1.39	2.48	0.93	1.35	2.88	1.87	1.45	.51	2.25	2.49	4.51	YEAR'S TOTAL 23.2
Rain Days.				·83									23·22

W.7,000, XI. 13

REG 14

FORM A.
BRITISH RAINFALL
2 - JAN 1915

Kept at Hallaton Hall
in the County of Leicester 2
by W Sayer

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								25			6		1
2								18			23		2
3				14	23		35	16					3
4	24							25			50	34	4
5		7	15	27			14				7		5
6				0	24								6
7					10		28						7
8	15		75			1.75		21					8
9			25	27		97							9
10	43	15		45	15								10
11		20	20		16						48	45	11
12									49				12
13		12	18						9		17	67	13
14			15							60			14
15	27		20				21				.18		15
16							20						16
17		20											17
18							24					38	18
19											9		19
20		22										50	20
21		27				11							21
22					43			16		40		24	22
23		11			4					2			23
24							22	17			20		24
25	6							7		55		25	25
26										10	13	22	26
27			41									14	27
28		5								24	8	1.10	28
29			19							30	10		29
30						5				4	30	11	30
31	6					0	23					11	31
Total	1.21	1.39	2.48	0.83	1.35	2.88	1.87	1.45	.51	2.25	2.49	4.51	YEAR'S TOTAL 23.22
Rain Days.				.83									23.22

W.7,000, XI. 13

✓

HUNGERTON.

BAGGRAVE HALL

LEICESTERSHIRE

1912

9 12

FORM A2. BRITISH RAINFALL.

2 JAN 1913

Kept at Baggr

in the County of

by A. E. Bu

Snowdon

op 5 in.

above Ground 1 ft. 3 in.

„ Sea Level 350 ft.

9 A.M.

on { Name Ingersby G. N.
Distance 2½ Direction Sout

IMPORTANT N

and the result entered to the previous day. If an

universal rule, he is earnestly requested to add the

year in the space provided for it at the end of

urement of rain, the selection and pl

British Rainfall Organization are given

on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						29			6			16	1
2			4				72				10	20	2
3	11						10	42			15		3
4	13		50		11	96	7	20			20		4
5	9		30			34	10	12					5
6	52	25					4	45					6
7						12							7
8	30	38	28			15							8
9			12										9
10								55			23	15	10
11	12											40	11
12	4	41	10			14		6					12
13		2						4			15		13
14	13		42			18		11					14
15			19					7				13	15
16	51		17			30		7			6		16
17			12					18			7	54	17
18	63		11					16					18
19	20				11		24	22					19
20	13						34	20					20
21			96		41		50	40					21
22	9				37		36	55				20	22
23	13		19			11	39	31			17	31	23
24	18		2					13					24
25						30					28	35	25
26		24					35	} 158		53	30	45	26
27						18	5			55	28	15	27
28						10	10	39		27	25	46	28
29							38	5	46		10		29
30							63	[illegible]			14		30
31								9				10	31
Total	3-31	1-30	3-52	0	1-0	3-17	4-37	6-35	-82	1-35	2-48	3-60	TOTAL for year 31.27
No. of Rain Days.	15	5	14	0	4	12	15	22	2	3	14	13	~~119~~

W. 8,000, X. '11.

IN 1912

FORM A2. BRITISH RAINFALL. 2 JAN 1913

Kept at Baggrave Hall.

in the County of Leicester. 4

by A. E. Burnaby.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 350 ft.

Time of Observation 9 A. M.

Nearest Railway Station
Name Ingersby G. N.
Distance 2½ Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						29			6			16	1
2			4				42				10	20	2
3	11						10	42			15		3
4	13		50		11	96	7	20			20		4
5	9		30			34	10	12					5
6	52	25					4	45					6
7						12							7
8	30	38	28			15							8
9			12										9
10								55			23	15	10
11	12											40	11
12	4	41	10			14		6					12
13		2						4			15		13
14	13		42			18		11					14
15			19					4				13	15
16	51		14			30		7			6		16
17			12					18			4	54	17
18	63		11					16					18
19	20				11		24	22					19
20	13						34	20					20
21			96		41		50	40					21
22	9				37		36	55				20	22
23	13		19			11	39	31			17	31	23
24	18		2					13					24
25						30		}			28	35	25
26		24					35	158		53	30	45	26
27						18	5			55	28	15	27
28						10	10	39		24	25	46	28
29							38	5	46		10		29
30							63	~~8~~			14		30
31								9				10	31
Total	3-31	1-30	3-52	0	1-0	3-14	4-37	6-35	-82	1-35	2-48	3-60	TOTAL for year 31-27
No. of Rain Days.	15	5	14	0	4	12	15	22	2	3	14	13	~~119~~

W. 8,000, X. '11.

BEAUCHAMP
KIBWORTH ~~RECTORY~~
LEICESTERSHIRE.

1911 — 1920

R 11

FORM A2.
BRITISH RAINFALL

2 - JAN 1912

Kept at Kibworth 5 in.
in the County of Le ve Ground 2 ft.
Sea Level 390 ft.
by Edgar Vaugh 9 a.m
Name Kibworth
Distance Direction

IMPORTANT NO d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of th ment of rain, the selection and plac ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02								·03		1
2	·08				·20			·06			·03	·06	2
3					·12			·15		·07			3
4	·03		·10	·15~~5~~				·01		·05	·21	·22	4
5	·02			·10~~5~~				·09	·09	·01	·01		5
6	·43		·01	·01~~5~~							·03	·29	6
7	·01									·22	·16	·09	7
8	·12		·12								·06	·13	8
9	·07										·12	·02	9
10	·02	·13	·26					·08				·40	10
11	·21							·25			·35		11
12	·04~~5~~		·47								·08		12
13			·04						·32			·51	13
14		·09	·06~~5~~		·09				·20	·04		·34	14
15		·09	·05							·02	·04	·02	15
16			·03			·04					·20	·12	16
17						·08					·05	·19	17
18		·16		·01		·11					·06	·16	18
19		·05				·17	·25	·01	·06	·06	·63	·09	19
20		·04				·02		·43	·11			·50	20
21		·16	·14					·43	·01	·19	·02	·07	21
22			·05			·06		·03		·13		·32	22
23		·05	·20			·55			·28		·01	·14	23
24		·09	·02	·01		·43		·01		·81		·10	24
25		·11	·02~~5~~	·11	1·09	·13			·01	·01		·01	25
26		·01		·30	·56					·17	·17~~5~~	·18	26
27		·29	·12	·07			·02	·34	·19		·01~~5~~	·09	27
28		·13		·18		·02		·02			·09		28
29				·01		·16	·01		·23	·14			29
30				·04		·01			·01	·12			30
31			·02		·12					·21			31
Total	1·03	1·40	1·73	·99	2·12	1·78	·28	1·91	1·51	2·28	2·36	3·99	TOTAL for Year 21·38
No. of Rain Days	10	13	17	11	6	12	3	13	11	15	20	22	153

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

R [illegible] 11

Kept at Kibworth Beauchamp
in the County of Leicester 2
by Edgar Vaughan Phillips

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	2 ft.
	" " " Sea Level	390 ft.

Time of Observation 9. a. m
Nearest Railway Station: Name Kibworth
Distance ...... Direction ......

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02								·03		1
2	·08				·20			·06			·03	·06	2
3					·12			·15		·07			3
4	·03		·10	·15~~5~~				·01		·05	·21	·22	4
5	·02			·10~~5~~				·09	·09	·01	·01		5
6	·43		·01	·01~~5~~							·03	·29	6
7	·01									·22	·16	·09	7
8	·12		·12								·06	·13	8
9	·07										·12	·02	9
10	·02	·13	·26					·08				·40	10
11	·21							·25			·35		11
12	·04~~8~~		·47								·08		12
13			·04						·32			·51	13
14		·09	·06~~5~~		·09				·20	·04		·34	14
15		·09	·05							·02	·04	·02	15
16			·03			·04					·20	·12	16
17						·08					·05	·19	17
18		·16		·01		·11					·06	·10	18
19		·05				·17	·25	·01	·06	·06	·63	·09	19
20		·04				·02		·43	·11			·50	20
21		·16	·14					·43	·01	·19	·02	·07	21
22			·05			·06		·03		·13		·32	22
23		·05	·20			·55			·28		·01	·14	23
24		·09	·02	·01		·43		·01		·81		·10	24
25		·11	·02~~7~~	·11	1·09	·13			·01	·01		·01	25
26		·01		·30	·50					·17	·17~~8~~	·18	26
27		·29	·12	·07			·02	·34	·19		·01~~0~~	·09	27
28		·13		·18		·02		·02			·09		28
29				·01		·16	·01		·23	·17			29
30				·04		·01			·01	·12			30
31			·02		·12					·21			31
Total	1·03	1·40	1·73	·99	2·12	1·78	·28	1·91	1·51	2·28	2·36	3·99	TOTAL for Year 21·38
No. of Rain Days	10	13	17	11	6	12	3	13	11	15	20	22	153

9,000, IX. '10.

wd 8.III.13 ~~W~~ JC.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

2 JAN 1913

Kept at Kibworth Beauchamp

in the County of Leicester 2

by Edgar Vaughan Phillips

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 390 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Kibworth
Distance ¼ mile Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01			·09		·01	·12			·22$	1
2		·04$	·04	02	·01	·30	·66		·01			·04	2
3	·08		·01		·03	·18	·02	·53	·01			·05	3
4	·06		·45		·09	·54		·13			·42		4
5	·06	·01$	·44		·01	·15		·24	·05		·04		5
6	·31$	·09			·01	·02	·08	·33				·09	6
7		·03				·20		·02				·02	7
8	·27$	·28	·19		·01	·03	·02	·03	·16			·03	8
9		·08	·14	·05		·04		·04				·18	9
10						·03		·35			·13		10
11	·10	·14				·06		·01	·01		·04	·54	11
12	·04	·24	·11		·17	·01	·10				·06		12
13		·01								·05	·10	·01	13
14	·09		·45		·02	·14		·01		·02			14
15	·03	·02	·09		·25	·12						·14	15
16	·45		·10		·11	·01		·08		·09	·01		16
17	·25$		·15			·17		·22			·06	·37	17
18	·16$		·08					·17		·01		·02	18
19	·22	·02					·23	·25	·02	·02	·02		19
20	·13		·26		·04		·47	·75		·22			20
21		·01	·25		·52			·61		·23	·01		21
22	·19	·03			·81		1·37	·45				·04	22
23	·14	·31	·23			·18	·53	·46			·08	·30	23
24	·09					·15	·23	·11				·16	24
25	·01					·73		·24			·25	·26	25
26		·01	·01			·05	·42	1·42		·87	·21	·53	26
27					·01	·19	·18	·01		·71		·21	27
28		·02		·02		·03	·30	·55	·01	·32	·27	·53	28
29		·01				·13	·35	·01	·78	·17	·01		29
30	·05$				·20	·01	·01		·01	·15			30
31			·14		·06		·62	·13				·05 ~~·05~~	31
Total	2·73	1·35	3·15	·09	2·35 2·35	3·56	5·59	7·17 7·16	1·18	2·86.	1·71	3·79	TOTAL for year
No. of Rain Days.	19	17	18	3	16	24	16	26	10	12	15	20	35.52

W. 8,000, X. '11.

19

cnd fr anth 1.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Kibworth Beauchamp

in the County of Leicester 2

by Edgar Vaughan Phillips

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Kibworth ¼ mile

Diameter of Rain Gauge 9 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·15	·01					·88		·07		1
2		·10		·14					·01	·01	·07		2
3	·04		·18		·49				·04	·06		·01	3
4	·69				·07		·01			·56	·12	·12	4
5	·03					·01	·07		·02	1·15	·04		5
6			·10		·28	·12	·51			·12		·07	6
7		·19			·10	·05	·05			·58	·05		7
8		·03			·16	·18				·21	·08		8
9		·31	·05			·21		·06	·01		·12	·03	9
10	·04			·03				·01			·45		10
11	·445		·01	·35		·01		·16		·03	·48		11
12					·21						·63		12
13	·090		·06	·03				·03	·03		·25		13
14	·06		·68	·01				·11		·13	·07		14
15	·09	·07	·42	·57			·05		·13				15
16	·01		·800	·08				·01	·11		·01		16
17	·10	·01		·10		·25	·04				·03		17
18			·32	·10			·06		·01			·02	18
19	·15		·01				·06		·03				19
20	·20		·07	·02					·07	·30	·16		20
21			·12	·01	·03		·07				·44		21
22	·41		·41					·12	·26				22
23			·05			·04		·07	·05				23
24	·04			·05				·02			·02		24
25		·01		·11			·01						25
26		·04	·19	·24				·05		·35	·02	·30	26
27			·03	·04						·02			27
28	·44		·28	·22						·10		·080	28
29	·01		·17	·62	·01			·23		·05		·250	29
30	·43			·01									30
31			·01		·02			·03		·11	·17		31
Total	3·27	·77	4·11	2·74	1·37	·87	·93	·90	1.65	3.78	3·26	·88	YEAR'S TOTAL 24·57 24·53
Rain Days.	17	9	20	19	9	8	10	12	13	15	19	8	159

W. 7,500, XI. '12

See W.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

JAN 1915

Kept at Kibworth Beauchamp
in the County of Leicester 2
by Edgar Vaughan Phillips

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Kibworth
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05			1·01	·32			·06	·02	1
2				·07				·23			·31	·43	2
3	·01				·23		·18	·05			·02		3
4	·19			·18	·02			·30			·43	·24	4
5	·05		·09	·17	·10	·16	·13	·08			·01		5
6		·09			·04		·18				·11	·05	6
7		·07	·47	·05	·06	·01	·06	·02				·04	7
8	·08	·01	·21		·14	1·36	·04	·22					8
9	·46		·28	·02		·99		·04	·20				9
10	·17	·23		·31	·04				·09				10
11			·42	·20	·21	·03			·06		·42	·29	11
12		·21	·11	·16					·18		·03	·39	12
13	·02	·23	·32						·04	·14	·11	·44	13
14		·05	·12				·20			·31	·10	·46	14
15			·17					·01			·06	·12	15
16			·10				·14		·08				16
17		·28	·09						·15			·35	17
18			·01				·03					·46	18
19		·02	·05				·20		·04			·01	19
20		·29	·20				·02		·01			·03	20
21	·03	·50	·06			·10		·01		·10		·43	21
22		·01			·08	·05		·11		·26			22
23		·12	·04		·09		·05			·03		·05	23
24			·03		·17		·02			·21	·21		24
25	·03						·20	·12		·45	·01	·25	25
26			·02							·07	·21	·35	26
27	·03						·02					·25	27
28		·09			·01					·13	·08	·84	28
29	·02		·12							·25	·21	·24	29
30			·01		·01	·10				·01	·32		30
31	·03						·25						31
Total	1.12	2.20	2·92	1·21	1.20	2·80	2·73	1·51	·85	1·96	2·70	5·74	YEAR'S TOTAL 26·94
Rain Days.	12	14	20	9	13	8	16	12	9	11	17	21	162

W. 7,500, XI. 12

2670

FORM A.
BRITISH RAINFALL.

5 JAN

REGISTER OF RAINFALL IN 1915

Kept at Kibworth Beauchamp

in the County of Leicester

by Edgar Vaughan Philips.

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Kibworth

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·17	·08					·03	·40		·01	·10	1
2		·11	·19	·20	·17	·10		·77	·06	·02		·04	2
3	·38		·03	·06			·76	·53	·10			·13	3
4	·15						·11	·07				·48	4
5	·02	·46			·22		·02	·03			·05	·32	5
6	·10	·05		·29			·88	·02		·02		·01	6
7	·05	·44		·01			·32	·27				·26	7
8	·02	·12		·08				·01			·02		8
9											·14	·30	9
10	·37		·02					·18			·04		10
11	·01			·01	·08		·06	·01			·45	·05	11
12	·02			·22	·31			·05			·78		12
13		·37			·71		·03						13
14	·01	·03						·01	·10			·17	14
15	·24				·04		·07	·06			·12	·22	15
16		·57			·01		1·58						16
17		·17			·02		·55						17
18		·25	·23									·02	18
19		·02			·01		·22						19
20	·47		·01	·05								·38	20
21	·13	·10			·01		·05	·01				·13	21
22	·15		·15	·04			·36		·01			·12	22
23		·02	·03			·02	·11		·05	·16		·24	23
24	·01		·09	·06			·32		·86	·13		·12	24
25						·37	·11		·04	·10	·01	·27	25
26		·29	·01				·01		·01			·40	26
27			·03				·39			·52		·04	27
28		·07				·82	·02	·18	·06	·12		·18	28
29						·09	·07	·05			·32	·06	29
30	·07	X				·24		·02		·01	·01		30
31	·01	X		X		X		·08	X	·29	X		31
Total	2·46	3·24	·87	1·02	1·58	1·64	6·04	2·38	1·69	1·37	1·95	4·04	YEAR'S TOTAL 28·28
Rain Days.	18	16	11	10	10	6	20	18	10	9	11	22	161

W. 8,000. X. 14.

[illegible] 25 of

2535

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Kibworth Beauchamp.

in the County of Leicester

by Edgar Vaughan Phillips.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Kibworth Beauchamp

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 390. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·17		·03	·10	·12		·02		·30		1
2	·50	·01	·08		·21		·07		·17	·44	·14		2
3		·33					·01			·19	·04		3
4	·26	·02			·24	·28				·02	·20		4
5	·03				·02	·12				·13	·12		5
6	·05	·12	·19s	·03	·01		·57			·05	·27		6
7			·25s		·04	·01	·19			·08	·35		7
8		·01	·01			·07					·03	·33	8
9	·04				·23	·06				·01		·01	9
10		·10	·08s	·05		·09	·01		·03			·06	10
11		·31	·06	·10	·08	·17			·01			·07	11
12	·05	·03	·10	·01	·46	·11	·05		·01	·02			12
13	·02	·14	·13	·04	·06	·03		·11					13
14		·35s		·08				·15					14
15		·13	·54				·06	·15		·02			15
16		·03	·43	·16			·12	·28		·01			16
17	·04			·14			·06	·30	·13	·18			17
18		·08	·01	·02				·17	13		·79		18
19	·07	·05	·27	·21							·44	·08s	19
20	·07		·20	·07				·16	·20		·08	·14	20
21			·14	·01	·02							·15	21
22		·04s	·03		·03	·01				·02		·52	22
23	·03	·28s				·08		·03		·06	·07	·16	23
24		·32s	·03s		·04	·06		·06		·01		·15	24
25		·08s	·1.8					·21		·14	·11		25
26		·08s				·06		·29		·08			26
27	·04	·15s	·49s				1·21	·03	·08	·32			27
28		·17	·56s			·05						·17	28
29		·09				·25		1·17		·25		·04	29
30		X			·03	·26		·03		·17			30
31		X		X		X		·02	X	·01	X		31
Total	1·27	2·92	3.95	·92	1.50	1.81	2.47	3.16	·78	2.21	2·94	1.88 ~~1·88~~	YEAR'S TOTAL 25·81 ~~25·8~~
Rain Days.	13	22	20	12	14	17	11	15	9	20	13	12	178

W. 8,000. X. 15.

#F.W

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

2. JAN

Kept at Kibworth Beauchamp
in the County of Leicester
by Edgar Vaughan Phillips

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Kibworth
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03*				1·13	·08		·02	·01*	1
2	·01					·20		·19	·01	·05	·03		2
3				·27*				·55		·26	·04		3
4		·08*	·05*					·24		·36			4
5			·03*	·14*				·05	·07	·10	·09		5
6	·12					·06				·10	·05	·01	6
7	·48		·01*							·27			7
8	·70			·18			·29	·14		·36	·09	·07	8
9	·04		·09*		·12			·17		·01	·12		9
10	·28*		·26	·11*	·12			·03			·09		10
11	·04		·19	·19*				·16	·05	·22			11
12	·11	·02*			·20	·13				·29			12
13	·03							·17		·01		·01	13
14	·05		·05	·07				·01	·06			·04	14
15	·01			·02	·01		·20	·21		·03			15
16	·09	·22		·13			·04			·04		·23*	16
17	·01			·16	·36	·82	·22	·01	·01	·08		·01*	17
18				·11	·50	·01	·11	·19	·88	·02			18
19	·01	·17	·08		·16				·05				19
20					·69			·01	·01		·19		20
21			·07*	·02	·37	·01				·01	·01		21
22			·09*					·02	·04	·06			22
23		·25			·08			·26	·04	·07			23
24		·02				·70		·08		·25		·03	24
25		·01	·04								·19		25
26			·01					·38	·14		·07	·01*	26
27						·46	·01	·57					27
28			·05			·54		·17		·04		·08	28
29			·01*			·01	·01			·53			29
30	·04*	×					·50	·32				·30	30
31		×	·04*	×		×	·10	·14	×		×	·09	31
Total	2·02	·77	1·07	1.43	2·61	2·94	1·48	5.20	1·44	3·16	·96	·89	YEAR'S TOTAL 23·97
Rain Days.	15	7	15	12	10	10	9	23	12	21	12	12	158

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2.1.19

Kept at Kibworth Beauchamp
in the County of Leicester
by Edgar Vaughan Philips

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Kibworth
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·18							·21		1
2		·20		·03				·20			·04	·16	2
3		·03	·06		·41			·38	·19	·01	·42	·05	3
4		·05	·03				·05	·01	·65		·43		4
5				·04	·11			·09	·05	·01		·12	5
6		·03		·16		·01			·01	·01			6
7	·03~~5~~	·11		·17		·07			·02	·06	·10		7
8		·04	·14~~5~~						·06	·05		·10	8
9	·02	·18		·20		·05	·16		·29	·15		·05	9
10	·18			·10		·01	·30			·20		·05	10
11	·02				·17		·13			·19		·07	11
12	·03	·14	·01		·14		·13		·20			·08	12
13				·04	·10	·02	·01		·18	·01		·04	13
14	·35			·04		·02	·18		·14	·07		·05	14
15	·64~~5~~			·54			·06		·24			·19	15
16	·04~~5~~			·28		·01			·03				16
17	·32			·05		·38	·45	·05	·02	·01		·18	17
18	·30					·07	·51		·40			·31	18
19	·02	·02	·08	·19~~5~~			·06			·09		·20	19
20		·08		·43		·11			·04	·01		·03	20
21	·07			·15		·01	·03		·23	·06		·01	21
22	·20				·20		·02		·09			·39	22
23	·09				·34		·08		·03				23
24		·20					·28		·05	·04	·27		24
25							·02	·22			·03		25
26							·01	·01	·02	·04	·05	·15	26
27							·03	·26	·34		·08	·02	27
28		·24~~5~~	·37					·28			·19	·14	28
29									·83				29
30		✕	·36						·12		·15	·12	30
31		✕	·34	✕		✕			✕		✕		31
Total	2·31	1·36	1·39	2·60	1·47	·76	2·51	1·50	4·23	1·01	1·97	2·51	YEAR'S TOTAL 23·62
Rain Days.	14	13	8	15	7	11	18	9	23	16	11	21	166

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

Sent

FORM A. BRITISH RAINFALL.

2 JAN 20

Kept at Kibworth Beauchamp

in the County of Leicester

by Edgar Vaughan Phillips

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Kibworth

Diameter of Funnel of Rain Gauge 9. in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·44	·10	·03		·24		·23			·08	·05	·51	1
2	·12		·02		·01		·23		·42	·08	·26		2
3	·710		·01				·20					·04	3
4	·04		·34			·06	·01	·12	·11		·15	·23	4
5	·03	·040	·02				·02		·12			·14	5
6			·03		·59				·36			·26	6
7	·02		·16										7
8	·12		·04	·22							·06		8
9				·06							·03		9
10			·39	·01						·03	·01		10
11	·07		·39	·01	·01		·47					·08	11
12			·21	·01		·29				·05	·220		12
13	·14			·16			·02			·06		·05	13
14		·12		·15									14
15	·30	·01	·09	·09						·01	·060	·75	15
16	·20	·84						·03			·180		16
17	·10	·375			·16						·18		17
18	·10		·14				·01	·28	·07			·26	18
19	·04	·24	·65			·16	1·06	·20	·18		·06	·02	19
20	·58	·04	·22			·05	·52	·20	·02		·08	·06	20
21	·11	·40	·08				·31				·04	·24	21
22		·18							·35			·61	22
23						·03	·02	·09		·69		·09	23
24				·17	·02		·18			·29	·02	·04	24
25	·13			·32	·10	·03		·34					25
26			·18	·04				·10	·09		·03	·62	26
27	·570			·350		·01		·10					27
28	·030			·03				·60			·030	·38	28
29	·05			·06		·01		·11		·30	·155	·07	29
30		╳	·040	·24		·28		·04		·02	·14	·35	30
31	·070	╳	·080	╳		╳	·05		╳	·06	╳		31
Total	3·97	2·34	3·12	1·92	1·13	·92	3·33	2·21	1·72	1·67	1·75	4·80	YEAR'S TOTAL 28·88
Rain Days.	21	10	19	15	7	9	14	12	9	11	18	19	164

W. 8,000, IX. 17.

Max daily fall 1·06 in on July 19

2176

6 JAN 1921

Done 22-3-21

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Kibworth Beauchamp
in the County of Leicester
by Edgar Vaughan Philips

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Kibworth
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 2 ft. 6 in.
„ „ „ „ Sea Level 390 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·19	·32		·31			·16	·03	·38	1
2				·05	·01		·46	·03	·10	·13			2
3		·02		·65		·03	·48	·02	·07	·23			3
4				·12			·03	·36		·14		·12	4
5			·09		·25		·42	·13	·02	·30		·10	5
6			·12	·03	·04		·21						6
7			·06	·19			·07						7
8	·26	·09		·67	·10		·19						8
9	·46	·01	·01	·95				·16					9
10	·30	·03	·08	·03			·04						10
11	·13	·06	·04	·13	·28	·03		·17			·12		11
12	·02			·23		·20	·01	·04					12
13	·03	·05	·15	·12		·01			·01				13
14			·70	·23		·33			·16	·05	·21	·15	14
15		·07	·08	·15					·13	·10	·13	·10	15
16				·04	·04	·07	·16		·17	·10			16
17	·01				·13				·58	·08		·12	17
18	·22			·03	·09			·20	·42				18
19	·06	·21		·24		·10		·11					19
20		·35		·39		·34	·01						20
21	·06						·17	·09	·02				21
22				·21			·05		·02				22
23	·01						·17					·25	23
24			·23	·01				·01					24
25			·01	·13	·01	·01	·79			·03			25
26	·29		·09	·01							·73	·10	26
27	·16	·06	·01	·10	·03	·57	·03				·05		27
28	·50		·03		·06						·05	·30	28
29	·08		·16		·81	·01				·01		·12	29
30			·01	·09	·10	·04	·12					·40	30
31	·07		·02		·06		·01			·18		·30	31
TOTAL	2.66	·95	1·90 ~~1.80~~	4.99	2.33	1.74	3.73	1.32	1.70	1.51	1.32	2·44 ~~1.24~~	YEAR'S TOTAL 2651
Days with ·01 in. or more	16 12	13 14	18 11	24 18	15 12	12 9	18 16	11 5	11 7	12 10	7 6	12 12	167 125

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

B. Made

FORM A.
BRITISH RAINFALL.

18. 1. 19

REG

KNOSSINGTON RECTORY

LEICESTERSHIRE

1918 - 1920.

Kept at Knossington ... 0.48 W.

... m.

in the County of Leicest ... Oakham

... Gauge 5 in.

by Revd G.G. Wilkin ... ve Ground — ft. 11 in.

Sea Level 575 ft.

IMPORTANT NO ... the result entered to the previous day. If an O ... versal rule, he is earnestly requested to add the rea ... ar in the space provided for it at the end of th ... ment of rain, the selection and placin ... ritish Rainfall Organization are given i ... application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·08					·04		·16	·04	1
2		·22	·08	·05				1·56		·01	·04	·27	2
3		·04			·54	~~·02~~		·73	·06		·45	·01	3
4	·01	·03	·04				·01	·04	·91	·03	·41	·09	4
5				·03	·16			·17	·14	·07		·02	5
6		·05		·18						·03			6
7	·08	·10		·34		·02			·03	·05	·10		7
8		·07	·01	·03					·06	·03		·19	8
9		·32		·02		·07	·16		·38	·28		·02	9
10	·03	·01		·04		·04	·36		·05	·28		·04	10
11	·06	·02		·03	·26		·18		·24	·24		·08	11
12		·16		·01	·17		·10		·08			·03	12
13				·05	·26	·02			·18			·03	13
14	·36		·04	·05		·02	·31		·14	·12		·05	14
15	·43			·60		·01	·11		·09			·25	15
16				·31		·15			·08	·02		·02	16
17	·37			·06	·06	·11	·46	·01	·06	·03		·12	17
18	·33			·01		·10	·23		·37	·01	·03	·23	18
19	·04	·02	·10	·07		—	·02		—	·10		·11	19
20	·01	·04	—	·37		·04	·02		·03	·05		·01	20
21	·03		—	·11		·01			·36	·19		·02	21
22	·17						·04		·07	·01		·31	22
23	·10					·02	·03		·08	·03			23
24		13					·03		·04	·02	·29		24
25								·27			·02		25
26							·26	·01	·02		·10	·05	26
27						·02	·19	·21	·17		·14	·02	27
28		·28	·26	·01	·08			·03	·01		·23	·18	28
29									·76		·01	·02	29
30		X	·38		—				·08		·08	·23	30
31	·01	X	·13	X		X			X	·01	X	·01	31
Total	2·03	1·49	1·04	2·45	1·53	·63	2·51	3·03	4·53	1·62	2·06	2·45	YEAR'S TOTAL 25·37
Rain Days.	14	14	8	20	7	13	16	9	26	20	13	26	186

W. 500, IX. 17.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

B. Made

REG

Kept at Knossington Rectory
in the County of Leicester
by Revd. G.G. Wilkinson

Lat. 52.40 N. Long. 0.48 W.
Time of Observation 9 a.m.
Nearest Railway Station Oakham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 575 ft.

FORM A.
BRITISH RAINFALL.
18.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08					·04		·16	·04	1
2		·22	·08	·05				1·56		·01	·04	·27	2
3		·04			·54	~~·02~~		·73	·06		·45	·01	3
4	·01	·03	·04				·01	·04	·91	·03	·41	·09	4
5				·03	·16			·17	·14	·07		·02	5
6		·05		·18						·03			6
7	·08	·10		·34		·02			·03	·05	·10		7
8		·07	·01	·03					·06	·03		·19	8
9		·32		·02		·07	·16		·38	·28		·02	9
10	·03	·01		·04		·04	·36		·05	·28		·04	10
11	·06	·02		·03	·26		·18		·24	·24		·08	11
12		·16		·01	·17		·10		·08			·03	12
13				·05	·26	·02			·18			·03	13
14	·36		·04	·05		·02	·31		·14	·12		·05	14
15	·43			·60		·01	·11		·09			·25	15
16				·31		·15			·08	·02		·02	16
17	·37			·06	·06	·11	·46	·01	·06	·03		·12	17
18	·33			·01		·10	·23		·37	·01	·03	·23	18
19	·04	·02	·10	·07			·02			·10		·11	19
20	·01	·04		·37		·04	·02		·03	·05		·01	20
21	·03			·11		·01			·36	·19		·02	21
22	·17						·04		·07	·01		·31	22
23	·10					·02	·03		·08	·03			23
24		·13					·03		·04	·02	·29		24
25								·27			·02		25
26							·26	·01	·02		·10	·05	26
27						·02	·19	·21	·17		·14	·02	27
28		·28	·26	·01	·08			·03	·01		·23	·18	28
29									·76		·01	·02	29
30		×	·38						·08		·08	·23	30
31	·01	×	·13	×		×			×	·01	×	·01	31
Total	2·03	1·49	1·04	2·45	1·53	·63	2·51	3·03	4·53	1·62	2·06	2·45	YEAR'S TOTAL 25·37
Rain Days.	14	14	8	20	7	13	16	9	26	20	13	26	186

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

W. 500, IX. 17.

Price 2d.

5 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Knossington Rectory
in the County of Leicester
by Revd. G. G. Wilkinson

Lat. 52·40 N. Long. 0·45 W.
Time of Observation 9 a.m.
Nearest Railway Station Oakham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 595 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·13	·06		·22		·08	·03		·09	·11	·50	1
2	·16		·01				·42	·04	·56	·12	·31	·06	2
3	1·05		·04				·43		·17		·26	·02	3
4	·08		·39			·10	·13	·30	·10		·02	·16	4
5	·03	·20					·08	·01	·38			·06	5
6	·01		·05		·79						·08	·08	6
7	·03		·24										7
8	·13		·03	·11							·02		8
9	·01		·02	·03		·04					·08		9
10			·23	·04								·09	10
11	·08		·37	·03	·02		·45					~~·09~~	11
12			·29	·05		·18	·01		·03	·08	·05		12
13	·23			·19		·03				·03		·02	13
14	·40			·17					·16		·02	·01	14
15	·16	·13	·06	·09							·11	·68	15
16	·08	1·10		·02							·19		16
17	·02	·44		·02		·01					·24	·02	17
18			·04				·02	·28	·01		·02	·15	18
19	·07	·25	1·39			·08	1·37	·33	·15		·09	·10	19
20	·66	·07	·41			·05	·54	·23	·04		·09	·06	20
21	·26	·44	·13				·47		~~·32~~		·02	·29	21
22		·13	·01				·01		·32			·44	22
23						·02	·04	·05	·03	·70		·02	23
24				·27	·09	·07		·03		·17	·03	·03	24
25	·11			·10	·13			·48				·01	25
26	·02	·03	·19	·09		·01		·05	·04		·04	·51	26
27	·57	·05	·01	·42		·02		·05		·01		·03	27
28	·04			·03			·02	·71		·04	·10	·40	28
29	·12			·03				·16		·29	·13	·05	29
30	·02	✕	·02	·26		·32				·06	·11	·32	30
31	·05	✕	·03	✕		✕	·03		✕	·19	✕	·03	31
Total	4·84	2·97	4·02	1·95	1·25	·93	4·10	2·75	1·99	1·78	2·12	4·14	Year's Total 32·84
Days with ·01 in. or more	25	11	21	17	5	12	15	14	12	11	21	25	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2179

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Knossington Rectory
in the County of Leicester
by Revd. G. G. Wilkinson

Lat. 52° 40′ N Long. 48′ W
Time of Observation 9 a.m.
Nearest Railway Station Oakham
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·25	·25		·32		·03	·18	·03	·14	1
2				·33	·01		·03	·01	·08	·13		·08	2
3		·04		·20		·04	·86	·01	·05	·07		·04	3
4				·19			·06	·35	·01	·35		·04	4
5			·06		·21		·55	·07	·09			·08	5
6			·10		·05		·14	·03					6
7			·13	+✓	·07		·18					·02	7
8	·18	·06		+✓	·08		·06						8
9	·46	·01		+✓ 1·26				·08					9
10	·23	·07	·08	·40			·09				·05		10
11	·13	·02	·05	·64	·18	·06		·09				·06	11
12	·03			·10		·25	·03	·07			·02	·05	12
13		·10	·13			·13							13
14	·03	·04	·62	·23		·23				·11	·19		14
15		·05	·50	·10					·69	·03	·02		15
16			·02		·08	·02			·21	·02			16
17					·14			·14	·45	·07		·20	17
18	·13			·09	·04		·03	·04	·26				18
19	·05	·19		·35		·10						·05	19
20		·46		·53		·29	·04		·05		·02		20
21	·06			·01			·15	·10				·02	21
22				·24			·11		·11			·01	22
23							·10					·47	23
24	·04		·13								·04	·04	24
25		·05	·03	·05		·11	·78						25
26	·20		·08				·07					·16	26
27		·02	·02	·15	·03	·53	·02			·06	·51	·16	27
28	·53		·14	·01	·05		·03				·04	·04	28
29	·07		·04		·25	·02	·05				·11	·39	29
30	·03	✕		·12	·05	·08	·04		·16		·08	·29	30
31	·06	✕	·04	✕	·04	✕	·01		✕	·31	✕	·06	31 25·93
													YEAR'S TOTAL
TOTAL	2·24	1·11	2·17	5·25 ~~5·24~~	1·53	1·86	3·75	·99	2·19	1·33	1·11	2·40	~~25·92~~
Days with ·01 in. or more	15	12	16	21 ~~19~~ ~~18~~	15	12	22	11	12	10	11	20	~~174~~ 5 177
Days with ·04 in. or more	12	9	13	19 ~~18~~	13	10	16	8	10	8	7	17	~~140~~ ~~130~~ 142

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PRINTED PAPER.

ADDITIONAL REMARKS.

Rainfall – April 1920.

In copying from my register, I omitted a whole inch on the 9th – a serious error, for which I am very sorry. The Total for the month sh:d be 5.25.

SIGNED... G. J. Wilkinson ....

No writing on this side of the line.

SSING
11.30 AM
MR
21

POSTAGE ½D.
or, if containing
anything in the
nature of a letter
1D.

THE SUPERINTENDENT,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W. 1.

LEICESTER.

DESFORD INDUSTRIAL SCHOOL.

1911 – 1919

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGI 11.

Kept at Desford Ind mondo 5 in.

ve Ground 1 ft. — in.

in the County of Leic

Sea Level 340 ft.

by Wm. Stewart, Hort AM.

C Ocley.

Name Desford

Distance 1 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·09		·01		·02				·01		1
2	·11				·14						·03		2
3					·16			·39		·05	·05		3
4	·02		·12			·08		·03	·03	·30	·14	·21	4
5				·12				·07		·02	·05		5
6	·28			·06				·02		·15		·48	6
7	·04									·09	·20	·14	7
8	·08		·24									·21	8
9	·04										·09	·20	9
10	·03	·12		·06				·06			·08	·41	10
11	·22							·20			·30		11
12			·61						·35		·20		12
13			·09	·04					·12		·02	·50	13
14		·10		·05							·01	·40	14
15		·09	·25	·25						·05	·07	·05	15
16			·05	·13		·04				·01	·12	·09	16
17				·55		·04					·10	·27	17
18		·30				·02					·11	·21	18
19		·04			·02	·23	·13		·15	·13	·40	·06	19
20		·09		·17				1·64	·10	·03		·35	20
21		·21		·06				·33		·24	·02	·07	21
22						·03				·25	·02	·40	22
23		·06	·23			·48	·02		·45	·02		·13	23
24	·04	·10	·09	·05		·42		·05		·39		·08	24
25		·10	·02	·20		·09				·03		·11	25
26					·33	·13				·20	·21	·31	26
27		·32	·09	·08	·24			·42	·31	·02	·06	·10	27
28		·26				·24					·09	·01	28
29				·47		·18	·08		·30	·20		·01	29
30			·02		·03	·02				·07	·02		30
31					·05					·04		·02	31
Total	0·92	1·79	1·90	2·29	0·98	2·30	0·25	3·21	1·81	2·29	2·43	4·85	TOTAL for year 25·02
No. of Rain Days.	10	12	12	14	8	13	4	10	8	19	23	24	157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGI 11.

Kept at Desford Industrial School
in the County of Leicester 4
by Wm Stewart, Horticultural Instructor
C Ockley. Superintendent

RAIN GAUGE
Pattern Symonds
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 340 ft.

Time of Observation 9.AM.

Nearest Railway Station
Name Desford
Distance 1 Mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·09		·01		·02				·01		1
2	·11				·14						·03		2
3					·16			·39		·05	·05		3
4	·02		·12			·08		·03	·03	·30	·14	·21	4
5				·12				·07		·02	·05		5
6	·28			·06				·02		·15		·48	6
7	·04									·09	·20	·14	7
8	·08		·24									·21	8
9	·04										·09	·20	9
10	·03	·12		·06				·06			·18	·41	10
11	·22							·20			·30		11
12			·61						·35		·20		12
13			·09	·04					·12		·02	·50	13
14		·10		·05							·01	·40	14
15		·09	·25	·25						·05	·07	·05	15
16			·05	·13		·04				·01	·12	·09	16
17				·55		·04					·10	·27	17
18		·30				·02					·11	·21	18
19		·04			·02	·23	·13		·15	·13	·40	·06	19
20		·09		·17				1·64	·10	·03		·35	20
21		·21		·06				·33		·24	·02	·07	21
22						·03				·25	·02	·40	22
23		·06	·23			·48	·02		·45	·02		·13	23
24	·04	·10	·09	·05		·72		·05		·39		·08	24
25		·10	·02	·20		·09				·03		·11	25
26					·33	·13				·20	·21	·31	26
27		·32	·09	·08	·24			·42	·31	·02	·06	·10	27
28		·26				·24					·09	·01	28
29				·47		·18	·08		·30	·20		·01	29
30			·02		·03	·02				·07	·02		30
31					·05					·04		·02	31
Total	0·92	1·79	1·90	2·29	0·98	2·30	0·25	3·21	1·81	2·29	2·43	4·85	TOTAL for year 25.02
No. of Rain Days.	10	12	12	14	8	13	4	10	8	19	23	24	157

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
1 JAN 1913

Kept at Desford Industrial School
in the County of Leicester 4
by C. Oxley.

Lat. ……… Long. ………
Time of Observation 9. AM
Nearest Railway Station Desford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·02			·16	·03		·09			·30	1
2	·01		·20			·38	·51		·01	·02		·02	2
3	·11		·06	·08		·13		·80	·05			·06	3
4	·16		·80		·16	·54		·16					4
5		·03	·35	·01	·09	·20		·09	·08		·43		5
6	·52	·12						·05	·02		·09	·15	6
7		·04				·31		·04				·01	7
8	·25	·26	·29	·05		·14		·04	·09			·02	8
9	·11			·15	·10	·05	·20					·42	9
10	·15		·01					·55	·03		·05		10
11		·02	·01			·14		·02			·30	·62	11
12		·24	·11			·02					·04		12
13	·08	·08			·10	·10	·11				·08		13
14	·18		·34		·03	·10							14
15	·15		·15		·33	·26		·03				·14	15
16	·34	·09	·20					·02					16
17	·24		·10			·34		·09		·21	·06	·40	17
18			·12				·08	·30		·06	·01		18
19	·33						·02	·41		·03	·03	·05	19
20		·04			·15		·32	·16	·03				20
21	·12		·14		·76		·31	·40		·20	·02		21
22	·15	·01	·23		1·15		·03	·42		·30		·18	22
23	·11	·04	·29			·11	·62	·63	·02		·11	·12	23
24	·20		·08				·25	·06			·24	·18	24
25		·08				·48	·14	·32	·01		·24	·20	25
26		·09					·15	1·22			·22	·45	26
27					·01	·15	·03	·02		·40		·08	27
28		·03				·06	·10	43		·23	·30	·46	28
29						·18	·22			·23		·01	29
30	·05				·21	·06			·98	·11			30
31			·09		·16		·40	·13				·12	31
Total	3·34	1·26	3·65	·29	3·25	4·00	3·85	6·42	1·41	2·09	2·22	4·32	YEAR'S TOTAL 36·10
Rain Days.	19	14	19	4	12	20	14	23	11	10	15	20	184

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8 JAN 1914

Kept at Desford Industrial School

in the County of Leicester 4

by C Oxley

WS

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Desford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 340. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12		·09	·05					·41		·05		1
2		·16	·03	·02					·02				2
3	·02		·21		·45				·05		·15	·03	3
4	·63	·02	·03		·07		·06					·33	4
5	·07	·02				·08	·15			1·23			5
6			·05	·01	·25	·32	·66			·10	·09	·04	6
7		·15	·02	·02	·27	·38	·11			·50		·09	7
8			·02		·20	·02				·41			8
9		·34	·05	·04	·08	·27					·03		9
10						·42		·27			·16		10
11	·85			·61	·06	·08					·20		11
12			·35		·18						·44		12
13	·07		·09	·08				·05	·11	·06	·20		13
14		·03	·62	·05			·02			·15	·15		14
15	·11	·03		·41					·20		·03		15
16	·08	·02	·55	·08				·22	1·10		·04		16
17	·04		·45	·21			·10						17
18	·03		·18		·02		·11		·06		·06		18
19	·01				·01		·02		·21				19
20	·08			·09					·02	·12	·02		20
21	·16		·21								·32		21
22	·05		·47		·14			·02	·33				22
23	·51		·02			·12		·10	·10				23
24				·03		·08		·19					24
25	·10			·08		·04		·04	·02		04		25
26		·12	·10	·36		·02		·10				26	26
27		·65	·01	·08						·08	·07		27
28			·22	·31						·11			28
29	·56		·35	·53								·12	29
30	·03							·23		·25	·08		30
31	·52		·03					·09					31
Total	4·04	1·54	4·45	3·06	2·03	1·83	1·23	1·31	2·93	3·01	2·43	·87	YEAR'S TOTAL 28·43
Rain Days.	19	10	22	18	11	11	8	10	12	10	14	6	154

W.7,000, XI. 13

Exd DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
1 - JAN 1915

Kept at Desford Industrial School
in the County of Leicester 4
by C. Orley

Lat. 50·38·50 N Long. 1·16·45 W
Time of Observation 9. A.M. Daily.
Nearest Railway Station Desford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 370. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03				·42	·26					1
2						·01		·54				·28	2
3			·09	·06	·06		·21	·60			·46	·38	3
4	·21		·06	·10	·15						·66		4
5	·12			·70			·41						5
6		·04		·06		·17					·18	·15	6
7		·20		·02		·03	·09					·10	7
8	·18	·09	·68	·06	·15	·65		·47					8
9	·50		·15	·32	·12	1·21							9
10	17	·15		·10	·06			·05	·10				10
11		·10	·35	·35	·05							·53	11
12		·04							·46		·61	·28	12
13			·30								·04	·35	13
14	·04	·19	·12							·10		·42	14
15	·09	·01	·20							·40	·25		15
16		·06									·08		16
17	·05	·14											17
18			·09				·15		·10			·33	18
19		·02	·06				·35		·20			·47	19
20			·12				·10					·05	20
21		·10					·20	·08					21
22		·48			·80		·12			·18		·40	22
23			·04		·22		·16			·24			23
24		·06	·25		·28		·30			·06	·30		24
25							·08	·30		·30	·04	·32	25
26	·10		·07					·34		·45	·25	·30	26
27					·01					·20	·02	·10	27
28					·05						·28	·87	28
29			·04							·44	·30	·01	29
30	·05	X		·04						05	·20	·30	30
31		X		X		X	·21		X		X	·06	31
Total	1·51	1·68	2·65	1·81	1·95	2·04	2·80	2·64	·86	2·42	3·64	5·40	YEAR'S TOTAL 29·46
Rain Days.	10	14	16	10	11	5	13	8	4	10	14	19	~~134.~~

W. 8,000. X. 14.

2615

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL

4. JAN 1916

Kept at Desford Industrial School
in the County of Leicester
by C. Oxley W.O.

Lat. 52°38′50″N Long. 1°16′45″W
Time of Observation 9 AM
Nearest Railway Station Desford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·26	·08		·50			·06	·43			·06	1
2	·15	·08	·27	·22		·20		·26				·09	2
3	·47		·04	·09			1·85	·17	·18			·25	3
4	·12				·06		2·16	·11			·89	·98	4
5		·34	·01									·46	5
6	·10	·28		·39			·70	·02				·08	6
7	·17	·42				·02	·17	·25				·54	7
8	·10	·15	·03	·05				·04					8
9		·18	·04	·04							·04	·42	9
10	·41							·18			·17		10
11	·05		·07	·05	·18		·15	·27			·78	·15	11
12	·05	·50	·02	·29	·41		·02	·50			1·02		12
13	·03	·05		·02	·81								13
14				·01				·10	·12			·36	14
15	·35				·05		·10	·33			·16	·15	15
16	·02	·25			·02		2·18					·01	16
17		·31			·01		·50						17
18		·22	·14				·03	·03				·02	18
19		·04	·02		·04		·10						19
20	·23	·01										·24	20
21	·20	·10					·22					·11	21
22	·12	·01	·20				·23					·07	22
23	·06	·04	·01	·10			·43					·17	23
24	·06						·34					·11	24
25	·12		·06				·07					·25	25
26		·15		·04		·68	·06					·35	26
27		·13		·02			·20					·05	27
28		·14	·10			·56		·28				·10	28
29						·04					·29	·05	29
30	·04	×	·08			·39					·07	·08	30
31	·04	×	02	×		×		·09	×		×	·15	31
Total	3·03	3·66	1·19	1·32	2·08	1·89	9·81	2·69	→	→	~~4·15~~	5·30	YEAR'S TOTAL 35·85 ✓
Rain Days.	21	20	16	12	9	6	18	15			~~4?~~	25	...

From Sept 15 to Nov 4th Observer was sick therefore the Months of Sept: Oct & Nov have been lumped, ·89 Nov 4th is the total fall between Sept 15 & Nov 4th

4·88

W. 8,000. X. 15.

2551

FORM A.
BRITISH RAINFALL.

19. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Industrial School, Desford
in the County of Leicester
by Mr. A. Lowle, Head Gardener

Lat. 52°-39' N. Long. 1°-16' W.
Time of Observation 9 a.m.
Nearest Railway Station Desford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8½ in.
„ „ 370 „ Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·11			·15	·1				·2		1
2	·28	·07	·19		·28		·07		·05	·55	·02		2
3		·45	·15				·11		·27	·23	·11		3
4	·26	·02			·46	·36				·13	·17	·03	4
5	·06				·36	·13				·10	·15		5
6	·01	·11			·03	·02	·3			·11	·26		6
7	·12		·20				·35			·11	·16	·19	7
8	·03		·10			·14				·04	·05	·16	8
9			·6		·3	·9				~~·04~~		·04	9
10		·19	·6	·12			·01		·04	·03		·04	10
11		·34		·17		·22			·05			·09	11
12	·12	·21	·11	·01		·12	·03		·02	·04			12
13	·01		·8	·5	·78	·04		·10		·03			13
14		·35	·5	·15	·6			·34		·04			14
15		·21	·62				·11	·17		·04	·01		15
16		·11	·62	·32	·6		·31	·32	·02	·02	·01	·02	16
17	·11			·21			·05	·05	·21	·26			17
18		·15	·4	·03				·03	·15	·04	1·01	[illegible]	18
19	·08	·11	·27					·02	·44		·61	·07	19
20	·04		·22						·01		·12	·11	20
21	·04		·35	·08		[illegible]	·04				·02	·4	21
22			·4			·01				·06		·3	22
23	·07		[illegible]					·04		·04	·08	·31	23
24		·26	·2		·16			·1		·04		·16	24
25			·11					·31		·03	·16		25
26	·05					·01		·06		·07	·03		26
27	·04					·27		·10		·17			27
28		·42	·81						·02	·1		·23	28
29		·85	·61			·16		·97		·24		·1	29
30		X				·18				·07			30
31		X		X		X		·05	X	·07	X	·03	31
													YEAR'S TOTAL
Total	1·37	3·85	7·97	1·59	3·57	2·71	1·48	2·66	1·28	2·66	3·17	2·28	34·59
Rain Days.	16	15	21	9	9	14	11	14	11	25	17	16	178

W. 8,000, VIII. 16

2424

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Desford Industrial School
in the County of Leicester
by Mr A - Lowle

Lat. 52°-39' Long. 1°-16' W.
Time of Observation 9 a.m
Nearest Railway Station Desford
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground - ft. 9 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	–	·07	–	·02	–	1·04	·2	–	·02	·08	1
2	·04	–	–	–		·06	–	·22	·04	·05	·02	–	2
3	–	·11	–	·14	–	–	–	·13	–	·29	·08	–	3
4	·02	·15	·09	–	–	–	–	·12	–	·53	·01	·04	4
5	·17	–	·07	·09	–	–	–	–	·02	·17	·13	–	5
6	·02	–	–	–	–	·48	–	–	–	·18	·07	–	6
7	·49	–	–	–	–	–	–	·48	–	·25	·03	–	7
8	·98	–	–	·12	–	–	·14	·31	–	·4	·14	·21	8
9	·15	–	·17	·13	·1	–	–	·46	–	–	·16	–	9
10	·4	–	·3	·04	·85	–	–	·06	–	·01	·07	–	10
11	·1	–	·14	·24	–	–	–	·15	–	·19	·01	–	11
12	·12	·05	·02	–	·16	–	–	–	–	·16	·01		12
13	·08	·01	–	–	–	–	–	·13	·12	·02	–	–	13
14	·07	–	·09	·17	–	–	–	·45	–	–	·02	·1	14
15	–	–	–	·07	·01	–	·25	–	–	·04	–	·04	15
16	·06	·23	–	·13	–	–	–	·01	–	·02	–	·28	16
17	·01	·01	–	·1	·37	·29	·17	·07	·13	·07	–	·03	17
18	·05	·03	–	·02	·39	–	·62	–	·82	·03	–	–	18
19	·06	·16	·16	·01	·7	·14	–	–	·03	–	–	–	19
20	·02	·25	·01	–	·47	·1	·01	–	·12	–	·06	–	20
21	–	·01	·13	·01	·23	·29	–	·03	–	·02	–	–	21
22	–	–	·15	–	–	–	–	·02	·05	·11	–	–	22
23	–	·07	–	–	·13	–	–	·15	–	·08	–	·02	23
24	–	–	–	–	–	·45	·01	·04	–	·3	·03	–	24
25	–	·02	·05	–	–	–	–	–	–	–	·08	–	25
26	–	·01	·01	–	–	–	–	·27	·29	–	·14	–	26
27	–	–	·01	–	–	·25	·1	·74	–	–	–	–	27
28	–	–	·13	–	–	·16	–	·07	–	·03	–	·08	28
29	–	–	–	–	–	·25	·1	·02	–	·42	–	·38	29
30	·01	X	–	–	–	–	·39	·33	–	·01	–	–	30
31	–	X	·1	X	–	X	·01	·09	X	–	X	·07	31
Total	2·85	1·12	1·63	1·6	3·41	2·49	2·4	5·39	1·82	3·38	1·08	1·33	YEAR'S TOTAL 28·50
Rain Days.	18	14	16	14	10	11	10	23	10	22	17	11	176

W. 8,000, IX. 17.

17

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Desford Industrial School

in the County of Leicestershire.

by Mr. A. Lowle.

52° 39' N 1°-15' W.

Lat. ~~52° 37' N~~ ~~1°-16' N~~ Long. ~~1° 11' W~~ ~~52° 39' W~~

Time of Observation 9 a.m.

Nearest Railway Station Desford 1¼ mls

16. 1 5 19

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·08					·05	·02	·14		1
2		·08		·05				·76	·10	·02	·01	·30	2
3		·03	·05		·57			·12	·10		·18		3
4	·02	·02	·03					·05	1·02	·02	·60	·08	4
5		·02			·02			·13	·10	·11			5
6	·02		·02	·21		·07						·01	6
7	·10	·09		·21		·06			·14	·13	·11	~~·01~~	7
8		·05	·09	·01					·06	·06		·09	8
9	·02	·45		·14		·14	·30			·45		·03	9
10	·12			·12			·39			·14	·02	·05	10
11	·06	·03		·02	·07		·15		·05	·04		·09	11
12	·04	·21	·04	·01	·14		·15					·10	12
13				·02	·24	·05			·30	·03		·02	13
14	·33			·04		·02	·06		·13	·10	·02	·12	14
15	·50			·32			·19		·07			·27	15
16	·04			·25			·01		·11		·01		16
17	·33					·01	·36	·05	·25	·04		·12	17
18	·35					·07	·02		·32			·38	18
19	·04		·10	·09			·02			·05		·28	19
20	·04	·06		·37		·25	·02				·03	·01	20
21	·07			·19	·01		·19		·32	·04		·20	21
22	·12				·16		·09		·06	·15		·29	22
23	·12				·96		·06		·03				23
24		·14					·12		·06	·03	·12	·02	24
25						·02	·09	·15		·05			25
26							·02	·05			·17	·05	26
27								·33	·24		·15	·15	27
28		·31	·26						·01		·08	·25	28
29									·78		·02		29
30		X	·36						·10		·24	·11	30
31		X	·17	X		X			X	·01	X		31
Total	2·32	1·54	1·12	2·13	2·17	·69	2·24	1·64	4·40	1·49	1·90	3·03	YEAR'S TOTAL 24·67
Rain Days.	17	13	9	16	8	9	17	8	22	18	15	22	174

W. 8,000, IX. 17.

Gox. Hob

27 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Desford Industrial School

in the County of Leicestershire

by Mr A. ~~Lowell~~ Lowe, Head Gardener

Lat. 52°-39′ N Long. 1° 16′ W

Time of Observation 9 a.m.

Nearest Railway Station Desford M.R.

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground — ft 9 in.

" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·07	·05	—	·28	—	·39	—	—	·17	·03	·34	1
2	·16	·05	·07	—	—	—	·2	·03	1·08	·07	·17	·06	2
3	1·02	—	·35	—	—	·04	·2	—	·14	—	·29	·05	3
4	·04	—	—	—	—	·05	—	·26	·13	—	·05	·17	4
5	·08	·20	·12	—	—	—	—	—	·27	—	—	·13	5
6	·01	—	·20	—	·7	—	—	—	—	—	·03	·12	6
7	·06	—	·03	—	—	—	—	—	—	—	—	—	7
8	·17	—	·01	·12	—	·08	—	—	—	—	—	—	8
9	—	—	·14	·05	—	—	—	—	—	—	·02	—	9
10	—	—	·12	·08	—	—	—	—	—	·03	·03	·1	10
11	·04	·02	·4	—	·09	—	·38	—	—	—	—	—	11
12	—	—	·26	—	—	·26	—	—	·03	·13	·33	—	12
13	·20	—	—	·28	—	·02	·04	—	—	·11	—	·05	13
14	·43	—	—	·22	—	—	—	—	·17	—	·01	·01	14
15	·36	—	·15	·08	—	—	—	—	—	—	·04	·58	15
16	·09	1·14	—	·02	—	—	—	—	—	—	·26	—	16
17	—	·38	—	·01	—	·03	·19	—	—	—	·26	·02	17
18	—	—	·29	—	—	—	—	·3	·06	—	—	·35	18
19	·15	·25	1·26	—	—	·07	1·24	·26	·17	—	·11	—	19
20	·46	·45	·21	—	—	·04	·37	·21	·03	·02	·15	·09	20
21	·09	·4	·09	—	—	—	·36	—	—	·01	·04	·22	21
22	—	·08	—	—	—	—	—	—	·48	—	—	·66	22
23	—	—	—	—	—	—	—	·03	—	·66	—	·06	23
24	—	—	—	·08	—	—	·41	—	—	·46	·15	·06	24
25	·21	·01	—	·07	·16	—	·—	·52	—	·—	·02	·03	25
26	—	·03	·23	·07	—	—	—	·04	·11	—	—	·33	26
27	·16	—	·02	·31	—	—	—	·09	—	—	·10	·03	27
28	·04	—	—	·12	—	—	—	1·02	—	·03	—	·48	28
29	·08		—	·02	—	·02	—	·08	—	·5	·29	·06	29
30	·01		·13	·22	—	·33	—	—	—	·04	·06	·2	30
31	·02		—		—		·09	—		·07		·02	31
TOTAL	4·22	2·68	4·13	1·75	1·23	·94	3·47	2·84	2·67	2·30	2·46	4·22	YEAR'S TOTAL 32·96
Days with ·01 in. or more	22	12	19	15	4	10	11	11	11	13	20	24	172
Days with ·04 in.	19	9	16	12	4	7	10	9	9	9	15	19	138

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cwd for W.D. 1. IV. 14

REGI

FORM A.
BRITISH RAINFALL.

3 JAN 1914

—

BITTESWELL SCH GDNS

LEICESTERSHIRE

1913 — 1920

Kept at Bitteswell Sc
in the County of Leicest
by M. Smith

° 15' W.
M.
tterworth G.C.
5 in.
Ground ft. 9 in.
Sea Level 401 ft.

IMPORTANT NOT
the result entered to the
previous day. If an Ob
ersal rule, he is earnestly
requested to add the read
r in the space provided
for it at the end of this
nent of rain,
the selection and placing
tish Rainfall
Organization are given in
application to
Dr. H. R. Mill, 62, Cam

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	—	·04	—	—	—	—	·04	—	·02	·13	1
2	—	—	·11	·06	—	—	—	—	·78	—	·05	—	2
3	·01	·13	·01	·14	—	—	·01	—	·06	—	·04	—	3
4	·09	—	·24	—	·74	—	—	—	·07	·30	—	·05	4
5	·70	—	—	—	·14	—	·03	—	·02	·05	·15	·17	5
6	·07	·01	—	—	·01	·08	·08	—	—	·88	·04	·04	6
7	—	·04	·06	—	·26	·11	·46	—	—	·06	—	·06	7
8	—	·17	—	—	·19	·03	·14	—	—	·50	·08	·01	8
9	—	·04	·01	—	·19	·10	—	—	—	·36	·10	—	9
10	—	·27	·04	·04	—	·27	—	·03	·03	—	·11	·06	10
11	·05	—	·01	·05	·01	—	—	·01	—	—	·30	—	11
12	·12	—	—	·46	—	—	—	—	—	·11	·24	—	12
13	·29	—	—	—	·16	—	—	·01	—	—	·82	—	13
14	·10	·01	·07	·04	—	—	—	—	·01	—	·21	—	14
15	·05	—	·58	·04	—	—	·01	·12	—	·10	·03	—	15
16	·10	·01	·36	·48	—	—	·04	—	·26	—	·01	—	16
17	·08	·01	·83	·11	—	—	—	·02	·05	—	·02	—	17
18	·09	·02	·05	·11	—	·08	·06	—	·03	—	·03	·02	18
19	—	—	·23	·19	—	—	·12	—	·01	—	·02	—	19
20	·09	—	·13	—	—	—	·07	—	·10	—	—	—	20
21	·20	—	·12	·05	—	—	—	—	·01	·23	·15	—	21
22	·03	—	·15	—	·09	—	·04	—	—	—	·32	—	22
23	·59	—	·39	—	—	—	—	·10	·30	—	—	—	23
24	—	—	·02	—	—	·05	·01	·15	·06	—	·01	—	24
25	·07	—	—	·11	—	—	—	·15	—	—	—	—	25
26	·06	—	—	·07	—	·03	·02	—	·01	·01	·02	·01	26
27	—	·08	·12	·18	—	—	—	·09	—	·29	—	·22	27
28	—	·02	·01	·02	·58	—	—	—	—	—	—	—	28
29	·47		·36	·22	·01	—	—	—	—	·12	—	·05	29
30	—		·19	·61	·05	—	—	·07	—	·08	·01	·17	30
31	·39		—		—		—	—		·03		·01	31
Total	~~3·96~~ 3·65	~~·81~~ ·81	·04 ~~4·09~~ 4·13	~~3·02~~ ~~2·98~~	2·43	·75	1·09	·04 ~~·75~~ ·79	~~1·84~~ 1·80	·02 ~~3·09~~ 3·11	·13 ~~2·78~~ 2·89	~~1·00~~ ·87	YEAR'S TOTAL ~~25·41~~ 25·30
Rain Days.	~~21~~ 20	12	~~22~~ 23	~~19~~ 18	12	8	13	~~10~~ 11	~~16~~ 15	~~14~~ 15	22	~~13~~ 12	~~182~~ 181

W. 7,500, XI. 12

Cond for W.D. 1.IV.14

REG

FORM A.
BRITISH RAINFALL.

3 JAN. 1914

Kept at Bitteswell School Gardens.
in the County of Leicestershire
by M. Smith

Lat. 52° 30′ Long. 1° 15′ W.
Time of Observation 9 A.M.
Nearest Railway Station Lutterworth G.C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	—	·04	—	—	—	—	·04	—	·02	·13	1
2	—	—	·11	·06	—	—	—	—	·78	—	·05	—	2
3	·01	·13	·01	·14	—	—	·01	—	·06	—	·04	—	3
4	·09	—	·24	—	·74	—	—	—	·07	·30	—	·05	4
5	·70	—	—	—	·14	—	·03	—	·02	·05	·15	·17	5
6	·07	·01	—	—	·01	·08	·08	—	—	·88	·04	·04	6
7	—	·04	·06	—	·26	·11	·46	—	—	·06	—	·06	7
8	—	·17	—	—	·19	·03	·14	—	—	·50	·08	·01	8
9	—	·04	·01	—	·19	·10	—	—	—	·36	·10	—	9
10	—	·27	·04	·04	—	·27	—	·03	·03	—	·11	·06	10
11	·05	—	·01	·05	·01	—	—	·01	—	—	·30	—	11
12	·12	—	—	·46	—	—	—	—	—	·11	·24	—	12
13	·29	—	—	—	·16	—	—	·01	—	—	·82	—	13
14	·10	·01	·07	·04	—	—	—	—	·01	—	·21	—	14
15	·05	—	·58	·04	—	—	·01	·12	—	·10	·03	—	15
16	·10	·01	·36	·48	—	—	·04	—	·26	—	·01	—	16
17	·08	·01	·83	·11	—	—	—	·02	·05	—	·02	—	17
18	·09	·02	·05	·11	—	·08	·06	—	·03	—	·03	·02	18
19	—	—	·23	·19	—	—	·12	—	·01	—	·02	—	19
20	·09	—	·13	—	—	—	·07	—	·10	—	—	—	20
21	·20	—	·12	·05	—	—	—	—	·01	·23	·15	—	21
22	·03	—	·15	—	·09	—	·04	—	—	—	·32	—	22
23	·59	—	·39	—	—	—	—	·10	·30	—	—	—	23
24	—	—	·02	—	—	·05	·01	·15	·06	—	·01	—	24
25	·07	—	—	·11	—	—	—	·15	—	—	—	—	25
26	·06	—	—	·07	—	·03	·02	—	·01	·01	·02	·01	26
27	—	·08	·12	·18	—	—	—	·09	—	·29	—	·22	27
28	—	·02	·01	·02	·58	—	—	—	—	—	—	—	28
29	·47		·36	·22	·01	—	—	—	—	·12	—	·05	29
30	—		·19	·61	·05	—	—	·07	—	·05	·01	·17	30
31	·39		—		—		—	—		·03		·01	31
Total	~~3·76~~ 3·65	~~·81~~ ·81	·04 ~~4·09~~ 4·13	~~3·02~~ 2·98	2·43	·75	1·09	·04 ~~·75~~ ·79	~~1·84~~ 1·80	·02 ~~3·09~~ 3·11	·13 ~~2·78~~ 2·89	~~1·00~~ ·87	YEAR'S TOTAL ~~25·41~~ 25·50
Rain Days.	~~21~~ 20	12	~~22~~ 23	~~19~~ 18	12	8	13	~~10~~ 11	~~16~~ 15	~~14~~ 15	22	~~13~~ 12	~~182~~ 181

W. 7,500, XI. 12

Dates not reliable

end by mm staff – for arith } 2.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
8 - JAN 1915

Kept at Bitteswell School
in the County of Leicester
by School Pupils

Lat. 52.30 N Long. 1.15 W
Time of Observation 9 AM
Nearest Railway Station Lutterworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·00	·00	·07	·00	~~·00~~	·12	·04	·00	·00	·03	·02	1
2	·00	·06	·10	·00	·00	·02	·00	·13	·00	·01	·32	·46	2
3	·00	·01	·00	·10	·00	·00	·32	·04	·00	·00	·04	·01	3
4	·01	·00	·00	·02	·00	·01	·00	·19	·00	·00	·30	·25	4
5	·02	·00	·02	·01	·20	·00	·25	·04	·00	·00	·05	·00	5
6	·24	·00	·01	·26	·12	·00	·00	·01	·00	·00	·14	·04	6
7	·17	·00	·09	·22	·23	·22	·08	·07	·00	·00	·01	·04	7
8	·01	·15	·00	·00	·05	·02	·22	·20	·00	·00	·00	·01	8
9	·01	·13	·40	·00	·14	·01	·00	·06	·03	·00	·00	·01	9
10	·12	·02	·16	·10	·25	1·17	·00	·00	·14	·00	·00	·00	10
11	·38	·00	·25	·21	·00	1·07	·00	·00	·04	·00	·24	·41	11
12	·15	·17	·00	·17	·12	·00	·07	·00	·28	·00	·05	·23	12
13	·00	·12	·32	·21	·14	·09	·00	·00	·04	·22	·25	·41	13
14	·02	·02	·11	·00	·00	·02	·19	·00	·00	·37	·16	·35	14
15	·03	·20	·36	·00	·00	·00	·00	·02	·03	·01	·02	·06	15
16	·00	·04	·10	·00	·00	·00	·13	·00	·07	·00	·00	·00	16
17	·04	·00	·18	·00	·00	·00	·02	·00	·14	·00	·00	·29	17
18	·00	·00	·04	·00	·00	·00	·24	·00	·00	·00	·00	·35	18
19	·02	·25	·08	·00	·00	·00	·01	·00	·02	·00	·06	·02	19
20	·01	·00	·00	·00	·00	·00	·02	·00	·04	·00	·00	·12	20
21	·00	·00	·02	·00	·00	·00	·00	·00	·00	·10	·00	·31	21
22	·00	·17	·15	·00	·00	·00	·03	·12	·00	·30	·00	·00	22
23	·00	·32	·12	·00	·00	·00	·00	·00	·00	·04	·00	·01	23
24	·01	·01	·00	·00	·19	·00	·04	·00	·00	·49	·00	·00	24
25	·00	·10	·09	·00	·14	·00	·10	·20	·00	·44	·02	·22	25
26	·00	·01	·05	·00	·13	·00	·00	·12	·00	·06	·19	·30	26
27	·09	·00	·00	·00	·00	·00	·00	·00	·00	·00	·01	·20	27
28	·00	·00	·03	·00	·00	·00	·08	·00	·00	·02	·10	·76	28
29	·01		·00	·00	·00	·00	·00	·00	·00	·25	·16	·00	29
30	·01	X	·06	·00	·02	~~·01~~	·00	·00	·00	·03	·32	·20	30
31	·02	X	·17	X	·04	X	·42	·00	X	·01	X	·03	31
Total	1·38	1·78	2·91	1·37	1·77	2·63 ✓	~~1·99~~ 2·35	1·47	·83	2·35	2·47	5·11	YEAR'S TOTAL 26·42
Rain Days.	20	16	22	10	13	9 ✓	17	13	10	14	19	25.	188

W. 8,000. X. 14.

cord for arith 24.III.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at Bitteswell School

in the County of Leicester

by The Pupils

Lat. 52.30 N Long. 1.15 W

Time of Observation 9 A.M.

Nearest Railway Station Lutterworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·17	·17	—	·39	—	—	·10	·04	·05	·04	·03	1
2	·11	·16	·20	·18	—	·12	—	·40	·03	·18	—	·06	2
3	·37	·01	·04	·11	—	—	1.07	·38	·05	—	·01	·12	3
4	·08	—	—	·01	—	—	·12	·05	—	—	—	·60	4
5	·05	·32	—	—	·09	—	·05	·07	—	—	·05	·35	5
6	·13	·12	—	·35	—	—	·75	·07	—	—	—	·04	6
7	·07	·40	—	·07	—	—	·30	·18	—	—	—	·35	7
8	·04	·08	—	·03	—	—	—	·02	—	—	·07	—	8
9	—	·06	—	·01	—	—	—	—	—	—	·30	·34	9
10	·38	—	·03	—	—	—	—	·15	—	·01	·26	—	10
11	·01	—	·01	·04	·10	—	·15	—	—	—	·52	·12	11
12	·04	—	—	·26	·35	—	—	·20	—	·01	·86	—	12
13	·01	·40	—	—	·86	—	—	—	—	—	—	—	13
14	·01	·05	—	—	·01	—	·02	·15	·07	—	—	·40	14
15	·28	—	—	—	·06	—	·06	·48	—	—	·12	·19	15
16	·29	·43	—	—	·04	—	1.20	·01	—	—	—	·01	16
17	—	·19	·01	—	·08	—	·30	—	—	·01	—	·02	17
18	—	·39	·21	—	—	—	—	—	—	·01	·03	—	18
19	—	·03	—	·04	·05	—	·16	—	—	—	—	·01	19
20	·43	—	—	—	—	—	—	—	—	—	—	·21	20
21	·12	·15	—	·06	—	—	·19	—	—	—	—	·08	21
22	·12	—	·20	—	—	—	·45	—	·01	—	—	·14	22
23	·02	·08	·03	·07	—	—	·20	—	·05	·22	—	·26	23
24	·02	—	·04	—	—	—	·16	—	1.10	·16	—	·18	24
25	·03	—	·03	—	—	·08	·10	—	·03	·05	—	·36	25
26	—	·19	—	—	—	—	·03	—	·03	—	—	·34	26
27	—	·02	·03	—	—	—	·26	—	—	·50	—	·11	27
28	—	·08	·03	—	—	·27	·04	·12	·03	·10	—	—	28
29	—	×	—	—	·04	·03	·18	·08	·02	—	·24	·12	29
30	·10	×	—	—	—	·20	—	·03	—	·08	·04	·06	30
31	·06	×	—	×	—	×	—	·06	×	·25	×	·12	31
Total	2.97	3.33 3.35	1.03	1.23	1.97	·70	5.71	2.55	1.46	1.63 1.69	2.54	4.62	YEAR'S TOTAL 29.74 29.74
Rain Days.	23	19	13	12	11	5	20	17	11	13	12	25	183

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bittesw~~ell~~ School
in the County of Leicester
by Pupils.

Lat. 52.30 Long. 1.15
Time of Observation 9 AM
Nearest Railway Station Lutterworth G.C.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(·03)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	—	·11	—	—	—	·08	·00	·03	—	·06	—	1
2	·20	—	·12	—	·01	·12	·11	·00	—	trace	·22	—	2
3	·32	·03	·10	·01	·20	·04	·13	·00	·03	·48	·08	—	3
4	—	·61	—	—	—	·00	·07	—	·17	[illegible]	·05	—	4
5	·31	·02	—	—	·30	·30	·00	·00	·01	·4	·15	—	5
6	·08	—	—	·05	·09	·36	·02	·00	—	·16	·13	—	6
7	·02	·12	·06	—	·13	—	·45	—	—	·58	·35	—	7
8	·07	—	·27	—	·02	·01	·29	·00	—	·18	·66	·20	8
9	·02	·01	·09	—	·01	·02	·00	—	—	trace	·05	·14	9
10	—	—	·02	·08	·25	·18	·00	·00	—	·05	—	—	10
11	—	·19	·05	·17	·02	·03	·04	—	·07	·02	—	·06	11
12	·04	·44	·15	—	·12	·18	·00	·00	·04	trace	—	·08	12
13	·09	·04	·07	·05	·40	·12	·08	·01	·03	·07	·01	·01	13
14	·05	·20	·08	·08	·05	·01	·24	·15	—	trace	—	—	14
15	—	·22	·02	—	·03	—	·00	·28	~~·01~~	·09	—	—	15
16	—	·15	·50	·22	·02	—	·09	·33	·01	—	—	—	16
17	—	·03	·52	·15	·06	—	·20	·32	—	·09	—	—	17
18	·12	·07	—	·06	—	—	·05	·80	·20	·21	—	—	18
19	·01	·17	·05	·07	—	—	·00	·09	·21	·04	·75	·07	19
20	·09	·09	·27	·08	—	—	·00	·00	·22	—	·61	·01	20
21	·05	·01	·25	·02	—	—	·00	·10	—	—	·11	·15	21
22	·01	—	·20	—	·02	—	·02	—	·00	—	—	·50	22
23	—	·03	·02	·01	·02	·03	·00	—	—	·05	·02	·36	23
24	·08	·22	—	·04	—	·03	·00	·05	—	·09	·08	·66	24
25	—	·50	—	—	—	·23	·00	·06	—	·05	—	·22	25
26	—	·42	·20	—	·04	·01	·00	·30	—	·06	·26	—	26
27	·02	·22	·03	—	—	·06	·00	·32	—	·12	·05	—	27
28	·03	·15	·30	—	—	·01	·10	·16	trace	·11	·003	—	28
29	—	·38	·55	—	—	~~7~~	·00	·00	—	·04	—	·24	29
30	—	X	—	—	·06	—	·00	1.15	—	·25	—	·06	30
31	—	X	—	X	·02	X	—	·03	X	·23	X	—	31
Total	~~1.64~~ 1.61	~~4.32~~ 4.43	~~4.03~~ 3.92	~~1.09~~ 1.09	~~1.84~~ 1.87	·08 ~~1.74~~ 1.82	~~1.97~~ 1.89	·03 ~~4.15~~ 4.18	1.02 ·99	·06 ~~2.71~~ 2.77	~~3.67~~ 3.61	(·03) ~~2.76~~ 2.79	YEAR'S TOTAL ~~30.96~~ 30.97
Rain Days.	~~19~~ 18	~~23~~ 24	~~23~~ 22	14	20	~~17~~ 18	~~15~~ 14	~~15~~ 16	~~11~~ 10	~~20~~ 23	~~18~~ 17	~~14~~ 15	213 214

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Bitteswell C.E. School

in the County of Leicester

by Scholars.

Lat. 52°28'   Long. 1°15' W.

Time of Observation 9 a.m.

Nearest Railway Station Lutterworth G.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (05)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	05	—	·01	·01	—	—	—	·04	·04	—	—	·01	1
2	00	—	—	·14	—	·01	—	1·14	·47	—	·04	·10	2
3	03	—	—	·01	—	·20	—	·11	—	·06	·03	—	3
4	00	·04	—	·26	—	—	—	·25	—	·25	·03	·02	4
5	04	·25	·10	·01	—	—	—	·04	—	·41	—	·04	5
6	·18	—	·05	·19	—	—	—	·05	·01	·11	·11	—	6
7	00	—	—	—	—	·32	—	—	—	·11	·01	·01	7
8	·47	—	·01	—	—	—	—	~~·47~~ —	—	·18	·17	·01	8
9	·75	—	—	·13	—	—	·30	~~·44~~ ·27	—	·40	·15	·15	9
10	·08	—	·13	·16	·09	—	·05	·14	—	·04	·06	·02	10
11	·26	—	·25	·32	·21	—	·01	·05	—	—	·04	·01	11.
12	·11	—	·16	—	—	—	—	·20	·07	·22	·03	—	12
13	·10	·02	·01	—	·15	—	—	·01	·01	·32	·02	·01	13
14	—	—	—	·04	—	·01	—	·16	·09	·03	·01	·03	14
15	·08	—	·04	·10	·04	—	—	·03	—	—	·01	·01	15
16	·02	—	—	·01	—	—	·33	—	—	·05	—	·05	16
17	·05	·20	—	·21	·01	·01	·06	—	—	·08	—	·10	17
18	·01	·02	—	·10	·36	·85	~~·50~~ ·15	—	·04	·09	—	·03	18
19	·02	·05	·01	·06	·14	·02	~~·50~~	·42	·85 ~~·43~~	·01	—	—	19
20	·04	·20	·08	~~·01~~	·10	—	—	—	·05	—	—	—	20
21	·02	·20	·02	—	·50	·38	·04	·03	·02	—	·08	—	21
22	·02	·03	·12	·01	18	·10	—	·01	—	·02	·01	—	22
23	—	·01	·03	—	—	—	—	·04	·06	·08	—	—	23
24	·04	·15	—	—	·10	·01	—	·14	·01	·05	—	·02	24
25	—	·02	·01	—	·01	·50	—	·04	—	·23	·07	·01	25
26	—	·03	·03	—	—	—	—	—	—	—	·11	—	26
27	—	·01	·01	—	—	—	—	·34	·20	—	·11	—	27
28	—	—	—	—	—	·78	—	·64	—	—	·11	·01	28
29	—	X	·08	—	—	·40	·01	·11	—	·03	—	·05	29
30	—	X	·06	—	—	·40	—	·02	—	·34	—	·35	30
31	·02	X	—	X	—	X	·43	·26	X	—	X	·01	31
Total	2·36	·01 ~~1·23~~	·01 1·21	~~1·76~~	1·89	3·91	·04 ~~1·3~~ 3	·04 ~~4~~·56	~~1·92~~	~~3·11~~ 3·31	·01 ~~1·10~~	(·05) ~~1·06~~ 1·10	YEAR'S TOTAL 25·64 25·64
Rain Days.	2·31 20	1·24 14 15	1·21 19	1·775 17 15	1·89 12	3·91 14	1·37 9 10	4·56 24	1·88 13 12	21	1·11 19 20	21	203

1.98

W. 8,000, VIII. 16

[illegible] months of WP

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Bitteswell C.E. School
in the County of Leicester
by Scholars

Lat. 52°28′ Long. 1° 15′ W.
Time of Observation 9 a.m.
Nearest Railway Station Lutterworth G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	—	·16	·50	—	—	—	—	—	·09	—	·20	1
2	—	·04	—	·25	—	—	—	—	—	·02	·17	·04	2
3	—	·18	—	·12	—	—	—	·10	—	·02	·04	·15	3
4	—	·06	·04	—	·36	—	—	·06	·19	·01	·32	·01	4
5	·01	·03	·02	—	—	—	—	·04	·60	—	·63	·16	5
6	—	·01	~~·01~~	·02	·14	—	—	·14	·10	·04	—	—	6
7	—	·04	·02	·05	—	[illegible]	—	—	—	·05	—	·02	7
8	·06	·09	~~·01~~	·13	—	·12	—	—	·04	·07	·16	·01	8
9	—	·07	—	·02	—	—	—	—	·[illegible]	·12	—	·16	9
10	·02	·28	—	·07	—	·16	·40	—	·40	·30	·01	·08	10
11	·15	·02	·01	·03	·15	·04	·35	—	·08	·24	·02	·10	11
12	·02	·01	—	·02	·16	—	·34	—	·08	·16	—	·09	12
13	·04	·12	·05	—	·09	—	·25	—	·08	—	—	·02	13
14	·02	—	—	·02	—	·06	·03	—	·14	·02	—	·05	14
15	·30	—	—	·04	—	·03	·25	—	·15	[illegible]	—	·03	15
16	·52	—	—	·44	—	—	·25	—	·08	—	—	·25	16
17	·10	—	—	·40	—	·05	—	—	·06	·01	—	—	17
18	·25	—	—	·03	—	—	·34	·01	·09	·03	—	·20	18
19	·39	—	—	—	—	·14	·23	—	~~·35~~	—	—	·22	19
20	·04	·06	·06	·02	—	—	·06	—	~~·40~~	·05	—	·24	20
21	·01	·09	—	·50	—	·16	·08	—	~~·36~~	·04	—	·09	21
22	·04	·01	—	·30	—	—	·06	—	·36	·05	—	·07	22
23	·11	—	—	—	·20	—	·02	—	·05	·09	—	·36	23
24	·07	—	—	—	·50	—	·08	—	·17	—	·04	—	24
25	—	·13	—	—	—	—	·20	—	·07	·03	·20	—	25
26	—	·01	—	—	—	·07	·05	·32	—	·05	·04	—	26
27	—	—	—	—	—	—	·03	·03	·08	·01	·14	·20	27
28	—	·01	·07	—	—	—	·02	·33	·20	·02	·22	·04	28
29	—	X	·30	—	—	—	—	·02	—	—	·25	·08	29
30	·01	X	trace	—	—	—	—	—	·98	—	·03	·02	30
31	—	X	·35	X	—	X	—	·02	X	—	X	·03	31
Total	~~2·29~~ 2·16	·16 ~~1·26~~ 1·42	·50 ~~4~~ 1·38	~~2·96~~ 2·46	~~1·60~~ 1·60	·86 ·86	3·04 3·04	1·07 1·07	·09 ~~4·55~~ 4·64	~~1·74~~ 1·65	·20 ~~2·27~~ 2·47	~~2·92~~ 2·72	YEAR'S TOTAL ~~25·60~~ 25·47
Rain Days.	18	18 19	11	18 19	7	10	18	10	22 24	22	14 15	26 25	198 196

W. 8,000, IX. 17.

corrected WD

5.4.20

FORM A. BRITISH RAINFALL

28 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Bitteswell School

in the County of Leicester

by Scholars

Lat. 52° 28′ N Long. 1°.15′ W

Time of Observation 9 AM

Nearest Railway Station Lutterworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 401. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·04	—	—	·22	—	·26	·08	—	—	·10	·28	1
2	·35	·10	·12	—	·21	—	·15	—	·02	·15	·02	·45	2
3	·16	·04	·04	—	·01		·44	—	·63	·08	·20	·04	3
4	·25	—	·04	—	·03	·04	·65	—	·16	—	·21	·21	4
5	—	·02	·40	—	—	·10	—	·20	·23	—	·03	·22	5
6	·30	·22	—	·01	—	—	·06	—	·37	—	—	·15	6
7	·02	—	·06	—	·58	—	—	/	—	—	·02	·12	7
8	·08	—	·24	·02	·09	[illegible]	—	/	·01	—	—	—	8
9	·23	—	·04	·16	—	—	—	/	—	—	—	—	9
10	—	—	·03	·17	—	—	—	/	—	—	·05	—	10
11	—	—	·50	·07	—	—	—	/	—	·01	—	·15	11
12	·05	—	[illegible]	·03	·01	—	·38	—	—	—	—	·02	12
13	—	—	·15	·20	—	·24	—	/	·02	·10	·50	—	13
14	·20	—	—	·18	—	·02	—	/	·04	·05	—	·05	14
15	·49	·02	—	·25	—	—	·02	/	—	·03	—	·03	15
16	·23	·05	·10	·17	—	—	—	/	—	·08	·03	·65	16
17	[illegible]	·74	—	·04	—	—	—	·10	—	—	·40	—	17
18	·09	·40	—	·01	—	·01	—	/	—	·01	·20	·03	18
19	—	—	·25	—	—	—	—	·30	·01	—	·04	·24	19
20	·08	·30	·96	—	—	·11	1·26	·18	·12	·01	·06	·02	20
21	·62	[illegible]	·55	—	—	—	·45	·16	·01	—	·20	·04	21
22	·06	/	·06	—	—	—	·32	/	·04	·01	·04	·20	22
23	—	/	·01	—	—	—	·04	/	·34	—	—	·15	23
24	—	/	—	—	—	·72	—	·01	—	·58	·03	·02	24
25	—	/	·03	·16	—	—	—	/	—	·65	·05	·05	25
26	·10	/	—	·06	·07	—	—	·40	—	—	—	—	26
27	·06	/	·22	·03	~~·37~~	—	—	·16	·18	—	·04	·45	27
28	·15	/	·03	·32	—	—	—	·06	—	—	·04	·05	28
29	·05	X	—	·07	—	—	—	·75	—	—	·62	·32	29
30	·04	X	—	·03	—	·08	—	·08	—	·33	—	·10	30
31	·04	X	·30	22 X	—	26 X	—	—	X	·04	28 X	·30	31 32.42
Total	·04 4·08 ~~4·04~~ ~~4·08~~	194 ~~1·96~~	4·46 ~~4·46~~	2·20 ~~1·95~~	·93 ~~1·15~~	·98 ~~·72~~	·08 3·85 ~~4·03~~	2·40 ~~2·48~~	2·21 ~~2·21~~	40 2·20 ~~2·1~~	2·26 ~~2·28~~	4·71 4·94	YEAR'S TOTAL 32·54
Rain days.	~~[illegible]~~ 23	~~11~~ 10	21 ✓	~~18~~ 19	~~8~~ 7	~~8~~ 9	11 ✓	~~12~~ 11	14	~~14~~ 15	20	25	184 185

1.93

W. …I. 18. W W C

cwd fr WD

8 JAN 1921

2173

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bitteswell School

in the County of Leicester

by Scholars

Lat. 52° 28' N Long. 1° 15 W

Time of Observation 9 a.m.

Nearest Railway Station Lutterworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 401 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·07

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·06	·02	·05	·04	·04	·10	—	—	·25	·15	·20	1
2	·02	–	·03	·06	·75	—	·25	—	·09	·30	·02	—	2
3	-	–	—	·06	·01	—	·08	·51 ✓	·13	·27	/	·12	3
4	-	·05	—	·03	·04	·04	·30	·00	·10	·08	/	·02	4
5	-	–	·01	—	—	—	·04	—	·02	·30	/	·06	5
6	-	·01	·10	·02	·32	—	·47	—	·04	·05	/	·03	6
7	-	—	·30	·03	·07	—	·25	–	—	—	/	·04	7
8	·25	—	—	·04	—	—	·06	—	—	—	/	—	8
9	·50	·10	—	·06	·10	—	·18	—	—	—	/	—	9
10	·55	·02	·04	·83	—	—	·04	·05	·01	—	/	—	10
11	·05	·10	·17		—	·02	·20	·06	—	—	·10	—	11
12	·04	—	·07	·27	·31	·02	·05	·05	—	/	/	~~·01~~ ·01 ✓	12
13	·05	—	·02	·17	—	·75	·05		—	—	·05	·20	13
14	·03	·02	·25	·14	—	—	—	—	·04	—	·01	—	14
15	[illegible]	·02	·60	·42	—	·68	·02	—	·17	·04	·30	—	15
16	[illegible]	·09	·24	·18	—	—	·01	—	·23	·04	·12	—	16
17	[illegible]	·01	·02	·10	·17	·80	·02	—	·20	·15	·01	—	17
18	·03	—	—	—	·16	—	·01	·05	·65	·09	/	—	18
19	·01	—	—	·14	·06	—	·05	·05	·50	—	/	·05	19
20	·20	·15	—	·36	—	·04	·02	·05	—	—	/	·02	20
21	·09	·12	—	·34	—	·33	—	—	—	—	/	·03	21
22	·04	—	—	~~·12~~	—	—	·20	—	·01	—	/	·02	22
23	-	·02	–	·12	—	[illegible]	·04	·05	·01	—	/		23
24	-	·01	—	—	—	—	·22	·06	—	—	/	·35	24
25	-		·25	—	—	—	—	—	—	—	/	·10	25
26	·01	·04	·08	·02	·06	—	·58	—	—	·01	/	—	26
27	·26	·01	—	·03	—	—	·03	—	—	—	/	·04	27
28	·12	—	—	·13	·03	·55	·01	—	—	·01	·70	·28	28
29	·51	—	·03	—	·06	—	·05	—	—	—	·05	·04	29
30	·07	✕	·30	—	·66	·05	·19	—	—	—	·04	·45	30
31	·01	✕	—	✕	·07	✕	—	—	✕	—	✕	·10	31
Total	·06 ~~2·99~~ 2·95	·02 ·83 ·79	·05 2·52 2·55	·04 3·60 3·59	·04 ~~2·41~~ 2·41	·10 ~~3·32~~ 3·38	3·52 3·42	·93 ·93	·25 2·20 2·45	15 1·59 1·49	·20 1·55 1·60	·07 2·16 2·03	Year's Total 27·52 27·54
Days with ·01 in. or more	29	16	17	22	16	11	26	9	15	12	11	19	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

15 7 12 14 9 19 11 3 145

LEICESTER.

BLABY
WHETSTONE RD
1911 – 1919
(2 GAUGES)

FORM A1.
BRITISH RAINFALL.
1 - FEB 1912

REG 11

mmonds.

Kept at Blaby 5 in.

ve Ground — ft. 6 in.

in the County of Leic

Sea Level 239 ft.

a.m.

by G. J. Shou

Name Whetstone G. C.

Distance 1/2 Direction W.

IMPORTANT NOTE.—I the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06								·03		1
2	·05				·20		·05	·10			·04	·04	2
3					·19			·16	·04	·04		·01	3
4	·02	·01	·09	·10				·01	·04	·10	·12	·28	4
5	·02			·01				·08		·02	·01		5
6	·25		·03					·01		·03	·04	·40	6
7	·03	·01								·03	·17	·14	7
8	·09		·15							·01	·06	·09	8
9	·04										·14	·03	9
10	·04	·10	·23					·07		·01		·40	10
11	·15							·26			·34	·01	11
12	·03		·43						·11		·18		12
13			·04			·02			·13			·43	13
14	·01	·06	·03							·05		·40	14
15		·11	·13		·02				·02	·02	·06	·03	15
16			·02			·03					·19	·10	16
17						·01				·01	·09	·16	17
18		·25				·28					·22	·18	18
19						·26	·04	·02		·13	·12	·05	19
20		·06		·03		·02		·49	·10	·02		·34	20
21		·29	·02			~~·2X~~		·21	·12	·23	·02	·06	21
22				·02		·02		·02		·24	·01	·32	22
23		·07	·30			·20			·28	·01		·14	23
24		·09	·05	·02		·44		·04		·58		·22	24
25		·07	·02	·08	·60	·05		·07		·03	·02	·02	25
26		·03		·25	·22	·09		·06		·27	·16	·18	26
27		·20	·11	·08				·27	·18	·01	·01		27
28		·16		·17		·09					·08		28
29						·14	·05			·16	·01	·01	29
30			·03	·05	·01	·03				·10		·02	30
31					·03					·05			31
Total	·73	1·51	1·74	·81	1·27	1·68	·14	1·87	1·02	2·15	2·12	4·06	TOTAL for year 19·10
No. of Rain Days	11	14	16	10	7	14	3	15	9	22	22	25	168

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A1.
BRITISH RAINFALL.
1 - FEB 1912

REGI[redacted]11

[redacted]mmonds.

Kept at Blaby

in the County of Leicestershire 4

by G. J. Shoults.

Rain Gauge: Diameter of top 5 in.
Height of top above Ground — ft. 6 in.
" " " Sea Level 239 ft.

Time of Observation 9. a. m.

Nearest Railway Station: Name Whetstone G. C.
Distance 1/2 Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06								·03		1
2	·05				·20		·05	·10			·04	·04	2
3					·19			·16	·04	·04		·01	3
4	·02	·01	·09	·10				·01	·04	·10	·12	·28	4
5	·02			·01				·08		·02	·01		5
6	·25		·03					·01		·03	·04	·40	6
7	·03	·01								·03	·17	·14	7
8	·09		·15							·01	·06	·09	8
9	·04										·14	·03	9
10	·04	·10	·23					·07		·01		·40	10
11	·15							·26			·34	·01	11
12	·03		·43						·11		·18		12
13			·04			·02			·13			·43	13
14	·01	·06	·03							·05		·40	14
15		·11	·13		·02				·02	·02	·06	·03	15
16			·02			·03					·19	·10	16
17						·01				·01	·09	·16	17
18		·25				·28					·22	·18	18
19						·26	·04	·02		·13	·12	·05	19
20		·06		·03		·02		·49	·10	·02		·34	20
21		·29	·02			·2X		·21	·12	·23	·02	·06	21
22				·02		·02		·02		·24	·01	·32	22
23		·07	·30			·20			·28	·01		·14	23
24		·09	·05	·02		·44		·04		·58		·22	24
25		·07	·02	·08	·60	·05		·07		·03	·02	·02	25
26		·03		·25	·22	·09		·06		·27	·16	·18	26
27		·20	·11	·08				·27	·18	·01	·01		27
28		·16		·17		·09					·08		28
29						·14	·05			·16	·01	·01	29
30			·03	·05	·01	·03				·10		·02	30
31					·03					·05			31
Total	·73	1·51	1·74	·81	1·27	1·68	·14	1·87	1·02	2·15	2·12	4·06	TOTAL for year 19·10
No. of Rain Days	11	14	16	10	7	14	3	15	9	22	22	25	168

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A2.
BRITISH RAINFALL.

14 FEB 1913

REGISTER OF RAINFALL IN 1912.

Kept at Blaby

in the County of Leicester 4

by James Oldacres

RAIN GAUGE
Pattern
Diameter of top 5 inches
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 in morning

Nearest Railway Station
Name Whetstone & Blaby
Distance each half a mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			9	8		12			10				1
2						23	50					inclusive (4–2nd)	2
3			Slight showers not measured			10		40	5			35	3
4	10		55		12	61		32			33	52	4
5	12		47		3	16		10	7		12		5
6	50	24						40					6
7						24		8					7
8	25	25	25			3	15	7	7			10	8
9			6	9		18						29	9
10	~~20~~					5		28			22		10
11	15					11					8	41	11
12	4	36			17						10		12
13						6					11		13
14	13		26			13		8					14
15	15	7	18		22	13						15	15
16	40		10			2		10		12			16
17	33		10			20		25			10	43	17
18			10				8	10			3	6	18
19	53						21	20	3		4	10	19
20	11						25	27		25	1		20
21			80		65		4	48		25		~~45~~	21
22	18				85		127	39				~~33~~	22
23	46	19	20			4	23	50			14		23
24	20		2			6 (·10)	5	11				45	24
25						46					21	33	25
26		3	3				38	145		50	32	18	26
27						24	15			57		19	27
28								36		30	31	46	28
29						2	40	6	55	18		2	29
30			2		22	2		~~4~~	3	13			30
31			5		13		63	15				8	31
Total	3.35	1.14	3.28	·17	2.39	3.31	4.34	6.17	0.90	2.30	2.12	4.12	TOTAL for year 33.59
No. of Rain Days.	15	6	16	2	6	22	13	21	7	8	14	16	148

W. 8,000, X. '11.

Ex M.S.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
16 JAN 1913

Kept at Blaby

in the County of Leicestershire. 4

by G. F. Shoults

Lat. Long.
Nearest Railway Station Blaby
Time of Observation 9 a. m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " Sea Level 239 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01			·11	·03		·07			·20	1
2		·05	·02	·07	·02	·26	·49		·07			·04	2
3	·08			·01		·18	·03	·52	·03			·05	3
4	·12		·54		·12	·59		·24			·35		4
5	·07	·03	·47		·03	·17		·25	·07		·04		5
6	·48	·13				·04	·01	·32				·08	6
7		·04				·19		·07				·01	7
8	·28	·23	·24	·02	·01	·02	·06	·02	·06			·04	8
9				·09		·20		·01				·26	9
10		·02	·04			·06		·27	·01		·18		10
11	·13	·03				·10		·03			·04	·41	11
12	·04	·24	·10		·18		·02				·07		12
13		·03				·05					·08		13
14	·12		·30		·06	·14		·07		·02			14
15	·13	·04	·15		·20	·21		·02			·02	·12	15
16	·46		·10		·15	·02		·10		·10			16
17	·39		·08			·21		·25			·08	·40	17
18	·29		·09				·07	·11			·02	·03	18
19	·33	·05			·02		·19	·20		·03	·03		19
20	·10		·46		·02		·24	·29		·22			20
21	·01	·02	·37		·53		·04	·47		·22			21
22	·16				·82	·01	1·18	·41			·01	·08	22
23	·16	·12	·21			·02	·22	·58			·08	·53	23
24	·22	·04	·01			·20	·03	·11		·02		·24	24
25						·41		·18			·20	·27	25
26	·01	·03	·04				·46	1·18		·49	·26	·27	26
27	·01				·01	·25	·11	·01		·56		·15	27
28		·05				·08	·14	·42		·32	·30	·41	28
29		·05					·18		·62	·18	·02		29
30			·02		·23	·04	·01			·12			30
31			·06		·14		·61	·14				·09	31
Total	3·59	1·20	3·31	·19	2·54	3·56	4·12	6·27	·87	2·28	1·78	3·68	TOTAL for year 33·39
No. of Rain Days.	20	17	19	4	15	23	19	25	7	11	16	19	195

1,000, I. '12. 33·39 Total.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

on 195 days.

Price 2d.

√

Ex. D.L.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL
30 JAN 1914

Kept at Blaby. (Gauge No 1.)

in the County of Leicestershire 4

by G. F. Shoults.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Whetstone G. C.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. **Full** instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·08	·01					·77		·07		1
2	·01	·11	·01	·10						·04	·03		2
3	·02		·18		·41				·03	·15	·01	·03	3
4	·57				·27	·05	·03			·03	·06	·23	4
5	·12	·01				·44	·10		·05	1·22	·03	·03	5
6		·16	·06		·24	·06	·73			·07		·04	6
7		·13			·22	·09	·09			·40	·07	·01	7
8		·01			·17	·24				·48	·10		8
9		·30	·08	·01		·27		·03	·05		·10	·02	9
10	·03			·10	·04			·02			·23		10
11	1·16 S.			·39	·08	·03		·21		·04	·25		11
12				~~·73~~	·13	·02					·58		12
13	·06	·02	·05	·04				·02	·05		·21		13
14	·10		·59	·02				·14		·10	·09		14
15	·07	·05	·33	·34			·01		·10		·02		15
16	·04	·02	·62	·07					·09				16
17	·06	·03	·06	·08		·09	·03		·03		·04		17
18	·02		·11	·09			·06				·01		18
19	·07		·05				·05		·13				19
20	·08		·06	·03					·07	·22	·14		20
21	·04		·18	·04	·08		·09				·33		21
22	·46		·42	·06				·08	·30		·02		22
23			·04			·05		·11	·06				23
24	·07			·06							~~·07~~		24
25		·04		·07					·02	·02	·01		25
26		·07	·14	·22	·10			·10		·30	·02	·28	26
27		·01	·02	·01	·02								27
28	·52		·27	·23						·15		·04	28
29	·01		·19	·54 Th.	·02			·23		·08		·17	29
30	·37									·08	·07		30
31			·02		·14			·03		·02			31
Total	3·90	0·96	3·56	2·51	1·92	0·94	1·19	·97	1·75	3·40	2·49	·85	YEAR'S TOTAL 24·44
Rain Days.	21	13	21	20	13	10	9	10	13	16	22	9	177

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

cord 1.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
30 JAN 1914

Kept at Blaby. (Gauge No 2.)
in the County of Leicestershire 4
by A. J. Shoults.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Whetstone G. C.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·08	·01					·77		·07		1
2		·11	·01	·10						·04	·03		2
3	·02		·18		·41				·02	·16	·01	·02	3
4	·55				·27	·05	·03			·02	·05	·20	4
5	·11					·04	·10		·04	1·20	·03	·01	5
6		·16	·05		·24	·07	·73			·12		·04	6
7		·12			·21	·05	·09			·40	·05	·01	7
8		·01			·15	·24				·51	·10		8
9		·29	·06	·01		·25		·02	·05		·10	·02	9
10	·03			·10	·04			·02			·23		10
11	1·16			·35	·07	·02		·19		·03	·24		11
12					·11	·02					·58		12
13	·06	·01	·05	·04				·02	·04		·21		13
14	·09		·59	·02				·13		·10	·09		14
15	·07	·05	·33	·34			·01		·10		·02		15
16	·04	·02	·50½.	·07					·09				16
17	·05	·01	·05	·07		·09	·02		·03		·03		17
18	·02		·10	·08			·06				·01		18
19	·07		·03				·07		·13				19
20	·08		·05	·02					·07	·21	·13		20
21	·05		·18	·04	·07		·10				·34		21
22	·43		·39	·05				·08	·30		·01		22
23			·04			·05		·10	·06				23
24	·07			·05									24
25		·03	[illegible]	·06					·01	·02	·01		25
26		·07	·14	·20	·10			·10		·28	·02	·27	26
27		·01	·01	·01	·02								27
28	·46		·26	·22						·15		·04	28
29	·01		·18	·51½.	·02			·23		·06		·17	29
30	·33									·07	·07		30
31			·02		·13			·03		·02			31
Total	3·72	·89	3·30	2·35 2·35	1·84	·88	1·21	·92	1·71	3·39	2·43	·78	YEAR'S TOTAL 23·42 23·42
Rain Days.	20	12	21	20	13	10	9	10	13	16	22	9	175

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
-4 FEB 1915

Kept at Blaby
in the County of Leicester 4
by Alan F. Shoulls

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Whetstone G.C.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·06			·31	·25			·04		1
2				·12				·12			·40	·27	2
3					·15		·19	·08			·02		3
4	·20		·02	·19	·03			·15			·35	·25	4
5	·05		·15	·25	·06	·14	24	·02			·03		5
6		·08		·02	·03			·03				·05	6
7		·11	·47	·18	·08	·03	·01	·05				·02	7
8	·13		·02	·06		·65	·16	·20					8
9	·44	·01	·16	·33		1·02		·08	·05				9
10	·14	·18		·17	·16				·13				10
11		·07	·25	·26	·09	·07					·42	·38	11
12	·03	·02	·10			·02			·32		·02	·25	12
13	·02	·15	·18						·03	·09	·14	·34	13
14	·04	·02	·11				·18			·16	·16	·28	14
15	·05		·18					·01	·02		·07	·06	15
16	·02		·04				·15						16
17		·19	·08				·03		·22			·19	17
18							·14					·51	18
19		·02				·11	·03				·04	·03	19
20		·15	Snow ·19						·07	·01		·05	20
21		·28	·06			·09	·66			·09	·04	Snow ·38	21
22	·01	·02			·28		·06	·08		·18			22
23		·09	·11		·15	·03				·04		·03	23
24			·12		·34		·20			·30	·15		24
25	·04						·03	·14		·35	·03	·19	25
26			·04					·12		·13	·13	·28	26
27	·06						·02					·09	27
28		·04	·09		·02					·10	·16	Snow ·81	28
29	·01		·03		·05					·39	·10		29
30			·01			·02				·02	·52	·15	30
31	·04						·31			·01		·02	31
Total	1·28	1·43	2·42	1·64	1·44	2·18	2·72	1·33	·84	1·87	2·82	4·63	YEAR'S TOTAL 24·60
Rain Days.	15	15	21	10	12	10	16	13	7	13	18	21	141.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, XI. '12

Price 2d.

Sec. W.9.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL

-4 FEB 1915

Kept at Blaby.
in the County of Leicester. 4
by George F. Shoults.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Whetstone
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·06			·30	·25			·04		1
2				·12				·12			·40	·29	2
3			·01	·01	·15		·20	·08			·04		3
4	·20		·03	·19	04			·15			·38	·28	4
5	·10		·15	·23	·07	·14	·25	·02			·03		5
6		·08		·03	·04			·03			·11	·05	6
7		·12	·49	·16	·08	·03		·05			·01	·03	7
8	·14		·02	·07		·75	·16	·20				·01	8
9	·44	·02	·16	·33		1·03		·08	·03				9
10	·14	·19	·02	·17	·17				·10			·01	10
11		·08	·26	·27	·09	·09			·06		·35	·45	11
12	·02	·02	·10			·02			·27		·03	·28	12
13	·02	·15	·18						·05	·15	·13	·34	13
14	·04	·03	·11				·20			·19	·16	·28	14
15	·05		·18					·01	·02	·01	·11	·03	15
16	·02		·06				·16				·01		16
17	·02	·19	·07				·03		·22			·19	17
18							·15					·47	18
19		·02	·01			·12					·04	·03	19
20		·15	·23				·07		·07			·05	20
21		·33	·07			·09	·60			·11	·01	·38	21
22	·02	·02			·28		·07	·08		·21			22
23		·09	·11		·16	·04				·05		·04	23
24			·11		·35	·01	·21			·30	·14		24
25	·04						·05	·15		·35	·03	·19	25
26			·04					·12		·13	·15	·28	26
27	·06						·02					·13	27
28		·05	·04		·02					·10	·17	·81	28
29	·02		·09		·05					·39	·12		29
30		✕	·01			·04				·02	·52	·14	30
31	·04	✕		✕		✕	·31		✕	·01	✕	·03	31
Total	1·37	1·54	2·57	1·64	1·50	2·36	2·78	1·34	·82	2·02	2·98	4·79	YEAR'S TOTAL 25·71
Rain Days.	16	15	24	11	12	11	15	13	8	13	21	23	182

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Watorlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2608

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Blaby

in the County of Leicestershire

by George F. Shoults

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Whetstone G.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·13	·07 s.		·25			·14	·57	·03	·04	·04	1
2	·07	·12	·21	·15		·18		·24	·07	·16		·05	2
3	·34		·04	·03			1·46	·32				·17	3
4	·08				·04		·12	·04				·80	4
5	·03	·33			·39		·21	·03			·03	·35	5
6	·10	·18		·33			·74	·06		·02		·05	6
7	·08	·35				·03	·19	·26				·47	7
8	·04	·07		·02				·02			·03		8
9	·01	·09		·01							·18	·39	9
10	·30		·06					·08		·02	·10	·04	10
11	·02		·01		·15		·08	·13			·55	·12 s.	11
12	·03			·21	·30			·26		·05	·94		12
13	·01	·49			·74		·02	·43			·01		13
14		·02						·03	·08			·26	14
15	·24				·06		·08	·48			·14	·08	15
16	·02	·44			·04		1·49	·02				·01	16
17		·15			·03		·35						17
18		·28	(s) ·36?								·02	·02	18
19		·04	·02		·02		·16						19
20	·25			·03								·26	20
21	·13 s.	·07					·16					·10	21
22	·09		·15	·03			·28					·10	22
23	·04	·07 s.	·01			·04	·26		·06	·15		·20	23
24			·04	·06			·69		1·05	·14		·11	24
25	·02					·38	·11		·01	·03		·25	25
26		·17					·03		·02			·33	26
27		·02	·03 s.				·22		~~·38~~	·38		·02	27
28		·09	·03 s.			1·44	~~·06~~		·03	·03			28
29							·08	·15	·01		·20	·14	29
30	·08	✕		·02		·52		·03		·09	·04	·09	30
31	·03	✕		✕		✕	·01	·03	✕	·16	✕	·09	31
Total	2·16	3·11	1·03	·89	2·02	2·59	6·74	2·65	1·90	1·26	2·28	4·54	YEAR'S TOTAL 31·17
Rain Days.	22	18	12	10	10	6	20	18	~~12~~ 9	12	12	25	~~175~~ 174

W. 8,000. X. 15.

2609

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915.

Kept at Blaby.

in the County of Leicester.

by Alan F. Shoults.

Lat. 52° 34½ N. Long. 1° 9½' W.

Time of Observation 9 a.m.

Nearest Railway Station Whetstone G.C.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·71.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·13	·07		·26			·14	·56	·03	·04	·04	1
2	·07	·11	·25	·16		·17		·24	·07	·15		·05	2
3	·31		·04	·05			T.1·54	·32				·17	3
4	·08				·04		·11	·04				·80	4
5	·02	·30			·39		·24	·03			·03	·35	5
6	·09	·18		·34			·74	·06		·01	~~·0~~	·05	6
7	·07	·33				·03	·16	·26				·47	7
8	·04	·07		·02				·02			·03	·40	8
9		·09		·01							·18	·04	9
10	·30		·05					·07			·10		10
11	·02		·01.		·15		·07	·03			·56	·11.	11
12	·03			·21	·25			·25		·05	·91.		12
13	·01	S·48			·64		·02	·46			·02		13
14	·01	·01						·03	·08			·25	14
15	·23				·06		·08	·48			·13	·08	15
16	·01.	·42			·04		1·50	·02				·01	16
17		·14			·02		·27						17
18	·02	·28	S·36								·02	·03	18
19		·04	·02		·02		·14						19
20	·24			·03								·24	20
21	S·10	·07					·15					·09	21
22	·07		·15	·03			·24					·10	22
23	·04	S·05	·01			·03	·32~~4~~		·07	·15		·21	23
24	·01		·04	·05			·69		1·03	·14		·11	24
25	·02					·34	·11			·03		·23	25
26		·16					·03		·02			·33	26
27		·02	·03				·22		·03	·37		·02	27
28		·07	S·03.			T.1·70				·03			28
29							·08	·15			·20	·14	29
30	·08	X		·02		·50		·02		·10	·04	·09	30
31	·03	X		X		X		·03	X	·16	X	·09	31
Total	2·03	2·95.	1·06	·92	1·87	2·77	6·68	2·65	1·86	1·22	2·26	4·50	YEAR'S TOTAL 30·77
Rain Days.	24	18.	12.	10.	10	6.	19	18.	7	11.	12	25	172.

W. 8,000. X. 15.

√ 2542

FORM A. BRITISH RAINFALL.

17 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Blaby.
in the County of Leicestershire
by G. F. Shoults.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Whetstone G.C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·22		·05	·07	·08			·51	·25		1
2	·24	·02	·08		·26		·21		·05		·11		2
3		·57					·05		·79	·20	·05		3
4	·22	·04			·28	·27				·02	·20		4
5	·06			·02	·04	·11	·03			·10	·08		5
6	·15	·13	·15		·12		·33		·01	·02	·34		6
7	·05		·10		·05	·02	·22			·10	·37	·16	7
8	·02		·04			·14			·01		·04	·14	8
9			·04		·24	·05				·08		·03	9
10		·12	·06	·06	·01	·02	·01		·03			·04	10
11	·02	·27	·08	·17	·07	·25			·03			·05	11
12	·04	·04	·04	·03	·43	·11	·11		·02		·01		12
13	·04	·22	·07	·05	·06	·02		·14		·05			13
14		·46		·16	·01			·45		·07		·01	14
15		·15	·59				·11	·25		·03			15
16		·07	·55	·18	·04		·25	·14		·03			16
17	·06	·03		·16			·06	·10	·12	·17			17
18	·07	·17	·05	·02				·10	·14	·01	·70		18
19	·11	·08	·30	·05					·17		·36	·09	19
20	·04		·31	·07				·01			·08	·07	20
21	·03		·14		·02		·02				·02	·46	21
22		·02	·02	·02	·06	·02				·04		·45	22
23	·05	·70		·03						·06	·06	·19	23
24		·42	·02			·04		·09		·04		·18	24
25		·06	·14		·02			·22		·07	·31		25
26	·03	·09	·01			·03		·35		·08	·03		26
27	·03	·16	·72			·03	·16	·31	·02	·12			27
28		·21	·21?			·08		·01		·03	·01	·20	28
29		·10			·25	·23		1·10		·21		·08	29
30		X				·10		·04		·12		·0	30
31		X		X		X		·03	X	·03	X	·03	31
Total	1·30	4·13	3·94	1·02	2·01	1·59	1·64	3·34	1·39	2·19	3·02	2·18	YEAR'S TOTAL 27·75
Rain Days.	18	22	22	13	17	17	13	15	11	23	17	15	203

W. 8,000, VIII. 16

BRITISH RAINFALL FORM B. C.

REGISTER OF RAINFALL IN 1917

Kept at Blaby.

in the County of Leicestershire

by G. F. Shoults.

Lat. 52° 34' Long. 1° 9'

Nearest Railway Station Whetstone

Time of Observation 9 a. m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " Sea Level 239 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·08				1.00	·14		·02	·05	1
2	·05					·09		·11	·02	·02	·02		2
3				·38				·31		·29	·06		3
4	·02	·17	·07	·02				·18		·29			4
5	·14		·03	·21					·05	·15	·11		5
6	·02					·11					·05	·02	6
7	·41									·23	·02	·03	7
8	·55			·11			·25	·16		·32	·10	·14	8
9	·04			·08				·14	·02		·11		9
10	·27		·38	·07	·27			·04			·07		10
11	·10		·08	·25				·16	·07	·16	·02		11
12	·10	·03	·02		·12			·02		~~·22~~	·02	·02	12
13	·02							·16	·11	·22	·01		13
14			·07	·28						·01	·01	·05	14
15	·03			·03	·03		·10			·04		·13	15
16		·14		·14		·06				·01		·12	16
17	·04	·01		·12	·35	·90	·28	·02	·06	·07		·02	17
18	·02	·03		·05	·45	·01	·30	·03	·84	·01			18
19	·03	·16	·12	·01	·56	·01			·05				19
20	·01	·16	·02		·49	·28	·01	·02	·02		·08		20
21		·02	·06		·24	·17				·02			21
22			·04					·05	·08	·07			22
23		·05			·10			·26		·02		·02	23
24		·02				·92				·35	·08		24
25		·04	·04				·31				·03		25
26								·29	·20		·10		26
27						·27	·01	·69				·02	27
28		·14				·34		·12		·03		·07	28
29							·02			·45		·23	29
30	·02						·46	·24					30
31			·08				·04	·09				·04	31
Total	1.87	0.97	1.01	1.83	2.61	3.16	1.78	4.09	1.66	2.76	0.91	0.96	TOTAL for year
No. of Rain Days.	17	12	12	14	9	11	10	20	12	19	17	14	167

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

23·61 in.

Price 2d.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

24 8

Kept at Blaby.
in the County of Leicestershire
by G. F. Shoults.

Lat. 52° 35' N. Long. 1° 10' W.
Time of Observation 9. a. m
Nearest Railway Station Whetstone G. C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·17					·02	·01		·01	1
2		·10		·03				·47		·02		·16	2
3		·03	·05		·47			·07	·25	·02			3
4		·03	·03				·04	·04	·62	·01	·55	·06	4
5		·01		·04	·06			·16	·07	·03			5
6	·03	·05	·01	·18		·07				·07		·01	6
7	·04	·09		·12		·07			·04	·06	·09		7
8		·09	·12	·04					·07	·05	·05	·08	8
9	·02	·23		·10		·13	·42		·32	·26		·04	9
10	·10	·01		·07			·44		·03	·24		·05	10
11	·08	·01		·02	·12		·17		·21	·11		·08	11
12	·08	·11	·05		·26		·11		·10			·08	12
13				·01	·12		·03		·17	·03			13
14	·30			·02		·06	·19		·25	·07		·05	14
15	·39			·32					·03			·19	15
16	·03			·20		·14			·03			·02	16
17	·34					·01	·42		·15	·05		·13	17
18	·32					·01	·32		·33			·32	18
19	·05	·03	·06	·15			·07					·24	19
20		·07		·45		·15			·05	·07		·02	20
21	·05			·20			·06		·30			·08	21
22	·10				·21		·05		·06			·28	22
23	·10				·60	·02	·07		·03				23
24		·10							·10		·14	·03	24
25						·03	·02	·21		·30			25
26									·05		·06	·09	26
27		·03						·27	·26		·10	·07	27
28		·18	·25					·02			·16	·21	28
29						·08			·77			·04	29
30		✕	·23						·09		·14	·10	30
31		✕	·37	✕		✕			✕	·48	✕		31
Total	2·03	1·21	1.17	2·12	1·84	·77	2·41	1·24	4·40	1·88?	1·29?	2·44	YEAR'S TOTAL 22·80
Rain Days	15	17	9	16	7	11	14	7	25	17	8	24	170

? not certain as to accuracy of dates on which rain fell between Oct. 21st & Nov. 3rd The quantity recorded is, I believe, about right. G. F. S.

W, 6,500, VII. 18. W W C

W 41 X cnt'y 2nd 9. 2276

REGISTER OF RAINFALL IN 1919

BRITISH RAINFALL FORM A.

13 FEB 20

Kept at Blaby (Gauge No 1.)
in the County of Leicestershire
by G. F. Shoults.

Lat. 52° 35' N. Long. 1°19' 8 W.
Time of Observation 9 a.m
Nearest Railway Station Whetstone, G. C. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·36	·07S	·04		·18		·10			·09	·09	·40	1
2	·16	·03S	·03				·30	·02	·94	·06	·15	·03	2
3	(·59)		·02		·01	·04	·15		·10		·20	·02	3
4	·05		·30			·07	·01	·17	·06			·16	4
5	·08	·15S					·03		·33			·15	5
6	·02		·08		·44						·02	·12	6
7	·03		·23	·02									7
8	·20		·04	·23		·03				·01	·02		8
9			·01	·08							·02		9
10			·32	·04						·03	·03	·11	10
11	·04		·34	·02	·04		·43					·01	11
12			·17	·06		·28			·02	·08	·38S		12
13	·15		·01	·37			·01		·07	·09		·04	13
14	·27	·03		·16					·19	·02		·01	14
15	·22		·08	·08						·01	·02S	·57	15
16	·07	·78		·07				·06			·23S		16
17	·05	·28		·01		·02					·24	·02	17
18			·21					·23	·04		·01	·21	18
19	·04	·24	·85			·31	1·60	·33	·11		·09	·02	19
20	·32	·03	·23			·01	·50	·15	·01		·16	·14	20
21	·04	·42	·02				·24		·01		·04	·19	21
22		·16							·39			·68	22
23			·01			·04		·06		·63	·02	·08	23
24				·10	·04		·03			·32	·03	·07	24
25	·16			·31	·05			·37			·03	·03	25
26	·01	·03	·27	·05		·01		·03	·07		·01	·40	26
27	·23S		·04	·28S		·01		·16		·01	·03	·03	27
28	·03S			·08			·01	·65		·02	·08	·26	28
29	·05S			·02		·02		·09		·27	·07S	·05	29
30	·01S	X	·10	·21		·31		·02		·05	·11	·23	30
31	·04S	X		X		X	·07		X	·07	X	·02	31
Total	3.22	2.22	3.39	2.20	·76	·95	3·48	2·34	2·34	1·76	2.08	4.05	YEAR'S TOTAL 28·79
Rain Days.	24	11	20	19	6	12	13	13	13	15	23	26	195

W. 6,500, VII. 18. w w o

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Blaby (Gauge No 2)
in the County of Leicestershire
by Alan J. Shoults.

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Whetstone G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	·07 S	·05		·18		·10			·10	·08	·44	1
2	·17	·03 S	·03				·31		·95	·06	·15	·04	2
3	·61		·01			·05	·18		·11		·18	·03	3
4	·05	·01 S	·30		·01	·07	·03	·17	·05			·15	4
5	·08	·14 S					·02		·33			·14	5
6	·02		·08		·45						·02	·10	6
7	·03		·22	·02									7
8	·20		·03	·27		·04					·02		8
9			·01	·08					·01		·02		9
10			(·32)	·05						·03	·04	·10	10
11	·04		·35	·02	·03		·46					·01	11
12			·18	·05		·27			·02	·09	·40 S		12
13	·16			·34			·01		·09	·08		·03	13
14	·28	·03		·17					·21	·02		·01	14
15	·20	·01	·08	·06						·02	·02 S	·56	15
16	·08	·77		·07				·06			Sleet ·23	·01	16
17	·05	·27 S	·01	·01		·02	·01				·24	·02	17
18			Sleet ·19					·24	·03		·01	·19	18
19	·04	·24	·78			·12	1·60	·34	·11		·08	·02	19
20	·30	·04	·17				·50	·14	·01		·16	·10	20
21	·06	·42	·02 S				·26		·01		·04	·18	21
22		·16	·01 S						·40			·67	22
23				·01		·04		·05		·63	·02	·11	23
24		·01		·10	·04		·05			·28	·03	·05	24
25	·15			·31	·07			·35			·04	·02	25
26	·02	·03	·21 S	·05		·01		·01	·07			·38	26
27	·28 S	·01	·01 S	·26 S				·16			·04	·03	27
28	·06 S			·09				·62		·02	·08 S	·25	28
29	·05 S			·01		·01		·08		·26	·05 S	·06	29
30	·01 S	×	·06 S	·23		·32		·03		·04	·11	·21	30
31	·04 S	×		×		×	·08		×	·07	×	·03	31
Total	3·33	2·24	3·12	2·20	·78	·95	3·61 ~~3·51~~	2·25	2·40	1·70	2·06	3·94	YEAR'S TOTAL 28·58 ~~28·48~~
Rain Days.	24	15	21	19	6	10	13	12	14	13	22	27	196

W, 6,500, VII. 18. W W C

The two gauges are about 400 ft apart.

BURTON - ON - THE - WOLDS

BURTON HALL

LEICESTERSHIRE

1911 – 1920

3 - JAN

FORM A2. BRITISH RAINFALL

…911

Kept at Burton H…

in the County of Lei…

by Lad Ernest …

…p ……… in.

…bove Ground ……… ft. ……… in.

„ Sea Level 270 ft.

8.30 a m

…n Name Loughborough

Distance 3½ Direction West.

IMPORTANT N… and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and pl… British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·06	—	—	—	·06	·08	—	—	·03	—	1
2	·10	—	—	—	·16	—	—	·09	—	—	—	·05	2
3	—	·01	—	—	·12	—	—	·18	—	·04	—	·02	3
4	·04	—	·10	·12	—	—	—	·02	·03	·48	·12	·20	4
5	—	—	—	·03	—	—	—	·02	—	·03	—	—	5
6	·25	—	·02	—	—	—	—	—	—	·11	—	·35	6
7	—	—	·02	—	—	—	—	—	—	·07	·15	·09	7
8	·12	—	·16	—	—	—	—	—	·08	—	—	·18	8
9	·05	—	—	—	—	—	—	—	—		·10	·05	9
10	·06	·09	·11	—	—	—	—	·07	—	—	·05	·40	10
11	·16	—	—	—	—	—	—	·17	—	—	·24	—	11
12	—	—	·32	—	—	—	—	—	·22	—	·12	—	12
13	—	—	·02	—	—	—	—	—	·11	—	·04	·55	13
14	—	·02	·04	—	·04	—	—	—	—	—	·06	·40	14
15	—	·06	·12	—	—	—	—	—	—	·02	·11	·03	15
16	—	—	·02	—	—	·03	—	—	—	·04	—	·05	16
17	—	—	—	—	—	·06	—	—	—	—	·06	·16	17
18	—	·20	—	—	—	·07	—	—	—	—	·12	·10	18
19	—	·01	—	—	—	·20	·02	—	·04	·11	·44	·05	19
20	—	·03	—	·02	—	—	—	·92	·07	·03	—	·32	20
21	—	·48	·10	—	—	—	—	·36	—	·17	·01	·09	21
22	—	—	·02	—	—	—	—	·03	—	·42	·05	·31	22
23	—	·06	·17	—	—	·35	—	—	·27	—	—	·11	23
24	—	·07	·07	·08	—	·64	—	·02	—	·36	—	—	24
25	—	·10	·02	·12	·23	·04	—	—	—	·18	·05	·01	25
26	—	—	—	·17	·46	·02	—	—	—	—	·32	·06	26
27	—	·11	·12	·03	—	—	—	·93	·31	·06	·05	·20	27
28	—	·24	—	·16	—	·18	—	—	·02	—	·06	·08	28
29	—		—	—	—	·16	—	—	·12	·16	—	·04	29
30	—		·01	—	·02	·04	—	—	—	·12	—	—	30
31	—		·02	—	—		—	—		·05		—	31
Total	·79	1·48	1·52	·73	1·03	1·82	·08	2·89	1·27	2·45	2·18	3·96	TOTAL for year 21 20·20
No. of Rain Days	8	13	19	8	6	11	2	12	16 10	17	19	24	149

9,000, IX. '10.

FORM A2. BRITISH RAINFALL

3 - JAN

REGISTER OF RAINFALL IN 1911

✓

Kept at Barton Hall. Loughborough

in the County of Leicester 4

by Lord Ernest St Maur.

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level 270 ft.

Time of Observation 8.30 a m

Nearest Railway Station
Name Loughborough
Distance 3½ Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·06	—	—	—	·06	·08	—	—	·03	—	1
2	·10	—	—	—	·16	—	—	·09	—	—	—	·05	2
3	—	·01	—	—	·12	—	—	·18	—	·04	—	·02	3
4	·04	—	·10	·12	—	—	—	·02	·03	·48	·12	·20	4
5	—	—	—	·03	—	—	—	·02	—	·03	—	—	5
6	·25	—	·02	—	—	—	—	—	—	·11	—	·35	6
7	—	—	·02	—	—	—	—	—	—	·07	·15	·09	7
8	·12	—	·16	—	—	—	—	—	·08	—	—	·18	8
9	·05	—	—	—	—	—	—	—	—		·10	·05	9
10	·06	·09	·11	—	—	—	—	·07	—		·05	·40	10
11	·16	—	—	—	—	—	—	·17	—		·24	—	11
12	—	—	·32	—	—	—	—	—	·22	—	·12	—	12
13	—	—	·02	—	—	—	—	—	·11	—	·04	·55	13
14	—	·02	·04	—	·04	—	—	—	—	—	·06	·40	14
15	—	·06	·12	—	—	—	—	—	—	·02	·11	·03	15
16	—	—	·02	—	—	·03	—	—	—	·04	—	·05	16
17	—	—	—	—	—	·06	—	—	—	—	·06	·16	17
18	—	·20	—	—	—	·07	—	—	—	—	·12	·10	18
19	—	·01	—	—	—	·20	·02	—	·04	·11	·44	·05	19
20	—	·03	—	·02	—	—	—	·92	·07	·03	—	·32	20
21	—	·48	·10	—	—	—	—	·36	—	·17	·01	·09	21
22	—	—	·02	—	—	—	—	·03	—	·42	·05	·31	22
23	—	·06	·17	—	—	·35	—	—	·27	—	—	·11	23
24	—	·07	·07	·08	—	·67	—	·02	—	·36	—	—	24
25	—	·10	·02	·12	·23	·04	—	—	—	·18	·05	·07	25
26	—	—	—	·17	·46	·02	—	—	—	—	·32	·06	26
27	—	·11	·12	·03	—	—	—	·93	·31	·06	·05	·20	27
28	—	·24	—	·16	—	·18	—	—	·02	—	·06	·08	28
29	—		—	—	—	·16	—	—	·12	·16	—	·04	29
30	—		·01	—	·02	·04	—	—	—	·12	—	—	30
31	—		·02	—	—		—	—		·05			31
Total	·79	1·48	1·52	·73	1·03	1·82	·08	2·89	1·27	2·45	2·18	3·96	TOTAL for year ~~21~~ 20·20
No. of Rain Days	8	13	19	8	6	11	2	12	~~16~~ 10	17	19	24	149

9,000, IX. '10.

Corby B. 8.III.13

WD

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

JAN 1913

Kept at Burton Hall

in the County of Leicester 4

by Ld Ernest St Maur

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft.
" " " Sea Level 270 ft.

Time of Observation 8.30

Nearest Railway Station
Name Loughborough.
Distance 3 miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·04	—	—	·22	·01	·05	·06	—	—	·40	1
2	—	·05	·09	·04	—	·13	·60	—	·02	—	—	—	2
3	·06	—	·02	—	—	·36	·04	·50	·08	—	—	·06	3
4	·09	—	·37	—	·08	·58	—	·25	·01	—	·26	—	4
5	·04	·06	·12	—	·01	·16	·01	·04	·04	—	·05	—	5
6	·63	·12	—	—	·01	·04	·03	·46	—	—	—	·14	6
7	—	—	—	—	·01	·12	·33	·04	—	—	·01	·02	7
8	·31	·22	·21	·04	—	·02	—	·06	·06	—	—	·02	8
9	·08	·06	·02	·06	—	·17	—	—	—	—	—	·29	9
10	—	—	—	—	—	·04	—	·19	—	—	·19	·49	10
11	·10	·06	—	—	—	·10	—	·02	—	—	·04	—	11
12	·05	·34	·08	—	—	·03	·08	—	—	—	—	—	12
13	·02	·07	—	—	—	·17	—	·14	—	·02	·11	·02	13
14	·17	—	·27	—	—	·05	—	·08	—	—	—	·01	14
15	·04	·02	·15	—	·25	·14	—	·01	—	—	—	·08	15
16	·48	·01	·11	—	·09	·08	—	·08	—	·12	—	—	16
17	·85	—	·12	—	—	·20	—	·19	—	—	·10	·42	17
18	·31	—	·13	—	—	—	—	·09	—	·05	·02	·02	18
19	·32	·15	—	—	—	—	·37	·68	·01	·03	·02	·01	19
20	·15	—	·08	—	—	—	·35	·07	—	·25	—	—	20
21	—	—	·36	—	·56	—	·06	·15	—	·42	—	—	21
22	·05	·10		—	·58	·06	·44	·38	—	·01	—	·13	22
23	·05	·08	·27	—	—	·04	·46	·45	—	—	·13	·04	23
24	·18	—	—	—	—	·12	·09	·09	—	—	·25	·17	24
25	·01	—	—	—	—	·44	·18	·18	—	—	·20	·22	25
26	—	·04	·07	—	—	·11	·10	1·22	—	—	—	·35	26
27	—	—	—	—	—	·25	·04	—	—	·58	—	·17	27
28	—	·02	—	—	—	·11	·08	·39	·01	·70	·45	·42	28
29	—	·01	·02	—	—	·06	—	—	·54	·20	—	—	29
30	·06		—	—	·10	·01	—	—	—	·17	—	—	30
31	—		·05	—	·05		·46	·09		·12		·09	31
Total	4·05	1·41	2·58	·14	1·74	3·81	3·73	5·90	·83	2·67	1·83	3·57	TOTAL for year 32·26
No. of Rain Days.	21	16	19	3	10	26	18	25	9	12	13	21	226

193

W. 8,000,

Cord for arith 1.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3- JAN 1914

Kept at Burton Hall. Loughborough.

in the County of Leicester 4

by P Ernest St Maur.

Lat. Long.

Time of Observation 9 ~~[illegible]~~ a m

Nearest Railway Station Loughborough.

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·08	·15	·03	—	—	—	—	·62	—	·03	—	1
2	·03	—	·02	·06	—	—	—	—	·03	—	·04	—	2
3	·01	—	·19	—	·54	—	—	—	·04	—	—	·01	3
4	·65	—	—	—	·05	·04	·01	—	·02	·07	·14	·32	4
5	·04	—	·03	—	—	·01	·07	—	·10	·97	—	·02	5
6	·02	—	·11	—	·45	·09	·45	—	—	·24	—	·02	6
7	—	·10	—	—	·15	·03	·04	~~·02~~	—	·64	·05	·01	7
8	—	·02	—	—	·18	·15	—	—	·03	·98	·07	—	8
9	—	·27	·04	—	·06	·38	—	·02	—	—	·12	·01	9
10	—	—	—	·10	·03	—	—	·50	—	—	·22	—	10
11	1·24	—	—	·37	—	—	—	·25	—	·01	·30	—	11
12	—	—	—	—	·14	·01	—	—	—	—	·39	—	12
13	·06	—	·11	·03	—	—	—	—	—	—	·11	—	13
14	·09	·02	·64	—	—	—	—	·08	·03	·08	·02	—	14
15	·06	·07	·41	·25	—	—	·01	—	·10	—	·11	·03	15
16	·02	·04	·62	·07	—	—	—	·01	·23	—	—	—	16
17	·02	—	·04	·06	—	·09	·01	—	·05	—	·04	—	17
18	·01	—	·12	·10	—	—	·04	—	—	—	—	—	18
19	·07	—	·04	—	—	·02	·03	—	·07	—	—	·02	19
20	·12	—	·05	·05	—	—	—	—	·03	·15	·11	—	20
21	·02	—	·08	—	·06	—	·02	—	—	—	·23	·02	21
22	·31	—	·36	—	—	—	—	·17	·28	—	—	—	22
23	·01	—	—	—	—	·11	—	·04	·07	—	—	—	23
24	·04	—	—	·06	—	—	—	·05	—	—	—	—	24
25	—	·02	—	·04	—	—	—	—	·02	—	—	—	25
26	—	·13	·18	·15	—	—	—	·04	—	·24	·03	·28	26
27	—	·04	·03	·20	—	—	—	—	—	—	—	—	27
28	·41	—	·29	·28	—	—	—	—	—	·10	—	·05	28
29	—		·20	·45	·03	—	—	·50	—	·10	—	·18	29
30	·34		—	·02	—	—	—	—	—	·12	·07	·07	30
31	—		—		·03	—	—	·02				—	31 23·97
Total	3·57	0·79	3·72	2·82	1·75	0·93	0·68	1·68	1·72	3·70	2·08	1·04	YEAR'S TOTAL 23·97
Rain Days.	20	10	20	17	11	10	9	11	15	12	17	13	165
	3·57		3·71	2·32	1·75						2·08		

W. 7,500, XI. 12

Corr for anith 2.IV.15

written 8.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Burton Hall. Loughborough

in the County of Leicester 4

by Lord Ernest St Maur.

Lat. Long.

Time of Observation

Nearest Railway Station Loughborough

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 270 ft.

IMP
previous
requeste
for it at
the sele
Organiza
Dr. H.

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
cation to

Jan. 1, following.

Attached to A

TELEGRAMS,
HOTON.

BURTON HALL,
LOUGHBOROUGH.

April 9th. 1915.

Dear Sir

Thank you for your corrections of the last years Rainfall at this place, the gardener probably made the mistakes in his totals for May & June.

Yours faithfully

Ernest St Maur.

Date.	Jan.										Nov.	Dec.	Date.
1	—										·01	—	1
2	—										·37	·12	2
3	—										·14	—	3
4	·1										·45	·24	4
5	·1										—	—	5
6	—										·06	·03	6
7	—										—	·12	7
8	·0										—	·05	8
9	·3										—	—	9
10	·2										—	—	10
11	—										·68	·32	11
12	—										·02	·27	12
13	·0										·24	·32	13
14	—										·11	·34	14
15	—										·12	·05	15
16	·0										—	—	16
17	·0										—	·25	17
18											—	·60	18
19	—										·04	·05	19
20	—										—	·02	20
21	—	·22	·07	—	—	·02	—	—	—	·06	—	·27	21
22	·01	·01	—	—	·81	·02	·08	·09	—	·11	—	—	22
23	—	·05	·08	—	·35	—	·02	—	—	·05	—	—	23
24	—	—	·12	—	·30	—	·04	·18	—	·14	·15	—	24
25	—	—	—	—	·01	—	·05	·16	—	·54	·02	·28	25
26	—	—	—	—	—	—	·04	·32	—	·10	·30	·24	26
27	·06	—	—	—	—	—	—	—	—	—	·02	·14	27
28	·03	·04	—	—	—	—	—	—	—	·07	·48	·80	28
29	·04		·17	—	·05	—	·03	—	—	·47	·06	—	29
30	—		—	·01	—	—	—	—	—	·02	·36	·25	30
31	·01			—	—		·20	—		·03		·07	31
Total	1.23	1.02	2.22	1.14	1.96 1.96	2.18 1.28	3.21	1.66	0.61	1.90	3.63	4.83	25.59 YEAR'S TOTAL 25.59
Rain Days.	12	13	19	10	13	07	18	14	07	14	18	21	~~100.66~~

W.7,000, XI. 13

167

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at

in the Co

by

in.

und ft. in.

Level 270 ft.

IM result entered to the
previous rule, he is earnestly
requeste the space provided
for it a of rain,
the sele Rainfall
Organiz cation to
Dr. H.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·04	—	—	—	·94	·17	—	—	·01	—	1
2	—	—	—	·02	—	—	—	·28	—	—	·37	·12	2
3	—	—	—	·02	·11	—	—	·08	—	—	·14	—	3
4	·18	—	·03	·15	·01	—	·14	·05	—	—	·45	·24	4
5	·12	—	·14	·24	·01	·16	·63	·05	—	—	—	—	5
6	—	·02	—	·13	·06	—	·01	·02	—	—	·06	·03	6
7	—	·05	.36	·01	·02	—	—	·02	—	—	—	·12	7
8	·09	—	—	—	·13	·86	·10	·21	—	—	—	·05	8
9	·37	—	·08	·20	—	1.08	—	·01	·02	—	—	—	9
10	·20	·09	—	·15	·06	—	—	—	·04	—	—	—	10
11	—	·07	·32	·21	·04	·02	—	—	·04	—	·68	·32	11
12	—	·13	·06	—	—	—	·14	—	·29	—	·02	·27	12
13	·02	—	·10	—	—	—	—	—	—	·10	·24	·32	13
14	—	·04	·10	—	—	—	·15	—	—	·17	·11	·34	14
15	—	·02	·10	—	—	—	—	·02	·04	·02	·12	·05	15
16	·06	—	·03	—	—	—	·40	—	·02	—	—	—	16
17	·04	·13	·08	—	—	—	·04	—	·16	—	—	·25	17
18	—	—	·01	—	—	·02	·14	—	—	—	—	·60	18
19	—	—	·15	—	—	—	—	—	—	—	·04	·05	19
20	—	·15	·18	—	—	—	·06	—	—	·09	—	·02	20
21	—	·22	·07	—	—	·02	—	—	—	·06	—	·27	21
22	·01	·01	—	—	·81	·02	·08	·09	—	·11	—	—	22
23	—	·05	·08	—	·35	—	·02	—	—	·05	—	—	23
24	—	—	·12	—	·30	—	·04	·18	—	·14	·15	—	24
25	—	—	—	—	·01	—	·05	·16	—	·54	·02	·28	25
26	—	—	—	—	—	—	·04	·32	—	·10	·30	·24	26
27	·06	—	—	—	—	—	—	—	—	—	·02	·14	27
28	·03	·04	—	—	—	—	—	—	—	·07	·48	·80	28
29	·04		·17	—	·05	—	·03	—	—	·47	·06	—	29
30	—		—	·01	—	—	—	—	—	·02	·36	·25	30
31	·01			—	—		·20	—		·03		·07	31 25.59
Total	1.23	1.02	2.22	1.14	1.96 1.96	2.18 1.28	3.21	1.66	0.61	1.90	3.63	4.83	YEAR'S TOTAL 25.59
Rain Days.	12	13	19	10	13	07	18	14	07	14	18	21	~~100.66~~ 167

W.7,000, XI. 13

cnd for cuith 29.11.16 2634

FORM A.
BRITISH RAINFALL.
8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Burton Hall, Loughborough
in the County of Leicester
by Lord Ernest St Maur

Lat. Long.
Time of Observation 8.30. a.m
Nearest Railway Station Loughborough.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1916
·10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·14	·06	—	·34	—	—	·05	·02	—	·07	·03	1
2	·04	·11	·12	·09	—	·09	·01	·40	—	·10	—	·03	2
3	·38	·01	·04	·10	—	—	·96	·42	·03	—	—	·17	3
4	·14	—	—	—	·03	—	1·55	—	—	—	—	·95	4
5	·05	·24	—	—	·16	—	—	·05	—	·01	·05	·35	5
6	·04	·09	—	·11	—	—	·62	·02	—	—	—	·06	6
7	·13	·34	—	—	—	·05	·05	·17	—	—	—	·32	7
8	·10	·05	·02	·10	—	—	—	·04	—	—	·02	·55	8
9	—	·08	—	—	—	—	—	·04	—	—	·14	·02	9
10	·24	—	·04	—	—	—	—	—	—	—	·26	—	10
11	·02	—	·06	·03	·14	—	·04	·40	—	—	·52	·24	11
12	—	—	—	·22	·19	—	·10	·02	—	·01	·94	—	12
13	·03	·40	—	—	·62	—	—	—	—	—	—	—	13
14	—	·09	—	—	—	—	·05	·01	·06	—	—	·21	14
15	·20	—	—	—	·02	—	·15	—	—	—	·22	·10	15
16	—	·31	—	—	—	—	2·34	·03	—	·02	—	—	16
17	—	·19	—	—	—	—	·30	·05	—	—	—	·02	17
18	—	·17	·32	—	—	—	—	—	—	—	·01	·02	18
19	—	·06	—	—	·02	—	·10	—	—	—	—	—	19
20	·12	—	—	·02	—	—	—	—	—	—	—	·32	20
21	·17	·14	—	—	·03	—	·15	—	—	—	—	·15	21
22	·10	·02	·15	·08	—	—	·11	—	·01	—	—	·06	22
23	·07	·08	·02	—	—	·04	·34	—	·05	·21	—	·18	23
24	—	—	·07	·03	—	·01	·04	—	·62	·05	—	·08	24
25	—	—	·03	—	—	·51	·05	—	·04	·02	—	·21	25
26	·02	·15	—	—	—	—	·02	—	·24	—	—	·27	26
27	—	·01	—	—	—	·03	·16	—	—	·50	—	·10	27
28	—	—	·05	—	—	—	·02	·17	—	—	—	—	28
29	—	·16	—	—	·02	·26	—	·06	—	—	·20	·22	29
30	·03	✕	—	·01	—	·62	—	·01	—	—	·05	·05	30
31	·08	✕	—	✕	—	✕	—	·08	✕	·21	✕	·10	31
Total	2.04	2.84	0.98 ·98	0.69 ·79	1.57	1·61	7·16	2.02 2·02	1·07 1·07	1·13	2.48	4.81	YEAR'S TOTAL 29.50 28.50
Rain Days.	19	20	12	10	10	8	20	17	8	9	11	25	169

W. 8,000. K. 14.

end for anth

257°

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Barton on the Wolds
in the County of Leicestr
by Ld Ernest St Maur.

Lat. Long.
Time of Observation 8.30
Nearest Railway Station Loughborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·22	—	·01	·11	·16	—	—	—	·20	—	1
2	·27	·02	·24	—	·45	—	·37	—	·05	·27	·01	—	2
3	—	·51	—	—	—	—	·08	—	·26	·17	·12	—	3
4	·26	·02	—	—	·37	·25	—	—	—	·20	·08	—	4
5	·02	—	—	—	·06	·26	—	—	—	·08	·12	—	5
6	·10	·10	·15	—	·16	·01	·30	—	—	·05	·21	—	6
7	·02	—	·22	—	·01	·02	·28	—	—	·12	·11	·15	7
8	—	—	·14	—	·38	—	—	—	—	·14	·02	·16	8
9	—	—	·12	—	—	·16	—	—	·03	·04	—	—	9
10	—	·04	·11	·06	—	·27	·05	—	·07	·01	—	·09	10
11	·01	·38	·15	·11	—	·21	—	—	·03	—	—	·05	11
12	·10	·02	·14	—	·82	·10	·14	—	—	·03	—	[illegible]	12
13	—	·13	·11	·02	·08	·01	—	·05	—	—	—	·04	13
14	—	·48	—	·13	·02	—	—	·48	—	·07	—	—	14
15	—	·26	·47	—	—	—	·12	·26	—	—	—	—	15
16	·02	·12	·46	·31	—	—	·15	·04	—	·03	—	—	16
17	·04	·04	—	·26	—	—	—	·06	·11	·11	—	—	17
18	—	·16	·04	·01	—	—	·05	·07	·16	—	·80	·02	18
19	·11	·08	·32	·01	—	—	—	·04	·13	—	·52	·10	19
20	·12	—	·18	·21	—	—	—	—	—	—	·05	·06	20
21	·02	·01	·27	—	·04	—	—	—	—	—	—	·38	21
22	—	·02	·02	—	·06	—	—	—	—	·04	·02	·44	22
23	·08	·55	—	·02	—	·01	—	·06	—	·02	·11	·40	23
24	—	·85	·03	·04	—	—	—	·08	—	·02	·01	·14	24
25	—	·07	·18	—	·08	—	—	·20	·01	—	·14	—	25
26	·06	·16	·02	—	—	·02	—	·14	—	·04	·11	—	26
27	·02	·32	·82	—	—	—	—	·04	·04	·17	—	—	27
28	—	·30	·25	·01	—	·03	—	—	·01	·03	—	·17	28
29	—	·12	—	—	—	·25	—	105	—	·24	—	·20	29
30	—	✕	—	—	—	·24	—	·08	—	·22	—	·05	30
31	—	✕	—	✕	—	✕	—	·02	✕	·12	✕	·02	31
Total	1.28	4.76	4.66	1.19	2.54	1.95	1.70	2.67	0.90	2.22	2.63	2.47	YEAR'S TOTAL ~~28.97~~ 29.7
Rain Days.	16	23	~~21~~ 22	12	13	15	10	15	11	22	~~15~~ 16	~~17~~ 16	~~190~~ 191

W. 8,000. X. 15.

173 1.9 2.45 65

FORM A.
BRITISH RAINFALL.

14 JAN 1918

18 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Burton on the Wolds
in the County of Leicester
by Sr Ernest St Maur,

Lat. Long.
Time of Observation 8.30 am
Nearest Railway Station Loughborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	—	.15	—	—	—	1.08	.20	—	—	.08	1
2	.06	—	—	—	—	.02	—	.20	.01	.03	.05	—	2
3	.04	.07	—	.05	—	—	—	.32	—	.20	—	—	3
4	.01	.03	.07	—	—	—	—	.07	—	.52	—	.02	4
5	.07	—	.03	.12	—	—	—	—	.05	.15	.08	—	5
6	.02	—	—	—	—	.68	—	—	—	.06	.06	—	6
7	.32	—	.03	—	—	—	—	.21	—	.40	.02	—	7
8	.52	—	—	.08	—	—	.22	.75	—	.32	.06	.15	8
9	.05	—	.17	.06	—	—	—	.14	—	.02	.15	—	9
10	.38	—	.40	.05	.75	—	—	.01	—	—	.11	—	10
11	.15	—	.06	.20	—	—	—	.05	.01	.22	—	—	11
12	.12	.01	—	—	.10	.30	—	—	.02	.18	.02	.02	12
13	.10	—	—	.10	—	—	—	.34	.08	.02	—	—	13
14	.14	—	.05	.08	—	—	—	.15	—	—	—	.07	14
15	.03	—	—	—	—	—	.10	—	—	.03	.01	.03	15
16	.04	.15	—	.10	—	—	.12	—	—	—	—	.20	16
17	.01	—	.02	.12	.40	.26	.14	.15	.09	.06	—	—	17
18	.08	—	—	.08	.28	—	.67	—	.68	—	—	—	18
19	.06	.10	.07	—	.06	.02	—	—	.05	—	—	—	19
20	.04	.21	.03	—	.46	.15	—	.04	.18	—	.08	—	20
21	.01	.03	.10	—	.02	.50	—	.05	—	.01	—	.01	21
22	—	—	.11	—	—	—	—	.03	.04	.07	—	—	22
23	—	.07	—	—	.12	—	—	.28	.06	.03	—	.02	23
24	—	—	—	—	—	.54	.01	.02	—	.30	.05	—	24
25	—	—	.06	—	—	—	.01	—	—	—	—	—	25
26	—	—	.02	—	—	—	—	.22	.16	.01	.05	—	26
27	—	—	.04	—	—	.48	.15	.68	—	—	.06	.04	27
28	—	—	.10	—	—	.46	—	.30	—	.02	—	.07	28
29	—	✕	—	—	—	.20	.07	.05	—	.30	—	.30	29
30	.01	✕	.01	—	—	—	.24	.28	—	.01	—	—	30
31	.01	✕	.09	✕	—	✕	.04	.08	✕	—	✕	.08	31
Total	2.27	0.68	1.46	1.19 1.19	2.19	3.61	1.77	5.50	1.63	2.96 2.95	0.80	1.09	YEAR'S TOTAL 25.05 25.15
Rain Days.	22	9	18	12	8	11	11	23	13	21	13	13	174

W. 8,000, VIII. 16

~~W.~~ E.F.E. [illegible]

34

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

21.1.19

Kept at Barton Hall Barton on the Wolds
in the County of Leicester.
by Lord Ernest St Maur.

Lat. Long.
Time of Observation 8.30. a.m.
Nearest Railway Station Loughborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	[illegible]	.03	—	.08	—	—	—	—	.06	.03	.13	.07	1
2	—	.09	—	.05	—	—	—	.52	.02	.02	.02	.24	2
3	—	.02	.06	—	.61	—	—	.28	.02	.01	.32	—	3
4	—	.04	.02	—	—	—	.16	.05	.88	.04	.35	.07	4
5	—	.01	—	.02	.10	—	—	.26	.18	.11	—	—	5
6	—	.04	—	.20	—	.02	—	—	.01	.04	—	—	6
7	.15	.08	—	.10	—	.05	—	—	.04	.08	.10	—	7
8	—	.05	.04	.03	—	—	—	—	.06	.02	—	.04	8
9	.04	.34	—	.11	—	.07	.28	—	.38	.16	—	.02	9
10	.02	.01	—	.10	—	—	.42	—	.02	.14	—	.02	10
11	.06	.06	—	.02	.12	—	.17	—	.10	.04	—	.08	11
12	—	.15	.04	.01	.07	—	.12	—	.04	—	—	.05	12
13	.01	—	—	.02	.09	—	—	—	.21	.01	—	—	13
14	.30	—	—	.05	—	.01	.15	—	.12	.08	—	.10	14
15	.46	—	—	.34	—	.06	.20	—	.17	—	—	.12	15
16	.32	—	—	.20	—	—	.01	—	.16	—	—	.03	16
17	.24	—	—	.01	—	—	.28	—	.10	.08	—	.14	17
18	.35	—	—	—	—	.08	.14	—	.65	—	—	.32	18
19	.05	—	.04	.12	—	—	.03	—	—	.10	—	.11	19
20	.03	.04	—	.25	—	.05	.04	—	—	—	—	—	20
21	.10	.03	—	.10	.01	.01	.01	—	.23	.14	—	.02	21
22	.06	—	—	—	.02	.01	.04	—	.01	.10	—	.28	22
23	.10	—	—	—	.36	—	.12	—	.08	.05	—	—	23
24	—	.17	—	—	—	—	.05	—	.05	.04	.08	.01	24
25	—	—	—	—	—	.02	.11	.14	—	—	.02	—	25
26	—	—	—	—	—	—	.01	.06	.04	.02	.11	.07	26
27	—	—	.01	—	—	.01	.01	.31	.26	—	.08	.14	27
28	—	.28	.30	—	—	—	—	.12	—	—	.25	.30	28
29	—		—	—	—	—	—	—	.68	—	—	—	29
30	—	✕	.28	.02	—	—	—	—	.06	—	.15	.08	30
31	—	✕	.05	✕	—	✕	—	.04	✕	—	✕	—	31
Total	2.29 ✓	1.44 ✓	0.84 ✓	1.83 ✓	1.38 ✓	0.39 ✓	2.35 ✓	1.78 ✓	~~4.43~~ 4.63 ✓	1.31 ✓	1.61 ✓	2.31 ✓	YEAR'S TOTAL ~~[illegible]~~ 22.16
Rain Days.	15 ✓	16 ✓	9 ✓	19 ✓	8 ✓	11 ✓	19 ✓	9 ✓	26 ✓	20 ✓	11 ✓	27 ✓	184 ✓

W. 8,000, IX. 17.

~~Total 21.96~~ [illegible]

cnd [illegible]

REGISTER OF RAINFALL IN 1919

20 JAN 20

FORM A. BRITISH RAINFALL.

Kept at Burton Hall. Burton on the Wolds.

in the County of Leicester.

by Lord Ernest St Maur.

Lat. .... Long. ....

Time of Observation 8.30 a.m.

Nearest Railway Station Loughborough.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.08	.03	—	.25	—	.24	—	.01	.10	.15	.32	1
2	.16	.10	.02	—	.02	—	.32	.10	.64	.26	.28	.06	2
3	1.15	—	.02	—	—	.01	.18	—	.10	—	.27	.07	3
4	.04	—	.34	—	—	.11	—	.32	.06	—	.05	.26	4
5	.08	.12	—	—	—	—	.02	—	.21	—	—	.08	5
6	.02	—	.05	—	.65	—	—	—	—	—	.03	.04	6
7	.01	—	.25	.04	—	—	—	—	—	—	—	—	7
8	.11	—	.04	.10	—	.03	—	—	—	—	.02	.07	8
9	—	—	.02	.04	—	—	—	—	—	—	.02	—	9
10	—	—	.25	.02	—	—	—	—	—	—	.04	—	10
11	.02	—	.58	—	.01	—	.42	—	—	—	—	—	11
12	—	—	.32	—	—	.14	.01	—	.04	.10	.11	—	12
13	.15	—	—	.18	—	.04	—	—	.05	.02	—	.03	13
14	.34	.03	—	.20	—	—	—	—	.21	—	—	—	14
15	.22	—	.11	.06	—	—	—	—	—	.05	.02	.68	15
16	.11	1.60	—	.04	—	—	—	.02	—	—	.24	—	16
17	.01	.65	—	.03	—	.05	—	—	—	—	.26	.01	17
18	—	—	.17	—	—	—	—	.28	.02	—	—	.24	18
19	.04	.20	.96	—	—	.06	1.62	.50	.25	—	.14	.08	19
20	.35	.07	.25	—	—	.05	.64	.24	.01	—	.16	.02	20
21	.16	.45	.15	—	—	—	.24	—	—	—	.05	.38	21
22	—	.06	.02	—	—	—	—	—	.32	—	.02	.54	22
23	—	—	—	.01	—	—	.01	.01	.03	.75	—	.02	23
24	—	—	—	.14	.08	.02	.05	—	—	.26	.10	—	24
25	.09	.01	—	.07	.45	.04	—	.52	—	—	—	.12	25
26	.02	—	.25	.05	—	.01	—	—	.07	—	—	.32	26
27	.18	—	.01	.32	—	.02	—	—	—	—	.04	.08	27
28	.06	.02	—	.10	—	—	.07	.80	—	—	—	.30	28
29	.08	—	—	.02	—	—	—	.12	—	.01	.15	.08	29
30	.02	X	.03	.18	—	.22	—	—	—	.45	.12	.28	30
31	.02	X	—	X	—	X	.05	—	X	.05	X	.02	31
Total	~~3.68~~ 3.78	3.39	3.87	1.60	1.46	~~0.88~~ .80	3.87	2.91	2.09	~~2.04~~ 2.05	2.27	4.10	YEAR'S TOTAL 32.09
Rain Days.	24	12	20	17	6	13	13	10	14	10	20	23	182

W, 0 0, VII. 15. W W O

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at Burton Hall, Burton on the Wolds
in the County of Leicester
by Lord Ernest St Maur

Lat. .... Long. ....
Time of Observation 8.30 a.m.
Nearest Railway Station Loughborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·10

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·14	·20	—	·18	—	—	·28	—	·12	1
2	—	—	—	·46	·02	—	·36	—	·10	·14	—	·08	2
3	·02	·08	—	·20	—	·02	1·52	—	·06	·08	—	—	3
4	—	—	—	·22	—	—	·08	·28	—	·42	—	·06	4
5	—	—	·04	·03	·20	—	·32	·18	·05	—	—	—	5
6	—	—	·21	~~47~~	·05	—	·14	·02	—	·02	—	·06	6
7	—	·07	·12	·07	·04	—	·04	·05	—	—	—	—	7
8	·16	—	—	·56	·05	—	·15	—	—	—	—	—	8
9	·30	—	—	·34	—	—	·01	—	—	—	—	—	9
10	·32	·18	·04	·04	—	—	·05	·01	—	—	·02	—	10
11	·24	—	·05	·06	·22	·05	·01	·05	—	—	—	·05	11
12	·03	—	—	·36	—	·28	·02	—	—	·02	—	·06	12
13	·04	·10	·10	·32	—	·12	—	—	·01	—	·02	—	13
14	—	·09	·45	·16	—	·38	·02	—	·15	—	·07	·02	14
15	·01	·08	·75	·30	—	—	·02	—	—	·02	·15	—	15
16	—	—		·06	·12	—	·03	—	·04	·06	·04	—	16
17	—	—	—	—	·08	—	·05	—	·52	—	—	·04	17
18	·12	—	—	·07	·05	—	·12	·10	·25	—	—	—	18
19	·10	·88	—	·32	—	·12	—	·14	—	—	—	·02	19
20	·04	·26	—	·15	—	·28	·01	—	·04	—	—	—	20
21	·03	—	—	—	—	—	·28	·12	—	—	—	—	21
22	·01	—	—	·28	—	—	·06	—	·07	—	—	—	22
23	—	—	—		—	—	·14	—	—	—	—	·35	23
24	·01	—	·11	—	—	—	—	—	—	—	—	—	24
25	—	·05	·02	·08	—	·05	·42	—	—	—	—	·08	25
26	·16	—	·06	·03	—	·01	·06	—	—	—	—	·03	26
27	·08	—	·02	·05	·02	·26	·05	—	—	·05	·48	·38	27
28	·62	—	·05	·07	·05	—	·03	—	—	—	·04	·08	28
29	·05	—	·16	—	·48	·02	·08	—	—	—	·14	·50	29
30	—		·04	·15	·02	·04	·03	—	·06	—	·18	·25	30
31	·12		—		·08		·02	—		·20		·22	31
TOTAL	2.46	1·79	2.22	4·52	1·68	1·63	4·30	·95	1·35 ~~1·33~~	1.29	1·14	2·40 ~~2·[illegible]0~~	YEAR'S TOTAL 25·72 25·~~41~~
Days with ·01 in. or more	19	9	15	24	15	12	28	9	11	10	9	17	178
	13	0	13	[illegible]	[illegible]	11	8	4	10	7	4	14	141

(44,283). Wt. 41,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

RE

CHARNWOOD FOREST
BLACKBROOK RES
LEICESTERSHIRE
1911 — 1920.

Kept at Blackb
in the County of Leic
by The Loughbo

in.
Ground 1 ft. 0 in.
Sea Level 367 ft. 2516
m.
Name Shepshed (L+NW)
Distance 1 mile Direction

IMPORTANT NOTI the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read ar in the space provided for it at the end of this hent of rain, the selection and placin tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12				·10	·01		·x	·03		1
2	·11				·12			·03			·03	·04	2
3		·01		·02	·16			·10		·06	·05	·03	3
4	·02	·02	·10	·04				·02	·03	·35	·17	·14	4
5				·06						·05			5
6	·25		·02							·10	·06	·36	6
7		·04								·04	·11	·07	7
8	·14		·25						·04		·02	·20	8
9	·04					·03					·11	·07	9
10	·05	·06	·21					·40				·54	10
11	·20							·03			·31	·02	11
12	·14		·40						·31		·28		12
13			·05						·12		·05	·41	13
14	·02	·06	·05		·04		·01			·02		·43	14
15		·11	·06							·05	·02	·06	15
16						·05					·15	·07	16
17				·02		·27					·13	·14	17
18		·29				·08				·02	·16	·10	18
19					·04	·07	·06	·02	·11	·12	·17	·09	19
20	·02	·09		·05				·25	·08	·05		·25	20
21		·36	·05					·29	·05	·19	·03	·07	21
22			·08	·06		02 ·02				·34	·04	·43	22
23		·08	·44			·38			·29	·05		·10	23
24		·10	·04	·09		·70		·03		·26		·06	24
25		·16	·02	·16	·40	·07					·03	·03	25
26		·02		·24	·10	·05				·18	·35	·28	26
27		25	·10	·03				·75	·18	·03	·07	·08	27
28		23		·26		·25			·07		06		28
29		×	·02			·21	05		·21	·24		·05	29
30		×	·03	·05	·11	·05				·10			30
31		×	·02	×	·05	×			×	·05	×		31
Total	·99	1·88	2·06	1·08	1·02	2·23	·22	1·93	1·49	2·30	2·43	4·12	TOTAL for year 21·75
No. of Rain Days.	10	15	18	12	8	13.	4	11	11	19	22	25	168

W. 8,000, X. '11.

RE[illegible]AINFALL IN 1911

W d50

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Blackbrook

in the County of Leicester. 4

by The Loughborough Corpn.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 367 ft. 2516

Time of Observation 9 a.m.

Nearest Railway Station
Name Shepshed (L+NW)
Distance 1 mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12				·10	·01		·×	·03		1
2	·11				·12			·03			·03	·04	2
3		·01		·02	·16			·10		·06	·05	·03	3
4	·02	·02	·10	·04				·02	·03	·35	·17	·14	4
5				·06						·05			5
6	·25		·02							·10	·06	·36	6
7		·04								·04	·11	·07	7
8	·14		·25						·04		·02	·20	8
9	·04					·03					·11	·07	9
10	·05	·06	·21					·40				·54	10
11	·20	—				—		·03			·31	·02	11
12	·14		·40						·31		·28		12
13			·05						·12		·05	·41	13
14	·02	·06	·05		·04		·01			·02		·43	14
15		·11	·06							·05	·02	·06	15
16						·05					·15	·07	16
17				·02		·27		—			·13	·14	17
18		·29				·08				·02	·16	·10	18
19					·04	·07	·06	·02	·11	·12	·17	·09	19
20	·02	·09		·05				·25	·08	·05		·25	20
21		·36	·05					·29	·05	·19	·03	·07	21
22			·08	·06		02 ·02				·34	·04	·43	22
23		·08	·44			·38			·29	·05		·10	23
24		·10	·04	·09		·70		·03		·26		·06	24
25		·16	·02	·16	·40	·07					·03	·03	25
26		·02		·24	·10	·05				·18	·35	·28	26
27		25	·10	·03				·75	·18	·03	·07	·08	27
28		23		·26		·25			·07		06		28
29		×	·02			·21	05		·21	·24		·05	29
30		×	·03	·05	·11	·05				·10			30
31		×	·02	×	·05	×			×	·05	×		31
Total	·99	1·88	2·06	1·08	1·02	2·23	·22	1·93	1·49	2·30	2·43	4·12	TOTAL for year 21·75
No. of Rain Days.	10	15	18	12	8	13.	4	11	11	19	22	25	168

W. 8,000, X. '11.

FORM A. BRITISH RAINFALL 4 JAN 1913

4

2516

REGISTER OF RAINFALL IN 1912

Kept at Blackbrook
in the County of Leicester 4
by The Loughborough Corporation

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Shepshed (L & N.W. Rly)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·04	·	·	·29	·	·14	·05	·	·	·25	1
2	·	·04	·06	·06	·	·38	·45	·	·03	·	·	·07	2
3	·11	·	·07	·	·03	·12	·05	·70	·02	·	·	·04	3
4	·15	·	·31	·02	·09	·70	·	·43	·03	·	·28	·	4
5	·05	·09	·12	·03	·05	·17	·04	·12	·06	·	·03	·03	5
6	·60	·13	·	·	·04	·	·	·21	·	·	·	·	6
7	·	·04	·	·	·02	·15	·	·12	·	·	·	·	7
8	·17	·22	·18	·06	·	·12	·14	·05	·04	·	·	·05	8
9	·14	·02	·04	·15	·	·04	·	·04	·	·	·02	·30	9
10	·	·	·	·	·	·	·	·43	·	·	·25	·	10
11	·10	·04	·	·	·	·20	·	·08	·	·	·04	·61	11
12	·06	·65	·13	·	·01	·10	·26	·02	·	·	·	·	12
13	·03	·06	·02	·	·	·06	·	·07	·	·03	·03	·	13
14	·11	·	·35	·	·	·08	·	·09	·	·	·	·	14
15	·09	·08	·15	·	·26	·25	·	·07	·	·	·	·08	15
16	·44	·	·16	·	·06	·06	·	·12	·	·23	·03	·	16
17	·75	·	·27	·	·	·24	·08	·29	·	·	·07	·59	17
18	·40	·	·10	·	·	·	·	·04	·	·04	·03	·09	18
19	·25	·07	·05	·	·04	·03	·55	·72	·02	·09	·04	·	19
20	·16	·01	·17	·	·08	·	·24	·05	·	·28	·	·	20
21	·	·	·25	·	·90	·	·11	·17	·	·36	·	·	21
22	·06	·08	·	·	1·08	·05	·65	·37	·	·	·	·06	22
23	·05	·12	·240	·	·	·	·30	·45	·	·	·14	·04	23
24	·24	·02	·05	·	·	·06	·25	·14	·	·	·	·12	24
25	·02	·	·	·	·	·77	·	·34	·	·	·22	·50	25
26	·	·03	·06	·	·	·05	·24	1·28	·	·43	·15	·17	26
27	·	·	·03	·	·04	·10	·07	·03	·	·71	·	·18	27
28	·	·		·	·	·12	·03	·03	·	·17	35	·43	28
29	·	·01	·03	·	·	·14	·	·05	·72	·35	03	·02	29
30	·03		·01	·	·26	·02	·02		·07	·09	·	·	30
31	·		·08		·23		·45	08		·		·05	31
Total	4·01	1·71	2·97	·32	3·19	4·30	3·93	6·73	1·04	2·78	1·71	3·68	YEAR'S TOTAL 36·37
Rain Days.	21	17	24	5	15	24	17	29	9	11	15	19	206

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
2516

7- JAN

REGISTER OF RAINFALL IN 1913

Kept at Blackbrook
in the County of Leicester 4
by The Loughborough Corporation

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Shepshed L & N W. (1 mile)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	·09	·02	.	.	.	.	·91	.	·04	–	1
2	.	·13	·03	·01	.	.	.	.	·05	.	·02	.	2
3	·04	.	·20	.	1·15	.	.	.	·07	.	.	·06	3
4	·65	·04	·03	.	·06	·06	·07	.	·03	·10	·11	·38	4
5	·06	·01	·08	.	·05	·07	·04	.	·10	2·00	·02	.	5
6	·02	..	·11	.	·28	·08	1·00	.	.	·12	.	·05	6
7	.	·08	·03	·01	·18	·07	·02	.	.	·66	·06	·03	7
8	.	·04	·02	.	.	·20	.	·02	·03	·22	·08	.	8
9	.	·26	·04	·05	·06	·55	.	·03	·02	.	·05	.	9
10	·03	.	.	·08	.	·02	.	·25	.	.	·22	.	10
11	·50	.	.	·20	.	.	.	·07	.	.	·27	·01	11
12	.	.	.	.	·07	.	.	.	.	.	·59	.	12
13	·03	.	·16	·09	.	.	.	·05	·06	.	·22	.	13
14	·15	·03	·58	·03	.	.	·07	·12	.	·13	·06	.	14
15	·07	·08	·48	·40	.	.	.	.	.	.	·05	·01	15
16	·02	·05	·24	·08	.	.	.	·11	·35	.	·02	.	16
17	.	·03	·33	·10	.	.	·09	.	·10	.	.	·01	17
18	·02	.	·12	·14	·07	.	·05	.	.	.	.	·03	18
19	·10	.	·04	.	·02	.	·08	.	·48	·02	·04	.	19
20	·15	.	·08	·05	.	.	.	.	·06	·13	·10	·02	20
21	.	.	·10	.	·04	.	·05	·02	·03	.	·30	.	21
22	·20		·57	.	.	.	.	·23	·30	.	·01	.	22
23	·03	.	.	.	.	·09	·03	·10	·06	.	.	.	23
24	·09	.	.	·06	.	·03	.	·02	.	.	.	.	24
25	.	·03	.	.	.	·04	.	.	·02	·01	.	.	25
26	.	·10	·12	·10	.	.	.	·06	.	·24	.	·30	26
27	.	·05	·02	·09	.	.	.	.	.	·01	.	.	27
28	·30	·02	·19	·30	·02	.	.	.	·03	·15	.	·02	28
29	·03	✗	·36	·53	·06	.	.	·33	.	·02	·03	·17	29
30	·30	✗	.	·06	.	.	.	.	.	·20	·06	.	30
31	·02	✗	·03	✗	.	✗	.	·03	✗		✗	.	31
Total	2·81	·95	4·05	2·40	2·06	1·21	1·50	1·44	2·70	4·01	2·35	1·09	YEAR'S TOTAL 26·57
Rain Days.	20	14	24	19	12	10	10	14	17	14	20	12	186

W.7,000, XI. 13

Sw. Midl.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2516

11

Kept at Blackbrook.

in the County of Leicester 4

by The Loughborough Corporation

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Shepshed L&NW. (1¾ mile)

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·02	·	·	·	·42	·27	·	·02	·	·	1
2	·	·	·	·	·	·01	·	·41	·	·	·40	·13	2
3	·	·	·02	·01	·10	·	·27	·	·	·	·	·03	3
4	·25	·	·10	·12	·05	·	·	·10	·	·	·60	·30	4
5	·12	·	·18	·32	·04	·27	·42	·	·	·	·	·	5
6	·	·04	·	·19	·06	·	·	·	·	·	·	·04	6
7	·02	·14	·40	·03	·04	·	·04	·10	·	·	·05	·10	7
8	·15	·	·	·06	·08	·81	·14	·21	·04	·	·	·08	8
9	·32	·	·09	·16	·	1·20	·	·	·10	·	·	·02	9
10	·15	·08	·	·24	·03	·	·	·	·14	·	·	·	10
11	·	·04	·35	·14	·	·	·	·	·04	·	·75	·36	11
12	·02	·05	·09	·	·	·	·	·	·25	·	·10	·48	12
13	·	·11	·11	·01	·	·	·	·	·02	·06	·20	·36	13
14	·04	·03	·21	·	·	·	·08	·	·	·40	·10	·34	14
15	·	·02	·16	·	·	·	·	·02	·04	·03	·06	·03	15
16	·02	·	·03	·	·	·	·33	·	·	·	·	·	16
17	·	·12	·10	·	·	·	·02	·	·27	·	·	·25	17
18	·	·	·01	·	·	·	·05	·	·	·	·	·67	18
19	·	·03	·04	·	·	·	·10	·	·02	·	·06	·10	19
20	·	·10	·10	·	·	·	·09	·	·	·05	·	·03	20
21	·02	·60	·04	·	·	·07	·02	·	·	·06	·03	·36	21
22	·05	·05	·05	·	·85	·	·05	·04	·	·22	·	·	22
23	·	·08	·10	·	·18	·	·02	·	·	·08	·	·	23
24	·	·	·32	·	·25	·04	·10	·10	·	·21	·20	·	24
25	·04	·	·	·	·	·	·08	·25	·	·46	·03	·15	25
26	·06	·	·04	·	·	·	·01	·10	·	·08	·27	·20	26
27	·08	·	·	·	·	·	·	·	·	·	·05	·12	27
28	·10	·05	·04	·	·	·	·	·	·	·09	·45	·80	28
29	·03	×	·15	·03	·08	·	·	·	·	·33	·05	·	29
30	·	×	·	·04	·	·	·	·	·	·07	·38	·11	30
31	·	×	·	×	·	×	·25	·	×	·05	×	·05	31
Total	1·47	1·54	2·75	1·35	1·76	2·40	2·49	1·60	·92	2·21	3·98	5·11	YEAR'S TOTAL 27·88
Rain Days.	16	15	23	12.	11	6	18	10	9	15	17	23	175.

W. 8,000. X. 14.

2630

FORM A.
BRITISH RAINFALL.
6. JAN. 19

2516

REGISTER OF RAINFALL IN 1915

Kept at Blackbrook Reservoir
in the County of Leicester
by The Loughborough Corporation

Lat. 52° 46 N Long. 1° 19' 30" W.
Time of Observation 9 am.
Nearest Railway Station Shepshed (L.N.W.R.) 1 mile
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·24	·06	·00	·49	·00	·00	·02	·15	·01	·05	·06	1
2	·13	·04	·22	·15	·00	·08	·03	·48	·00	·12	·00	·04	2
3	·60	·02	·07	·12	·00	·00	1·02	·65	·08	·00	·00	·11	3
4	·05	·00	·00	·00	·00	·00	1·38	·00	·00	·00	·00	1·10	4
5	·04	·43	·00	·00	·14	·02	·00	·02	·00	·03	·05	·28	5
6	·03	·38	·00	·24	·00	·00	·69	·00	·00	·02	·00	·11	6
7	·11	·33	·00	·00	·00	·03	·07	·22	·00	·00	·00	·42	7
8	·21	·09	·03	·00	·00	·00	·00	·05	·00	·00	·10	·00	8
9	·00	·11	·00	·02	·00	·00	·00	·00	·00	·00	·44	·43	9
10	·45	·02	·05	·00	·00	·00	·00	·00	·00	·00	·24	·00	10
11	·04	·00	·02	·05	·19	·00	·17	·45	·00	·00	·70	·12	11
12	·03	·00	·00	·24	·40	·00	·07	·06	·00	·06	1·24	·00	12
13	·02	·34	·00	·00	·64	·00	·00	·02	·00	·00	·00	·02	13
14	·00	·02	·00	·00	·00	·00	·05	·03	·04	·00	·00	·25	14
15	·33	·00	·00	·00	·02	·00	·02	·10	·00	·00	·24	·15	15
16	·01	·33	·00	·00	·03	·00	2·92	·00	·00	·00	·00	·03	16
17	·00	·12	·00	·00	·00	·00	·28	·00	·00	·00	·00	·00	17
18	·00	·07	·14	·00	·00	·00	·00	·00	·00	·00	·06	·00	18
19	·00	·02	·00	·00	·04	·00	·17	·00	·00	·00	·00	·00	19
20	·15	·00	·00	·04	·00	·00	·00	·00	·00	·00	·00	·15	20
21	·10	·00	·00	·00	·00	·00	·23	·00	·00	·00	·00	·08	21
22	·06	·00	·15	·00	·00	·00	·06	·00	·00	·00	·00	·04	22
23	·02	·02	·02	·00	·00	·03	·16	·00	·04	·20	·00	·20	23
24	·04	·00	·05	·00	·00	·00	·00	·00	·70	·05	·00	·15	24
25	·00	·00	·00	·00	·00	·65	·10	·00	·03	·02	·01	·10	25
26	·00	·05	·00	·00	·00	·00	·06	·00	·06	·00	·00	·30	26
27	·00	·02	·03	·00	·00	·00	·23	·00	·00	·20	·00	·11	27
28	·00	·20	·02	·00	·00	·46	·13	·37	·03	·03	·00	·00	28
29	·00	X	·00	·00	·01	·08	·00	·05	·00	·00	·04	·32	29
30	·05	X	·00	·05	·00	·65	·00	·03	·00	·00	·05	·04	30
31	·10	X	·00	X	·00	X	·03	·10	X	·25	X	·10	31
Total	2·67	2·85	·86	·91	1·96	2·00	7·87	2·65	1·13	·99	3·22	4·72	YEAR'S TOTAL 31·83
Rain Days.	21	19	12	8	9	8	20	15	8	11	12	24	167

W. 8,000. X. 15.

2565

2516

BRITISH RAINFALL FORM A.

5 JAN 17

REGISTER OF RAINFALL IN 1916

Kept at Blackbrook Reservoir
in the County of Leicester
by Loughborough Corporation

Lat. 52° 46' N Long. 1° 19' 30" W
Time of Observation 9 a.m.
Nearest Railway Station Shepshed (L.&N.W.R.) 1 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·	·33	·	·04	·16	·20	·	·	·	·15	·	1
2	·30	·15	·20	·	·33	·	·40	·	·08	·38	·06	·	2
3	·	·45	·	·	·	·	·14	·	1·04	·20	·10	·	3
4	·25	·03	·	·	·50	·30	·	·	·	·19	·25	·	4
5	·05	·07	·	·	·10	·16	·	·	·	·10	·13	·	5
6	·13	·10	·10	·	·25	·02	·34	·	·	·10	·20	·	6
7	·04	·	·16	·	·	·	·10	·	·	·12	·15	·14	7
8	·03	·	·24	·	·	·	·	·	·	·20	·04	·25	8
9	·	·	·06	·	·35	·04	·	·	·03	·	·	·08	9
10	·	·10	·06	·02	·	·02	·02	·	·10	·	·	·05	10
11	·06	·35	·15	·24	·	·27	·	·	·07	·	·	·12	11
12	·03	·07	·11	·	·53	·10	·25	·02	·04	·06	·	·	12
13	·04	·03	·03	·08	·10	·03	·	·13	·	·02	·	·05	13
14	·	·45	·05	·06	·05	·	·	·45	·	·03	·	·	14
15	·	·40	·84	·	·	·	·08	·30	·	·02	·	·	15
16	·04	·17	·66	·35	·03	·	·30	·39	·	·07	·	·	16
17	·03	·10	·	·30	·	·	·09	·42	·20	·11	·	·	17
18	·	·15	·02	·08	·	·03	·	·10	·18	·	1·10	·10	18
19	·11	·08	·30	·	·	·	·	·03	·11	·	·50	·	19
20	·09	·	·37	·20	·	·	·	·	·	·	·10	·18	20
21	·	·	·24	·03	·03	·	·10	·	·	·	·07	·25	21
22	·	·03	·	·07	·02	·08	·	·	·	·05	·	·35	22
23	·06	·15	·	·10	·	·07	·	·03	·	·03	·08	·45	23
24	·	·24	·02	·03	·	·	·	·42	·	·06	·02	·15	24
25	·	·07	·23	·	·05	·03	·	·20	·	·	·20	·	25
26	·04	·30	·	·	·	·04	·	·10	·	·10	·10	·	26
27	·02	·15	·40	·	·	·63	·	·07	·07	·20	·	·	27
28	·	·10	·45	·05	·	·04	·	·	·02	·06	·	·25	28
29	·	·15	·	·	·20	·20	·	1·04	·	·35	·	·30	29
30	·	X	·	·	·	·10	·	·05	·	·07	·	·	30
31	·	X	·	X	·	X	·	·06	X	·16	X	·05	31
Total	1·39	3·77	5·02	1·55	2·58	2·26	2·02	3·51	1·88	2·62	3·19	2·77	YEAR'S TOTAL 32·58
Rain Days.	17	23	21	13	14	18	11	16	11	22	16	15	197

W. 8,000, VIII. 16

2437

BRITISH RAINFALL
FORM A.

2516

4. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Blackbrook Reservoir.

in the County of Leicester

by Loughborough Corporation

Lat. 52° 46′ N Long. 1° 19′ 30″ W.

Time of Observation 9 a.m.

Nearest Railway Station Shepshed ([illegible]) 1 mile

Diameter of Funnel of Rain Gauge [illegible] in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 317 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·06	·00	·04	·00	1·28	·35	·00	·02	·02	1
2	·10	·00	·00	·00	·00	·18	·00	·10	·00	·06	·05	·00	2
3	·02	·04	·00	·03	·00	·00	·00	·15	·00	·28	·08	·00	3
4	·04	·08	·05	·00	·00	·00	·00	·07	·00	·61	·00	·03	4
5	·15	·00	·04	·20	·00	·00	·00	·02	·04	·26	·09	·00	5
6	·02	·00	·00	·00	·00	·48	·00	·03	·00	·16	·10	·02	6
7	·38	·00	·02	·00	·00	·00	·00	·02	·00	·50	·04	·00	7
8	·50	·00	·00	·13	·00	·00	·17	·30	·00	·48	·11	·20	8
9	·10	·00	·10	·10	·20	·00	·00	·21	·00	·02	·23	·00	9
10	·20	·00	·33	·04	·45	·00	·00	·04	·00	·00	·04	·00	10
11	·09	·00	·12	·18	·00	·00	·00	·10	·02	·17	·00	·00	11
12	·01	·02	·00	·00	·10	·06	·00	·15	·01	·13	·00	·03	12
13	·10	·00	·00	·20	·00	·00	·00	·25	·10	·05	·00	·02	13
14	·11	·00	·12	·16	·04	·00	·00	·35	·00	·00	·00	·12	14
15	·08	·00	·00	·04	·00	·00	·08	·00	·00	·06	·00	·09	15
16	·06	·10	·00	·11	·00	·04	·09	·03	·00	·00	·00	·14	16
17	·02	·00	·02	·09	·50	·40	·45	·10	·12	·10	·00	·02	17
18	·06	·04	·00	·04	·30	·02	·50	·03	·72	·05	·00	·00	18
19	·10	·10	·15	·02	·21	·18	·00	·00	·04	·00	·02	·00	19
20	·05	·15	·02	·00	·48	·35	·00	·04	·10	·00	·04	·00	20
21	·00	·05	·08	·03	·46	·21	·00	·08	·00	·06	·00	·00	21
22	·00	·00	·15	·00	·00	·00	·00	·13	·04	·10	·02	·00	22
23	·00	·06	·00	·00	·20	·00	·00	·07	·02	·03	·00	·03	23
24	·00	·00	·05	·00	·00	·58	·00	·09	·00	·26	·04	·00	24
25	·00	·06	·08	·00	·00	·00	·10	·00	·00	·00	·10	·00	25
26	·00	·00	·00	·00	·00	·00	·00	·40	·20	·02	·15	·02	26
27	·00	·00	·02	·00	·00	·70	·27	·55	·00	·04	·04	·01	27
28	·00	·00	·10	·00	·00	·13	·00	·33	·00	·10	·00	·10	28
29	·00	~~·00~~	·01	·00	·00	·21	·04	·04	·00	·15	·00	·33	29
30	·00		·00	·00	·00	·00	·20	·35	·00	·05	·00	·00	30
31	·00		·06		·00		·04	·10		·00		·08	31
Total	2·19	·68	1·52	1·43	2·94	3·58	1·94	5·41	1·76	3·72	1·17	1·26	YEAR'S TOTAL 27·60
Rain Days.	19	10	18	15	10	14	10	28	12	23	16	16	191

W. 8,000, IX. 17.

30

FORM A. BRITISH RAINFALL. 2516

REGISTER OF RAINFALL IN 1918

Kept at Blackbrook Reservoir

in the County of Leicester

by Loughborough Corporation

Lat. 52° 46′ N Long. 1° 19′ 30″ W 7

Time of Observation 9 a.m.

Nearest Railway Station Shepshed (L & N. W. Rly) (1 mile)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.06	.00	.25	.00	.00	.00	.00	.10	.06	.08	.02	1
2	.00	.07	.00	.15	.00	.00	.00	.83	.04	.00	.02	.38	2
3	.00	.01	.08	.00	.60	.00	.00	.16	.10	.02	.24	.00	3
4	.02	.04	.05	.00	.00	.00	.00	.08	.75	.04	.45	.14	4
5	.00	.00	.00	.09	.14	.00	.00	.09	.27	.16	.00	.01	5
6	.00	.03	.00	.20	.00	.09	.00	.00	.09	.10	.00	.00	6
7	.09	.14	.00	.00	.02	.06	.02	.00	.20	.03	.10	.00	7
8	.03	.05	.13	.00	.00	.00	.00	.00	.15	.06	.00	.01	8
9	.01	.40	.00	.14	.00	.15	.25	.00	.35	.24	.01	.03	9
10	.15	.00	.00	.04	.00	.00	.23	.00	.06	.08	.00	.04	10
11	.10	.10	.00	.03	.16	.00	.09	.00	.14	.04	.00	.08	11
12	.00	.17	.03	.02	.08	.00	.16	.00	.30	.00	.00	.03	12
13	.00	.00	.00	.00	.42	.02	.00	.00	.16	.02	.00	.00	13
14	.26	.00	.00	.00	.03	.03	.09	.00	.24	.14	.00	.16	14
15	.25	.00	.00	.22	.00	.08	.00	.00	.17	.00	.00	.10	15
16	.03	.00	.00	.21	.00	.00	.27	.00	.19	.00	.00	.05	16
17	.26	.00	.00	.03	.11	.01	.30	.02	.10	.08	.00	.11	17
18	.40	.00	.00	.00	.00	.10	.35	.00	.19	.02	.00	.40	18
19	.05	.00	.08	.10	.00	.00	.03	.00	.00	.08	.00	.22	19
20	.03	.04	.00	.26	.00	.09	.02	.00	.05	.04	.00	.03	20
21	.05	.05	.00	.00	.10	.00	.04	.00	.58	.01	.00	.06	21
22	.03	.00	.00	.00	.35	.05	.18	.00	.00	.08	.01	.38	22
23	.15	.00	.00	.00	.65	.00	.04	.00	.05	.04	.02	.00	23
24	.03	.10	.00	.00	.00	.00	.09	.00	.04	.02	.05	.02	24
25	.00	.00	.00	.00	.00	.04	.10	.30	.02	.04	.02	.00	25
26	.00	.00	.00	.00	.00	.00	.03	.05	.00	.00	.07	.12	26
27	.00	.03	.02	.00	.00	.00	.00	.27	.33	.00	.10	.20	27
28	.00	.11	.28	.00	.00	.00	.00	.09	.02	.00	.28	.26	28
29	.00		.00	.00	.00	.00	.00	.00	.65	.00	.02	.00	29
30	.00		.35	.03	.00	.00	.00	.00	.01	.00	.16	.10	30
31	.00		.12		.00		.00	.04		.00		.00	31
Total	1.99 ✓	1.40 ✓	1.14 ✓	1.77 ✓	2.66 ✓	.72 ✓	2.29 ✓	1.93 ✓	5.35 ✓	1.40 ✓	1.63 ✓	2.95 ✓	YEAR'S TOTAL 25.23 ✓
Rain Days.	18 ✓	15 ✓	9 ✓	14 ✓	11 ✓	11 ✓	17 ✓	10 ✓	27 ✓	21 ✓	15 ✓	23 ✓	191

A.R.Walker. am ser.

W, 6,500, VII. 18. W W & D

2516

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Blackbrook Reservoir

in the County of Leicester

by Loughborough Corporation

Lat. 52° 46′ N Long. 1° 19′ 30″ W

Time of Observation 9 a.m.

Nearest Railway Station [illegible] (L. & N.W.R.) ([illegible] miles)

Diameter of Funnel of Rain Gauge 6" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level [illegible] ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·10	·00	·02	·28	·00	·31	·00	·03	·20	·07	·40	1
2	·20	·06	·03	·00	·00	·00	·29	·25	·11	·03	·15	·26	2
3	·40	·00	·02	·00	·02	·06	·30	·06	·10	·00	·20	·15	3
4	·06	·00	·31	·00	·00	·09	·02	·14	·27	·00	·06	·21	4
5	·02	·10	·00	·00	·03	·00	·04	·00	·16	·00	·00	·12	5
6	·10	·00	·15	·00	·50	·00	·00	·00	·00	·06	·06	·04	6
7	·03	·00	·34	·04	·00	·00	·00	·00	·02	·00	·00	·00	7
8	·15	·00	·00	·07	·00	·03	·00	·00	·00	·00	·00	·00	8
9	·03	·00	·04	·06	·00	·00	·00	·00	·00	·00	·00	·00	9
10	·00	·00	·31	·02	·00	·00	·00	·00	·00	·04	·02	·05	10
11	·04	·00	·90	·00	·09	·00	·06	·00	·00	·00	·00	·03	11
12	·02	·00	·20	·00	·00	·27	·06	·00	·08	·02	·15	·00	12
13	·21	·00	·00	·20	·00	·00	·00	·00	·16	·02	·00	·02	13
14	·43	·00	·00	·15	·00	·00	·00	·00	·06	·06	·02	·03	14
15	·22	·07	·05	·07	·00	·00	·00	·00	·00	·00	·11	·46	15
16	·20	·54	·00	·03	·00	·00	·00	·04	·00	·00	·15	·12	16
17	·05	·46	·00	·02	·03	·03	·00	·00	·00	·00	·25	·01	17
18	·02	·20	·20	·00	·00	·00	·00	·35	·06	·00	·02	·00	18
19	·08	·00	·90	·00	·00	·09	1·26	·65	·10	·00	·22	[illegible]	19
20	·41	·07	·30	·00	·00	·06	·45	·16	·06	·00	·25	[illegible] ·08	20
21	·11	·42	·25	·00	·00	·00	·24	·00	·02	·00	·02	·27	21
22	·00	·15	·00	·00	·00	·00	·00	·00	·18	·00	·06	·72 ·08	22
23	·00	·00	·00	·00	·00	·00	·00	·00	·00	·70	·26	·08	23
24	·00	·00	·00	·15	·00	·04	·09	·00	·00	·02	·04	·00	24
25	·10	·01	·00	·05	·35	·00	·00	·43	·00	·00	·07	·00	25
26	·00	·00	·27	·10	·00	·02	·00	·16	·20	·00	·00	·45	26
27	·10	·00	·03	·30	·00	·00	·00	·03	·00	·00	·00	·00	27
28	·05	·00	·00	·10	·00	·00	·03	·60	·00	·03	·03	·39	28
29	·04	✕	·02	·05	·00	·04	·00	·24	·00	·50	·12	·10	29
30	·00	✕	·09	·00	·00	·24	·00	·00	·00	·03	·06	·27	30
31	·03	✕	·00	✕	·00	✕	·00	·00	✕	·05	✕	·06	31
TOTAL	3·58	2·18	4·41	1·43	1·30	·97 √	3·15	3·29	1·61	1·76	2·19	4·2[illegible]	YEAR'S TOTAL 30·15
Days with ·01 in. or more	25	11	18	16	7	11	12	12	15	13	22	2[illegible]	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

13 JAN 19

2516

REGISTER OF RAINFALL IN 1920.

Kept at Blackbrook Reservoir
in the County of Leicestr.
by Loughborough Corporation.

Lat. 52°46′N Long. 1° 19′30″ W
Time of Observation 9 a.m.
Nearest Railway Station Shepshed (L. & N.W. Rly) 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 379·32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·29	·30	·02	·20		·04	·25	·08	·25	1
2				·22			·25		·06	·20		·07	2
3	·06	·11		·10	·03	·06	·94	·02	·04	·19		·05	3
4	·07			·25	·02	·01	·04	·15	·05	·31		·04	4
5			·04		·50		·45	·08	·10	·04			5
6		·03	·15	·08	·13		·10	·06		·02		·05	6
7	·06		·09	·02	·25		·06						7
8		·07		·53	·15		·05						8
9	·50	·02	·02	·38			·04	·06		·03			9
10	·22	·22	·07	·15			·08				·05		10
11	·18	·03	·03	·12	·25	·09	·03					·05	11
12	·04	·02		·22		·23	·02	·06			·10	·04	12
13	·06	·11	·20	·33		·05					·06	·01	13
14	·03	·09	·72	·15		·30	·03		·20	·03	·07		14
15	·02	·08	·30	·21		·02	·02		·06	·05	·04		15
16		·02	·02	·05	·09	·12			·04	·20			16
17					·10		·10		·53	·12		·04	17
18	·15			·15			·02	·06	·38			·01	18
19	·08	·45		·24		·12		·07	·04		·04	·02	19
20		·25		·20		·25	·04						20
21	·06						·30	·06			·01	·02	21
22	·04			·25			·08	·10	·04				22
23	·03	·04		·02			·20	·02				·45	23
24			·10	·07							·02	·16	24
25		·07	·05	·09	·05	·06	·44				·07	·03	25
26	·15		·12	·03			·12				·02	·20	26
27	·10		·03	·04	·02	·20	·08				·38	·29	27
28	·90		·05	·05	·08	·02	·02				·02	·10	28
29	·04		·20		·30	·03	·10				·18	·50	29
30	·06			·28	·03	·04			·05		·09	·25	30
31			·10		·10		·03			·06		·10	31
Total	2·87	1·61	2·29	4·46	2·40	1·62	3·84	·74	1·63	1·50	1·17	2·73	**Year's Total** 26·86
Days with ·01 in. or more	21	15	17	26	16	16	26	11	13	12	15	21	209
Days with ·04 in. or more	17	10	13	22	12	11	19	9	13	9	10	16	161

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S.made ✓

FORM A.
BRITISH RAINFALL.
20 JAN 1914

REGI 13

LEICESTER.
COALVILLE
BARDON
PUMPING STN:
1913 – 1914

Kept at Pumping ng.
9. A.m
in the County of Hill on Bardon Hill
ge 8. in.
by John B e above Ground 1. ft. 0 in.
" Sea Level ft.

IMPORTANT NOT and the result entered to the previous day. If an Ob universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.00	0.06	0.02	0.00	0.00	0.00	0.00	0.91	0.00	0.08	0.00	1
2	0.00	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.06	0.00	2
3	0.03	0.00	0.17	0.00	1.08	0.00	0.00	0.00	0.06	0.00	0.00	0.04	3
4	0.72	0.03	0.01	0.00	0.05	0.04	0.04	0.00	0.00	0.19	0.15	0.39	4
5	0.06	0.00	0.06	0.00	0.00	0.00	0.09	0.00	0.16	1.85	0.00	0.06	5
6	0.02	0.00	0.11	0.00	0.22	0.11	0.69	0.00	0.00	0.05	0.00	0.04	6
7	0.00	0.11	0.00	0.00	0.19	0.06	0.08	0.00	0.00	0.57	0.07	0.01	7
8	0.00	0.00	0.04	0.00	0.20	0.16	0.00	0.00	0.00	0.37	0.05	0.00	8
9	0.00	0.33	0.03	0.03	0.06	0.52	0.00	0.08	01 0.07	0.00	0.09	0.02	9
10	0.03	0.00	0.00	0.06	0.06	0.00	0.00	0.19	0.00	0.01	0.25	0.00	10
11	0.75	0.00	0.00	0.36	0.00	0.01	0.00	0.06	0.00	0.02	0.26	0.00	11
12	0.00	0.00	0.00	0.00	0.11	0.01	0.00	0.00	0.00	0.00	0.66	0.00	12
13	0.06	0.00	0.13	0.06	0.00	0.00	0.00	0.00	0.03	0.00	0.20	0.00	13
14	0.11	0.02	0.51	0.03	0.00	0.00	0.00	0.16	0.00	0.18	0.10	0.00	14
15	0.06	0.06	0.45	0.37	0.00	0.00	0.00	0.00	0.13	0.00	0.03	0.00	15
16	0.02	0.03	0.47	0.06	0.00	0.00	0.00	0.42	0.22	0.00	0.01	0.00	16
17	0.01	0.03	0.08	0.10	0.00	0.00	0.03	0.00	0.52	0.00	0.00	0.00	17
18	0.01	0.00	0.18	0.09	0.00	0.00	0.03	0.00	0.00	0.00	0.09	0.02	18
19	0.11	0.00	0.00	0.00	0.02	0.01	0.05	0.00	0.46	0.00	0.00	0.02	19
20	0.19	0.00	0.05	0.09	0.00	0.00	0.00	0.00	0.01	0.16	0.12	0.00	20
21	0.01	0.00	0.14	0.03	0.04	~~0.00~~	0.06	0.02	0.00	0.00	0.29	0.00	21
22	0.53	0.00	0.58	0.00	0.00	0.00	0.00	0.23	0.36	0.00	0.01	0.00	22
23	0.00	0.00	0.00	0.00	0.00	10 0.00	0.00	0.12	0.07	0.00	0.00	0.00	23
24	0.09	0.00	0.00	0.06	0.00	0.00	0.00	0.06	0.00	0.00	0.01	0.02	24
25	0.00	0.01	0.00	0.09	0.00	0.03	0.00	0.00	0.01	0.00	0.00	0.02	25
26	0.00	0.10	0.09	0.18	0.00	0.00	0.00	0.07	0.02	0.30	0.00	0.24	26
27	0.00	0.03	0.02	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27
28	0.39	0.00	0.19	0.36	0.04	0.00	0.00	0.00	0.00	0.14	0.00	0.01	28
29	0.01		0.34	0.52	0.07	0.00	0.00	0.37	0.00	0.01	0.01	0.09	29
30	0.40		0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.24	0.04	0.00	30
31	0.00		0.05		0.00		0.00	0.02		0.00		0.00	31
Total	3.63	0.88	3.77	2.59	2.14	1.05	1.07	1.80	2.99	4.09	2.58	0.98	YEAR'S TOTAL 27.57
Rain Days.	20	11	22	19	12	10	8	12	15	13	20	13	176 178

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
20 JAN 1914

REGI 13

Kept at Pumping Station Bardon

in the County of Hill Leicestershire 4

by John Baxter

ng.

Time of Observation 9. A.M.

Nearest Railway Station Bardon Hill

Diameter of Rain Gauge 8. in.

Height of top of Gauge above Ground 1. ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.00	0.06	0.02	0.00	0.00	0.00	0.00	0.91	0.00	0.08	0.00	1
2	0.00	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.06	0.00	2
3	0.03	0.00	0.17	0.00	1.08	0.00	0.00	0.00	0.06	0.00	0.00	0.04	3
4	0.72	0.03	0.01	0.00	0.05	0.04	0.04	0.00	0.00	0.19	0.15	0.39	4
5	0.06	0.00	0.06	0.00	0.00	0.00	0.09	0.00	0.16	0.85	0.00	0.06	5
6	0.02	0.00	0.11	0.00	0.22	0.11	0.69	0.00	0.00	0.05	0.00	0.04	6
7	0.00	0.11	0.00	0.00	0.19	0.06	0.08	0.00	0.00	0.57	0.07	0.01	7
8	0.00	0.00	0.04	0.00	0.20	0.16	0.00	0.00	0.00	0.37	0.05	0.00	8
9	0.00	0.33	0.03	0.03	0.06	0.52	0.00	0.08	01 0.07	0.00	0.09	0.02	9
10	0.03	0.00	0.00	0.06	0.06	0.00	0.00	0.19	0.00	0.01	0.25	0.00	10
11	0.75	0.00	0.00	0.36	0.00	0.01	0.00	0.06	0.00	0.02	0.26	0.00	11
12	0.00	0.00	0.00	0.00	0.11	0.01	0.00	0.00	0.00	0.00	0.66	0.00	12
13	0.06	0.00	0.13	0.06	0.00	0.00	0.00	0.00	0.03	0.00	0.20	0.00	13
14	0.11	0.02	0.51	0.03	0.00	0.00	0.00	0.16	0.00	0.18	0.10	0.00	14
15	0.06	0.06	0.45	0.37	0.00	0.00	0.00	0.00	0.13	0.00	0.03	0.00	15
16	0.02	0.03	0.47	0.06	0.00	0.00	0.00	0.42	0.22	0.00	0.01	0.00	16
17	0.01	0.03	0.08	0.10	0.00	0.00	0.03	0.00	0.52	0.00	0.00	0.00	17
18	0.01	0.00	0.18	0.09	0.00	0.00	0.03	0.00	0.00	0.00	0.09	0.02	18
19	0.11	0.00	0.00	0.00	0.02	0.01	0.05	0.00	0.46	0.00	0.00	0.02	19
20	0.19	0.00	0.05	0.09	0.00	0.00	0.00	0.00	0.01	0.16	0.12	0.00	20
21	0.01	0.00	0.14	0.03	0.04	~~0.00~~	0.06	0.02	0.00	0.00	0.29	0.00	21
22	0.53	0.00	0.58	0.00	0.00	0.00	0.00	0.23	0.36	0.00	0.01	0.00	22
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.07	0.00	0.00	0.00	23
24	0.09	0.00	0.00	0.06	0.00	0.00	0.00	0.06	0.00	0.00	0.01	0.02	24
25	0.00	0.01	0.00	0.09	0.00	0.03	0.00	0.00	0.01	0.00	0.00	0.02	25
26	0.00	0.10	0.09	0.18	0.00	0.00	0.00	0.07	0.02	0.30	0.00	0.24	26
27	0.00	0.03	0.02	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27
28	0.39	0.00	0.19	0.36	0.04	0.00	0.00	0.00	0.00	0.14	0.00	0.01	28
29	0.01		0.34	0.52	0.07	0.00	0.00	0.37	0.00	0.01	0.01	0.09	29
30	0.40		0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.24	0.04	0.00	30
31	0.00		0.05		0.00		0.00	0.02		0.00		0.00	31
Total	3.63	0.88	3.77	2.59	2.14	1.05	1.07	1.80	2.99	4.09	2.58	0.98	YEAR'S TOTAL 27.57
Rain Days.	20	11	22	19	12	10	8	12	15	13	20	13	176 175

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Pumping Station Bardon
in the County of Hill Leicester 4
by John Baxter

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Bardon Hill
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.06	0.01	0.00	0.00	0.90	0.26	0.00	0.02	0.00	0.00	1
2	0.02	0.00	0.00	0.01	0.00	0.00	0.00	0.47	0.00	0.00	0.47	0.16	2
3	0.00	0.00	0.03	0.04	0.10	0.00	0.29	0.09	0.00	0.00	0.00	0.01	3
4	0.23	0.00	0.09	0.15	0.03	0.00	0.00	0.06	0.00	0.00	0.72	0.36	4
5	0.11	0.00	0.17	0.39	0.04	0.19	0.32	0.01	0.00	0.00	0.02	0.00	5
6	0.00	0.04	0.00	0.10	0.07	0.00	0.00	0.00	0.00	0.00	0.05	0.05	6
7	0.00	0.15	0.46	0.02	0.07	0.00	0.06	0.10	0.00	0.00	0.00	0.09	7
8	0.20	0.00	0.00	0.11	0.04	0.85	0.51	0.26	0.00	0.00	0.00	0.06	8
9	0.41	0.00	0.09	0.16	0.00	1.29	0.00	0.01	0.05	0.00	0.00	0.00	9
10	0.19	0.09	0.00	0.22	0.08	0.00	0.00	0.00	0.14	0.00	0.00	0.00	10
11	0.00	0.06	0.35	0.10	0.09	0.00	0.00	0.00	0.06	0.00	0.68	0.66	11
12	0.00	0.04	0.11	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.05	0.47	12
13	0.01	0.13	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.06	0.39	13
14	0.02	0.02	0.10	0.00	0.00	0.00	0.09	0.00	0.03	0.29	0.14	0.30	14
15	0.04	0.00	0.18	0.00	0.00	0.00	0.00	0.01	0.03	0.00	0.03	0.00	15
16	0.02	0.00	0.02	0.00	0.00	0.00	0.34	0.00	0.03	0.00	0.00	0.00	16
17	0.02	0.15	0.08	0.00	0.00	0.00	0.11	0.00	0.12	0.00	0.00	0.26	17
18	0.00	0.00	0.00	0.00	0.00	0.10	0.04	0.00	0.00	0.00	0.00	0.64	18
19	0.00	0.00	0.03	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.04	0.06	19
20	0.00	0.13	0.07	0.00	0.00	0.00	0.85	0.00	0.02	0.01	0.00	0.05	20
21	0.02	0.39	0.02	0.00	0.00	0.09	0.00	0.00	0.00	0.10	0.01	0.34	21
22	0.00	0.00	0.02	0.00	0.77	0.00	0.05	0.08	0.00	0.19	0.00	0.00	22
23	0.00	0.12	0.11	0.00	0.25	0.01	0.02	0.00	0.00	0.06	0.00	0.00	23
24	0.00	0.01	0.19	0.00	0.37	0.00	0.21	0.07	0.00	0.21	0.20	0.00	24
25	0.01	0.00	0.00	0.00	0.00	0.00	0.05	0.31	0.00	0.53	0.04	0.27	25
26	0.00	0.00	0.05	0.00	0.00	0.00	0.02	0.23	0.00	0.09	0.39	0.28	26
27	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.12	27
28	0.03	0.06	0.03	0.00	0.04	0.00	0.00	0.00	0.00	0.05	0.45	0.86	28
29	0.03		0.12	0.00	0.03	0.00	0.00	0.00	0.00	0.37	0.11	0.01	29
30	0.00		0.00	0.01	0.00	0.02	0.00	0.00	0.00	0.03	0.45	0.34	30
31	0.00		0.00		0.00		0.28	0.00		0.02		0.07	31
Total	1.41	1.39	2.53	1.32	1.98	2.55	4.23	1.96	0.72	2.12	4.03	5.85	YEAR'S TOTAL 30.09
Rain Days.	16	13	22	12	13	7	17	13	9	14	18	22	176

W.7,000, XI. 13

COUNTESTHORPE.

WIGSTON SEW. FM.

LEICESTERSHIRE

1911 – 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

I … 11

Raister's

Kept at South W… 8 in.

…ove Ground — ft. 5 in.

in the County of L… Sea Level 230·85 ft.

9 a.m. each day

by W. G. J. Clarke, … Magn…

Name M.R. South Wigston

Distance 1363 yds. Direction N.E.

IMPORTANT NO… …nd the result entered to the previous day. If an … …niversal rule, he is earnestly requested to add the r… year in the space provided for it at the end of t… …rement of rain, the selection and pla… British Rainfall Organization are given … …n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04							·02	·03		1
2	·06				·18			·08			·03	·03	2
3					·16			·19	·02	·05		·01	3
4	·02	·01	·09	·15				·01	·05	·10	·10	·26	4
5	·01			·02				·08		·01			5
6	·24		·02					·01			·03	·36	6
7										·05	·15	·07	7
8	·09		·12							·02	·07	·07	8
9	·06								·10		·14	·03	9
10	·03	·08	·16					·17			·01	·32	10
11	·23							·22			·28	·01	11
12	·03		·44						·12		·14	~~·43~~	12
13			·05				·01		·12			·43	13
14	·01	·06	·03		·02					·04		·37	14
15		·08	·16						·01	·01	·05	·03	15
16						·05					·23	·08	16
17											·08	·15	17
18		·21			·01	·20					·07	·16	18
19		·02				·15	·08	·07	·10	·11	·30	·05	19
20		·06		·03		·01		·90		·02		·34	20
21		·26	·05					·22		·19		·07	21
22			·03	·02		·02		·03		·23	·02	·32	22
23		·05	·29			·25			·32	·51		·12	23
24		·08	·04	·03		·42		·03		·09		·15	24
25		·08	·04	·07	·60	·05		·04		·04		·02	25
26		·02	~~·10~~	·24	·24	·04		·04		·27	·19	·20	26
27		·17	·13	·09				·33	·18		·01	·08	27
28		·13		·16		·12			·02	·13	·08		28
29			·01	·01		·13	·04		·18	·13	·01	·01	29
30			·02	·04	·01	·05				·07		·01	30
31					·05					·03			31
Total	0·78	1·31	1·72	0·86	1·27	1·49	0·13	2·42	1·22	1·99	2·02	3·75	TOTAL for year 18·96
No. of Rain Days.	10	14	17	11	8	12	3	15	11	19	20	26	166

W. 8,000, X. '11.

[illegible] IN 1911

FORM A2.
BRITISH RAINFALL.

3 - JAN 12

Kept at South Wigston Sewage Farm, Glen Parva.

in the County of Leicester 4

by W. G. J. Clark, Engineer & Surveyor for the Wigston Magna Urban District Council.

RAIN GAUGE
Pattern Glaisher's
Diameter of top 8 in.
Height of top above Ground — ft. 5 in.
" " " Sea Level 230·85 ft.

Time of Observation 9 a.m. each day

Nearest Railway Station
Name M.R. South Wigston
Distance 1363 yds. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04							·02	·03		1
2	·06				·18			·08			·03	·03	2
3					·16			·19	·02	·05		·01	3
4	·02	·01	·09	·15				·01	·05	·10	·10	·26	4
5	·01			·02				·08		·01			5
6	·24		·02					·01			·03	·36	6
7										·05	·15	·07	7
8	·09		·12							·02	·07	·07	8
9	·06								·10		·14	·03	9
10	·03	·08	·16					·17			·01	·32	10
11	·23							·22			·28	·01	11
12	·03		·44						·12		·14	~~·43~~	12
13			·05				·01		·12			·43	13
14	·01	·06	·03		·02					·04		·37	14
15		·08	·16						·01	·01	·05	·03	15
16						·05					·23	·08	16
17											·08	·15	17
18		·21			·01	·20					·07	·16	18
19		·02				·15	·08	·07	·10	·11	·30	·05	19
20		·06		·03		·01		·90		·02		·34	20
21		·26	·05					·22		·19		·07	21
22			·03	·02		·02		·03		·23	·02	·32	22
23		·05	·29			·25			·32	·51		·12	23
24		·08	·04	·03		·42		·03		·09		·15	24
25		·08	·04	·07	·60	·05		·04		·04		·02	25
26		·02	~~·10~~	·24	·24	·04		·04		·27	·19	·20	26
27		·17	·13	·09				·33	·18		·01	·08	27
28		·13		·16		·12			·02	·13	·08		28
29			·01	·01		·13	·04		·18	·13	·01	·01	29
30			·02	·04	·01	·05				·07		·01	30
31					·05					·03			31
Total	0·78	1·31	1·72	0·86	1·27	1·49	0·13	2·42	1·22	1·99	2·02	3·75	TOTAL for year 18·96
No. of Rain Days.	10	14	17	11	8	12	3	15	11	19	20	26	166

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
2 JAN 1913
2500

Kept at Wigston Sewage Farm (Parish of Countesthorpe)
in the County of Leicester 4
by Wm. Geo. J. Clark, Engineer & Surveyor

Lat. 52°-33'-55·5" Long. 1°-7'-34·5"
Time of Observation 9 a.m.
Nearest Railway Station South Wigston M.R.
Diameter of Rain Gauge eight in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 257· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·01	–	–	·09	–	–	·09	–	·01	·17	1
2	–	·03	·02	·07	·03	·23	·58	–	–	–	–	·02	2
3	·07	–	–	–	·01	·22	·03	·50	·02	–	–	·03	3
4	·10	–	·59	–	·10	·54	–	·10	–	–	·42	–	4
5	·04	·03	·51	–	·02	·16	–	·22	·06	–	·06	·01	5
6	·40	·13	–	–	·01	·03	·03	·45	–	–	–	·05	6
7	–	·03	–	–	–	·17	–	·02	–	–	–	·01	7
8	·21	·25	·26	·02	–	·03	·05	–	·07	–	–	·02	8
9	–	·03	·10	·08	–	·05	–	·01	–	–	–	·23	9
10	–	–	–	–	–	–	–	·38	·02	–	·23	–	10
11	·11	·13	–	–	–	·07	–	·04	–	–	·04	·37	11
12	·03	·27	·11	–	·19	–	·01	–	–	–	·04	–	12
13	–	·05	–	–	–	·04	–	–	–	·01	·08	–	13
14	·07	–	·35	–	·03	·12	–	·03	–	–	–	–	14
15	·11	·03	·16	–	·25	·17	–	·01	–	–	·01	·12	15
16	·47	–	·13	–	·18	·03	–	·10	–	·08	–	–	16
17	·11	–	·08	–	–	·18	·05	·21	–	–	·06	·36	17
18	·17	–	·09	–	–	–	–	·27	–	–	·03	·04	18
19	·24	·04	–	–	·01	–	·27	·11	–	·03	·03	–	19
20	·09	–	·50	–	·04	–	·26	·32	–	·20	·01	–	20
21	–	–	·30	–	·54	–	·02	·47	–	·23	·01	–	21
22	·18	·04	–	–	·34	·02	1·30	·44	–	–	–	·06	22
23	·21	·16	·23	–	–	·01	·32	·51	–	–	·08	·63	23
24	·23	–	·01	–	–	·43	·26	·11	–	·01	–	·13	24
25	–	–	·03	–	–	·59	–	·32	–	–	·24	·30	25
26	·03	·02	–	–	–	–	1·07	1·24	–	·50	·30	·26	26
27	–	–	–	–	·01	·29	–	–	–	·59	·01	·14	27
28	–	·02	–	–	–	·03	·12	·43	·01	·31	·30	·49	28
29	–	·02	–	–	–	·16	·22	–	·56	·15	·03	–	29
30	·07	X	·02	–	·22	·02	·01	–	·01	·12	–	–	30
31	–	X	·10	X	·06	X	·65	·15	X	–	X	·04	31
Total	2·94	1·28	3·60	0·17	2·04	3·68	5·25	6·44	0·84	2·23	1·99	3·48	YEAR'S TOTAL 33·94
Rain Days.	19	16	19	3	16	23	17	23	8	11	19	20	194

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

1 - JAN 1914

Kept at Wigston Sewage Farm (Countesthorpe)

in the County of Leicester 4

by Wm Geo. Clark, Surveyor to W. M. U. D. C

Lat. 52°·33'·55" Long. 1°-7'-34"

Time of Observation 9 a.m.

Nearest Railway Station M. R. South Wigston

Diameter of Rain Gauge eight in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 257 ~~256·8~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·09	·02					·71	·01	·07		1
2		·08	·01	·13							·03		2
3	·02		·18		·34				·01	·16		·02	3
4	·53				·13	·02	·02		·01	·09	·10	·21	4
5	·06					·01	·10		·04	1·55	·02	·03	5
6		·02	·06		·23	·08	·70			·07		·02	6
7		·11			·19	·01	·03			·40	·04	·01	7
8		·01	·01		·17	·20				·35	·06		8
9		·28	·04	·02		·26		·01			·09	·01	9
10	·01			·08	·11			·02			·27		10
11	·57			·30		·02		·19			·28		11
12					·11	·01				·04	·61		12
13	·07		·06	·03				·02	·04		·22		13
14	·05		·63	·01			·01	·12		·09	·07		14
15	·06		·28	·33					·07		·01		15
16	·03	·01	·64	·03					·09	·01			16
17	·06	·02	·05	·05		·21	·02				·03		17
18			·10	·06			·05						18
19	·06		·03				·05		·07				19
20	·08		·09	·02					·04	·21	·13		20
21	·05		·17	·04	·06		·09	·01			·31		21
22	·35		·34					·06	·25				22
23			·03			·04	·01	·07	·05				23
24	·05			·05				·01					24
25		·01		·05		·01			·01		·01		25
26		·07	·12	·15	·07			·08		·29	·01	·27	26
27		·01	·02	·01									27
28	·41		·23	·27						·09		·07	28
29	·01	×	·13	·56	·12			·31		·06		·15	29
30	·37	×								·04	·08		30
31		×	·03	×	·01	×		·01	×		×		31
Total	2·85	0·62	3·34	2·21	1·54	0·87	1·08	0·91	1·39	3·46	2·44	0·79	YEAR'S TOTAL 21·50
Rain Days.	19	10	22	19	11	11	10	12	12	15	19	9	169

W.7,000, XI. 13

Exc. W.9.

2500

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wigston Sewage Farm, Countesthorpe

in the County of Leicester 4

by Wm. Geo. J. Clark, Engineer + Surveyor to Wigston magna U.D. Council

Lat. 52°·33'·55·5" Long. 1°-4'-34·5" W.
Time of Observation 9 a.m. each day
Nearest Railway Station M.R. South Wigston Station
Diameter of Rain Gauge eight in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 257 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·01	·05	·	·	·22	·25	·	·01	·04	·	1
2	·	·	·	·04	·	·	·	·07	·	·	·60	·38	2
3	·	·	·	·	·15	·	·20	·03	·	·	·01	·	3
4	·16	·	·01	·15	·03	·	·	·17	·	·	·38	·25	4
5	·09	·	·13	·18	·02	·11	·26	·02	·	·	·01	·	5
6	·	·07	·	·02	·02	·	·	·	·	·	·12	·02	6
7	·	·07	·45	·10	·06	·01	·04	·04	·	·	·	·02	7
8	·12	·	·01	·05	·09	·86	·15	·15	·	·	·	·	8
9	·41	·01	·15	·21	·	1·11	·	·04	·05	·	·	·	9
10	·12	·16	·	·18	·04	·	·	·	·12	·	·	·03	10
11		·06	·24	·24	·07	·05	·	·	·04	·	·45	·44	11
12	·02	·01	·09	·	·	·	·	·	·31	·	·03	·32	12
13	·	·12	·18	·	·	·	·	·	·03	·09	·18	·37	13
14	·02	·02	·09	·	·	·	·18	·	·	·20	·12	·37	14
15	·04	·	·20	·	·	·	·	·	·	·	·05	·04	15
16	·02	·	·01	·	·	·	·17	·	·17	·	·	-	16
17	·	·17	·09	·	·	·	·01	·	·06	·	·	·24	17
18	·	·	·	·	·	·	·15	·	·	·	·	·47	18
19	·	·02	·02	·	·	·35	·01	·	·	·	·03	·	19
20	·	·11	·13	·	·	·	·	·	·03	·01	·	·02	20
21	·	·29	·06	·	·	·03	·02	·	·	·11	·	·43	21
22	·01	·01	·	·	·24	·01	·04	·07	·	·18	·01	·	22
23	·	·11	·07	·	·15	·02	·01	·	·	·05	·	·01	23
24	·	·	·16	·	·53	·	·24	·	·	·30	·13	·	24
25	·04	·	-	·	·	·	·01	·13	·	·38	·01	·17	25
26	·	·	·02	·	·	·	·	·07	·	·10	·11	·33	26
27	·04	·	·	·	·	·	·	·	·	·	·	·17	27
28	·	·04	·02	·	·	·	·	·	·	·11	·17	·77	28
29	·01	X	·09	·	·02	·	·	·	·	·36	·10	·	29
30	-	X	·	·	·	·06	·	·	·	·	·47	·18	30
31	·03	X	·	X	·	X	·35	·	X	·	X	·01	31
Total	1·13	1·27	2·23	1·22	1·42	2·61	2·06	1·04	0·81	1·90	3·02	5·04	YEAR'S TOTAL 23·75 ✓
Rain Days.	14	15	21	10	12	10	16	11	8	12	19	21	169 ✓

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 - JAN 1916
2500

Kept at The Wigston Sewage Farm Countesthorpe
in the County of Leicestershire
by Wm. Geo. J. Clark Engineer & Surveyor to Wigston Magna U.D.C.

Lat. 52°33′55.5″N. Long. 1°7′36.5″W.
Time of Observation 9 a.m.
Nearest Railway Station South Wigston M.R.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 257 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·16	·08		·23			·03	·85	·01	·03	·06	1
2	·03	·09	·17	·16		·13		·31		·15		·04	2
3	·33		·03	·04			1·24	·53	·07			·15	3
4	·07				·04		·18	·08				·78	4
5	·03	·28			·27		·05	·02			·03	·37	5
6	·10	·13		·32			·78	·04				·10	6
7	·07	·30	·01				·21	·27				·54	7
8	·03	·07	·01	·01				·01			·04		8
9		·06									·19	·43	9
10	·32		·01					·24		·01	·09		10
11	·01			·03	·14		·06	·16			·56	·11	11
12	·03			·17	·27		·01	·26		·04	·99		12
13		·44			·65		·01	·14					13
14		·02						·01	·07		·01	·23	14
15	·26				·04		·11	·11			·12	·12	15
16		·41			·03		1·42						16
17		·12			·01		·39						17
18		·32	·23							·01	·01		18
19		·02	·01		·01		·14					·01	19
20	·27			·01								·33	20
21	·13	·07					·14					·10	21
22	·07		·12	·03			·29		·01			·11	22
23	·02	·04	·01			·03	·32		·05	·15		·19	23
24			·03	·06			·65		1·15	·11		·10	24
25	01		·01			·28	·05			·03		·26	25
26		·19					·02		·01			·33	26
27			·01				·18			·37		·04	27
28		·06	02			1·38		·18	·01	·02	·01		28
29		✕			·01		·08	·04	·01		·19	·19	29
30	·07	✕		·01		·63		·03		·01	·03	·07	30
31	02	✕		✕		✕	·01	·03	✕	·34	✕	06	31
Total	2·03	2·78	·75	·84	1·70	2·45	6·34	2·49	2·23	1·25	2·30	4·70	YEAR'S TOTAL 29·86"
Rain Days.	~~22~~ 19	17	14	10	11	5	21	18	9	12	13	23	~~175~~ 172

W. 8,000. X. 15. Wmc

Wmc

254
2500

BRITISH RAINFALL.
FORM A.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wigston Sewage Farm (Countesthorpe)
in the County of Leicester
by Wm. Geo. J. Clark

Lat. 52°-33′-55″ Long. 1°-7′-34
Time of Observation 9 a.m.
Nearest Railway Station M.R., South Wigston
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 257 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·19		·05	·10	·08				·24		1
2	·32	·01	·08		·22	·01	·31		·04	·48	·11		2
3		·58					·01		·56	·19	·03		3
4	·28	·01			·26	·23					·09		4
5	·05				·04	·09				·09	·08		5
6	·07	·10	·20	·01	·11		·46			·01	·33		6
7	·04		·25		·02	·01	·16			·08	·52	·17	7
8	·01		·01			·08					·03	·17	8
9			·06		·20	·04			·02	·07		·02	9
10		·14	·04	·06					·01			·03	10
11	·02	·24	·06	·15	05	·26			·03			·04	11
12	·05	·03	·05	·02	·43	·08	·04		·01	·05		·01	12
13	·01	·16	·05	·04	·04			·22					13
14		·47		·11				·39		·04			14
15		·15	·65		·01		·09	·15		·01			15
16		·07	·55	·16	·01		·25	·16		·02			16
17	·08	·02		·16			·03	·78	·10	15		·01	17
18		·15	·02	·03				·09	·18		·66	·07	18
19	·09	·04	·31	·05					·17		·48	·01	19
20	·05		·27	·08							·06	·10	20
21		·01	·10								·01	·46	21
22	·01	·02	·02	·02	·04	·01				·02		·44	22
23	·04	·30		·01		·02		·03		·08	·05	·17	23
24		·23	·02	·01		·04		·04		·02		·16	24
25		·06	·13		·02			·18		·03	·22		25
26	·03	·05	·01			·01		·29		·12	·02	·01	26
27	·01	·32	·55				·11	·17	·04	·08			27
28		·17	·10			·07				·01		·16	28
29		·07			·05	·20		1·19		·25		·05	29
30		×				·08		·03		·11			30
31		×		×	·01	×		·03	×	02	×	·01	31
Total	1·23	3·40	3·72	·91	1·56	1·33	1·54	3·75	1·16	1·93	2·93	2·09	YEAR'S TOTAL 25·55
Rain Days.	17	23	22	14	16	16	10	14	10	21	15	18	196

W. 8,000, VIII. 16

247
2500

FORM A.
BRITISH RAINFALL
8. JAN

REGISTER OF RAINFALL IN 1917

Kept at Wigston Sewage Farm, Countesthorpe
in the County of Leicestershire
by Wm. Geo. Johnson Clark

Lat. 52°-33′-55″5 Long. 1°-7′-34″5 W.
Time of Observation 9 a.m.
Nearest Railway Station South Wigston M.R.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 257 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01				1·18	·11		·01	·07	1
2	·03					·12		·13	·01	·02	·02		2
3		·09		·34				·48		·24	·04		3
4		·07	·03	·02				·12		·32		·01	4
5	·12		·01	·18					·02	·11	·10		5
6	·01					·09				·07	·03		6
7	·44		·01				·28			·23		·03	7
8	·59			·08				·32		·35	·06	·14	8
9	·03		·04	·10	·17			·12	·01		·12	·01	9
10	·39		·23	·04	·09			·01			·08		10
11	·07		·07	·20				·08	·06	·19	·01		11
12	·08	·02	·01		·08				·01	·27	·01	·01	12
13	·01			·02				·19	·08	·01	·01		13
14	·04		04	·15	·01			·02			·01	·03	14
15				·05	·02		·09			·04		·03	15
16	·04	10		·11		·06				·03		·21	16
17	·01		·01	·15	·33	·78	·26	·06	·04	·07		·02	17
18	·01	·01		04	·52	·01	·21		·88				18
19	·01	·14	·09		·56				·01				19
20		·16	·01		·56	·03	·01	·07	·01		06		20
21		·01	·06	·01	·17	·02		·01		·01			21
22			·02					·01	·06	·05			22
23		·06			·07			·26	·02	·04		·01	23
24		·02				·78		·04		·40	·04		24
25		·02	·03				·21				·08		25
26		·01	·02					·26	·21	·01	·06		26
27			·01			·39	·02	·65					27
28			·11			·42		·10		·02		·05	28
29		×	·01				·02			·41		·19	29
30	·02	×					·42	·28					30
31		×	·05	×		×	·03	·10	×		×	·03	31
Total	1·90	·71	·86	1·50	2·58	2·70	1·55	4·49	1·53	2·89	·74	·84	YEAR'S TOTAL 22·29
Rain Days.	16	12	19	15	11	10	10	21	14	20	16	14	178

W. 8,000, IX. 17.

2.26

FORM A.
BRITISH RAINFALL.

16
2500

REGISTER OF RAINFALL IN 1918

Kept at Wigston Sewage Farm, Countesthorpe
in the County of Leicester
by W. G. J. Clark, Wigston Magna.

Lat. 52°-33′-555″ Long. 1°-7′-34·5″
Time of Observation 9 a.m.
Nearest Railway Station M.R. South Wigston
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 257 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·15						·01	·10	·02	1
2		·09		·12				·40	·01	·01	·03	·12	2
3		·02	·03		·49			·04	·22	·01	·33	·01	3
4			·02				·03	·03	·73	·01	·47	·05	4
5		·03		·03	·05			·13	·05	·02			5
6	·01	·03		·17		·05				·02		·01	6
7	·01	·10		·13		·07			·03	·06	·11		7
8		·06	·11	·05					·03	·05		·07	8
9	·01	·20		·11		·10	·36		·27	·21		·04	9
10	09	·01		·06			·19		·02	·21		·04	10
11	·07	·01		·01	·13		·15		·21	·13		·07	11
12	·04	·09	·03		·16		·06		·13			·08	12
13				·01	·24	·02	·02		·14	·01		·04	13
14	·24			·03			·14		·21	·07		·02	14
15	·38			·35		·02	·14		·02		·01	·16	15
16	·03			·17		·09		·01	·01			·01	16
17	·31						·28	·02	·08	·03		·11	17
18	·31					·05	·40		·19			·30	18
19	·03	·02	·04	·16			·08			·04		·24	19
20		·04		·47		·08			·03	·02	·01	·01	20
21	·04			·18			·03		·28	·03		·01	21
22	·10				·15		·01		·03	·04	·01	33	22
23	·09				·61	·01	·02		·02	·01			23
24		09							·10	·04	·09	·02	24
25						·02	·01	·18	·01	·04	·03		25
26							·02		03		·03	·07	26
27		02	·01	·02		·01	·06	·24	·26		·08	·05	27
28		13	·20					·04			·14	·19	28
29		✕							·81		·01	·02	29
30	~~·01~~	✕	·19						·07		·10	·16	30
31		✕	·43	✕		✕			✕		✕		31
Total	1·76	·97	1·06	2·22	1·83	·52	2·00	1·09	3·99	1·07	1·55	2·25	YEAR'S TOTAL 20·31
Rain Days.	16	16	9	17	7	11	17	9	26	21	15	26	19

W, 6,500, VII. 18. W W G

2F RR

2500

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wigston Sewage Farm, Countesthorpe

in the County of Leicester

by Wm. Geo. J. Clark

Lat. 52°-33′-55·5 Long. 1°-7′-34·5

Time of Observation 9 a.m.

Nearest Railway Station M.R. South Wigston

Diameter of Funnel of Rain Gauge eight in.

Height of top of Gauge above Ground [illegible] ft. 9 in.

" " " " Sea Level 257 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·12	·03		·15		·20			·07	·05	·45	1
2	·14	·02	·03				·24	·01	·85	·05	·15	·03	2
3	·72		·02		·01	·03	·14		·08		·17	·01	3
4	·04		·30			·08	·01	·12	·09			·18	4
5	·05	·11					·02		·30			·15	5
6	·01		·04		·51					·01	·01	·10	6
7	·01		·27	·03									7
8	·16		·03	·26		·04					·03		8
9				·07					·01		·03		9
10			·30	·02						·02	·04	·08	10
11	·02		·26	·01			·46						11
12			·18	·01		·24	·02		·03	·07	·90		12
13	·12			·35			·01		·03	·07		·04	13
14	·27	·02		·14					·25			·01	14
15	·14	·01	·04	·04						·01	·03	·56	15
16	·08	·85		·04				·07			·21	·01	16
17	·06	·27		·01							·22	·01	17
18			·16					·20	·04			·21	18
19	·03	·24	1·02			·11	1·54	·27	·16		·08	·02	19
20	·32	·02	·20				·54	·15	·02		·14	·08	20
21	04	·37	·03				·26		·01	·01	·03	·29	21
22		·16							·41			·63	22
23		·01		·02		·04		·06		·64	·01	·08	23
24				·10	·03		·12			·24	·03	·07	24
25	·11			·25	·04	·01		·38			·02	·03	25
26	·03	·02	·25	·04		·01		·02	·06			·39	26
27	·31	·02	·01	·30		·01		·14			·02	·03	27
28	·03			·04			·01	·54		·02	·07	·26	28
29	·04	×		·02		·01		·08		·27	·05	·04	29
30	·01	×	·06	·20		30		05		·02	08	·22	30
31	·04	×		×		×	·04		×	·06	×	·02	31
TOTAL	3·15	2·24	3·23	1·95	·74	·88	3·61	2·09	2·34	1·56	2·37	4·00	YEAR'S TOTAL 28·16
Days with ·01 in. or more	24	14	18	19	5	11	14	13	14	14	21	26	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2500

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wigston Sewage Farm, Countesthorpe

in the County of Leicester

by Wm. Geo. J. Clark, C.E.

Lat. 52°-33′-35″ N Long. 1°-7′-36″ W.

Time of Observation 9 a.m.

Nearest Railway Station M.R., South Wigston

Diameter of Funnel of Rain Gauge 8 (eight) in.

Height of top of Gauge above Ground ft. 9 in.

„ „ „ „ Sea Level 257 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✓

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19	·24		·17		·01	·34	·02	·16	1
2				·10			·04	·01	·07	·38		·05	2
3	·01	·03		·52	·02	·02	·26	·01	·08	·06			3
4				·22			·06	·24	·01	·29		·08	4
5			·05		·27		·49	·09	·04	·01		·01	5
6		·01	·31	·03	·03		·10					·02	6
7			·03	·16			·02						7
8	·21	·07		·55	·07		·10						8
9	·37	·01	·01	·65				·06					9
10	·18	·06	·07	·05		·01	·04				·03		10
11	·09	·05	·03	·19	·24	·03	·02	·02				·04	11
12	·02		·01	·16		·19	·08				·01	·17	12
13	·02	·04	·26	·15		·01			·03				13
14	·01	·01	·85	·24		·35	·01		·16	·01	·13		14
15		·07	·20	·19					·30	·03	·08		15
16		·01		·05	·10	·21	·02		·14	·10			16
17					·12				·47	·09		·04	17
18	·14			·09	·04		·06	·15	·29				18
19	·02	·23		·24		·09		·04	·02			·03	19
20	·04	·15		·29		·25	·06						20
21	·01						·16	·10	·02				21
22	·01	·01		·13			·06	·01	·03		·01		22
23		·01					·14			·01		·28	23
24	·03		·12	·03								·03	24
25		·03	·07	·08		·02	·33		·01	·01			25
26	·17		·07	·03			·01		·01	·01		·03	26
27	·06	·01	·01	·09	·07	·35	·01		·01	·01	·43	·20	27
28	·57		·03		·16				~~·01~~	·01	·03	·12	28
29	·05		·25		·36		·07				·07	·33	29
30	·01			·08	·02	·05	·08		·08		·09	·11	30
31	·03		·02		·04		·01			·26		·03	31
Total	2·05	·80	2·39	4·51	1·78	1·58	2·40	·73	1·78	1·62	·90	1·73	Year's Total 22·27 in
Days with ·01 in. or more	20	16	17	24	14	12	24	10	18	15	10	17	197
Days with ·04 in. or more	10	7	10	21	11	7	17	6	9	7	5	11	121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CROPSTONE

BRADGATE RES

LEICESTER SHIRE

1911 – 1920

2507

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

I 11

F. Stanley's

Kept at Bradgat 8 in.

ove Ground 1 ft. 0 in.

in the County of Lei Sea Level 245.71 ft.

F. Griffith M. Inst. C. am

by The Leicester Name Rothley

Distance Direction

IMPORTANT NOT 1 the result entered to the previous day. If an O versal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi nent of rain, the selection and placin tish Rainfall Organization are given in post-free on application to Dr. H. R. Mill, 62, Cam square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·08	·	·	·	·11	·	·	·	·05	·	1
2	·08	·	·	·	·15	·	·	·16	·	·02	·03	·04	2
3	·	·02	·	·	·18	·	·	·27	·	·05	·04	·	3
4	·03	·	·13	·11	·	·	·	·04	·04	·25	·13	·25	4
5	·02	·	·	·	·	·	·	·06	·	·02	·	·	5
6	·20	·	·02	·	·	·	·	·02	·	·39	·04	·48	6
7	·03	·02	·02	·	·	·	·	·	-	·17	·16	·09	7
8	·11	·	·23	·	·	·	·	·	·	·	·	·20	8
9	·05	·	·	·	·	·	·	·	·	·	·17	·10	9
10	·07	·06	·28	·	·	·	·	·03	·	·	·03	·50	10
11	·18	·	·	·	·	·	·	·25	·	·	·36	·02	11
12	·02	·	r+s. ·43	·	·	·	·	·	·38	·	·17	·	12
13	·	·	·05	·	·	·	·	·	·10	·	·04	·46	13
14	·	·11	·04	·	·03	·	·	·	·	·06	·	·38	14
15	·	·10	·13	·	·	·	·	·	·	·05	·07	·05	15
16	·	·	·08	·	·	·04	·	·	·	·02	·12	·08	16
17	·	·02	·	·02	·	·12	·	·	·	·	·08	·19	17
18	·	·29	·	·	·	·03	·	·	·	·02	·32	·16	18
19	·	·03	·	·	·04	·28	·03	·	·13	·20	·24	·08	19
20	·02	·08	·	·05	·	·	·	·63	·08	·		·40	20
21	·	·50	·08	·	·	·	·	·20	·	·25	·03	·08	21
22	·	·	·08	·06	·	·02	·	·02	·	·20	·03	·34	22
23	·	·08	·22	·	·	·40	·02	·	·44	·04	·	·12	23
24	·02	·10	·04	·05	·	·56	·	·04	·	·33	·	·07	24
25	·	·17	·05	·10	·52	·06	·	·	·02	·	·02	·06	25
26	·	·03	·	·28	·19	·02	·	·03	·	·22	·27	·36	26
27	·	·28	·09	·21	·	·	·	·45	·21	·02	·	·10	27
28	·	·31	·	·18	·	·25	·	·	·04	·	·08	·	28
29	·	×	·	·	·	·20	·02	·	·21	·25	·02	·02	29
30	·	×	·03	·08	·06	·03	·	·	·	·05	·	·02	30
31	·	×	·	×	·05	×	·	·	×	·03	×	·	31
Total	0·83	2·20	2·08	1·14	1·22	2·01	0·18	2·20	1·65	2·64	2·50	4·65	TOTAL for year 23·30
No. of Rain Days	12	16	18	10	8	12	4	13	10	20	22	25	170

9,000, IX. '10.

2507

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

REGISTER OF RAINFALL IN 11

Kept at Bradgate Reservoir

in the County of Leicester 4

by F. Griffith M. Inst. C.E. The Leicester Corporation Water Department.

RAIN GAUGE
Pattern W. F. Stanley's
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 245.71 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Rothley
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·08	·	·	·	·11	·	·	·	·05	·	1
2	·08	·	·	·	·15	·	·	·16	·	·02	·03	·04	2
3	·	·02	·	·	·18	·	·	·27	·	·05	·04	·	3
4	·03	·	·13	·11	·	·	·	·04	·04	·25	·13	·25	4
5	·02	·	·	·	·	·	·	·06	·	·02	·	·	5
6	·20	·	·02	·	·	·	·	·02	·	·39	·04	·48	6
7	·03	·02	·02	·	·	·	·	·	·	·17	·16	·09	7
8	·11	·	·23	·	·	·	·	·	·	·	·	·20	8
9	·05	·	·	·	·	·	·	·	·	·	·17	·10	9
10	·07	·06	·28	·	·	·	·	·03	·	·	·03	·50	10
11	·18	—	·	·	·	·	·	·25	·	·	·36	·02	11
12	·02	·	r+s. ·43	·	·	·	·	·	·38	·	·17	·	12
13	·	·	·05	·	·	·	·	·	·10	·	·04	·46	13
14	·	·11	·04	·	·03	·	·	·	·	·06	·	·38	14
15	·	·10	·13	·	·	·	·	·	·	·05	·07	·05	15
16	·	·	·08	·	·	·04	·	·	·	·02	·12	·08	16
17	·	·02	·	·02	·	·12	·	·	·	·	·08	·19	17
18	·	·29	·	·	·	·03	·	·	·	·02	·32	·16	18
19	·	·03	·	·	·04	·28	·03	·	·13	·20	·24	·08	19
20	·02	·08	·	·05	·	·	·	·63	·08	·	·	·40	20
21	·	·50	·08	·	·	·	·	·20	·	·25	·03	·08	21
22	·	·	·08	·06	·	·02	·	·02	·	·20	·03	·34	22
23	·	·08	·22	·	·	·40	·02	·	·44	·04	·	·12	23
24	·02	·10	·04	·05	·	·56	·	·04	·	·33	·	·07	24
25	·	·17	·05	·10	·52	·06	·	·	·02	·	·02	·06	25
26	·	·03	·	·28	·19	·02	·	·03	·	·22	·27	·36	26
27	·	·28	·09	·21	·	·	·	·45	·21	·02	·	·10	27
28	·	·31	·	·18	·	·25	·	·	·04	·	·08	·	28
29	·	×	·	·	·	·20	·02	·	·21	·25	·02	·02	29
30	·	×	·03	·08	·06	·03	·	·	·	·05	·	·02	30
31	·	×	·	×	·05	×	·	·	×	·03	×	·	31
Total	0·83	2·20	2·08	1·14	1·22	2·01	0·18	2·20	1·65	2·64	2·50	4·65	TOTAL for year 23·30
No. of Rain Days	12	16	18	10	8	12	4	13	10	20	22	25	170

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.

2507

10 JAN 1913

Kept at Bradgate Reservoir

in the County of Leicester 4

by The Water Committee of the Leicester Corporation
F. Griffith, Engineer

Lat. Long.
Time of Observation 9am
Nearest Railway Station Rothley G.C.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 245·71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	·07	.	.	·19	·07	–	·07	.	.	r+s. ·34	1
2	.	s. ·04	·14	·06	.	·33	·54	.	·02	.	.	·08	2
3	·12	.	·02	.	·03	·10	·10	·65	·09	.	.	·07	3
4	·17	.	·75	.	·17	·57	.	·22	.	.	·36	.	4
5	·07	s. ·04	·21	.	·04	·15	·02	·11	·05	.	·03	·04	5
6	r+s. ·58	·13	.	.	·02	·02	.	·20	.	.	.	·11	6
7	.	·04	.	.	.	·16	-	·10	.	.	.	·02	7
8	·30	·27	·26	·07	.	·12	·16	·05	·12	.	.	·04	8
9	·13	·03	·04	·16	·06	·29	.	·04	.	.	.	·32	9
10	.	.	.	.	.	·04	.	·58	.	.	·23	.	10
11	·15	·10	.	.	.	·14	.	·06	.	.	·05	·53	11
12	·08	·40	·16	.	·05	.	·03	.	.	.	·04	.	12
13	.	·15	.	.	.	·04	.	·04	.	·06	·09	.	13
14	·24	.	·35	.	·03	·10	.	·04	.	.	.	.	14
15	·12	·06	·07	.	·25	·30	.	·03	.	.	.	·15	15
16	r+s. ·47	.	·14	.	·08	·02	.	·10	.	·25	.	.	16
17	s. ·45	.	·20	.	.	·32	·04	·23	.	.	·08	·70	17
18	r+s. ·24	.	·11	.	.	.	.	·06	.	·05	·05	·05	18
19	·36	·13	·02	.	·02	.	·32	·76	.	·07	·03	.	19
20	·11	.	·18	.	.	.	·41	·08	.	·24	.	.	20
21	.	·02	·22	.	·65	.	·07	·32	.	·34	.	.	21
22	·10	·08	.	.	·50	·02	·61	·51	.	.	.	·17	22
23	·06	·06	·27	.	.	·08	·37	·55	.	.	·15	·11	23
24	·24	.	·04	.	.	·26	·24	·11	.	.	.	·14	24
25	.	·02	.	.	.	·45	.	·43	.	.	·28	·35	25
26	.	·12	·07	.	.	·02	·17	1·20	.	·63	·27	·32	26
27	.	.	.	.	.	·25	·41	.	.	·67	.	·20	27
28	.	·03	·03	.	.	·05	·13	·44	·04	·23	r+s. ·30	·42	28
29	.	·02	·02	.	.	·13	·16	·03	·64	·23	·03	.	29
30	s. ·07		.	:	·20	.	·02	.	.	·11	.	.	30
31	.		·08		·04		·70	·12		.		·15	31
Total	4·06	1·74	3·45	0·29	2·14	4·15	4·57	7·06	1·03	2·88	1·99	4·31	YEAR'S TOTAL 37·67
Rain Days.	19	18	22	3	14	24	19	26	7	11	14	20	197

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2507

6 JAN 1914

Kept at Bradgate Reservoir

in the County of Leicester 4

by The Leicester Corporation Water Committee (G.T. Edwards Engineer)

Lat. Long.

Time of Observation 9am

Nearest Railway Station Rothley G.C.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 245·71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	.	·06	·03	.	.	.	.	·75	.	·06	.	1
2	.	·15	·02	·03	.	.	.	.	·05	·02	·02	·02	2
3	·03	.	·22	.	·66	.	.	.	·02	·04	.	r+s ·03	3
4	·60	.	·02	.	·04	·04	·02	.	.	·05	·10	r+s ·44	4
5	·08	·04	·04	.	.	.	·15	.	·05	1·12	.	r+s ·02	5
6	·03	.	·08	.	·32	·13	·70	.	.	·05	.	·03	6
7	.	·10	.	·02	·18	·08	.	.	.	·47	·08	·02	7
8	.	·02	.	.	·16	·20	.	.	.	·13	·07	.	8
9	.	·39	·04	·03	·04	·47	.	·05	.	.	·13	·02	9
10	.	.	.	r+s ·16	·02	.	.	·17	.	.	·24	.	10
11	s 1·10	.	.	r+s ·37	.	·02	.	·10	.	·02	·34	.	11
12	.	.	.	.	·18	.	.	.	.	.	·59	.	12
13	·05	.	·09	·07	.	.	.	·04	·07	.	·24	.	13
14	s ·09	·04	r+s ·62	·07	.	.	02	·13	.	·15	·08	.	14
15	·05	·06	·55	·35	.	.	.	.	·09	.	·04	·02	15
16	·04	·03	r+s ·60	·06	.	.	.	·02	·15	.	.	.	16
17	·03	·03	s ·05	·18	.	·03	·05	.	·10	.	.	.	17
18	.	.	·20	·10	·04	.	·05	.	.	.	·03	·02	18
19	·10	.	.	.	.	.	·07	.	·11	.	.	.	19
20	·13	.	·07	·06	.	.	.	.	·09	·18	·22	.	20
21	.	.	·15	.	·12	.	·05	.	.	.	·31	.	21
22	r+s ·45	.	·47	.	.	.	.	·17	·32	.	.	.	22
23	.	.	.	.	.	·10	.	·11	·08	.	·02	.	23
24	·08	.	.	·06	.	.	.	·10	.	.	·02	.	24
25	.	·02	.	·07	.	·02	.	.	·03	.	.	·02	25
26	.	·10	·17	·26	.	.	.	·07	·02	·29	·03	·27	26
27	.	·02	·02	·30	·02	.	.	.	.	·02	.	.	27
28	·45	.	·44	·45	·02	.	.	.	.	·11	.	s ·03	28
29	.		·22	·56	.	.	.	·30	.	·05	.	s ·12	29
30	r+s ·37		.	.	.	.	.	.	.	·17	·07	.	30
31	.		·03		·02		.	·01		.		.	31
Total	3·71	1·00	4·16	3·23	1·82	1·09	1·11	1·27	1·93	2·87	2·69	1·06	YEAR'S TOTAL 25·94
Rain Days.	17	12	21	19	13	9	8	12	14	15	19	13	172

W.7,000, XI. 13

Bc. WQ.

2507

FORM A.
BRITISH RAINFALL.
5 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bradgate Reservoir

in the County of Leicester 4

by The Water Committee of the Leicester Corporation

Lat. ______ Long. ______

Time of Observation 9 a.m

Nearest Railway Station Rothley

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 245.71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.03	.03	.	.	Thunder .65	.22	.	.02	.02	.02	1
2	.	.	.	.02	.	.	.	.40	.	.	.56	.20	2
3	.03	.	.	.03	.11	.	.18	.30	.	.	.03	.02	3
4	.27	.	.11	.18	.02	.	.	.10	.	.	.45	.42	4
5	s .15	.	.16	.37	.02	.20	.48	.02	.	.	.02	.	5
6	.	.06	.	.15	.09	.	.	.	.	.	.10	.06	6
7	.	.12	.50	.07	.04	.02	.08	.08	.	.	.	.15	7
8	.17	.01	.02	.10	.09	.59	.18	.28	.02	.	.	.05	8
9	.38	.	.15	.31	.	1.10	.	.06	.04	.	.	.	9
10	.17	.14	.	.21	.07	.	.	.	.10	.	.	.	10
11	.	.08	.33	.28	.03	.03	.	.	.	.	.81	.33	11
12	.	.04	.12		.	.02	.	.	.21	.	.05	.32	12
13	r+s .03	.14	.13	.	.	.	.	.	.02	.08	.20	.42	13
14	.	.02	.12	.	.	.	.11	.	.03	.16	.15	.38	14
15	.07	.	.27	.	.	.	.	.	.02	.	.03	.03	15
16	.	.	.03	.	.	.	.29	.	.10	.	.	.	16
17	.06	.16	.08	.	.	.	.05	.	.11	.	.	.30	17
18	.	.	.	.	.	.	.20	.	.	.	.	.48	18
19	.	.03	.12	.	.	.	.08	.	.05	.	.07	.05	19
20	.	.20	s .16	.	.	.	.10	.	.12	.02	.	.03	20
21	.	.24	r+s .08	.	.	.08	.	.	.	.10	.	.36	21
22	.03	.03	.02	.	.72	.	.09	.10	.	.15	.	.	22
23	.	.08	.09	.	.19	.02	.02			.06	.	.03	23
24	.	.05	.11	.	.16	.	.12	.	.	.24	.22	.	24
25	.03		.	.	.	.	.04	.28	.	.51	.03	.27	25
26	.	.	.05	.	.	.	.02	.35	.	.21	.31	.31	26
27	.07	.	.	.	.	.	.	.	.	.	.05	.11	27
28	.02	.07	.03	.	.	.	.	.	.	.12	.28	s 1.02	28
29	.05		.18	.02	.04	.	.	.	.	.34	.10	.	29
30	.		.	.	.	.03	.	.	.	.03	.39	.23	30
31	.		.		.		.22	.		.		.07	31
Total	1.53	1.57	2.89	1.77	1.58	2.09	2.91	2.19	0.82	2.04	3.87	5.66	YEAR'S TOTAL 28.92
Rain Days.	14	16	22	12	12	9	17	11	11	13	19	24	180

W. 8,000. X. 14.

2507

FORM A.
BRITISH RAINFALL
4. JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Bradgate Reservoir
in the County of Leicester
by The Water Committee of the Leicester Corporation

Lat. ______ Long. ______
Time of Observation 9am
Nearest Railway Station Rothley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 245·71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·28	r+s. ·08		·41			·10	Thunder ·07	·02	·06	·05	1
2	·08	·07	·28	·16		·13		Thunder ·40		·20		·05	2
3	·49		·05	·07			Thunder 1·40	do. ·25	·05		·03	·23	3
4	·15				·08		do. ·79	·02				1·01	4
5	·08	·35			Thunder ·06			·05			·05	·40	5
6	·05	·16		·29			Thunder ·80	·05		·02		·08	6
7	·19	·44				Thunder ·07	do. ·27	·27				·55	7
8	·10	·11	·04					·08			·06		8
9		·15						·03			·33	·41	9
10	·62		·07					Thunder ·11			·29	·03	10
11	·02		·02	·06	·18		·15	do. ·37			·53	s. ·15	11
12	·05			·22	·42		·05	do. ·70		·10	1·15		12
13	·02	r+s. ·43			·65								13
14		·03						Thunder ·06	·08	·02		·33	14
15	·34				·07		·04	do. ·11			r+s ·17	·13	15
16		·31			·02		2·76						16
17		·20					·26	·06				·03	17
18		·28	s. ·27									·02	18
19			s. ·03		·04		·17						19
20	·20			·03				·02				·31	20
21	s. ·22	·12					·20					·10	21
22	·10		·19	·05			·20		·02			·07	22
23	·04	s. ·05	·03			·08	Thunder ·15		·07	·20		·26	23
24			·03	·05		·02	do. ·05		·64	·03		·15	24
25			·02			1·05	do. ·02		·04		·07	·26	25
26		·15					·07		·02			·30	26
27		·07	·04			·02	Thunder ·25			·54		·07	27
28		r+s. ·19	s. ·03			Thunder ·34	·04	·25		·03			28
29		✕				·13		·05	·02		·20	·18	29
30	·10	✕		·04		Thunder ·74		·03			·07	·07	30
31	·10	✕		✕		✕	·03	·09	✕	·18	✕	·13	31
Total	3·10	3·34	1·13	0·97	1·93	2·58	7·70	3·10	1·01	1·34	3·01	5·37	YEAR'S TOTAL 34·58
Rain Days.	19	17	14	9	9	9	19	20	9	10	12	25	172

W. 8,000. X. 15.

2556
2507

FORM A.
BRITISH RAINFALL

6 JAN

REGISTER OF RAINFALL IN 1916

Kept at Bradgate Reservoir
in the County of Leicester
by The Leicester Corporation Water Committee

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Rothley Gt. C. Ry.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 245.71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	•	r&s r&s .16	½	.10	.15	.10	•	•	•	.21	•	1
2	.35	.08	.13	•	.26	•	.13	•	.03 Thunder	.39	.04	•	2
3	•	.50	•	•	•	•	.03	•	.20	.21	.16	•	3
4	.31	.05	•	•	.40	.36	•	•	•	.14	.13	•	4
5	.04	•	s •	•	.07	.12	•	•	•	.12	.15	•	5
6	.06	.21	s .15	•	.17	•	.30	•	•	.12	.23	r&s •	6
7	.04	•	s .13	•	.03	.02	.14	•	•q	.23	.15	.15	7
8	•	•	s .05	•	•	.08	•	•	•	.03	.04	.13	8
9	•	•	s .04	•	.36	.04	•	•	.03	•	.02	.04	9
10	•	r&s .09	r&s .06	.09	•	•	.08	•	.03	.02	•	r&s .10	10
11	.03	.40	.08	.15	.02	.17	•	•	.02	•	•	.06	11
12	.08	.02	.11	.03	.95	.11	.05	• Thunder	•	.04	•	•	12
13	.02	.23 s	.10	r&s .11	.03	.04	•	.10 do	•	.03	•	•	13
14	½	.50	•	.17	.05	•	•	do .65	•	.05	•	•	14
15	•	r&s .28	.69	•	•	•	.08	do .15	•	.04	•	•	15
16	.04	.23	.63	.29	.02	•	.22	.09 do	•	.03	•	•	16
17	.08	.07	•	.24	•	•	.08	do .15	.13	.19	r&s •	s •	17
18	•	.24	.03	.03	•	•	•	.27	.17	•	r&s .72	s .07	18
19	.15	.11	.34	•	•	.02	•	•	.09	•	.53	.05	19
20	.11	•	r&s .34	.14	•	•	•	•	•	•	.10	r&s .10	20
21	.05	r&s •	s .21	•	.06	•	•	•	•	•	•	.44	21
22	•	s .04	.03	•	.04	.02	•	•	•	.06	•	r&s .44	22
23	.06	s .27	s •	.07	•	.04	•	.05	•	.05	.10	.32	23
24	•	s .62	r&s .07	.02	•	•	•	.12	•	.04	.02	.13	24
25	•	s .05	.17	•	.07	•	•	.33 Thunder	•	.02	.18	.03	25
26	.06	s .04	r&s •	•	•	.02	•	do .28	•	.06	.06	•	26
27	.03	r&s .32	s .71	•	•	Thunder	•	.11	.07	.22	•	•	27
28	•	.19	.46	•	•	.18	•	•	.02	.07	•	.23	28
29	•	.09	•	•	.07	.19 Thunder	•	1.29	•	.29	•	.16	29
30	•	X	•	•	•	.12	•	.05	•	.07	•	•	30
31	•	X	•	X	•	X	•	.05	X	.10	X	.02	31
Total	1.55	4.63	4.69	1.34	2.70	1.68	1.21	3.69	0.79	2.62	2.84	2.47	YEAR'S TOTAL 30.21
Rain Days.	17	22	21	11	16	16	10	14	10	24	16	16	193

W. 8,000, VIII. 16

~~2429~~
2507

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Bradgate
in the County of Leicester
by The Leicester Corporation Water Dept.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Rothley (G. C. Rly)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 245·71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug. X	Sept.	Oct.	Nov.	Dec.	*Date.*
1				s ·07		·02		1·24	·17		·02	s ·05	1
2	s ·06					·06		·18		·04	·02		2
3	·02	s ·03		s ·15				·28		·31	·03		3
4	r ts ·03	s ·08	s ·07					·15		·47			4
5	r ts ·15		s ·03	r ts ·11					·10	·13	·22		5
6	r ts ·03					·13				·20	·12	·04	6
7	r ts ·44		s ·03					·02		·43	·03	·02	7
8	r ts ·52			s ·19			·21	·53		·51	·14	·20	8
9	r ts ·09		s ·19	s ·09	·05		·02	·25		·02	·23		9
10	s ·41		·39	s ·05	·77			·05		·02	·09		10
11	r ts ·05		·07	r ts ·20				·08		·17	·02		11
12	r ts ·12	r ts ·04			·16	Thunder ·14			·03	·18		·02	12
13	s y r ·04		·02					·13	·12	·03			13
14	r ts ·10		·10	·07				·48				·10	14
15				·06			·18	·20		·06		s ·04	15
16	s ·06	·10		·16						·03		s ·19	16
17		·02	·03	·17	·34	Thunder. ·14	·17	·08	·13	·07			17
18	·05			·07	·32		·80	·02	·73	·02			18
19	s ·04	·17	·21		·11	Thunder ·06			·04				19
20		·19	r ts ·03		·55	Thunder. ·17		·10	·11		·08		20
21		·02	s ·10	·02	·21	Thunder. ·26		·05		·03			21
22			s ·10					·04	·06	·14			22
23		·08			·12			·18		·03			23
24						·39		·35		·35	r ts ·05		24
25		·02	r + hail ·06			·03	Thunder ·23				·14		25
26								·33	·48		·14		26
27			·05			Thunder. ·49	·09	·66			·02	·06	27
28			·11			·08		·23		·07		·06	28
29		✕				·24	·06	·06		·37		·35	29
30	s ·04	✕					·30	·25		·03			30
31		✕	s ·10	✕		✕	·04	·16	✕		✕	·05	31
Total	2·25	0·75	1·69	1·41	2·63	2·21	2·10	6·10	1·97	3·71	1·35	1·18	YEAR'S TOTAL 27·35
Rain Days.	17	10	17	13	9	13	10	25	10	23	15	12	174

W. 8 000, IX. 17.

X Many thunderstorms during month 1·82

22
2507

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

9 .1. 19

Kept at Bradgate Reservoir

in the County of Leicester

by The Leicester Corporation Water Dept. G. E. Edwards Engineer & Manager

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Rothley

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 245.41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.10	.	.03	.	.	.	.	.04	.04	.13	.04	1
2	.	.11	.	.07	.	.	.	.97	.02	.02	.	.32	2
3	.	.02	t+S. .06	.	.60	.	.	.12	.11	.04	.39	.	3
4	.02	.03	.02	.	.	.	.02	.06	1.10	.06	.38	.08	4
5	.	.04	.	.08	.09	.	.	.18	.08	.13	.	.	5
6	.	.07	.	.14	.	.05	.	.	.	.04	.	.	6
7	S .13	.09	.	.23	.	.07	.	.	.05	.18	.12	.	7
8	.	.08	S .11	.05	.	.	.	.	.10	.04	.	.09	8
9	S+R. .02	.40	.	.10	.	Thunder .16	.35	.	.37	.31	.02	.05	9
10	.13	.	.	.10	.	.	Thunder .32	.	.03	.16	.	.05	10
11	.05	.12	.	.03	.06	.	.08	.	.12	.04	.	.06	11
12	.04	.21	.07	.	.15	.	.20	.	.18	.	.	.07	12
13	.	.	.	.04	.14	.	.	.	.15	.03	.	.04	13
14	S+R .35	.	.	.04	.	.07	.14	.	.11	.10	.	.15	14
15	S. .50	.	.	.35	.	.09	.21	.	.19	.	.	.22	15
16	S. .04	.	.02	.25	.	.	.02	.	.13	.	.	.02	16
17	S+R. .26	.	.	.	.	.03	.35	.04	.16	.04	.	.12	17
18	.42	.	.	.	.	.10	Thunder .11	.	.41	.	.	.36	18
19	.09	.02	.08	S. .19	.	.	.03	.	.	.07	.	S+R .18	19
20	.05	.05	.	T+S. .25	.	.09	.02	.	.02	.	.	.02	20
21	.08	.03	.	T+S. .17	.	.02	.04	.	.35	.09	.05	.	21
22	.06	.	.	.	.07	.02	.07	.	.07	.12	.	.46	22
23	.15	.	.	.	.58	.	.17	.	.15	.	.02	.	23
24	.	.19	.	.	.	.	.04	.	.06	.05	.06	.	24
25	.	.	.	.	.	Thunder .03	Thunder .12	.18	.	.06	.06	.	25
26	.	.	.	.	.	.	Thunder .02	.09	.04	.	.20	.17	26
27	.	t+S. .05	.03	.	.	.03	Thunder .06	.27	.22	.	.20	.17	27
28	.	S. .23	.31	.	.	.	.	.06	.	.	.13	.30	28
29	.	X	.	.	.	.	.	.	.63	.	.	.	29
30	.	X	.36	.	.	.	.	.02	.07	.	.17	.11	30
31	.	X	.14	X	.	X	.	.02	X	.	X	.	31
Total	2.39	1.84	1.20	2.12	1.72	0.76	2.37	2.01	4.96	1.63	1.93	3.08	YEAR'S TOTAL 26.01
Rain Days	16	17	10	16	7	12	19	11	26	19	13	21	187

W, 6,500, VII. 18. W W C

2507

JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bradgate Reservoir

in the County of Leicester

by The Water Committee of The Leicester Corporation (G. T. Edwards Engineer & Manager)

Lat. Long.

Time of Observation 9am

Nearest Railway Station Rothley, G. C. Rly.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

" " " " Sea Level 245.71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34	r+s. .08	.05	.	.38	.	.30	.	.	.12	.05	.38	1
2	.19	r+s. .03	.04	.	.	.	.21	.07	.39	.08	.16	.04	2
3	s. .95	.	.03	.	.	.03	.39	.	.11	.	.27	.07	3
4	.04	.	.33	.	.	.06	.01	.13	.10	.	.05	.24	4
5	.08	s.+s. .15	.	.02	.	.	.02	.	.24	.	.	.16	5
6	.05	.	.16	.	.67	.	.	.	.	.	.05	.06	6
7	.08	.	.28	.05	.	.	.	.	.	.	.	.	7
8	.14	.	.04	Thunder .10	.	.05	.	.	.	.	.	.	8
9	.	.	.	r+s. .06	.	.	.	.	.	.	.	.	9
10	.	.	.30	.05	.	.	.	.	.	.03	s. .04	.09	10
11	.05	.	.58	.02	.02	.	.40	.	.	.	.	.	11
12	.	.	.23	.10	.	.31	.01	.	.05	.10	s. .20	.	12
13	.30	.	.	.22	.	.	.	.	.07	.09	.	.05	13
14	.39	.04	.	.24	.	.	.	.	.10	.02	s. .02	.02	14
15	.40	.	.07	.09	.	.	.	.	.	.02	s. .03	.60	15
16	.19	r+s. .81	.	.08	.	.	.	.03	.	.	r.s+s. .22	.	16
17	.07	r+s. .38	.	.04	.	.05	.	.	.	.	s+r. .30	.02	17
18	.	.	.28	.	.	.	.	.23	.05	.	.02	.32	18
19	.05	r+s. .22	s.s+r .81	.	.	.11	1.10	.39	.14	.	.16	.03	19
20	.45	.09	s+s .20	.	.	.05	.47	.18	.	.	s. .26	.09	20
21	.12	.43	s+s .06	.	.	.	.23	.	.	.	r+s. .06	.38	21
22	.	.07	.	.	.	.	.	.	.48	.	.	.79	22
23	.	.	.	.	.	.05	.03	.02	.	.67	.	.04	23
24	.	.	.	.12	.10	.	.16	.	.	.28	.18	.09	24
25	.14	.	.	.10	.17	.02	.	.52	.	.	.03	.10	25
26	.	s+r .03	r+s. .29	.08		.	.	.08	.09	.	.	.31	26
27	s. .29	.	h+s. .02	r+s .28	.	.	.	.08	.	.	.03	.	27
28	s. .08	.	.	.09	.	.	.05	.95	.	.05	s .13	.49	28
29	.06		.	.04	.	.	.	.14	.	.34	s .16	.06	29
30	.		s. .13	.18	.	.30	.	.	.	.03	.06	.23	30
31	s .04		s .02		.		.08	.		.12		.03	31
TOTAL	4.40	2.33	3.92	1.96	1.34	1.03	3.46	2.82	1.82	1.95	2.48	4.69	YEAR'S TOTAL 32.20
Days with ·01 in. or more	22	11	19	19	5	10	14	12	11	13	21	24	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 2507

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Bradgate Reservoir
in the County of Leicester
by The Water Committee of the Leicester Corporation

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Rothley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 245.71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	s. ·02	.	.	·47	·21	.	·18	.	.	·43	.	·19	1
2	.	.	.	·17	.	.	·47	.	·09	·16	.	·06	2
3	·05	·06	.	·20	.	·04	·95	.	·06	·12	.	·05	3
4	.	.	·02	·18	·03	.	·08	·28	·03	·37	.	·05	4
5	.	.	·05	.	·39	.	·28	·11	·11	·03	.	.	5
6	.	.	·25	·05	·03	.	·14	·03	.	.	.	·05	6
7		·03	s. ·07	·13	·15	.	·10	.	.	.	.	.	7
8	r+s. ·31	·09	.	·59	·12	.	·19	.	.	·03	.	.	8
9	s+r. ·45	·02	·02	·41	.	.	.	·04	.	.	.	.	9
10	·28	·23	·11	·07	.	.	·10	.	.	.	·06		10
11	·18	·04	·04	·14	·27	Thunder ·25	·03	.	.	.	.	snow ·06	11
12	·03	.	.	·20	.	Thunder ·13	·01	·05	.	·03	·06	s. ·19	12
13	·08	·13	·23	·39	.	·04	.	.	.	.	.	s. ·02	13
14	·02	·04	r.+s. ·78	·19	.	Thunder ·17	·02	.	·23	.	·19	.	14
15	.	·11	s.+r. ·31	·41	.	.	·03	.	·03	·05	.	.	15
16	.	.	.	·09	·23	Thunder ·02	·04	.	·04	·09	.	.	16
17	.	.	.	.	·15	.	·02	.	·63	·04	.	s. ·04	17
18	·15	.	.	·09	·08	.	Thunder ·15	·10	·18	.	·03	.	18
19	·09	r+s. ·65	.	·39	.	·13	.	·14	·04	.	.	.	19
20	·06	r+s. ·07	.	·37	.	·30	·03	.	.	.	·02	.	20
21	·07	.	.	.	.	.	·25	·15	·02	.	.	·03	21
22	·02	.	.	·22	.	.	·03	.	·06	.	.	.	22
23	·02	·03	.	.	.	.	·11	.	.	.	.	·51	23
24	·02	.	·11	.	.	.	.	.	.	·02	.	·11	24
25	.	·11	·04	·08	.	·08	·47	.	.	.	.	.	25
26	·17	·02	·11	·05	.	.	·05	.	.	·02	.	·05	26
27	·14	·02	·03	·11	·06	·30	Thunder ·21	.	.	·05	·40	·40	27
28	·51	·03	·04	·02	·17	.	·05	.	.	.	·04	·08	28
29	·07	.	·24	.	·60	.	·10	.	.	.	·14	·59	29
30	·03		.	·22	·06	·08	·07	.	·11	.	·16	·18	30
31	·13		·07		·09		.	.		·25		·08	31
TOTAL	2·90	1·68	2·52	5·24	2·64	1·54	4·16	0·90	1·63	1·69	1·10	2·74	YEAR'S TOTAL 28·74
Days with ·01 in. or more	22	16	17	24	15	11	26	8	13	14	9	18	193
Days with ·04 in. or more	15	10	14	23	13	10	19	7	10	9	7	16	153

(44.283) 10/19 (52.638). Wt.10.000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

LEICESTER

STOUGHTON DRIVE

LEICESTERSHIRE

1911 — 1920

RE

Kept at The Cranmay
in the County of Leic
by T. Spencer

5 in.
Ground ft. 6 in.
Sea Level 258 ft.
Name Leicester, Midland.
Distance 1½ Direction NW

IMPORTANT NOT the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read ar in the space provided for it at the end of this nent of rain, the selection and placin tish Rainfall Organization are given in application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·05	—	—	—	—	·05	—	—	·04	—	1
2	·06	—	—	—	·16	—	—	·15	—	—	·03	·02	2
3	—	·01	—	—	·14	—	—	·21	—	·04	·02	—	3
4	·02	·01	·08	·12	—	—	—	—	·03	·12	·09	·30	4
5	·01	—	—	·01	—	—	—	·07	—	·01	·01	—	5
6	·21	—	·01	—	—	—	—	·01	—	·05	·03	·39	6
7	·01	—	—	—	—	—	—	—	—	·19	·13	·05	7
8	·09	—	·14	—	—	—	—	—	—	·01	—	·11	8
9	·05	—	—	—	—	—	—	—	—	—	·13	·03	9
10	·03	·09	·16	—	—	—	—	·12	—	—	·01	·39	10
11	·18	—	—	—	—	—	—	·16	—	—	·31	·01	11
12	·01	—	·43	—	—	—	—	—	·13	—	·16	—	12
13	—	—	·04	—	—	—	—	—	·10	—	·01	·45	13
14	·01	·05	·04	—	·05	—	—	—	—	—	·01	·35	14
15	—	·07	·08	—	—	—	—	—	·07	·04	·06	·03	15
16	—	—	—	—	—	·05	—	—	—	·01	·17	·09	16
17	—	—	—	—	—	—	—	—	—	—	·08	·16	17
18	—	·28	—	—	—	·23	—	—	—	—	·12	·13	18
19	—	·05	—	—	—	·10	·08	·01	·13	·11	·27	·06	19
20	·01	·05	—	·03	—	—	—	1·09	·19	·02	—	·36	20
21	—	·20	·10	—	—	—	—	·33	·05	·19	—	·06	21
22	—	—	·05	·02	—	·04	—	·02	—	·14	·02	·34	22
23	—	·07	·18	—	—	·34	—	—	·40	—	—	·11	23
24	—	·08	·03	·01	—	·47	—	·03	—	·53	—	·13	24
25	—	·10	·02	·11	·61	·08	—	·01	—	—	—	·06	25
26	—	·02	—	·26	·27	·01	—	—	—	·25	·20	·27	26
27	—	·25	·12	·17	—	—	—	·36	·21	—	·01	·09	27
28	—	·17	—	·17	—	·11	—	—	·02	—	·08	·01	28
29	—		—	—	—	·16	·03	—	·20	·16	—	—	29
30	—		·02	·09	·03	·03	—	—	—	·11	—	·01	30
31	—		·01		·06		—	—		·02		—	31
Total	·69	1·50	1·56	·99	1·32	1·62	·11	2·62	1·47	2·00	1·99	4·01	TOTAL for year 19·88
No. of Rain Days.	12	15	17	10	7	11	2	14	11	17	22	25	163

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at The Crossways, Stoneygate Rd. Leicester 4
in the County of Leicestershire
by T. Spencer Smithson.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 258 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Leicester, Midland.
Distance 1¼ Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·05	—	—	—	—	·05	—	—	·04	—	1
2	·06	—	—	—	·16	—	—	·15	—	—	·03	·02	2
3	—	·01	—	—	·14	—	—	·21	—	·04	·02	—	3
4	·02	·01	·08	·12	—	—	—	—	·03	·12	·09	·30	4
5	·01	—	—	·01	—	—	—	·07	—	·01	·01	—	5
6	·21	—	·01	—	—	—	—	·01	—	·05	·03	·39	6
7	·01	—	—	—	—	—	—	—	—	·19	·13	·05	7
8	·09	—	·14	—	—	—	—	—	—	·01	—	·11	8
9	·05	—	—	—	—	—	—	—	—	—	·13	·03	9
10	·03	·09	·16	—	—	—	—	·12	—	—	·01	·09	10
11	·18	—	—	—	—	—	—	·16	—	—	·31	·01	11
12	·01	—	·43	—	—	—	—	—	·13	—	·16	—	12
13	—	—	·04	—	—	—	—	—	·10	—	·01	·45	13
14	·01	·05	·04	—	·05	—	—	—	—	—	·01	·35	14
15	—	·07	·08	—	—	—	—	—	·01	·04	·06	·33	15
16	—	—	—	—	—	·05	—	—	—	·01	·17	·09	16
17	—	—	—	—	—	—	—	—	—	—	·08	·16	17
18	—	·28	—	—	—	·23	—	—	—	—	·12	·13	18
19	—	·05	—	—	—	·10	·08	·01	·13	·11	·27	·06	19
20	·01	·05	—	·03	—	—	—	1·09	·19	·02	—	·36	20
21	—	·20	·10	—	—	—	—	·33	·05	·19	—	·06	21
22	—	—	·05	·02	—	·04	—	·02	—	·14	·02	·34	22
23	—	·07	·18	—	—	·34	—	—	·40	—	—	·11	23
24	—	·08	·03	·01	—	·47	—	·03	—	·53	—	·13	24
25	—	·10	·02	·11	·61	·08	—	·01	—	—	—	·06	25
26	—	·02	—	·26	·27	·01	—	—	—	·25	·20	·27	26
27	—	·25	·12	·17	—	—	—	·36	·21	—	·01	·09	27
28	—	·17	—	·17	—	·11	—	—	·02	—	·08	·01	28
29	—		—	—	—	·16	·03	—	·20	·16	—	—	29
30	—		·02	·09	·03	·03	—	—	—	·11	—	·01	30
31	—		·01		·06		—	—		·02		—	31
Total	·69	1·50	1·56	·99	1·32	1·62	·11	2·62	1·47	2·00	1·99	4·01	TOTAL for year 19·88
No. of Rain Days.	12.	15.	17.	10.	7.	11.	2.	14.	11.	17.	22.	25.	163

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Crossways, Stoneygate Rd. Leicester.
in the County of Leicestershire. 4
by T. Spencer Smithson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 258 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Leicester Midland.
Distance 1¼ mile Direction NW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	—	·20	—	—	·06	—	—	·21	1
2	—	·02	·02	·02	·04	·82	·46	—	·01	—	—	·06	2
3	·08	—	·06	—	—	·06	·04	·43	·03	—	—	·06	3
4	·10	—	·43	—	·11	·58	—	·05	—	—	·42	—	4
5	·08	·02	·37	—	·01	·15	—	·14	·08	—	·04	·01	5
6	·44	·14	—	—	·01	·02	·02	·35	—	—	—	·11	6
7	—	·02	—	—	—	·18	—	·04	—	—	—	·01	7
8	·24	·23	·22	·02	—	·02	·13	·01	·11	—	—	·05	8
9	—	·01	·08	·08	·08	·05	—	—	—	—	—	·29	9
10	—	—	—	—	—	—	—	·27	·03	—	·13	—	10
11	·13	·11	—	—	—	·07	—	·08	—	—	·04	·43	11
12	·05	·24	·09	—	·18	—	·07	—	—	—	·03	—	12
13	—	·03	—	—	—	—	—	—	—	·01	·10	—	13
14	·13	—	·31	—	·05	·05	—	·01	—	—	—	—	14
15	·07	·04	·09	—	·25	·16	—	—	—	—	—	·16	15
16	·37	—	·08	—	·01	—	—	·13	—	·11	—	—	16
17	·42	—	·07	—	—	·23	·04	·18	—	—	·07	·42	17
18	·23	—	·08	—	—	—	—	·13	—	·03	·03	·05	18
19	·24	·03	—	—	—	—	·20	·13	—	·01	·02	—	19
20	·08	—	·48	—	·02	—	·26	·15	—	·25	—	—	20
21	—	—	·32	—	·49	—	—	·44	—	·21	—	—	21
22	·09	·05	—	—	1·16	·01	·53	·37	—	—	—	·11	22
23	·09	·16	·21	—	—	·02	·62	·42	—	—	·09	·39	23
24	·22	—	·01	—	—	·11	·18	·14	—	—	—	·11	24
25	·01	—	—	—	—	·54	—	·37	—	—	·26	·30	25
26	—	·05	·03	—	—	—	·78	1·22	—	·46	·23	·21	26
27	—	—	—	—	·03	·24	—	—	—	·53	—	·16	27
28	—	·01	—	—	—	·06	·16	·40	·03	·21	·23	·40	28
29	—	·03	—	—	—	·07	·33	—	·56	·14	·01	—	29
30	·05		—	—	·16	·01	·01	—	·01	·11	—	—	30
31	—		·05		·07		·63	·11		—		·08	31
Total	3·12	1·19	3·01	·12	2·67	3·65	4·46	5·57	·92	2·07	1·70	3·62	TOTAL for year 32·10
No. of Rain Days.	19.	16	19	3	15	21	16	22.	9	11	14.	20	185

W. 8,000, X. '11.

Exd 1530

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at The Crossways, [illegible] Rd. Leicester
in the County of Leicestershire 4
by T. Spencer Smithson

Lat. 52°37 N. Long. 1°6' W.
Time of Observation 9 a.m.
Nearest Railway Station Leicester, Midland
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 258 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	·05	·02	—	—	—	—	·88	—	·13	—	1
2	—	·11	·02	·15	—	—	—	—	—	·09	·02	—	2
3	·01	—	·20	—	·35	—	—	—	·03	·05	—	·02	3
4	·55	—	—	—	·04	·01	—	—	—	·18	·05	·21	4
5	·11	—	—	—	—	·01	·12	—	·01	1·20	·04	·03	5
6	—	·01	·03	—	·31	·26	·64	—	—	·06	—	·02	6
7	—	·11	—	—	·22	·03	—	—	—	·39	·05	—	7
8	—	—	—	—	·17	·28	—	—	—	·07	·09	—	8
9	—	·32	·03	·01	·03	·36	—	·02	—	—	·10	·01	9
10	·01	—	—	·09	·11	—	—	·16	—	—	·31	—	10
11	1·14	—	—	·33.	·04	·02	—	·09	—	·02	·26	—	11
12	—	—	—	—	·14	—	—	—	—	—	·50	—	12
13	·20	—	·05	·04	—	—	—	·03	·04	—	·21	—	13
14	·09	—	·68	·01	—	—	—	·09	—	·09	·06	—	14
15	·07	·03	·29	·33	—	—	—	—	·10	—	·01	—	15
16	04	·02	·57	·08	—	—	—	—	·14	—	—	—	16
17	·06	·04	·05	·12	—	·30	·05	—	·06	—	·01	·01	17
18	—	—	·17	·08	—	—	·03	—	—	—	—	—	18
19	·08	—	·02	—	—	—	·04	—	·06	—	—	—	19
20	·11	—	·04	·02	—	—	—	—	·01	·19	·13	—	20
21	·02	—	·18	·01	·06	—	·04	—	—	—	·33	—	21
22	·40	—	·35	—	—	—	—	·15	·25	—	—	—	22
23	—	—	—	—	—	·04	—	·09	·07	—	—	—	23
24	·07	—	—	·06	—	—	—	·03	—	—	—	—	24
25	—	·03	—	·09	—	—	—	—	·01	—	—	—	25
26	—	·08	·16	·21	·04	—	—	·07	—	·25	·02	·27	26
27	—	·01	·02	·01	·17	—	—	—	—	—	—	—	27
28	·42	—	·25	·21	—	—	—	—	—	·10	—	·06	28
29	—		·16	·54	·01	—	—	·32	—	·05	—	·16	29
30	·32		—	—	—	—	—	—	—	·08	·07	—	30
31	—		·01		·05		—	·01		—		—	31
Total	3·74	·76	3·33	2·41	1·74	1·31	·92	1·06	1·66	2·82	2·39	·79	YEAR'S TOTAL 22·93.
Rain Days.	18.	10.	20.	19.	14.	9.	6.	11.	12.	14	18	9.	160

W. 7,500, XI. 12

Ex9118

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

REGISTER OF RAINFALL IN 1914

4

Kept at The Crossways, Stoneygate Road, Leicester
in the County of Leicestershire
by T. Spencer Smithson

Lat. 52°37' N Long. 1°6' W
Time of Observation 9 a.m.
Nearest Railway Station Leicester Midland
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 258 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.03	.03	—	—	.19	.32	—	—	.02	—	1
2	—	—	—	.03	—	—	—	.22	—	—	.47	.27	2
3	—	—	—	.01	.12	—	.20	.11	—	—	.01	—	3
4	.17	—	.04	.15	.02	—	—	.10	—	—	.37	.26	4
5	.09	—	.15	.26	.01	.08	.21	.04	—	—	.01	—	5
6	—	.05	—	.07	.03	—	—	—	—	—	.09	.04	6
7	—	.11	.47	.05	.03	—	.03	.05	—	—	—	.06	7
8	.12	.01	—	.10	.04	.75	.19	.19	—	—	—	.01	8
9	.40	—	.15	.31	—	1.02	—	.07	.08	—	—	—	9
10	.10	.14	—	.17	.05	—	—	—	.07	—	—	—	10
11	—	.06	.25	.29	.09	.10	—	—	.03	—	.52	.30	11
12	.02	—	.12	—	—	—	—	—	.22	—	.04	.33	12
13	.01	.15	.16	—	—	—	—	—	.01	.06	.11	.45	13
14	.03	.03	.15	—	—	—	.17	—	—	.26	.10	.37	14
15	.05	—	.19	—	—	—	—	—	.02	.01	.10	.03	15
16	—	—	.02	—	—	—	.20	—	.05	—	—	—	16
17	—	.18	.09	—	—	—	.06	—	.07	—	—	.18	17
18	—	—	—	—	—	—	.17	—	—	—	—	.39	18
19	—	—	—	—	—	.17	—	—	—	—	.04	.01	19
20	—	.13	.18	—	—	—	.03	—	.03	—	—	—	20
21	—	.29	.04	—	—	.03	—	—	—	.07	—	.37	21
22	—	.02	—	—	.29	—	.03	.06	—	.21	—	—	22
23	—	.12	.09	—	.19	.07	—	—	—	.05	—	.03	23
24	—	—	.14	—	.42	—	.20	—	—	.43	.16	—	24
25	.05	—	—	—	—	—	.03	.16	—	.38	.01	.18	25
26	—	—	.02	—	—	—	—	.11	—	.20	.13	.29	26
27	.05	—	—	—	—	—	—	—	—	—	—	.12	27
28	—	.03	—	—	—	—	.02	—	—	.07	.21	.74	28
29	.01	X	.12	—	.02	—	—	—	—	.42	.10	—	29
30	—	X	—	—	—	.04	—	—	—	.01	.35	.14	30
31	.01	X	—	X	—	X	.28	—	X	—	X	.03	31
Total	1.11	1.32	2.41	1.47	1.31	2.26	2.01	1.43	.58	2.17	2.84	4.60	YEAR'S TOTAL 23.51
Rain Days.	13	13	18	11	12	8	15	11	9	12	18	21	161

W. 8,000. X. 14.

2610

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4 JAN 1916

Kept at The Crossways, Stoneygate Rd.
in the County of Leicester
by T. Spencer Smithson

Lat. 52°37'N Long. 1°6'W
Time of Observation 9 a.m.
Nearest Railway Station Leicester, Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 258 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·18	·08	—	·42	—	—	·08	·15	—	·04	·03	1
2	·01	·09	·17	·14	—	·14	—	·37	—	·12	—	·04	2
3	·29	—	·03	·07	—	—	1·29	·24	·19	—	—	·17	3
4	·08	—	—	—	·03	—	·26	·05	—	—	—	·83	4
5	·03	·24	—	—	·61	—	·04	·02	—	—	·05	·32	5
6	·07	·19	·01	·28	—	—	·81	·01	—	·02	—	·05	6
7	·11	·31	—	—	—	—	·08	·23	—	—	—	·57	7
8	·03	·06	—	·02	—	—	—	·03	—	—	·01	—	8
9	—	·09	—	—	—	—	—	—	—	—	·18	·34	9
10	·34	—	·05	—	—	—	—	·02	—	—	·06	—	10
11	·03	—	·01	·03	·17	—	·07	·03	—	—	·48	·09	11
12	·03	—	—	·15	·28	—	—	·37	—		·97	—	12
13	·02	·38	—	—	·64	—	—	·08	—	·03	—	—	13
14	—	·04	—	—	—	—	—	·14	·07	—	—	·28	14
15	·24	—	—	—	·05	—	·02	·19	—	—	·12	·08	15
16	·01	·31	—	—	·03	—	1·54	·01	—	—	—	—	16
17	—	·14	—	—	—	—	·42	·02	—	—	—	·01	17
18	—	·25	·23	—	—	—	—	—	—	—	—	—	18
19	—	·03	·02	—	·02	—	·15	—	—	—	—	—	19
20	·19	—	—	—	—	—	—	—	—	—	—	·35	20
21	·12	·07	—	—	·01	—	·15	—	—	—	—	·12	21
22	·09	—	·11	·05	—	—	·31	—	—	—	—	·06	22
23	·04	·04	·01	—	—	·04	·93	—	·06	·16	·03	·20	23
24	—	—	·03	·05	—	—	·40	—	1·01	·12	—	·11	24
25	—	—	·02	—	—	·40	·37	—	—	·01	·02	·25	25
26	—	·14	—	—	—	—	·02	—	·04	—	—	·30	26
27	—	·10	·02	—	—	—	·20	—	—	·46	—	·06	27
28	—	·06	·07	—	—	·19	—	·21	·01	·04	—	—	28
29	—		—	—	—	·07	—	·06	—	—	·21	·15	29
30	·04	X	—	·03	—	·87	—	·01	—	—	·02	·08	30
31	·02	X	—	X	—	X	—	·04	X	·29	X	·07	31
Total	1·94	2·72	·86	·82	2·26	1·71	7·06	2·21	1·53	1·24	2·19	4·56	YEAR'S TOTAL 29·10
Rain Days.	20.	18.	14.	9.	10.	6.	17.	20.	7.	9.	12.	23	165

W. 8,000. X. 15.

2544

ex ß

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Crossways, Stoneygate Rd
Leicester
in the County of Leicestershire
by T. Spencer Smithson

Lat. 52° 37' N Long. 1° 6' W
Time of Observation 9 a.m.
Nearest Railway Station Leicester Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 258 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	—	·19	—	—	·04	·07	—	—	—	·21	—	1
2	·29	·03	·11	—	·22	·03	·11	—	·03	·40	·03	—	2
3	—	·49	—	—	—	—	·01	—	·53	·18	·06	—	3
4	·26	·03	—	—	·26	·30	—	—	—	·04	·10	—	4
5	·03	—	—	—	·03	·15	—	—	—	·11	·10	—	5
6	·03	·13	·24	—	·11	—	·33	—	—	·01	·24	—	6
7	·03	·01	·17	—	·02	—	·37	—	—	·08	·32	·12	7
8	—	—	·05	—	—	·14	—	—	—	—	·01	·12	8
9	—	—	·05	—	·22	·02	—	—	—	·02	—	—	9
10	—	·09	·08	·05	—	—	—	—	·02	—	—	·08	10
11	·01	·33	·07	·12	·05	·18	—	—	·02	—	—	·04	11
12	·07	·01	·07	·02	·44	·10	·04	—	—	·05	—	—	12
13	·02	·19	·10	·08	·07	—	—	·12	—	·01	—	—	13
14	—	·45	—	·12	·02	—	—	·18	—	·16	—	—	14
15	—	·21	·54	—	·01	—	·07	·12	—	·02	—	—	15
16	—	·12	·43	·21	·04	—	·20	·13	—	·02	—	—	16
17	·07	·03	—	·13	—	—	·04	1·96	·10	·17	—	—	17
18	—	·12	·01	·02	—	—	—	·11	·15	—	·65	·07	18
19	·06	·06	·25	·02	—	—	—	—	·28	—	·37	—	19
20	·07	—	·20	·07	—	—	—	—	—	—	·07	·09	20
21	·04	—	·14	—	—	—	—	—	—	—	—	·44	21
22	—	·04	·02	·01	·09	·01	—	—	—	·03	—	·38	22
23	·03	·68	—	·01	—	·02	—	·04	—	·05	·06	·34	23
24	—	·75	·02	·04	—	—	—	·05	—	·02	—	·16	24
25	—	·05	·14	—	·03	—	—	·21	—	·05	·17	—	25
26	·03	·21	·01	—	—	·01	—	·20	—	·06	—	—	26
27	·02	·35	·94	—	—	—	·07	·06	·04	·10	—	—	27
28	—	·18	·44	—	—	—	—	—	—	·02	—	·20	28
29	—	·07	—	—	·06	·21	—	1·11	—	·20	—	·10	29
30	—	X	—	—	·04	·05	—	·04	—	·12	—	—	30
31	—	X	—	X	—	X	—	·04	X	·01	X	—	31
													YEAR'S TOTAL
Total	1·16	4·63	4·27	·90	1·71	1·26	1·31	4·37	1·17	1·93	2·39	2·14	27·24
Rain Days.	16	23	22.	13.	16.	13.	10.	14.	8.	23.	13.	12.	183

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
JAN 1918

Kept at The Crossways, Stoneygate Rd
in the County of Leicester
by T. Spencer Smithson.

Lat. 52° 37′ N Long. 1° 6′ W
Time of Observation 9 a.m.
Nearest Railway Station Leicester, Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 258 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·07	—	—	—	1·05	·14	—	·01	·03	1
2	·06	—	—	—	—	·09	—	·16	·02	·02	—	—	2
3	—	·02	—	·56	—	—	—	·43	—	·23	—	—	3
4	—	·11	·09	·01	—	—	—	·12	—	·45	—	·01	4
5	·13	—	·02	·13	—	—	—	—	·15	·12	·32	—	5
6	·02	—	—	—	—	·10	—	—	—	·10	·04	—	6
7	·40	—	—	—	—	—	—	—	—	·29	—	·01	7
8	·55	—	—	·07	—	—	·25	·61	—	·36	·08	·10	8
9	·03	—	·11	·11	·12	—	—	·13	—	—	·17	·01	9
10	·32	—	·23	·04	·14	—	—	·01	—	—	·09	—	10
11	·04	—	·06	·21	—	—	—	·07	·02	·16	·01	—	11
12	·11	·05	—	—	·11	·26	—	·01	·01	·18	—	·01	12
13	·02	—	—	·01	—	—	—	·16	·11	—	—	—	13
14	·03	—	·06	·36	—	—	—	·03	—	—	—	·08	14
15	·03	—	—	·05	—	—	·11	—	—	·06	—	·03	15
16	·05	·10	—	·09	—	·02	—	—	—	·02	—	·18	16
17	—	—	·01	·15	·28	·58	·29	—	·09	·08	—	·01	17
18	·02	—	—	·07	·26	—	·33	·07	·77	·02	—	—	18
19	·05	·17	·13	—	·17	—	—	—	·04	—	·01	—	19
20	—	·19	·01	—	·53	·11	·01	·07	·13	—	·08	—	20
21	—	—	·10	·01	·34	·06	—	—	—	·01	—	—	21
22	—	—	·06	—	—	—	—	·03	·04	·07	—	—	22
23	—	·06	—	—	·07	—	—	·19	·02	·06	—	·02	23
24	—	·01	—	—	—	·56	—	·01	—	·25	—	—	24
25	—	—	·05	—	—	·07	—	—	—	—	·14	—	25
26	—	—	·01	—	—	—	—	·27	·23	·01	·09	—	26
27	—	—	·02	—	—	·48	·08	·55	—	—	—	·01	27
28	—	—	·04	—	—	·32	—	·13	—	·03	—	·07	28
29	—	✕	—	—	—	·01	·06	·02	—	·54	—	·27	29
30	·01	✕	—	—	—	—	·43	·26	—	—	—	—	30
31	—	✕	·08	✕	—	✕	·03	·12	✕	—	✕	·03	31
Total	1·87	·71	1·08	1·94	2·02	2·66	1·59	4·50	1·77	3·06	1·04	·87	YEAR'S TOTAL 23·11
Rain Days.	16	8	16	15	9	12	9	22	13	20	11	15	166

2.16

W. 8,000, IX. 17.

12

FORM A.
BRITISH RAINFALL.

25.4.19

REGISTER OF RAINFALL IN 1918

Kept at The [illegible], [illegible] Rd

~~in the County of~~ Leicester

by T. [illegible]
+ Theodore B. Ellis

Lat. 52°37' N Long. 1°6' W
Time of Observation 9 a.m.
Nearest Railway Station Leicester, Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 258 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

moved 1 mile Aug. 27th

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·04	—	·09	—	—	—	—	—	—	·12	·02	1
2	—	·09	—	·01	—	—	—	·86	·03	·02	·05	·17	2
3	—	·02	·06	—	·48	—	—	·06	·16	—	·32	—	3
4	—	·02	·03	—	—	—	·08	·05	·68	·03	·44	·05	4
5	—	—	·01	·03	·07	—	—	·17	·05	·03	—	—	5
6	—	·05	—	·17	—	·08	—	—	·02	·09	—	—	6
7	·05	·11	—	·12	·01	·07	—	—	·01	·03	·07	—	7
8	—	·09	·08	·06	—	—	—	—	·08	·05	—	·09	8
9	·01	·33	—	·05	—	·10	·35	—	·23	·16	—	·03	9
10	·14	—	—	·11	—	—	·25	—	·06	·23	—	·04	10
11	·09	·01	—	·01	—	—	·19	—	·05	·11	—	·07	11
12	·02	·13	·03	—	·18	—	·09	—	·07	—	—	·12	12
13	—	—	—	—	·11	·04	·01	—	·16	·02	—	·03	13
14	·27	—	—	·02	—	·01	·13	—	·23	·09	—	·04	14
15	·67	—	—	·28	—	—	·14	—	·04	—	—	·17	15
16	·02	—	—	·20	—	·18	—	—	·02	—	—	—	16
17	·31	—	—	—	—	·06	·32	·03	·14	·04	—	·10	17
18	·35	—	—	—	—	·08	·12	—	·18	—	—	·38	18
19	·04	·01	·05	·16	—	—	·03	—	—	·06	—	·19	19
20	·01	·05	—	·38	—	·16	·02	—	·04	·01	—	—	20
21	·06	·01	—	·17	—	—	·05	—	·23	·05	—	·04	21
22	·08	—	—	—	·14	—	·06	—	·04	·04	—	·33	22
23	·11	—	—	—	·43	—	·03	—	—	—	·01	—	23
24	—	·11	—	—	—	—	·05	—	·07	·04	·11	—	24
25	—	—	—	—	—	—	·27	·18	—	·06	·04	—	25
26	—	—	—	—	—	—	·19	·03	—	—	·07	·09	26
27	—	·03	—	—	—	—	·05	·23	·23	—	·09	·09	27
28	—	·24	·18	—	—	—	—	—	—	—	·15	·20	28
29	—	—	—	—	—	·01	—	—	·68	—	—	—	29
30	—	×	·25	—	—	—	—	—	·09	—	·16	·16	30
31	—	×	·27	×	—	×	—	—	×	—	×	—	31
Total	2·23	1·34	·96	1·86	1·53	·79	2·43	1·61	3·59	1·16	1·63	2·41	YEAR'S TOTAL (21·54)
Rain Days.	15	16	9	15	8	10	19	8	24	18	12	20	(174)

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ese 8L

2277

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

FEB 20

Kept at Cartmel Close, Stoughton Drive S

in the County of Leicester

by Theodore B. Ellis

Lat 52.36.30 Long 1.5.W

Time of Observation 9 AM.

Nearest Railway Station Leicester Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 6 in.

„ „ „ „ Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·15	·0·4	—	·21	—	·27	—	—	·06	·04	·40	1
2	·17	·02	·0·1	—	—	—	·25	·02	·98	·03	·15	·07	2
3	·71	—	·01	—	—	—	·12	—	·09	—	·21	·02	3
4	—	—	·30	—	—	·11	·01	·20	·06	—	—	·15	4
5	·09	·07	—	—	—	—	—	—	·27	—	—	·14	5
6	·03	—	·06	—	·49	—	—	—	—	·01	·03	·05	6
7	·02	—	·21	·05	—	—	—	—	—	—	—	—	7
8	·14	—	·04	·15	—	—	—	—	—	—	·04	—	8
9	—	—	—	—	—	—	—	—	—	—	·02	—	9
10	—	—	·29	—	—	·35	—	—	—	—	·04	·07	10
11	·04	—	·38	·07	·02	·56	·49	—	—	—	—	·01	11
12	—	—	·21	·10	—	·21	—	—	—	·22	·25	—	12
13	·17	—	—	·29	—	—	—	—	·07	·07	—	·03	13
14	·27	—	—	·14	—	—	—	—	·22	—	—	—	14
15	·16	·04	·10	·13	—	—	—	—	—	·02	·08	·51	15
16	·11	·78	—	·01	—	—	—	·02	—	—	·20	—	16
17	·06	·46	—	·01	—	·02	·02	—	—	—	·26	—	17
18	—	—	·15	—	—	—	—	·22	·03	—	—	·23	18
19	·03	·25	·70	—	—	—	1·32	·33	·10	~~·70~~	·07	·04	19
20	·32	—	·22	—	—	·12	·62	·22	—	—	·08	·13	20
21	·08	·41	·04	—	—	—	·28	—	—	—	·05	·23	21
22	—	·10	—	—	—	—	—	—	·41	—	—	·55	22
23	—	—	—	—	—	—	·03	·04	—	·55	—	·05	23
24	—	—	—	·17	·04	—	·17	—	—	·27	·05	·06	24
25	·12	—	—	·07	·13	·04	—	·36	—	—	—	·04	25
26	—	—	·21	·03	—	—	—	·04	·08	—	·02	·25	26
27	·33	—	—	·40	—	·01	—	·06	—	—	—	—	27
28	·03	—	—	·05	—	—	—	·61	—	—	—	·35	28
29	·06		—	·01	—	—	—	·12	—	·30	·18	·03	29
30	—		·10	·22	—	·29	—	—	—	·04	·07	·17	30
31	—		—		—		·03	—		·08		—	31
TOTAL	3·22	2·28	3·07	1·90	·89	1·71	3·61	2·24	2·31	1·65	1·84	3·58	YEAR'S TOTAL 28·30
Days with ·01 in. or more	20	9	17	16	5	9	12	12	10	11	18	22	161

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

+R/L

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at Cartmel Close, Stoughton Drive South
in the County of Leicester
by Theodore B. Ellis

Lat. 52 36 30 Long. 1 5 W
Time of Observation 9 AM
Nearest Railway Station Leicester Midland.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·24	·17	—	·16	—	·01	·40	·01	·17	1
2	—	—	—	·08	—	—	·07	—	·07	·12	—	·04	2
3	—	·04	—	·40	—	·02	·65	·06	·09	·05	—	—	3
4	·02	—	—	·20	—	—	·05	·25	—	·28	—	·09	4
5	—	—	·04	—	·33	—	·42	·08	·10	·01	—	—	5
6	—	—	·26	·03	·02	—	·13	—	—	—	—	·02	6
7	—	—	·06	·17	·02	—	·09	—	—	—	—	—	7
8	·22	·06	—	·49	·09	—	·13	—	—	—	—	—	8
9	·39	—	—	·74	—	—	—	·06	—	—	—	—	9
10	·19	—	·12	·02	—	—	·06	—	—	—	·03	—	10
11	·15	·10	—	·22	·25	·04	·01	—	—	—	—	·16	11
12	—	·13	·03	·17	—	·16	·10	—	—	—	—	·14	12
13	·05	—	·14	·21	—	—	—	—	—	—	—	·02	13
14	·01	·04	·50	·23	—	·23	·01	—	·19	—	·25	—	14
15	—	·06	·54	·26	—	—	—	—	·26	·04	·03	·01	15
16	—	·03	—	·05	·10	·02	·01	—	·11	·08	—	—	16
17	—	·04	—	—	·13	—	—	—	·43	·05	—	·04	17
18	·14	—	—	·11	·11	—	·12	·16	·25	—	—	—	18
19	·02	·15	—	·21	—	—	—	·12	·02	—	—	·02	19
20	·05	·39	—	·24	—	·38	·05	—	—	—	—	·01	20
21	·02	—	—	—	—	—	·14	·09	·01	—	—	—	21
22	—	—	—	·14	—	—	·07	—	·05	—	—	—	22
23	—	·01	—	—	—	—	·13	—	—	—	—	·28	23
24	·02	—	·11	—	—	—	—	—	—	—	·01	·04	24
25	—	·05	·05	·10	—	·03	·39	—	—	—	—	—	25
26	·16	·02	·08	·03	—	—	·02	—	—	—	—	·02	26
27	·08	·03	—	·12	·08	·41	·07	—	—	—	·44	·18	27
28	·52	—	·05	·01	·25	—	·02	—	—	—	·05	·08	28
29	—	—	·22	—	·35	—	·09	—	—	—	·09	·28	29
30	·07		·01	·10	·04	·05	·07	—	·10	—	·08	·11	30
31	·05		·03		·07		—	—		·20		·03	31
TOTAL	2·16	1·15	2·24	4·57	2·01	1·34	3·06	·82	1·69	1·23	·99	1·74	YEAR'S TOTAL 23·00
Days with ·01 in. or more	17	14	15	24	14	9	24	7	13	9	9	19	174
Days with ·04 in. or more	12	10	12	20	12	6	19	7	10	8	5	12	133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

LEICESTER

TOWN HALL SQ.

LEICESTERSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL.

1 JAN 1912

2502

RE

Kept at Leicester

in the County of Lei

by E. George M

1

eau (Snowdon pattern)

5 in.

Ground 0 ft. 7 in.

Sea Level 211. 55 ft.

am.

Name London Rd. Mid Ry Stn

Distance 630 yds Direction S.E.

IMPORTANT NOT … the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the rea … ar in the space provided for it at the end of thi … nent of rain, the selection and placi … itish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.050	—	—	—	0.005	0.010	—	—	0.030	—	1
2	0.065	—	—	—	0.140	—	—	0.120	—	—	0.025	0.010	2
3	0.005	—	—	—	0.140	—	—	0.180	0.005	0.035	0.025	—	3
4	0.005	—	0.080	0.120 Snow	—	—	—	0.010	0.020	0.085	0.100	0.260	4
5	0.005	—	—	0.010 Snow	—	—	—	0.055	—	0.020	0.020	0.005	5
6	0.200	—	0.010	—	—	—	—	—	—	0.075	0.030	0.440	6
7	0.010	—	—	0.005	—	—	—	—	—	0.130	0.125	0.065	7
8	0.075	—	0.150	0.005	—	—	—	—	—	—	0.005	0.110	8
9	0.045	—	—	—	—	—	—	—	—	—	0.150	0.035	9
10	0.020	0.075	0.130	—	—	—	—	0.075	—	—	0.015	0.420	10
11	0.170	—	—	—	—	—	—	0.120	—	—	0.340	0.005	11
12	0.045 Rain & Snow	—	0.400	—	—	—	—	—	0.130	—	0.110	—	12
13	0.005 Rain & Snow	—	0.025	—	—	—	—	—	0.100	—	0.010	0.420	13
14	—	0.050	0.015 Snow & Sleet	—	0.035	—	—	—	—	0.005	0.005	0.350	14
15	—	0.070	0.110 Snow & Rain	—	—	—	—	—	0.010	0.015	0.055	0.035	15
16	—	—	—	—	—	0.020	—	—	—	0.005	0.165	0.085	16
17	—	—	—	—	—	—	—	—	—	—	0.050	0.150	17
18	—	0.270	—	—	—	0.075	—	—	—	—	0.090	0.130	18
19	—	0.020	—	—	—	0.180	0.075	0.005	0.175	0.080	0.310	0.050	19
20	—	0.050	—	0.025	—	—	—	0.600	0.045	0.005	—	0.310	20
21	—	0.140	0.070	—	—	—	—	0.350	0.025	0.150	—	0.070	21
22	—	0.005	0.005	0.025	—	0.030	—	0.020	—	0.120	0.015	0.300	22
23	—	0.050	0.175	—	—	0.335	—	—	0.400	0.015	—	0.100	23
24	—	0.075	0.060 Snow & Rain	0.010	—	0.430	—	0.025	—	0.420	—	0.075	24
25	—	0.095	—	0.080	0.570	0.045	—	—	—	0.010	—	0.075	25
26	—	0.015	0.010	0.255	0.220	0.005	—	0.005	—	0.250	0.190	0.290	26
27	—	0.260	0.100	0.180	—	—	—	0.285	0.180	0.005	0.005	0.090	27
28	—	0.280	—	0.165	—	0.120	—	0.010	0.030	—	0.065	0.010	28
29	—		—	0.005	—	0.155	0.035	—	0.195	0.170	—	0.005	29
30	—		0.005	0.100	0.035	0.010	—	—	0.015	0.065	—	—	30
31	—		0.010		0.040		—	—		0.020		—	31
Total	0.650	1.455	1.405	0.985	1.180	1.405	0.115	1.870	1.330	1.680	1.935	3.895	TOTAL for year 17.905
No. of Rain Days	8	13	15	10	7	10	2	13	12	16	20	23	149

E George Mawbey

7,000. X. '09.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

2502

Kept at Leicester, (Town Hall Sq

in the County of Leicester 4

by E. George Mawbey M. Inst C.E.

RAIN GAUGE
Pattern Casella's (Snowdon pattern)
Diameter of top 5 in.
Height of top above Ground 0 ft. 7 in.
" " " Sea Level 211.55 ft.

Time of Observation 9 am.

Nearest Railway Station
Name London Rd. Mid Ry Stn
Distance 630 yds Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.050	—	—	—	0.005	0.010	—	—	0.030	—	1
2	0.065	—	—	—	0.140	—	—	0.120	—	—	0.025	0.010	2
3	0.005	—	—	—	0.140	—	—	0.180	0.005	0.035	0.025	—	3
4	0.005	—	0.080	0.120 Snow	—	—	—	0.010	0.020	0.085	0.100	0.260	4
5	0.005	—	—	0.010 Snow	—	—	—	0.055	—	0.020	0.020	0.005	5
6	0.200	—	0.010	—	—	—	—	—	—	0.075	0.030	0.440	6
7	0.010	—	—	0.005	—	—	—	—	—	0.130	0.125	0.065	7
8	0.075	—	0.150	0.005	—	—	—	—	—	—	0.005	0.110	8
9	0.045	—	—	—	—	—	—	—	—	—	0.150	0.035	9
10	0.020	0.075	0.130	—	—	—	—	0.075	—	—	0.015	0.420	10
11	0.170	—	—	—	—	—	—	0.120	—	—	0.340	0.005	11
12	0.045 Rain & Snow	—	0.400	—	—	—	—	—	0.130	—	0.110	—	12
13	0.005 Rain & Snow	—	0.025	—	—	—	—	—	0.100	—	0.010	0.420	13
14	—	0.050	0.015 Snow & Sleet	—	0.035	—	—	—	—	0.005	0.005	0.350	14
15	—	0.070	0.110 Snow & Hail	—	—	—	—	—	0.010	0.015	0.055	0.035	15
16	—	—	—	—	—	0.020	—	—	—	0.005	0.165	0.085	16
17	—	—	—	—	—	—	—	—	—	—	0.050	0.150	17
18	—	0.270	—	—	—	0.075	—	—	—	—	0.090	0.130	18
19	—	0.020	—	—	—	0.180	0.075	0.005	0.175	0.080	0.310	0.050	19
20	—	0.050	—	0.025	—	—	—	0.600	0.045	0.005	—	0.310	20
21	—	0.140	0.070	—	—	—	—	0.350	0.025	0.150	—	0.070	21
22	—	0.005	0.005	0.025	—	0.030	—	0.020	—	0.120	0.015	0.300	22
23	—	0.050	0.175	—	—	0.335	—	—	0.400	0.015	—	0.100	23
24	—	0.075	0.060 Snow & Hail	0.010	—	0.430	—	0.025	—	0.420	—	0.075	24
25	—	0.095	—	0.080	0.570	0.045	—	—	—	0.010	—	0.075	25
26	—	0.015	0.010	0.255	0.220	0.005	—	0.005	—	0.250	0.190	0.290	26
27	—	0.260	0.100	0.180	—	—	—	0.285	0.180	0.005	0.005	0.090	27
28	—	0.280	—	0.165	—	0.120	—	0.010	0.030	—	0.065	0.010	28
29	—		—	0.005	—	0.155	0.035	—	0.195	0.170	—	0.005	29
30	—		0.005	0.100	0.035	0.010	—	—	0.015	0.065	—	—	30
31	—		0.010		0.040		—	—		0.020		—	31
Total	0.650	1.455	1.405	0.985	1.180	1.405	0.115	1.870	1.330	1.680	1.935	3.895	TOTAL for Year 17.905
No. of Rain Days	8	13	15	10	7	10	2	13	12	16	20	23	149

E George Mawbey

7,000. X. '09.

Exc Sd

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

16 JAN 1912

2502

Kept at Leicester, Town Hall Sq

in the County of Leicester 4

by E. George Mawbey, M. Inst C.E.

RAIN GAUGE
Pattern 6.72" Casellas Automatic Gauge
Diameter of top 6.72 in.
Height of top above Ground 1 ft. 7¾ in.
" " " Sea Level 212-37 ft.

Time of Observation 9 am

Nearest Railway Station
Name London Rd. Mid Ry Stn.
Distance 635 yds. Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.050	—	—	—	0.005	0.010	—	—	0.025	—	1
2	0.065	—	—	—	0.140	—	—	0.120	—	—	0.025	0.010	2
3	0.005	—	—	—	0.140	—	—	0.180	0.005	0.030	0.020	—	3
4	0.005	—	0.080	0.120 (Snow)	—	—	—	0.010	0.020	0.085	0.090	0.260	4
5	0.005	—	—	0.010 Snow	—	—	—	0.055	—	0.020	0.020	0.005	5
6	0.200	—	0.010	0.005 Snow	—	—	—	—	—	0.075	0.030	0.440	6
7	0.015	—	—	0.005	—	—	—	—	—	0.130	0.120	0.065	7
8	0.075	—	0.150	—	—	—	—	—	—	—	0.005	0.110	8
9	0.045	—	—	—	—	—	—	—	—	—	0.150	0.030	9
10	0.020	0.075	0.125	—	—	—	—	0.075	—	—	0.015	0.410	10
11	0.170	—	—	—	—	—	—	0.120	—	—	0.340	0.005	11
12	0.045 (Rain & Snow)	—	0.400	—	—	—	—	—	0.130	—	0.120	—	12
13	0.005 Rain & Snow	—	0.025	—	—	—	—	—	0.100	—	0.010	0.420	13
14	—	0.050	0.015 Snow & Sleet	—	0.035	—	—	—	—	0.005	0.005	0.350	14
15	—	0.070	0.110 Snow & Rain	—	—	—	—	—	0.010	0.015	0.050	0.030	15
16	—	—	—	—	—	0.020	—	—	—	0.005	0.160	0.080	16
17	—	—	—	—	—	—	—	—	—	—	0.050	0.140	17
18	—	0.270	—	—	—	0.070	—	—	—	—	0.090	0.125	18
19	—	0.020	—	—	—	0.180	0.075	0.005	0.175	0.080	0.310	0.050	19
20	—	0.050	—	0.025	—	—	—	0.600	0.045	0.005	—	0.310	20
21	—	0.140	0.070	—	—	—	—	0.350	0.025	0.145	—	0.070	21
22	—	0.005	0.005	0.025	—	0.025	—	0.020	—	0.120	0.015	0.300	22
23	—	0.050	0.175	—	—	0.335	—	—	0.400	0.015	—	0.100	23
24	—	0.075	0.060 Snow & Rain	0.010	—	0.420	—	0.020	—	0.420	—	0.075	24
25	—	0.095	—	0.080	0.570	0.045	—	—	—	0.010	—	0.075	25
26	—	0.015	0.010	0.250	0.220	0.005	—	0.005	—	0.250	0.190	0.280	26
27	—	0.260	0.100	0.180	—	—	—	0.285	0.180	0.005	0.005	0.090	27
28	—	0.280	—	0.165	—	0.120	—	0.005	0.030	—	0.065	0.010	28
29	—		—	0.005	—	0.155	0.030	—	0.195	0.170	—	0.005	29
30	—		0.005	0.100	0.035	0.010	—	—	0.015	0.060	—	—	30
31	—		0.010		0.040		—	—		0.020		—	31
Total	0.655	1.455	1.400	0.980	1.180	1.385	0.110	1.860	1.330	1.665	1.910	3.845	TOTAL for year 17.775
No. of Rain Days	8	13	15	10	7	10		12	12	16	20	23	148

E George Mawbey

BRITISH RAINFALL FORM A.

14 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Leicester (Town Hall Sq
in the County of Leicester 4
by E. George Mawbey, M. Inst. C.E. Borough Surveyor.

Lat. 52° 38' N. Long. 1° 8'.
Time of Observation 9 am
Nearest Railway Station Midland Ry. Stn. London Rd.
Diameter of Rain Gauge 5 in. 2502
Height of top of Gauge above Ground 0 ft. 7 in.
" " " " Sea Level 211·55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·025

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·005	—	—	0·170	0·005	—	0·040	—	—	0·210 Snow & Sleet	1
2	—	0·025 Snow	0·025	0·020	0·020	0·785	0·450	—	0·005	—	—	0·060	2
3	0·075	0·005 Snow	0·055	—	—	0·060	0·025	0·390	0·025	—	—	0·055	3
4	0·090	—	0·420	—	0·085	0·550	—	0·100	—	—	0·360	0·005	4
5	0·050	0·030 Snow	0·280	—	0·010	0·140	—	0·110	0·055	—	0·050	—	5
6	0·450 (Snow & Rain)	0·115	—	—	0·015	0·020	0·010	0·260	—	—	—	0·030	6
7	—	0·020	—	—	—	0·180	—	0·045	—	—	—	0·020	7
8	0·250	0·225	0·205	0·020	0·005	0·035	0·075	0·020	0·085	—	—	0·030	8
9	0·005	0·015	0·030	0·095	0·130	0·150	0·005	0·005	—	—	—	0·300	9
10	—	—	0·010	—	—	0·005	—	0·370	0·010	—	0·120	0·005	10
11	0·125	0·075	—	—	—	0·075	—	0·040	—	—	0·040	0·455	11
12	0·050	0·285	0·085	—	0·110	—	—	—	—	—	0·045	—	12
13	0·005	0·020	—	—	—	—	—	—	—	0·005	0·105	—	13
14	0·155	—	0·300	—	0·035	0·040	0·010	0·005	—	0·005	0·005	0·005	14
15	0·100	0·040	0·095	—	0·185	0·150	—	0·010	—	—	0·010	0·140	15
16	0·510 Snow & Rain	—	0·080	—	0·005	0·010	—	0·090	—	0·095	—	—	16
17	0·450 Snow & Rain	—	0·080	—	—	0·220	0·030	0·180	—	0·005	0·075	0·560	17
18	0·230 Snow & Rain	—	0·070	—	—	—	—	0·110	—	0·015	0·025	0·040	18
19	0·300	0·045	0·005	—	—	—	0·200	0·170	—	0·020	0·015	0·005	19
20	0·070	—	0·415	—	0·010	—	0·210	0·250	—	0·250	—	—	20
21	—	—	0·250	—	0·460	—	0·005	0·415	—	0·230	0·005	—	21
22	0·080	0·050	—	—	1·240	0·020	0·520	0·400	—	0·005	—	0·105	22
23	0·085	0·110	0·235	—	—	0·035	0·485	0·390	—	—	0·095	0·280	23
24	0·205	—	0·015	—	—	0·080	0·500	0·125	—	—	0·005	0·120	24
25	—	—	—	—	—	0·640	0·005	0·365	—	—	0·220	0·320	25
26	—	0·060	0·030	—	—	0·005	0·665	1·140	—	0·465	0·250	0·200	26
27	—	0·005	—	—	0·010	0·265	0·030	0·005	—	0·545	—	0·160	27
28	—	0·005	—	—	—	0·040	0·200	0·390	0·005	0·185	0·240	0·365	28
29	—	0·010	—	—	—	0·050	0·350	0·005	0·520	0·150	0·025	0·005	29
30	0·040 (Snow)		—	—	0·175	0·020	0·015	—	0·005	0·090	—	—	30
31	—		0·035		0·100		0·730	0·095		—		0·080	31
Total	3·325	1·140	2·725	0·135	2·595	3·745	4·525	5·485	0·750	2·065	1·690	3·555	YEAR'S TOTAL 31·735
Rain Days.	~~18~~ 19	~~15~~ 17	~~19~~ 20	3	~~14~~ 15	~~22~~ 23	~~17~~ 19	~~22~~ 24	~~6~~ 7	~~10~~ 12	~~15~~ 17	~~19~~ 21	~~180~~ 197

E. George Mawbey

W. 7,500, XI. ·12

ExMt

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL

14 JAN 19[illegible]

202

Kept at Leicester, (Town Hall Sq.)

in the County of Leicester 4

by E. George Mawbey Esq. Borough Surveyor M. Inst. C.E.

Lat. 52° 38' N. Long. 1° 8' W.

Time of Observation 9 am

Nearest Railway Station Midland Ry. [illegible]

Diameter of Rain Gauge 6.72 in. (automatic)

Height of top of Gauge above Ground 1 ft. 7¾ in.

" " " " Sea Level 212.37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.025

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.005	—	—	0.170	0.005	—	0.040	—	—	0.200 (Snow + Sleet)	1
2	—	0.025 Snow	0.025	0.020	0.020	0.780	0.450	—	0.005	—	—	0.060	2
3	0.075	0.005 Snow	0.055	—	—	0.060	0.020	0.390	0.025	—	—	0.050	3
4	0.090	—	0.420	—	0.080	0.540	—	0.100	—	—	0.360	0.005	4
5	0.050	0.030 Snow	0.280	—	0.005	0.140	—	0.110	0.050	—	0.050	—	5
6	0.450 (Snow + Rain)	0.115	—	—	0.015	0.020	0.010	0.260	—	—	—	0.030	6
7	—	0.020	—	—	—	0.180	—	0.040	—	—	—	0.020	7
8	0.250	0.220	0.205	0.020	0.005	0.035	0.075	0.020	0.080	—	—	0.025	8
9	0.005	0.015	0.025	0.095	0.130	0.150	0.005	0.005	—	—	—	0.300	9
10	—	—	0.010	—	—	0.005	—	0.370	0.010	—	0.120	0.005	10
11	0.125	0.075	—	—	—	0.070	—	0.040	—	—	0.040	0.450	11
12	0.050	0.280	0.085	—	0.110	—	—	—	—	—	0.040	—	12
13	0.005	0.020	—	—	—	—	—	—	—	0.005	0.100	—	13
14	0.155	—	0.300	—	0.035	0.040	0.010	0.005	—	0.005	0.005	—	14
15	0.100	0.040	0.095	—	0.185	0.150	—	0.010	—	—	0.010	0.140	15
16	0.510 Snow & Rain	—	0.070	—	0.005	0.010	—	0.090	—	0.095	—	—	16
17	0.450 Snow & Rain	—	0.080	—	—	0.220	0.030	0.180	—	0.005	0.075	0.560	17
18	0.230 Snow & Rain	—	0.070	—	—	—	—	0.110	—	0.015	0.025	0.035	18
19	0.300	0.045	0.005	—	—	—	0.200	0.165	—	0.020	0.015	0.005	19
20	0.070	—	0.410	—	0.010	—	0.200	0.245	—	0.250	—	—	20
21	—	—	0.245	—	0.460	—	0.005	0.420	—	0.230	0.005	—	21
22	0.080	0.045	—	—	1.230	0.020	0.520	0.400	—	0.005	—	0.100	22
23	0.080	0.110	0.230	—	—	0.035	0.475	0.390	—	—	0.095	0.280	23
24	0.210	—	0.015	—	—	0.075	0.500	0.115	—	—	0.005	0.115	24
25	—	—	—	—	—	0.640	0.005	0.365	—	—	0.220	0.320	25
26	—	0.060	0.030	—	—	0.005	0.660	1.140	—	0.455	0.250	0.200	26
27	—	0.005	—	—	0.010	0.265	0.030	0.005	—	0.545	—	0.160	27
28	—	0.005	—	—	—	0.040	0.200	0.390	0.005	0.180	0.240	0.370	28
29	—	0.010	—	—	—	0.050	0.350	0.005	0.520	0.150	0.025	0.005	29
30	0.040 Snow [illegible]		—	—	0.170	0.020	0.015	—	0.005	0.085	—	—	30
31	—		0.035		0.100		0.730	0.095		—		0.075	31
Total	3.325	1.125	2.695	0.135	2.570	3.720	4.495	5.465	0.740	2.045	1.680	3.510	YEAR'S TOTAL 31.505
Rain Days.	~~18~~ 19	~~15~~ 17	~~19~~ 20	3	~~13~~ 14	~~22~~ 23	~~17~~ 19	~~22~~ 24	~~6~~ 8	~~10~~ 12	~~15~~ 16	~~19~~ 21	~~179~~

E. George Mawbey

196

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Leicester, Town Hall Sq
in the County of Leicester E4 RM 4
by E. George Mawbey Esq. M. Inst C. E.

Lat. 52° 38' N Long. 1° 8' W.
Time of Observation 9 am
Nearest Railway Station Midland Ry. London Rd
Diameter of Rain Gauge 5 in. 2502
Height of top of Gauge above Ground 0 ft. 7 in.
" " " " Sea Level 211·55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·025	—	0·050	0·015	—	—	—	—	1·050	—	0·125	—	1
2	—	0·105	0·015	0·075	—	—	—	—	—	0·030	—	—	2
3	—	—	0·200	—	0·350	—	—	—	0·015	0·080	0·005	0·015 Rain + Snow	3
4	0·590	0·005	0·005	—	0·025	0·005	—	—	—	0·145	0·055	0·250	4
5	0·090	—	—	—	—	0·015	0·100	—	0·015	1·265	0·005	0·040	5
6	0·005	0·005	0·030	—	0·325	0·370	0·840	—	—	0·050	—	0·010	6
7	—	0·080	—	—	0·175	0·030	0·010	—	—	0·380	0·045	0·015	7
8	—	0·005	—	—	0·155	0·250	—	—	—	0·095	0·145	—	8
9	—	0·340	0·020	0·005	0·065	0·330	—	0·025	—	0·005	0·090	0·005	9
10	—	0·005	—	0·075 Slight snow & rain	0·070	—	—	0·155	—	—	0·270	—	10
11	1·200 Snow	—	—	0·330 Snow + Rain	0·050	0·035	—	0·020	—	0·020	0·235	—	11
12	—	—	—	—	0·125	0·010	—	—	—	—	0·500	—	12
13	0·050 Snow	—	0·050	0·045	—	—	—	0·035	0·045	—	0·200	—	13
14	0·075	—	0·740 Rain + Snow	—	—	—	—	0·090	—	0·095	0·090	—	14
15	0·065	0·025	0·335	0·295	—	—	0·025	0·005	0·080	—	0·025	—	15
16	0·030	0·015	0·580	0·065	—	—	—	—	0·180	—	—	—	16
17	0·040	0·035	0·035	0·130	—	0·170	0·040	—	0·040	—	—	—	17
18	—	—	0·200	0·090	—	—	0·040	—	—	—	0·010	—	18
19	0·070	—	0·025	—	—	—	0·040	—	0·065	—	—	—	19
20	0·125	—	0·030	0·020	—	—	—	—	0·015	0·180	0·120	—	20
21	0·030	—	0·140	0·015	0·100	—	0·040	—	—	0·005	0·335	—	21
22	0·380 Snow + Rain	—	0·360	—	—	—	—	0·080	0·250	—	—	—	22
23	0·010	—	—	—	—	0·040	0·005	0·120	0·080	—	0·005	—	23
24	0·050	—	—	0·060	—	—	—	0·030	0·005	—	—	—	24
25	—	0·005	0·005	0·070	—	0·015	—	—	0·015	—	—	—	25
26	—	0·075	0·150	0·230	0·170	—	—	0·070	—	0·265	0·005	0·245	26
27	—	0·015	0·020	0·010	0·080	—	—	—	—	0·005	—	—	27
28	0·405	—	0·250	0·215	—	—	—	—	—	0·090	—	0·080 Snow	28
29	0·010		0·160	0·525	—	—	—	0·330	—	0·090	—	0·160 Snow	29
30	0·330 Rain + Snow		—	—	—	—	0·010	—	—	0·095	0·035	—	30
31	0·005		0·015		0·045		—	0·015		0·005		—	31
Total	3·585	0·715	3·415	2·270	1·735	1·270	1·150	0·975	1·855	2·900	2·300	0·820	YEAR'S TOTAL 22·990
Rain Days.	~~18~~ 19	~~8~~ 11	~~20~~ 21	17	13	~~10~~ 11	9	~~11~~ 12	12	~~14~~ 16	~~15~~ 17	~~8~~ 9	~~155~~ 169

E George Mawbey

W.7,000, XI. 13

J mills   Exd M.G.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL
11 JAN 1915
2502

Kept at Leicester, Town Hall Sq.
in the County of Leicester 4
by E. George Mawbey M. Inst C.E.

Lat. 52° 38 N. Long. 1° 8 West
Time of Observation 9 am
Nearest Railway Station Mid. Ry. Stn. London Rd
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 7 in.
" " " " Sea Level 211·55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·105 in.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·030	0·025	—	—	0·340	0·225	—	—	0·010	0·005	1
2	—	—	—	0·015	—	—	—	0·300	—	—	0·490	0·200	2
3	—	—	—	0·015	0·105	—	0·185	0·490	—	—	0·025	0·005	3
4	0·160	—	0·035	0·155	0·005	—	—	0·110	—	—	0·390	0·255	4
5	0·090 (Rain & Snow)	—	0·135	0·300	—	0·075	0·290	0·020	—	—	0·010	—	5
6	0·005	0·045	0·005	0·035	0·030	—	0·005	—	—	—	0·070	0·040	6
7	—	0·095	0·490	0·030	0·030	0·010	0·025	0·060	—	—	—	0·045	7
8	0·115	0·005	0·025	0·055	0·060	0·650	0·430	0·200	0·015	—	—	0·025	8
9	0·395	0·005	0·135	0·205	—	1·045	—	0·055	0·035	—	0·005	—	9
10	0·105	0·125	0·005	0·150	0·050	—	—	—	0·065	—	—	—	10
11	—	0·055	0·260	0·320	0·100	0·050	—	—	0·015	—	0·580	0·260	11
12	0·015 (Rain & Snow)	—	0·115	—	0·005	0·005	—	—	0·250	—	0·030	0·305	12
13	0·010 (Rain & Snow)	0·140	0·160	—	—	—	—	—	0·015	0·040	0·150	0·420	13
14	0·025	0·015	0·140	—	—	—	0·180	—	—	0·250	0·100	0·335	14
15	0·035	—	0·190	—	—	—	—	—	0·005	0·005	0·060 (Slight Snow)	0·035	15
16	0·005	—	0·030	—	—	—	0·200	—	0·050	—	0·015	—	16
17	0·020	0·170	0·070	—	—	0·005	0·040	—	0·050	—	—	0·180	17
18	—	—	0·005	—	—	—	0·140	—	—	—	—	0·375	18
19	—	—	—	—	—	—	0·010	—	0·005	—	0·025	0·020	19
20	—	0·120	0·170 (Sleet & Snow)	—	—	—	0·015	—	0·035	—	—	—	20
21	—	0·305	0·055	—	—	0·010	0·045	—	—	0·060	0·005	0·360 (Sleet & Snow)	21
22	—	0·005	—	—	0·450	0·015	0·025	0·045	—	0·215	—	—	22
23	—	0·060	0·090	—	0·200	0·035	—	—	—	0·060	—	0·030	23
24	—	—	0·070	—	0·760	—	0·195	0·005	—	0·360	0·170	—	24
25	0·025	—	—	—	—	—	0·030	0·175	—	0·365	0·015	0·200	25
26	—	—	0·035	—	—	—	—	0·110	—	0·190	0·125	0·275	26
27	0·050	—	—	—	—	—	—	—	—	—	0·005	0·095	27
28	0·005	0·035	0·010	—	—	—	0·005	—	—	0·050	0·365	0·880 (Snow & Rain)	28
29	0·010		0·105	—	0·035	—	—	—	—	0·420	0·080 (gale)	0·005	29
30	—	X	0·005	—	—	0·025	—	—	—	0·005	0·400	0·145	30
31	0·005	X	—	X	—	X	0·250	—	X	0·005	X	0·030	31
Total	1·075	1·180	2·370	1·305	1·830	1·925	2·410	1·795	0·540	2·025	3·125	4·525	YEAR'S TOTAL 24·105
Rain Days.	~~13~~ 15	~~11~~ 13	~~20~~ 22	11	10 11	~~9~~ 10	~~16~~ 17	11	~~9~~ 10	~~10~~ 12	~~19~~ 20	~~21~~ 23	~~160~~ 175

W. 8,000. X. 14.

E. George Mawbey

Ex. MG.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

11 JAN 1915

2502

Kept at Leicester, Town Hall Sq

in the County of Leicester 4

by E. George Mawbey M. Inst C.E.

Lat. 52° 38' N. Long. 1° 8' W.

Time of Observation 9 am

Nearest Railway Station Mid. Ry. Stn. London Rd

Diameter of Rain Gauge 6.72 in.

Height of top of Gauge above Ground 1 ft. 7¾ in.

" " " " Sea Level 212.37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.105

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.030	0.025	—	—	0.340	0.225	—	—	0.010	0.005	1
2	—	—	—	0.015	—	—	—	0.300	—	—	0.495	0.200	2
3	—	—	—	0.015	0.105	—	0.190	0.490	—	—	0.025	0.005	3
4	0.160	—	0.035	0.155	0.005	—	—	0.110	—	—	0.390	0.255	4
5	0.090 (Rain & Snow)	—	0.130	0.300	—	0.075	0.290	0.020	—	—	0.005	—	5
6	0.005	0.045	0.005	0.030	0.030	—	0.005	—	—	—	0.070	0.035	6
7	—	0.080	0.490	0.030	0.030	0.005	0.020	0.060	—	—	—	0.040	7
8	0.115	0.005	0.025	0.055	0.060	0.650	0.420	0.200	0.015	—	—	0.025	8
9	0.395	0.005	0.135	0.205	—	1.045	—	0.060	0.035	—	0.005	—	9
10	0.100	0.120	0.005	0.140	0.050	—	—	—	0.065	—	—	—	10
11	—	0.055	0.260	0.320	0.100	0.050	—	—	0.015	—	0.570	0.260	11
12	0.015 Rain & Snow	—	0.115	—	0.005	0.005	—	—	0.250	—	0.030	0.305	12
13	0.010 (Rain & Snow)	0.140	0.160	—	—	—	—	—	0.010	0.040	0.150	0.420	13
14	0.025	0.005	0.130	—	—	—	0.180	—	—	0.250	0.100	0.335	14
15	0.030	—	0.190	—	—	—	—	—	0.005	0.005	0.060 (Slight Snow)	0.035	15
16	0.005	—	0.030	—	—	—	0.200	—	0.050	—	0.015	—	16
17	0.020	0.170	0.070	—	—	—	0.040	—	0.050	—	—	0.180	17
18	—	—	—	—	—	—	0.140	—	—	—	—	0.375	18
19	—	—	—	—	—	—	0.010	—	0.005	—	0.025	0.020	19
20	—	0.120	0.170 (Sleet & Snow)	—	—	—	0.015	—	0.030	—	—	—	20
21	—	0.300	0.055	—	—	0.005	0.045	—	—	0.060	0.005	0.360 (Sleet & Snow)	21
22	—	0.005	—	—	0.460	0.015	0.025	0.040	—	0.220	—	—	22
23	—	0.060	0.085	—	0.200	0.040	—	—	—	0.050	—	0.030	23
24	—	—	0.070	—	0.770	—	0.195	0.005	—	0.360	0.170	—	24
25	0.020	—	—	—	—	—	0.025	0.175	—	0.365	0.015	0.200	25
26	—	—	0.035	—	—	—	—	0.110	—	0.190	0.120	0.270	26
27	0.050	—	—	—	—	—	—	—	—	—	0.005	0.095	27
28	0.005	0.035	0.010	—	—	—	0.005	—	—	0.050	0.315	0.880 (Snow & Rain)	28
29	0.010		0.105	—	0.035	—	—	—	—	0.425	0.060 (gale)	0.005	29
30	—	X	0.005	—	—	0.025	—	—	—	0.005	0.400	0.145	30
31	0.005	X	—	X	—	X	0.250	—	X	0.005	X	0.030	31
Total	1.060	1.145	2.345	1.290	1.850	1.915	2.395	1.795	0.530	2.025	3.090	4.510	YEAR'S TOTAL 23.956
Rain Days.	~~13~~ 15	~~10~~ 12	~~20~~ 22	11	~~10~~ 11	7 8	~~16~~ 17	12	~~9~~ 10	~~10~~ 11	~~18~~ 20	~~21~~ 23	156

E. George Mawbey

W. 8,000. X. 14.

172

2612

FORM A.
BRITISH RAINFALL.

7 - JAN 1916

2502

REGISTER OF RAINFALL IN 1915

Kept at Leicester (Town Hall Sq.)
in the County of Leicester
by E. George Mawbey M.Inst.C.E.

Lat. 52° 38' N. Long. 1° 8' W.
Time of Observation 9 am
Nearest Railway Station Midland Ry. London Rd
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 7 in.
" " " " Sea Level 211·55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·045

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·105	0·215	0·070	—	0·425	—	0·005	0·105	0·090	—	0·030	0·010	1
2	0·030	0·110	0·200	0·135	—	0·130	0·005	0·160	—	0·110	—	0·030	2
3	0·270	0·005	0·025	0·080	—	—	1·310	0·265	0·080	—	—	0·175	3
4	0·095	—	—	—	0·020	—	0·350	0·140	—	—	—	0·990	4
5	0·030	0·250	—	—	0·320	—	0·035	0·010	—	—	0·035	0·320	5
6	0·060	0·155	0·010	0·255	—	—	0·790	0·030	—	—	—	0·065	6
7	0·115	0·355	0·005	0·005	—	0·020	0·145	0·220	—	—	—	0·645	7
8	0·040	0·045	—	0·020	—	—	—	0·030	—	—	0·005	0·005	8
9	—	0·105	—	—	—	—	—	—	—	—	0·260	0·325	9
10	0·340	—	0·030	—	—	—	—	—	—	—	0·075	0·005	10
11	0·030	—	0·015	0·045	0·175	—	0·075	—	—	—	0·470	0·080 (Snow)	11
12	0·025	—	—	0·165	0·280	—	0·010	0·190	—	0·005	1·060	—	12
13	0·020	0·390	—	0·005	0·610	—	—	0·005	—	—	—	—	13
14	—	0·035	—	—	—	—	—	0·240	0·060	—	—	0·285	14
15	0·245	—	—	—	0·035	—	0·045	0·185	—	—	0·120	0·075	15
16	0·020	0·285	—	—	0·025	—	1·750	—	—	—	—	—	16
17	—	0·155	—	—	—	—	0·420	0·005	—	—	—	—	17
18	—	0·240	0·400 Snow	—	—	—	—	—	—	—	0·015	0·005	18
19	—	0·025	0·030 (Snow)	—	0·020	—	0·125	0·005	—	—	—	—	19
20	0·175	—	—	0·005	—	—	0·005	0·005	—	—	—	0·325	20
21	0·125 (Snow & Rain)	0·060	—	—	0·005	—	0·125	—	—	—	—	0·100	21
22	0·140	0·005	0·095	0·020	—	—	0·420	—	—	—	—	0·040	22
23	0·035	0·065	0·010	—	—	0·035	0·610	—	0·055	0·130	—	0·175	23
24	0·005	—	0·030	0·045	—	0·015	0·400	—	0·870	0·095	—	0·080	24
25	—	—	0·025	0·005	—	0·510	0·595	—	0·025	0·015	0·015	0·250	25
26	—	0·105	—	—	—	—	0·020	—	0·035	—	—	0·260	26
27	—	0·090	—	—	—	—	0·460	—	—	0·450	—	0·045	27
28	—	0·065 Snow & Rain	0·055 Snow	—	—	0·290	—	0·200	—	0·015	0·005 Snow	—	28
29	—		0·005	—	—	0·045	—	0·050	0·005	—	0·220	0·125	29
30	0·030	╳	—	0·015	—	1·210	—	—	—	0·005	0·035	0·085	30
31	0·025	╳	—	╳	—	╳	—	0·025	╳	0·230	╳	0·080	31
Total	1·960	2·760	1·005	0·800	1·915	2·255	7·700	0·870	1·220	1·055	2·345	4·580	YEAR'S TOTAL 29·465
Rain Days.	20	18	13	9	9	8	18	14		7		22	156

E. George Mawbey

W. 8,000. X. 14.

2613

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1915

Kept at Leicester Town Hall Sq

in the County of Leicester

by E. George Mawbey M. Inst C.E.

Lat. 52° 38'
Long. 1° 8' W.
Time of Observation 9 am
Nearest Railway Station Midland Ry London Rd
Diameter of Funnel of Rain Gauge 6.75 in.
Height of top of Gauge above Ground 1 ft. 7¾ in.
" " " " Sea Level 212·37 ft.

7 - JAN 1916

2501

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·040

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·105	0·215	0·070	—	0·425	—	—	0·105	0·090	—	0·030	0·005	1
2	0·030	0·110	0·200	0·130	—	0·130	0·005	0·160	—	0·110	—	0·030	2
3	0·270	0·005	0·025	0·070	—	—	1·310	0·260	0·080	—	—	0·175	3
4	0·095	—	—	—	0·020	—	0·350	0·140	—	—	—	0·990	4
5	0·030	0·250	—	—	0·320	—	0·030	0·005	—	—	0·035	0·320	5
6	0·060	0·150	0·010	0·250	—	—	0·790	0·030	—	—	—	0·065	6
7	0·115	0·355	0·005	0·005	—	0·020	0·145	0·320	—	—	—	0·645	7
8	0·040	0·045	—	0·020	—	—	—	0·030	—	—	0·005	—	8
9	—	0·105	—	—	—	—	—	—	—	—	0·260	0·325	9
10	0·340	—	0·030	—	—	—	—	—	—	—	0·075	—	10
11	0·030	—	0·015	0·045	0·180	—	0·075	—	—	—	0·470	0·080 (Snow)	11
12	0·025	—	—	0·165	0·280	—	0·010	0·190	—	0·005	1·070	—	12
13	0·020	0·390	—	0·005	0·610	—	—	0·005	—	—	—	—	13
14	—	0·035	—	—	—	—	—	0·240	0·060	—	—	0·285	14
15	0·245	—	—	—	0·035	—	0·045	0·185	—	—	0·120	0·075	15
16	0·020	0·285	—	—	0·025	—	1·750	—	—	—	—	—	16
17	—	0·150	—	—	—	—	0·420	0·005	—	—	—	—	17
18	—	0·235	0·400 Snow	—	—	—	—	—	—	—	0·015	0·010	18
19	—	0·025	0·030 (Snow)	—	0·020	—	0·125	0·005	—	—	—	—	19
20	0·175	—	—	0·005	—	—	0·005	0·005	—	—	—	0·320	20
21	0·125 (Snow & rain)	0·060	—	—	0·005	—	0·125	—	—	—	—	0·100	21
22	0·140	0·005	0·095	0·020	—	—	0·420	—	—	—	—	0·040	22
23	0·035	0·060	0·010	—	—	0·035	0·620	—	0·055	0·130	—	0·175	23
24	0·005	—	0·030	0·045	—	0·015	0·400	—	0·870	0·095	—	0·075	24
25	—	—	0·025	0·005	—	0·520	0·600	—	0·025	0·015	0·015	0·250	25
26	—	0·105	—	—	—	—	0·020	—	0·035	—	—	0·260	26
27	—	0·090	—	—	—	—	0·465	—	—	0·450	—	0·040	27
28	—	0·065 Snow & rain	0·055 Snow	—	—	0·290	—	0·195	—	0·015	0·005 Snow	—	28
29	—		0·005	—	—	0·040	—	0·055	0·005	—	0·220	0·125	29
30	0·025	X	—	0·015	—	1·230	—	—	—	0·005	0·035	0·080	30
31	0·025	X	—	X	—	X	—	0·025	X	0·230	X	0·080	31
Total	1·955	2·740	1·005	0·780	1·920	2·280	7·710	1·860	1·220	1·055	2·355	4·550	YEAR'S TOTAL 29·430
Rain Days.	20	18	13	9 7,8	9	8	18	13	7	7	11	22	155

E. George Mawbey

W. 8,000. X. 15.

End 4/0

2547

FORM A.
BRITISH RAINFALL.

10 JAN

REGISTER OF RAINFALL IN 1916

Kept at Leicester Town Hall Sq.

in the County of Leicester

by E. George Mawbey M. Inst C. E.
Borough Surveyor

Lat. 52° 38 N Long. 1° 8' W.

Time of Observation 9 am

Nearest Railway Station Midland Ry.

Diameter of Funnel of Rain Gauge 5 in. 2502

Height of top of Gauge above Ground 0 ft. 7 in.

" " " " Sea Level 211.55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.045	—	0.170 (Snow & rain)	—	0.065	0.045	0.060	—	—	—	0.220	—	1
2	0.315	0.020	0.090 (Snow & rain)	—	0.200	0.020	0.175	—	0.035	0.390	0.065 (thunder)	—	2
3	—	0.570	—	—	0.005	—	0.005	—	1.020	0.185	0.055	—	3
4	0.250	0.045	—	—	0.340	0.260	0.015	—	—	0.085	0.085	—	4
5	0.020	—	—	0.015	0.025	0.130	—	—	—	0.100	0.085	—	5
6	0.015	0.105	0.155 (Snow)	—	0.110	0.005	0.390	—	—	0.005	0.230	—	6
7	0.025	—	0.130 (Snow)	—	0.015	—	0.215	—	—	0.090	0.260	0.110 (Snow & sleet)	7
8	0.005	—	0.035 (Snow & rain)	—	0.005	0.145	—	—	—	0.005	0.025	0.115	8
9	—	—	0.055 (Snow & rain)	—	0.250	0.035	0.005	—	—	0.015	0.005	0.020	9
10	—	0.090	0.090 (Snow)	0.045	0.005	—	—	—	0.005	—	0.005	0.055	10
11	—	0.355 (rain & snow)	0.105 (rain & snow)	0.120	0.015	0.160	—	—	0.015	—	—	0.050	11
12	0.050	—	0.090	0.020	0.485	0.110	0.010	—	—	0.025	0.005	0.005	12
13	0.025	0.195	0.105	0.075	0.035	—	—	0.080	—	0.020	—	—	13
14	—	0.430 (Snow rain & thunder)	0.005	0.185 (Snow hail thunder)	0.010	—	—	0.255	—	0.130	—	—	14
15	—	0.240	0.620	—	0.005	—	0.060	0.190	—	0.020	—	—	15
16	0.005	0.120	0.525	0.225	0.035	—	0.250	0.080	—	0.010	—	—	16
17	0.055	0.030	—	0.110	—	—	0.020	0.220 (thunder)	0.100	0.170	—	—	17
18	0.005	0.105	0.020	0.010	—	—	—	0.165 (thunder)	0.230	0.005	0.605 (rain & snow)	0.050 (Snow)	18
19	0.065	0.080	0.275	0.015	—	—	—	—	0.210	—	0.430 (rain & snow)	0.030 (Snow)	19
20	0.070	0.005	0.280	0.060	—	0.005	—	—	—	—	0.075	0.070	20
21	0.035	—	0.175	—	0.050	—	—	—	—	—	0.005	0.405 (Snow & rain)	21
22	—	0.030 (Snow)	0.030	0.025	0.035	0.010	—	—	—	0.020	—	0.350	22
23	0.045	0.470 (snow)	—	0.020	—	0.030	—	0.030	—	0.050	0.050	0.310 (Snow & rain)	23
24	—	0.510 (Snow)	0.015 (Snow)	0.040	—	0.105	—	0.040	—	0.010	—	0.150	24
25	—	0.050 (snow)	0.125 (rain & snow)	—	0.035	—	—	0.240	—	0.050	0.165	0.010	25
26	0.025	0.090 (Snow)	0.015 (rain & snow)	—	—	0.020	—	0.125	—	0.050	0.005	—	26
27	0.020	0.360 (snow)	0.890 (Snow & rain)	—	—	—	—	0.070	0.050	0.100	—	—	27
28	—	0.190 (Snow & rain)	0.340 (Snow & sleet)	—	—	—	—	—	—	0.010	—	0.190	28
29	—	0.070	—	—	0.090	0.185	—	1.060	—	0.190	—	0.090	29
30	—		—	—	0.020	0.070	—	0.025	—	0.155	—	—	30
31	—		—		0.005		—	0.035		0.005		0.005	31
Total	1.075	4.160	4.340	0.965	1.840	1.335	1.205	2.615	1.665	1.895	2.375	2.015	YEAR'S TOTAL 25.485
Rain Days.	15 17	21	22 3	14	17 19	14 5	9 10	14	7 8	21 3	13 5	15 6	~~182~~ 195

E George Mawbey

W. 8,000, VIII. 16

2548

FORM A.
BRITISH RAINFALL.

JAN 19

REGISTER OF RAINFALL IN 1916

Kept at Leicester Town Hall Sq.

in the County of Leicester

by E. George Mawbey, M. Inst. C. E.
Boro' Surveyor.

Lat. 52° 38' N Long. 1° 8' W.

Time of Observation 9 am

Nearest Railway Station Midland Ry. London Rd.

Diameter of Funnel of Rain Gauge 6.72 in. 2502

Height of top of Gauge above Ground 1 ft. 7 3/4 in.

" " " " Sea Level 212.37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.040	—	0.170 Snow + rain	—	0.065	0.045	0.055	—	—	—	0.220	—	1
2	0.320	0.020	0.090 (Snow + rain)	—	0.200	0.020	0.175	—	0.035	0.395	0.065 (thunder)	—	2
3	—	0.570	—	—	0.005	—	0.005	—	1.020	0.180	0.055	—	3
4	0.250	0.045	—	—	0.350	0.260	0.015	—	—	0.085	0.085	—	4
5	0.020	—	—	0.015	0.020	0.130	—	—	—	0.100	0.085	—	5
6	0.015	0.100	0.155 (Snow)	—	0.100	0.005	0.390	—	—	0.005	0.230	—	6
7	0.025	—	0.130 Snow	—	0.015	—	0.215	—	—	0.080	0.255	0.110 Snow + Sleet	7
8	0.005	—	0.035 Snow + rain	—	0.005	0.145	—	—	—	0.005	0.025	0.115	8
9	—	—	0.055 Snow + rain	—	0.250	0.030	0.005	—	—	0.015	0.005	0.020	9
10	—	0.090	0.090 Snow	0.045	0.005	—	—	—	0.005	—	0.005	0.055	10
11	—	0.370 (rain + Snow)	0.105 Snow + rain	0.120	0.015	0.160	—	—	0.015	—	—	0.050	11
12	0.050	—	0.090	0.020	0.485	0.105	0.010	—	—	0.025	0.005	0.005	12
13	0.025	0.190	0.105	0.075	0.030	—	—	0.080	—	0.020	—	—	13
14	—	0.430 (Snow, hail + thunder)	0.005	0.185 Snow, hail, thunder	0.010	—	—	0.250	—	0.125	—	—	14
15	—	0.240	0.620	—	0.005	—	0.050	0.190	—	0.020	—	—	15
16	0.005	0.120	0.530	0.215	0.035	—	0.250	0.080	—	0.010	—	—	16
17	0.055	0.030	—	0.110	—	—	0.020	0.220 thunder)	0.100	0.175	—	—	17
18	0.005	0.105	0.020	0.010	—	—	—	0.165 thunder	0.230	0.005	0.605 Snow + rain	0.050 Snow	18
19	0.065	0.080	0.280	0.015	—	—	—	—	0.210	—	0.430 (rain + Snow)	0.030 (Snow)	19
20	0.070	0.005	0.280	0.060	—	0.005	—	—	—	—	0.075	0.070	20
21	0.035	—	0.175	—	0.050	—	—	—	—	—	0.005	0.405 Snow + rain	21
22	—	0.030 Snow	0.025	0.030	0.035	0.010	—	—	—	0.020	—	0.350	22
23	0.045	0.470 Snow	—	0.020	—	0.030	—	0.030	—	0.050	0.050	0.310 Snow + rain	23
24	—	0.510 Snow	0.015 Snow	0.040	—	0.105	—	0.040	—	0.010	—	0.150	24
25	—	0.050 Snow	0.125 rain + Snow	—	0.035	—	—	0.245	—	0.050	0.165	0.010	25
26	0.025	0.090 Snow	0.015 rain + Snow	—	—	0.020	—	0.125	—	0.050	0.005	—	26
27	0.020	0.360 Snow	0.890 (Snow + rain)	—	—	—	—	0.070	0.050	0.100	—	—	27
28	—	0.190 Snow + rain	0.340 Snow + Sleet	—	—	—	—	—	—	0.010	—	0.190	28
29	—	0.060	—	—	0.090	0.185	—	1.060	—	0.190	—	0.090	29
30	—	X	—	—	0.020	0.070	—	0.025	—	0.155	—	—	30
31	—	X	—	X	0.005	X	—	0.035	X	0.005	X	0.005	31
Total	1.075	4.155	4.345	0.960	1.830	1.325	1.190	2.615	1.665	1.885	2.370	2.015	YEAR'S TOTAL 25.430
Rain Days.	15 17	21	22 23	14	17 19	14 15	9 10	14	7 8	21 23	13 15	15 16	195 ~~182~~

E. George Mawbey

W. 8,000, VIII. 16

2421

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
18 JAN

Kept at Leicester Town Hall Sq.
in the County of Leicester
by E. George Mawbey Esq. M. Inst C.E.

Lat. 52° 38 N. Long. 1° 8 W.
Time of Observation 9 am. and During Summer Time 10 am i.e. 9 am Greenwich Time
Nearest Railway Station London Rd. Mid. Ry. Stn.
Diameter of Funnel of Rain Gauge 5 in. 2502
Height of top of Gauge above Ground 0 ft. 7 in.
" " " " Sea Level 211·55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·005

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·005 Snow	—	0·120 Snow	—	—	—	1·075	0·100	—	0·005	0·035	1
2	0·035	—	—	—	—	0·070	—	0·160	0·010	0·055	0 010	—	2
3	—	0·045 Snow	—	0·410 Snow	—	—	—	0·325	—	0·235	0·015	—	3
4	0·005 Snow + rain	0·100 Snow	0 070	0·015	—	—	—	0·095	—	0·590	—	0·005	4
5	0·120 Snow + rain	—	0·020 Snow + Sleet	0·100 Snow + rain	—	—	—	—	0·100	0·130	0·115	—	5
6	0·010 Snow + rain	—	—	—	—	0·080	—	—	—	0·110	0·055	—	6
7	0·415 Snow + rain	—	0·005 Snow	—	—	—	—	—	—	0·315	0·005	—	7
8	0·540 Snow + rain	—	—	0·090 Snow + Sleet	—	—	0·240	0·835	—	0·370	0·050	0·110	8
9	0·050 Snow + rain	—	0·120 Snow	0·090 Snow + Sleet	0·130	—	—	0·085	0·030	—	0·190	0·005 [illegible]	9
10	0·345 Snow	—	0·260	0·040 Snow + Sleet	0·175 Thunder	—	—	0·040	—	—	0·105	—	10
11	0·040 Rain + Sleet	—	0·045	0·200 Snow + Sleet	—	—	—	0·140	0·015	0·175	0·010	—	11
12	0·095 Snow + rain	0·080 (Fine rain + snow)	0·005	0·005 Sleet	0·090 Thunder	0·250 Thunder	—	0·005	—	0·180	0 005	0·015	12
13	0·025 Snow + Sleet	0 015	0·005	0·040	—	—	—	0·275	0·100	—	—	0·005	13
14	0·080 Snow + Sleet	—	0·050	0·325	—	—	—	—	—	0·005	—	0·100	14
15	0·010 Snow	—	0·005	0·060	0·005	—	0·170 Thunder	—	—	0·045	—	0·060	15
16	0·035 Snow	0·090	—	0·080	—	0·020	—	—	—	0·020	—	0·130	16
17	0·015 Fine Snow	0·010	0·005	0·150	0·265	0·470 Thunder	0·295	—	0·085	0·070	—	0·015	17
18	0·020 rain	0·010	—	0·055	0·255	0·005	0·325	0·140	0·790	0·015	—	—	18
19	0·040 Snow + Sleet	0·150	0·155	0·005	0·170	0·010	—	—	0·050	—	—	—	19
20	0·005 Snow	0·175	0·020 Snow + rain	—	0·535	0·120	—	0·040	0·105	—	0·070	—	20
21	0·010	0·005	0·090 Snow	—	0·305 Thunder	0·265 Thunder	—	0·015	—	0·005	0·005	—	21
22	—	—	0·040 Snow	—	—	0·005	—	0·045 Thunder	0·040	0·065	—	—	22
23	0·005 Fine Snow	0·050	—	—	0·070	—	—	0·140 Thunder	0·025	0·050	—		23
24	—	0·010	0·005	—	—	0·435	—	0·010	—	0·285	0·040		24
25	—	—	0·035	—	—	0·130	—	—	—	0·005	0·100		25
26	—	—	0·020 Snow	—	—	0·005	—	0·230	0·225	—	0·085		26
27	—	—	0·030	—	—	0·410 Thunder	0·010	0·565	0·005	0·005	0 005	0·015 Rain + Sleet	27
28	—	—	0·075	—	—	0·250	—	0·120	—	0·020	—	0·060	28
29	—		0·010	—	—	0·015	0·025	0·030	—	0·430	—	0·260	29
30	0·015 Snow	✕	—	—	—	—	0·345	0·290	—	0·005	—	0·005	30
31	0·005 Fine Snow	✕	0·090 Snow	✕	—	✕	0·025	0·125	✕	—	✕	0·015	31
Total	1·920	0·745	1·160	1·785	2·000	2·540	1·435	4·785	1·680	3·185	0·870	0·835	YEAR'S TOTAL 22·940
Rain Days.	~~18~~ 20	~~11~~ 12	~~16~~ 19	~~14~~ 15	9	13 15	8	21	13 ~~14~~	~~8~~ 20	~~12~~ 15	~~11~~ 13	~~164~~

E. George Mawbey

181

W. 8,000, IX. 17.

2422

18. JAN 1918 B. R. A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Leicester, Town Hall Sq.
in the County of Leicester
by E. George Mawbey Esq. M. Inst. C.E.

Lat. 52° 38' N. Long. 1° 8' W.
Time of Observation 9 am. (Greenwich time) & 10 am "Summer time" i.e 9 am Greenwich time
Nearest Railway Station London Rd, Mid Ry Stn.
Diameter of Funnel of Rain Gauge 6.72 in. 2502
Height of top of Gauge above Ground 1 ft. 7¾ in.
" " " " Sea Level 212.37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.005

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.005 Snow	—	0.120 Snow	—	—	—	1.075	0.100	—	0.005	0.040	1
2	0.035	—	—	—	—	0.070	—	0.155	0.010	0.055	0.010	—	2
3	—	0.045 Snow	—	0.410 Snow	—	—	—	0.325	—	0.235	0.010	—	3
4	0.005 Snow & Rain	0.100 Snow	0.070	0.015	—	—	—	0.090	—	0.590	—	0.005	4
5	0.120 Snow & Rain	—	0.020 Snow & Sleet	0.100 (Snow & rain)	—	—	—	—	0.100	0.135	0.115	—	5
6	0.010 Snow & Rain	—	—	—	—	0.080	—	—	—	0.110	0.055	—	6
7	0.415 Snow & Rain	—	0.005 Snow	—	—	—	—	—	—	0.315	0.005	—	7
8	0.540 Snow & Rain	—	—	0.090 Snow & Sleet	—	—	0.240	0.830	—	0.370	0.050	0.110	8
9	0.050 Snow & Rain	—	0.120 Snow	0.090 Snow & Sleet	0.130	—	—	0.085	0.030	—	0.190	0.005 Snow	9
10	0.345 (Snow	—	0.270	0.040 Snow & Sleet	0.180 (Thunder)	—	—	0.040	—	—	0.105	—	10
11	0.040 Rain & Sleet	—	0.045	0.200 Snow & Sleet	—	—	—	0.140	0.015	0.175	0.010	—	11
12	0.095 Snow & Rain	0.080 fine rain & Snow	0.005	0.005 Sleet	0.090 Thunder	0.250 Thunder	—	0.005	—	0.180	0.005	0.015	12
13	0.020 Snow & Sleet	0.015	0.005	0.040	—	—	—	0.275	0.100	—	—	0.005	13
14	0.080 Snow & Sleet	—	0.050	0.325	—	—	—	—	—	0.005	—	0.100	14
15	0.010 Snow	—	0.005	0.060	0.005	—	0.170 Thunder	—	—	0.040	—	0.060	15
16	0.035 Snow	0.090	—	0.080	—	0.020	—	—	—	0.020	—	0.130	16
17	0.015 fine Snow	0.010	0.005	0.150	0.270	0.470 Thunder	0.295	—	0.085	0.070	—	0.015	17
18	0.020 Rain	0.010	—	0.055	0.255	0.005	0.330	0.135	0.790	0.020	—	—	18
19	0.040 Snow & Sleet	0.150	0.155	0.005	0.170	0.010	—	—	0.050	—	—	—	19
20	0.005 Snow	0.175	0.020 Snow & Rain	—	0.535	0.120	—	0.040	0.105	—	0.070	—	20
21	0.010	0.005	0.090 Snow	—	0.305 Thunder	0.265 Thunder	—	0.015	—	0.005	0.005	—	21
22	—	—	0.040 Snow	—	—	0.005	—	0.045 Thunder	0.040	0.065	—	—	22
23	0.005 fine Snow	0.050	—	—	0.070	—	—	0.140 Thunder	0.025	0.050	—	—	23
24	—	0.010	0.005	—	—	0.435	—	0.005	—	0.285	0.035	—	24
25	—	—	0.035	—	—	0.130	—	—	—	0.005	0.100	—	25
26	—	—	0.020 Snow	—	—	0.005	—	0.230	0.225	—	0.080	—	26
27	—	—	0.030	—	—	0.410 Thunder	0.010	0.565	0.005	0.005	0.005	0.015 Rain & Sleet	27
28	—	—	0.075	—	—	0.250	—	0.120	—	0.020	—	0.060	28
29	—		0.010	—	—	0.015	0.025	0.025	—	0.430	—	0.255	29
30	0.015 Snow	X	—	—	—	—	0.345	0.290	—	0.005	—	0.005	30
31	0.005 fine Snow	X	0.090 Snow	X	—	X	0.025	0.125	X	—	X	0.015	31
Total	1.915	0.745	1.170	1.785	2.010	2.540	1.440	4.755	1.680	3.190	0.855	0.835	YEAR'S TOTAL 22.920
Rain Days.	~~18~~ 20	~~11~~ 12	~~16~~ 19	~~14~~ 15	~~9~~ 10	13 14	8	20 21	~~13~~ 13	~~18~~ 21	~~12~~ 14	~~11~~ 13	~~163~~ 180

E George Mawbey

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Leicester (Town Hall Sq.

in the County of Leicester

by E. George Mawbey Esq. M. Inst C.E.

Lat. 52° 38' N Long. 1° 8' W

Time of Observation 9 am (Greenwich)

Nearest Railway Station Midland Ry Stn London Rd

Diameter of Funnel of Rain Gauge 5 in. 2502

Height of top of Gauge above Ground 0 ft. 7 in.

" " " " Sea Level 211.55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.33

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.005	0.030	0.010	0.080	—	—	—	—	—	0.010	0.110	0.035	1
2	—	0.085	0.010	0.050	—	—	—	1.230	0.055	0.015	0.025	0.205	2
3	—	0.020	0.045	0.005	0.465	—	—	0.080	0.160	0.005	0.370	0.005	3
4	—	0.015	0.015	—	—	—	0.030	0.055	0.750	0.030	0.375	0.040	4
5	—	0.015	0.010	0.030	0.065	—	—	0.170	0.045	0.070	0.005	0.005	5
6	0.010	0.050	0.005	0.200	trace	0.070	—	0.020	0.005	0.070	—	—	6
7	0.070 Snow	0.080	—	0.165	—	0.050	—	—	0.025	0.045	0.055	—	7
8	0.015 Snow	0.095	0.080	0.040	—	—	—	—	0.025	0.065	—	0.065	8
9	0.010 Snow	0.370	—	0.070	—	0.135	0.395	—	0.310	0.225	0.010	0.020	9
10	0.140	0.005	—	0.095	—	trace	0.460	—	0.020	0.210	—	0.035	10
11	0.080	0.025	0.005	0.010	0.125	—	0.125	—	0.095	0.095	—	0.070	11
12	0.025	0.120	0.030	trace	0.180	—	0.230	—	0.065	—	—	0.090	12
13	—	0.005	—	0.010	0.080	0.635	0.005	—	0.145	0.005	—	0.035	13
14	0.300	—	—	0.020	trace	0.010	0.100	—	0.160	0.080	—	0.060	14
15	0.665 Snow	—	—	0.240	—	0.020	0.120	—	0.065	0.005	—	0.315	15
16	0.030 Snow	—	—	0.190	—	0.055	—	—	0.050	—	—	0.015	16
17	0.300 Snow+rain	—	—	0.005	—	0.120	0.315	0.015	0.020	0.035	—	0.120	17
18	0.350	—	—	0.005 Snow	—	0.060	0.395	—	0.370	trace	—	0.320 Snow+rain	18
19	0.040	0.005	0.040	0.195 Snow	—	—	0.015	—	trace	0.070	—	0.170	19
20	0.015	0.040	—	0.330 Snow+rain	—	0.170	0.025	—	0.010	0.005	—	0.005	20
21	0.060	0.010	—	0.195	—	—	0.070	—	0.245	0.065	—	2.020	21
22	0.080	trace	—	0.005	0.125	—	0.040	—	0.030	0.250	—	0.440	22
23	0.120	—	—	trace	0.560	—	0.060	—	0.025	—	—	0.005	23
24	0.005	0.125	—	—	—	—	0.070	—	0.055	0.040	0.115	—	24
25	0.005	—	—	—	—	—	0.165	0.175	—	0.055	0.040	—	25
26	—	—	—	—	—	—	0.030	0.020	0.020	0.010	0.090	0.070	26
27	—	0.050 Snow	—	0.035	—	trace	0.080	0.195	0.165	0.005	0.090	0.095	27
28	—	0.280 Snow	0.195	—	—	—	trace	0.040	0.005	—	0.170	0.180	28
29	—	—	—	—	—	—	—	—	0.690	—	0.005	0.005	29
30	—	×	0.280	—	—	—	—	0.010	0.095	—	0.140	0.115	30
31	—	×	0.250	×	—	×	—	—	×	—	×	—	31
Total	2.325	1.425	0.975	1.975	1.600	0.725	2.730	2.010	3.705	1.465	1.550	2.540	YEAR'S TOTAL 23.025
Rain Days.	~~17~~ 19	~~16~~ 17	~~11~~ 12	~~17~~ 19	7	10	~~18~~ 19	11	~~25~~ 26	~~28~~ 26	~~15~~ 13	~~21~~ 24	~~187~~ 197

E. George Mawbey

W, 6,500, VII. 18. w w c

928. 1180

15

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Leicester (Town Hall Sq.)

in the County of Leicester.

by E. George Mawley. M. Inst. C.E.

Lat. 52° 38' Long. 1° 8'

Time of Observation 9 am.

Nearest Railway Station Midland Rly Stn London Rd

Diameter of Funnel of Rain Gauge 6.72 in. 2502

Height of top of Gauge above Ground 1 ft. 7¾ in.

" " " " Sea Level 212-37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.32

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.005	0.030	0.010	0.080	—	—	—	—	—	0.010	0.110	0.035	1
2	—	0.080	0.010	0.050	—	—	—	1.250	0.055	0.015	0.025	0.205	2
3	—	0.015	0.045	0.005	0.465	—	—	0.080	0.140	0.005	0.320	0.005	3
4	—	0.015	0.015	—	—	—	0.030	0.055	0.750	0.030	0.380	0.040	4
5	—	0.015	0.010	0.025	0.065	—	—	0.170	0.045	0.065	0.005	0.005	5
6	0.010	0.050	0.005	0.200	trace	0.070	—	0.020	0.005	0.070	—	—	6
7	0.070 Snow	0.075	—	0.165	—	0.050	—	—	0.025	0.045	0.055	—	7
8	0.015 Snow	0.100	0.080	0.040	—	—	—	—	0.025	0.065	—	0.065	8
9	0.010 Snow	0.370	—	0.070	—	0.140	0.400	—	0.310	0.230	0.010	0.015	9
10	0.140	0.005	—	0.095	—	trace	0.470	—	0.020	0.210	—	0.035	10
11	0.080	0.025	0.005	0.010	0.125	—	0.125	—	0.095	0.095	—	0.070	11
12	0.025	0.120	0.030	trace	0.180	—	0.230	—	0.070	—	—	0.090	12
13	—	0.005	—	0.010	0.080	0.035	0.005	—	0.145	0.005	—	0.035	13
14	0.300	—	—	0.020	trace	0.005	0.100	—	0.160	0.080	—	0.055	14
15	0.665 Snow	—	—	0.250	—	0.020	0.120	—	0.075	0.005	—	0.315	15
16	0.030 Snow	—	—	0.190	—	0.055	trace	—	0.050	—	—	0.015	16
17	0.300 Snow & Rain	—	—	0.005	—	0.120	0.315	0.015	0.020	0.035	—	0.120	17
18	0.350	—	—	0.005 Snow	—	0.060	0.395	—	0.370	trace	—	0.320 Snow & Rain	18
19	0.040	0.005	0.040	0.195 Snow	—	—	0.015	—	trace	0.070	—	0.170	19
20	0.015	0.040	—	0.330 Snow & Rain	—	0.170	0.025	—	0.010	0.005	—	0.005	20
21	0.060	0.010	—	0.195	—	—	0.070	—	0.245	0.065	—	0.020	21
22	0.080	trace	—	0.005	0.125	—	0.040	—	0.030	0.250	—	0.440	22
23	0.120	—	—	trace	0.560	—	0.060	—	0.025	—		0.005	23
24	0.005	0.130	—	—	—	—	0.070	—	0.055	0.040	0.115	—	24
25	0.005	—	—	—	—	—	0.165	0.175	trace	0.060	0.040	—	25
26	—	—	—	—	—	—	0.025	0.020	0.020	0.005	0.090	0.070	26
27	—	0.050 Snow	—	0.035	—	trace	0.075	0.195	0.165	0.005	0.090	0.095	27
28	—	0.280 Snow	0.195	—	—	—	trace	0.040	0.005	—	0.170	0.180	28
29	—		—	—	—	—	—	—	0.690	—	0.005	0.005	29
30	—	✕	0.280	—	—	—	—	0.010	0.095	—	0.140	0.115	30
31	—	✕	0.250	✕	—	✕	—	—	✕	—	✕	—	31
Total	2.325	1.420	0.975	1.980	1.600	0.725	2.735	2.030	3.700	1.465	1.555	2.530	YEAR'S TOTAL 23.049
Rain Days.	~~17~~ 19	~~16~~ 17	~~11~~ 12	~~19~~ 19	7	~~9~~ 10	18	11	~~25~~ 26	20	13 ~~12~~	~~21~~ 24	~~181~~

196

George Mawley

W. 6,500, VII. 18. W W C

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

24 JAN 20

Kept at Leicester (Town Hall Sq

in the County of Leicester

by E. George Mawbey M Inst C E.
City Engineer + Surveyor

Lat. 52° 38 N Long. 1° 8 W
Time of Observation 9 am.
Nearest Railway Station Midland Ry Stn London Rd.
Diameter of Funnel of Rain Gauge 6.72 in. 2502
Height of top of Gauge above Ground 1 ft. 7 3/4 in.
" " " " Sea Level 212.37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.005
Snow

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.320	0.090 Snow & Sleet	0.045	—	0.185	—	0.175	—	0.005	0.070	0.035	0.300	1
2	0.195	0.025 Snow & Sleet	0.020	—	0.005	—	0.240	0.040	0.590	0.025	0.140 rain & Snow	0.050	2
3	0.840 Snow & Rain	trace	0.020	—	0.005	0.020	0.145	—	0.070	—	0.175 rain & Snow	0.030	3
4	0.040	—	0.280	—	trace	0.090	0.015	0.245	0.055	—	0.005	0.190	4
5	0.045	0.085	0.005	—	—	—	0.020	0.005	0.275	—	trace	0.130	5
6	0.015	0.005	0.075	—	0.550	—	0.005	0.005	—	—	0.005	0.075	6
7	0.005	—	0.205	0.035	0.005	—	—	—	—	—	—	—	7
8	0.145	—	0.050	0.095	—	0.060	—	—	—	—	0.005	—	8
9	0.005	—	0.010	0.045 Snow & rain	0.010	—	—	—	—	—	0.005	—	9
10	—	—	0.295	0.015	—	—	—	—	—	trace	0.005 Snow	0.070	10
11	0.025	—	0.400	0.010	0.065	—	0.430	—	—	—	—	trace	11
12	0.005	—	0.220	0.015	trace	0.205	0.005	—	0.005	0.110	0.510 Snow	—	12
13	0.185	—	trace	0.285	—	—	—	—	0.080	0.070	0.005	0.030	13
14	0.310	0.030	trace	0.115	—	—	—	—	0.120	0.005	—	0.005	14
15	0.600	0.005	0.095	0.200	—	—	—	—	0.005	0.015	—	0.600	15
16	0.130	0.850 Snow Sleet & rain	0.005	0.015	—	—	—	trace	—	—	0.220 Snow & Sleet	—	16
17	0.065	0.370 Snow & Rain	—	0.020	—	0.005	0.045	—	—	—	0.250	trace	17
18	—	0.020	0.180 rain & Snow	—	—	—	0.005	0.225	0.025	—	0.005	0.250	18
19	0.025	0.210	0.660 Snow & Sleet	—	—	0.110	1.720	0.340	0.065	—	0.100	0.020	19
20	0.350	0.090	0.180 Snow & Sleet	—	—	0.010	0.530	0.160	—	—	0.100 Snow	0.085	20
21	0.090	0.400	0.030 Snow & Sleet	—	—	—	0.270	trace	0.015	—	0.045 rain & Snow	0.265	21
22	0.005	0.095	—	—	—	—	0.010	—	0.400	—	0.005	0.580	22
23	—	—	0.005 Snow	0.010	—	0.005	0.010	0.020	trace	0.615	0.010	0.025	23
24	—	—	trace	0.110	0.045	—	0.130	trace	—	0.325	0.040	0.050	24
25	0.095	—	—	0.075	0.125	0.025	0.005	0.310	—	—	0.010	0.050	25
26	0.015	0.010 Snow & Rain	0.220 rain & Snow	0.065	—	—	—	0.050	0.025	0.005	0.015	0.270	26
27	0.240 Snow & Sleet	0.005	0.035 hail & sleet	0.290	—	0.005	—	0.135	—	—	—	0.065	27
28	0.035 Snow & Sleet	—	—	0.060	—	—	—	0.590	—	0.025	0.085 Snow	0.400	28
29	0.050 Snow	-	—	0.010	—	0.005	—	0.100	—	0.270	0.105 Snow	0.025	29
30	0.010 Snow	✕	0.110 Snow	0.205	—	0.260	—	0.010	—	0.020	0.070	0.170	30
31	—	✕	0.040 Snow	✕	—	✕	0.045	—	✕	0.035	✕	0.015	31
Total	3.845	2.290	3.185	1.675	0.995	0.800	3.805	2.235	1.735	1.590	1.950	3.750	YEAR'S TOTAL 27.855
Rain Days.	~~22~~ 24	~~12~~ 14	~~20~~ 21	19	~~8~~ 8	~~8~~ 10	~~14~~ 16	~~12~~ 13	~~11~~ 12	~~11~~ 12	16 20	~~23~~ 24	~~171~~ 193

W. 8,000. X. 15.

George Mawbey
M. Inst C.E. City Engineer & Surveyor
Leicester

FORM A. 4. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Leicester (Town Hall Sq.)
in the County of Leicester
by E. George Mawbey. M. Inst C E
City Engineer & Surveyor)

Lat. 52° 38 Long. 1° 8' W.
Time of Observation 9 am
Nearest Railway Station Mid. Ry. Stn. London Rd
Diameter of Funnel of Rain Gauge 5 in. 2502
Height of top of Gauge above Ground 0 ft 7 in.
" " " " Sea Level 211.55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0.005
Snow

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.330	0.095 Snow & Sleet	0.045	—	0.185	—	0.175	—	0.005	0.070	0.035	0.320	1
2	0.195	0.025 Snow & Sleet	0.025	—	0.005	—	0.245	0.040	0.590	0.025	0.140 rain & Snow	0.050	2
3	0.840 Snow & Rain	trace	0.020	—	0.005	0.020	0.145	—	0.065	—	0.180 rain & Snow	0.030	3
4	0.040	—	0.280	—	trace	0.090	0.015	0.245	0.055	—	0.005	0.190	4
5	0.045	0.085	0.005	—	—	—	0.020	0.005	0.275	—	trace	0.130	5
6	0.015	0.005	0.080	—	0.550	—	0.005	0.005	—	—	0.005	0.080	6
7	0.005	—	0.205	0.035	0.005	—	—	—	—	—	—	—	7
8	0.145	—	0.050	0.095	—	0.060	—	—	—	—	0.005	—	8
9	0.005	—	0.010	0.045 Snow & Rain	0.010	—	—	—	—	—	0.005	—	9
10	—	—	0.295	0.015	—	—	—	—	—	trace	0.005 snow	0.070	10
11	0.025	—	0.400	0.010	0.065	—	0.440	—	—	—	—	trace	11
12	0.005	—	0.220	0.015	trace	0.205	0.005	—	0.005	0.110	0.510 snow	—	12
13	0.185	—	trace	0.285	—	—	—	—	0.080	0.075	0.005	0.035	13
14	0.305	0.030	trace	0.110	—	—	—	—	0.120	0.010	—	0.005	14
15	0.600	0.005	0.095	0.200	—	—	—	—	0.005	0.015	—	0.600	15
16	0.130	0.850 Snow Sleet & Rain	0.005	0.015	—	—	—	trace	—	—	0.220 snow Sleet & rain	—	16
17	0.065	0.370 Snow & Rain	—	0.020	—	0.005	0.045	—	—	—	0.250	trace	17
18	—	0.020	0.180 Rain & Snow	—	—	—	0.005	0.225	0.025	—	0.005	0.245	18
19	0.025	0.210	0.660 Snow Sleet & rain	—	—	0.110	1.720	0.340	0.065	—	0.100	0.020	19
20	0.350	0.090	0.180 Snow & Sleet	—	—	0.010	0.540	0.155	—	—	0.100 Snow	0.090	20
21	0.090	0.400	0.030 Snow & Sleet	—	—	—	0.260	trace	0.015	—	0.045 rain & Snow	0.260	21
22	0.005	0.095	—	—	—	—	0.010	—	0.400	—	0.005	0.580	22
23	—	—	0.005 Snow	0.010	—	0.005	0.010	0.025	trace	0.615	0.010	0.025	23
24	—	—	trace	0.100	0.050	—	0.130	trace	—	0.325	0.040	0.050	24
25	0.095	—	—	0.075	0.125	0.025	0.005	0.310	—	—	0.010	0.050	25
26	0.015	0.010 Snow & Rain	0.210 Rain & Snow	0.065	—	—	—	0.050	0.025	0.005	0.015	0.270	26
27	0.240 Snow & Sleet	0.005	0.035 hail & sleet	0.290	—	0.005	—	0.135	—	—	—	0.065	27
28	0.035 Snow & Sleet	—	—	0.060	—	—	—	0.590	—	0.025	0.085 Snow	0.400	28
29	0.050 Snow		—	0.010	—	0.005	—	0.100	—	0.270	0.105 Snow	0.030	29
30	0.010 Snow	╳	0.110 Snow	0.205	—	0.265	—	0.010	—	0.020	0.070	0.170	30
31	—	╳	0.040 Snow	╳	—	╳	0.045	—	╳	0.035	╳	0.015	31
TOTAL	3.850	2.295	3.185	1.660	1.000	0.805	3.820	2.235	1.730	1.600	1.955	3.780	YEAR'S TOTAL 27.915
Days with ·01 in. or more	~~22~~ 24	~~12~~ 14	~~20~~ 21	19	~~6~~ 8	~~8~~ 10	16	13	12	13	~~16~~ 20	23	~~175~~ 193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

E George Mawbey
M. Inst C.E.
City Engineer & Surveyor. Leicester

Ex 121 2·85

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

26 JAN 1921 2502

REGISTER OF RAINFALL IN 1920.

Kept at Leicester (Town Hall Sq)
in the County of Leicester
by E. George Mawbey Esq M Inst C.E. City Engineer & Surveyor

Lat. 52° 38' N Long. 1° 8' W.
Time of Observation 9 am, Greenwich M. Time
Nearest Railway Station London Rd. Mid. Ry Stn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 7 in.
" " " " Sea Level 211·55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·260

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·005 Snow	—	—	0·235	0·160	0.005	0.140	—	0.015	0·340	0·005	0·190	1
2	—	—	—	0.120	0.005	—	0.150	—	0·060	0·175 (thunder)	—	0·040	2
3	0·010	0·030	—	0·420	—	0·015	0·560	trace	0·070	0·080	—	0·010	3
4	0·005	—	—	0·170	trace	—	0·045	0.210	0·005	0·300	—	0·090	4
5	—	—	0·025	—	0·300	—	0.400	0·105	0·090	0·010	—	0·030	5
6	—	—	0·285	0·030	0·015	—	0·080	0·005	0·005	—	—	0·070	6
7	—	—	0·065 Slight Snow	0·130	0.040	—	0·045	—	—	—	—	0·005	7
8	0·240 Snow & Rain	0·065	0·005	0·580	0·090	—	0·170	—	—	—	—	—	8
9	0·445	0·005	0·005	0·540	0·005	—	—	0·045	—	—	—	—	9
10	0·185	0·095	0·085	0·015	—	—	0.060	trace	—	—	0·010	—	10
11	0·150	0·095	0·010	0·210	0·240	0·060	0·020	trace	—	—	—	0·115 Snow	11
12	0·010	0·005	trace	0·170	—	0·155 thunder storm	0·145	—	—	—	trace	0·135 Snow	12
13	0·035	0·045	0·150	0·210	—	0·005	trace	—	trace	—	0·020	0·020 Snow	13
14	0·005	0·020	0·680 (rain & snow)	0·245	—	0·310	0·010	—	0·200	trace	0·170	trace fine Snow	14
15	trace	0·075	0·490 rain & snow	0·290	—	—	—	—	0·055	0·050	0·015	"	15
16	—	0·010	trace	0·025	0·080	0·020	0·005	—	0·055	0·095	—	—	16
17	—	—	—	—	0·120	—	—	—	0·730	0·050	—	0·030 Snow	17
18	0·080	—	—	0·095	0·060	—	0·135 thunder storm	0·150	0·200	trace	—	0·005 Snow	18
19	0·020	0·250 rain & snow	—	0·185	—	0.110	0·005	0·100	0·005	—	trace	0·015 Snow & Rain	19
20	0·045	0·330 rain & snow	—	0·355	—	0·225	0·015	—	—	—	—	trace	20
21	0·025	—	—	trace	—	trace	0.140	0·100	trace	—	—	0·005	21
22	—	trace	—	0·165	—	—	0·055	—	0·055	—	—	trace	22
23	0·005	trace	—	0·005	—	—	0·175	—	trace	—	0·005	0·370	23
24	0·005	—	0·100	—	—	—	—	—	—	—	—	0·050	24
25	trace	0·060	0·030	0·100	—	0·035	0·425	—	—	0·005	trace	—	25
26	0·160	0·010	0·085	0·030	—	—	0·025	—	—	—	—	—	26
27	0·095	0·015	0·020	0·110	0·060	0·290	0·225	—	—	—	0·370	0·240	27
28	0·510	—	0·035	0·025	0.250	0·005	0·030	—	—	—	0·035	0·100 thunder	28
29	0·070	trace	0·250	0.005	0·375	0·015	0·105	—	—	—	0·120	0·360	29
30	0·010	✕	0·015	0·130	0.100	0·055	0·085	—	0·090	—	0·110	0·140	30
31	0·050	✕	0·030	✕	0·075	✕	—	—	✕	0·239	✕	0·050	31
TOTAL	2·165	1·110	2·365	4·595	1·975	1·305	3.250	0·715	1·635	1·335	0·869	2·979	YEAR'S TOTAL 23·380
Days with ·01 in. or more	20 17	13 14	~~16~~ 17	25 24	15 14	11 12	24 ~~23~~	6	11 13	9	8 9	~~18~~ 20	~~170~~ 154
Days with ·04 in. or more	11	8	9	19	13	7	18	6	10	8	4	13	126

George Mawbey M. Inst C.E.
City Engineer & Surveyor

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2186

6 JAN 1921

2502

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Leicester, Town Hall Sq

in the County of Leicester

by E. George Mawbey Esq M Inst C.E.
City Engineer & Surveyor

Lat. 52° 38′ N Long. 1° 8′ W.
Time of Observation 9 am. (Greenwich time)
Nearest Railway Station London Rd Mid Ry Stn
Diameter of Funnel of Rain Gauge 6.72 in.
Height of top of Gauge above Ground 1 ft. 7¾ in.
" " " " Sea Level 212.37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.26 in

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.005 snow	—	—	0.235	0.160	0.005	0.140	—	0.015	0.340	0.005	0.190	1
2	—	—	—	0.120	0.005	—	0.150	—	0.060	0.175 ([illegible])	—	0.040	2
3	0.010	0.030	—	0.420	—	0.015	0.560	trace	0.070	0.070	—	0.010	3
4	0.005	—	—	0.170	trace	—	0.045	0.210	0.005	0.300	—	0.090	4
5	—	—	0.025	—	0.300	—	0.400	0.100	0.090	0.010	—	0.030	5
6	—	—	0.285	0.030	0.020	—	0.080	0.005	0.005	—	—	0.075	6
7	—	—	0.065 Rain & slight snow	0.130	0.040	—	0.045	—	—	—	—	0.005	7
8	0.230	0.065	0.005	0.580	0.080	—	0.170	—	—	—	—	—	8
9	0.445	0.005	0.005	0.540	0.005	—	—	0.045	—	—	—	—	9
10	0.180	0.095	0.080	0.015	—	—	0.055	trace	—	—	0.010	—	10
11	0.150	0.090	0.010	0.210	0.240	0.060	0.020	trace	—	—	—	0.115 (Snow)	11
12	0.010	0.005	trace	0.170	—	0.150 (thunder storm)	0.145	—	—	—	trace	0.135 snow	12
13	0.035	0.045	0.150	0.210	—	0.005	trace	—	trace	—	0.020	0.020 snow	13
14	0.005	0.020	0.680 Rain & Snow	0.245	—	0.310	0.010	—	0.200	trace	0.170	trace fine snow	14
15	trace	0.075	0.490 Snow & Rain	0.290	—	—	—	—	0.055	0.050	0.015	do	15
16	—	0.010	trace	0.025	0.080	0.020	0.005	—	0.055	0.095	—	—	16
17	—	—	—	—	0.120	—	—	—	0.730	0.050	—	0.030 snow	17
18	0.080	—	—	0.095	0.060	—	0.130 thunder storm	0.150	0.200	trace	—	0.005 snow	18
19	0.020	0.250 (Rain & Snow	—	0.185	—	0.105	0.005	0.100	0.005	—	trace	0.015 snow & rain	19
20	0.045	0.330 Snow & Rain	—	0.355	—	0.225	0.015	—	—	—	—	trace	20
21	0.020	—	—	trace	—	trace	0.140	0.100	trace	—	—	0.005	21
22	—	trace	—	0.160	—	—	0.055	—	0.055	—	—	trace	22
23	0.005	trace	—	0.005	—	—	0.175	—	trace	—	0.005	0.370	23
24	0.010	—	0.100	—	—	—	—	—	—	—	—	0.050	24
25	trace	0.060	0.025	0.100	—	0.030	0.425	—	—	0.005	trace	—	25
26	0.160	0.010	0.085	0.030	—	—	0.025	—	—	—	—	—	26
27	0.095	0.015	0.020	0.110	0.060	0.290	0.225	—	—	—	0.370	0.240	27
28	0.500	—	0.035	0.025	0.250	0.005	0.030	—	—	—	0.035	0.100 thunder	28
29	0.070	Trace	0.250	0.005	0.375	0.010	0.105	—	—	—	0.120	0.360	29
30	0.010	✕	0.015	0.130	0.100	0.055	0.085	—	0.090	—	0.100	0.140	30
31	0.050	✕	0.030	✕	0.070	✕	+	—	✕	0.230	✕	0.050	31
TOTAL	2.140	1.105	2.355	4.590	1.965	1.285	3.240	0.710	1.635	1.325	0.850	2.075	YEAR'S TOTAL 23.275
Days with ·01 in. or more	20 ~~18~~	13 14	~~16~~ 17	25 ~~24~~	15 ~~14~~	12 ~~11~~	24 ~~23~~	7 6	13 ~~11~~	9	~~8~~ 9	~~18~~ 20	~~172~~ 184
Days with ·04 in. or more	11	8	9	19	13	7	18	6	10	8	4	13	126

E. George Mawbey M. Inst C E
City Engineer & Surveyor

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

20°

FORM A. 1. METEOROL ORGANIZATION.

RI 1920.

LEICESTER.

4, WESTCOTES DRIVE

1920

12 JAN

Kept at 4 Westco

in the City County of Le

by Charles

Long. 1° 8' W

on 99.m

tation Leicester; West Bridge M. Ry

l of Rain Gauge .... in.

auge above Ground .... ft. .... in.

„ Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in **Millimetres** should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.24	.16		.11		.01	.38	.01	.17	1
2				.31			.18		.07	.26		.05	2
3		.03		.27		.02	.68	.01	.09	.07			3
4	.02			.11			.02	.21	.01	.33		.06	4
5			.03		.30		.42	.10	.13	.01		.03	5
6			.28	.02	.02		.11					.08	6
7			.05	.13	.01		.04						7
8	.26	.06	.01	.59	.10		.12						8
9	.45			.53 ~~.02~~				x✓					9
10	.20	.09	.08	.02 ~~.70~~			.06				.01		10
11	.12	.08	.01	.20	.25	.03	.02					.15	11
12	.01			.17 ~~.20~~		.16	.09					.13	12
13	.04	.08	.16	.20								.02	13
14		.02	.63	.23		.36		.41	.19		.15		14
15		.08	.52	.30					.08	.04	.02		15
16				.03	.10	.03	.01		.06	.10			16
17					.11				.71	.05		.03	17
18	.08			.09	.05		.14	x✓	.19				18
19	.03	.21		.20		.10		x✓					19
20	.04	.33		.36		.22	.02						20
21	.01						.14	x✓				.01	21
22	.01			.15			.05		.05				22
23							.20				.02	.38	23
24			.08									.04	24
25		.06	.03	.10		.03	.43						25
26	.15	.01	.09	.02			.02					.01	26
27	.08	.01	.01	.11	.07	.28	.05				.36	.25	27
28	.55		.05	.02	.22		.03				.02	.09	28
29	.07		.28		.58	.01	.10				.11	.37	29
30				.15	.14	.05	.13		.09	.24	.09	.12	30
31	.05		.09		.07							.04	31
TOTAL	2.17	1.06	2.40	4.57	2.18	1.29	3.17	.73	1.68	1.48	.79	2.03	YEAR'S TOTAL 23.55
Days with ·01 in. or more	17	12	16	24	14	11	23	(7)	12	9	9	18	(172)
Days with ·04 in. or more	12	8	11	19	12	6	17	(6)	10	8	4	13	(126)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

20

Form A. 1. METEOROL L ORGANIZATION.

RE RAINFALL IN 1920.

12 JAN

Kept at 4 Westcotes Drive
in the ~~County~~ City of Leicester
by Charles Modlen

Lat. 52° 37′ Long. 1° 8′ W
Time of Observation 9 a.m
Nearest Railway Station Leicester; West Bridge M.R.
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.24	.16		.11		.01	.38	.01	.17	1
2				.31			.18		.07	.26		.05	2
3		.03		.27		.02	.68	.01	.09	.07			3
4	.02			.11			.02	.21	.01	.33		.06	4
5			.03		.30		.42	.10	.13	.01		.03	5
6			.28	.02	.02		.11					.08	6
7			.05	.13	.01		.04						7
8	.26	.06	.01	.59	.10		.12						8
9	.45			~~.03~~ .53				x✓					9
10	.40	.09	.08	~~.70~~ .02			.06				.01		10
11	.12	.08	.01	.29	.25	.03	.02					.15	11
12	.01			~~.20~~ .17		.16	.09					.13	12
13	.04	.08	.16	.20								.02	13
14		.02	.63	.23		.36		.41	.19		.15		14
15		.08	.52	.30					.08	.04	.02		15
16				.03	.10	.03	.01		.06	.10			16
17					.11				.71	.05		.03	17
18	.08			.09	.05		.14	x✓	.19				18
19	.03	.21		.20		.10		x✓					19
20	.04	.33		.36		.22	.02						20
21	.01						.14	x✓				.01	21
22	.01			.15			.05		.05				22
23							.20				.02	.38	23
24			.08									.04	24
25		.06	.03	.10		.03	.43						25
26	.15	.01	.09	.02			.02					.01	26
27	.08	.01	.01	.11	.07	.28	.05				.36	.25	27
28	.55		.05	.02	.22		.03				.02	.09	28
29	.07		.28		.58	.01	.10				.11	.37	29
30		X		.15	.14	.05	.13		.09	.24	.09	.12	30
31	.05	X	.09	X	.07	X			X		X	.04	31
Total	2.17	1.06	2.40	4.57	2.18	1.29	3.17	.73	1.68	1.48	.79	2.03	Year's Total 23.55
Days with ·01 in. or more	17	12	16	24	14	11	23	(7)	12	9	9	18	(172)
Days with ·04 in. or more	12	8	11	19	12	6	17	(6)	10	8	4	13	(126)

(44,283). 10/19. (52,638). Wt. 10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LEICESTER.

"RAVENSWOOD"
SPRINGFIELD RD.

1915

FORM A.
BRITISH RAINFALL
10. JAN 1916

REGIS 5

Kept at Ravenswood
Borough
in the ~~County~~ of Le
by His Honour Judge

g.
7 am.
n Leicester Midland W.
Rain Gauge 5 in.
above Ground 1 ft. 6 in.
„ Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.17	.17	.07		.48			.09	.16		.04	.03	1
2	.03	.08	.19	.13		.16	.01	.37	.01	.12		.04	2
3	.30	.01	.03	.07			1.32	.24	.13			.18	3
4	.09		.01		.03		.31	.05				.92	4
5	.03	.25			.62	.02	.05	.04			.05	.33	5
6	.08	.20	.01	.28			.99	.02		.03		.07	6
7	.11	.34	.01			.02	.07	.24				.57	7
8	.03	.05		.03		.01		.04			.02		8
9		.09	.02								.16	.35	9
10	.39							.03		.02	.06	.01	10
11	.03		.04	.04	.18		.08	.03			.47	.10	11
12	.04			.16	.27		.02	.47		.03	1.04		12
13	.02	.43			.65			.09					13
14		.03						.12	.06			.36	14
15	.25				.05		.02	.14			.11	.07	15
16	.02	.33			.04		1.58	.03			#	.01	16
17		.15					.52	.03				.01	17
18		.25	.36				.01				.04		18
19		.03	.03		.02		.16				.01		19
20	.20			.02								.36	20
21	.13	.07			.03		.16					.16	21
22	.10		.11	.03	.01		.33					.06	22
23		.06	.02			.04	.96		.05	.18		.21	23
24			.03	.05			.40		1.06	.12		.16	24
25			.03			.45	.40		.03	.03	.03	.27	25
26		.14					.03		.02			.30	26
27		.10	.01			.01	.20			.44		.06	27
28		.06	.07			.20		.22	.02	.04			28
29						.06		.03	.01		.22	.13	29
30	.05	☒		.02		.78		.02		.04	.04	.09	30
31	.03	☒		☒		☒		.04	☒	.25	☒	.07	31
Total	2.10	2.84	1.04	.83	2.38	1.75	7.62	2.34	1.56	1.30	2.29	4.92	YEAR'S TOTAL 30.96 ✓
Rain Days.	19	19	16	10	11	10	20	20	10	11	13	25	184 ✓

W. 8,000. X. 15.

REGIS[redacted]5

FORM A.
BRITISH RAINFALL.
10. JAN 1916

Kept at Ravenswood Springfield Rd
in the ~~County~~ Borough of Leicester
by His Honour Judge Cann.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Leicester Midland Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.17	.17	.07		.48			.09	.16		.04	.03	1
2	.03	.08	.19	.13		.16	.01	.37	.01	.12		.04	2
3	.30	.01	.03	.07			1.32	.24	.13			.18	3
4	.09		.01		.03		.31	.05				.92	4
5	.03	.25			.62	.02	.05	.04			.05	.33	5
6	.08	.20	.01	.28			.99	.02		.03		.07	6
7	.11	.34	.01			.02	.07	.24				.57	7
8	.03	.05		.03		.01		.04			.02		8
9		.09	.02								.16	.35	9
10	.39							.03		.02	.06	.01	10
11	.03		.04	.04	.18		.08	.03			.47	.16	11
12	.04			.16	.27		.02	.47		.03	1.04		12
13	.02	.43			.65			.09					13
14		.03						.12	.06			.36	14
15	.25				.05		.02	.14			.11	.07	15
16	.02	.33			.04		1.58	.03			+#	.01	16
17		.15					.52	.03				.01	17
18		.25	.36				.01				.04		18
19		.03	.03		.02		.16				.01		19
20	.20			.02								.36	20
21	.13	.07			.03		.16					.16	21
22	.10		.11	.03	.01		.33					.06	22
23		.06	.02			.04	.96		.05	.18		.21	23
24			.03	.05			.40		1.06	.12		.16	24
25			.03			.45	.40		.03	.03	.03	.27	25
26		.14					.03		.02			.30	26
27		.10	.01			.01	.20			.44		.06	27
28		.06	.07			.20		.22	.02	.04			28
29						.06		.03	.01		.22	.13	29
30	.05	X		.02		.78		.02		.04	.04	.09	30
31	.03	X		X		X		.04	X	.25	X	.07	31
Total	2.10	2.84	1.04	.83	2.38	1.75	7.62	2.34	1.56	1.30	2.29	4.92	YEAR'S TOTAL 30.96 ✓
Rain Days.	19	19	16	10	11	10	20	20	10	11	13	25	184 ✓

W. 8,000. X. 15.

LEICESTER.

LODDINGTON.

THE COTTAGE

1913 – 1914

REG 13.

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at The Cottage.
in the County of Lei
by Norman H. Matt

Long. ✓
9. a. m.
tion East Norton.
uge 5 in.
ge above Ground 1 ft. — in.
" Sea Level 452 ft.

IMPORTANT NOT and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	·11	·02	—	—	—	—	1·13	—	·09	—	1
2	—	·11	·04	·16	·08	—	·06	—	·01	·01	·13	—	2
3	·02	·02	·16	·01	·46	—	—	—	·07	—	·01	—	3
4	·59	—	·01	—	·18	·02	·02	—	—	·16	·11	·29	4
5	·03	—	—	—	·01	·06	·06	—	·10	1·20	·04	·02	5
6	·01	·01	·07	—	·35	·36	·50	—	—	·06	—	·01	6
7	—	·07	—	—	·15	·05	·02	—	—	·73	·08	—	7
8	—	·03	·02	—	·16	·16	—	—	—	·41	·14	—	8
9	—	·34	·05	·01	·02	·22	—	·02	—	—	·11	·03	9
10	·02	—	·02	·20	·02	—	·45	·19	—	—	·56	—	10
11	—	—	—	·44	—	·02	—	·34	—	·03	·41	—	11
12	·50	—	—	·02	·09	·01	—	·01	—	·01	·69	·02	12
13	—	—	·06	·06	·01	—	—	—	·05	—	·17	—	13
14	·14	·03	·61	·02	—	—	—	·05	—	·11	·08	—	14
15	·12	·06	·24	·27	—	—	—	—	·22	—	·03	—	15
16	·07	·03	·80	·15	—	—	—	—	·26	—	·01	—	16
17	·06	·04	·15	·16	—	·03	·03	—	—	—	·05	—	17
18	·03	—	·16	·09	—	—	·07	—	—	—	·02	·02	18
19	·12	—	·08	—	·01	·01	·05	—	·08	—	—	—	19
20	·27	—	·10	·04	—	—	—	—	·01	·36	·04	—	20
21	·03	—	·15	·01	·05	—	·03	—	—	—	·38	—	21
22	·44	—	·31	—	—	—	—	·10	·20	—	—	—	22
23	·01	—	·04	—	—	·06	—	·05	·09	—	·02	—	23
24	·05	—	—	·09	—	·03	—	—	·01	—	—	·02	24
25	·01	·06	—	·10	—	·04	·01	—	·01	·02	—	—	25
26	—	·07	·25	·12	—	—	—	·02	—	·25	·03	·19	26
27	·03	·06	·05	·05	—	—	—	—	—	·01	·01	—	27
28	·38	—	·32	·19	·02	—	—	—	·02	·05	—	·02	28
29	·03	×	·16	·53	·11	—	—	·45	—	·18	—	·33	29
30	·39	×	·01	·02	—	—	—	·03	—	·14	·13	—	30
31	·03	×	—	×	·10	×	—	·03	×	·02	×	—	31
Total	3·42	·93	3·97	2·76	1·82	1·07	1·30	1·29	2·26	3·75	3·34	·95	YEAR'S TOTAL 26·86
Rain Days.	24	13	24	22	16	13	11	1·29 11	14	17	23	10	198

26·86

W.7,000, XI. 13

✓

REG 13.

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at The Cottage. Loddington.

in the County of Leicester

by Norman H. Matthews. Major.

Lat. Long. ✓

Time of Observation 9.a.m.

Nearest Railway Station East Norton.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 452 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	·11	·02	—	—	—	—	1·13	—	·09	—	1
2	—	·11	·04	·16	·08	—	·06	—	·01	·01	·13	—	2
3	·02	·02	·16	·01	·46	—	—	—	·07	—	·01	—	3
4	·59	—	·01	—	·18	·02	·02	—	—	·16	·11	·29	4
5	·03	—	—	—	·01	·06	·06	—	·10	1·20	·04	·02	5
6	·01	·01	·07	—	·35	·36	·50	—	—	·06	—	·01	6
7	—	·07	—	—	·15	·05	·02	—	—	·73	·08	—	7
8	—	·03	·02	—	·16	·16	—	—	—	·41	·14	—	8
9	—	·34	·05	·01	·02	·22	—	·02	—	—	·11	·03	9
10	·02	—	·02	·20	·02	—	·45	·19	—	—	·56	—	10
11	—	—	—	·44	—	·02	—	·34	—	·03	·41	—	11
12	·50	—	—	·02	·09	·01	—	·01	—	·01	·69	·02	12
13	—	—	·06	·06	·01	—	—	—	·05	—	·17	—	13
14	·14	·03	·61	·02	—	—	—	·05	—	·11	·08	—	14
15	·12	·06	·24	·27	—	—	—	—	·22	—	·03	—	15
16	·07	·03	·80	·15	—	—	—	—	·26	—	·01	—	16
17	·06	·04	·15	·16	—	·03	·03	—	—	—	·05	—	17
18	·03	—	·16	·09	—	—	·07	—	—	—	·02	·02	18
19	·12	—	·08	—	·01	·01	·05	—	·08	—	—	—	19
20	·27	—	·10	·04	—	—	—	—	·01	·36	·04	—	20
21	·03	—	·15	·01	·05	—	·03	—	—	—	·38	—	21
22	·44	—	·31	—	—	—	—	·10	·20	—	—	—	22
23	·01	—	·04	—	—	·06	—	·05	·09	—	·02	—	23
24	·05	—	—	·09	—	·03	—	—	·01	—	—	·02	24
25	·01	·06	—	·10	—	·04	·01	—	·01	·02	—	—	25
26	—	·07	·25	·12	—	—	—	·02	—	·25	·03	·19	26
27	·03	·06	·05	·05	—	—	—	—	—	·01	·01	—	27
28	·38	—	·32	·19	·02	—	—	—	·02	·05	—	·02	28
29	·03	×	·16	·53	·11	—	—	·45	—	·18	—	·33	29
30	·39	×	·01	·02	—	—	—	·03	—	·14	·13	—	30
31	·03	×	—	×	·10	×	—	·03	×	·02	×	—	31
Total	3·42	·93	3·97	2·76	1·82	1·07	1·30	1·29	2·26	3·75	3·34	·95	YEAR'S TOTAL 26·86
Rain Days.	24	13	24	22	16	13	11	1·29 11	14	17	23	10	198

W.7,000, XI. 13

26·86

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Loddington Leicester
in the County of Leicester 2
by Norman H. Matthews

Lat. 52·40 N. Long. 0·50 W.
Time of Observation 9 a.m.
Nearest Railway Station East Norton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 452 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·20

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	·05	·02	—	·20	·26	—	—	·04	·02	1
2	·06	—	·02	·03	—	—	—	·16	—	—	·19	·16	2
3	—	—	—	·03	·16	—	·22	·07	—	—	·08	—	3
4	·21	—	·06	·23	·01	—	—	·17	—	—	·48	·13	4
5	·10	—	·11	·32	·12	·15	·11	·16	—	—	·02	—	5
6	—	·12	—	·09	·08	—	·16	·03	—	—	·06	·04	6
7	—	·08	·45	·06	·03	·03	·14	—	—	—	·02	·04	7
8	·07	·02	·03	·09	·10	1·11	·07	·25	—	—	—	—	8
9	·46	·04	·14	·31	·03	1·03	—	·05	·03	—	—	—	9
10	·22	·08	—	·13	·07	—	—	—	·05	—	—	—	10
11	—	·18	·47	·38	·14	·03	—	—	·09	—	·50	·32	11
12	·07	·03	·06	·01	·01	·01	—	—	·32	—	·06	·40	12
13	·06	·13	·31	—	—	—	—	—	·02	·05	·13	·30	13
14	—	·03	·21	—	—	—	·22	—	—	·60	·03	·26	14
15	·06	—	·16	—	—	—	—	·05	—	·01	·24	·13	15
16	—	—	·12	—	—	—	·26	—	·12	—	—	·02	16
17	—	·23	·02	—	—	—	·02	—	·10	—	—	·16	17
18	—	—	·07	—	—	·03	·18	—	—	—	—	·04	18
19	—	·04	·04	—	—	—	·02	—	·03	—	·09	—	19
20	—	·14	·21	—	—	—	·11	—	·08	·03	—	·16	20
21	—	·37	·18	—	—	·24	~~·03~~	—	—	·06	—	—	21
22	—	·02	—	—	·39	—	·11	·10	—	·45	·02	—	22
23	—	·10	·07	—	·04	·04	·03	—	—	·03	—	—	23
24	·02	·02	·05	·02	·02	—	·16	—	·01	·20	·18	—	24
25	·04	—	—	—	—	—	·03	·27	—	·62	·02	·31	25
26	—	—	·01	—	—	—	·02	·08	—	·15	·14	·28	26
27	·05	—	—	—	—	—	—	—	—	·02	·01	·19	27
28	—	·05	·03	—	·01	—	—	—	—	·12	·17	·90	28
29	·02	×	·14	—	—	—	—	—	—	·46	·06	·29	29
30	—	×	·01	—	—	·16	—	—	—	·06	·25	·18	30
31	·02	×	—	×	—	×	·25	—	×	·03	×	·03	31
Total	1·46	1·68	3·04	1·75	1·23	2·85	2·31	1·65	·85	2·89	279 2·79	4·36	YEAR'S TOTAL 26·86
Rain Days.	14	17	24	13	15	10	18	12	10	15	~~15~~	21	190

21

2518

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

LOUGHBOROUGH
NAN PANTAN RES

LEICESTERSHIRE
1911 — 1920

REG

Kept at Nanpan
in the County of Leice
by The Loughborou

in.
nd 1 ft. 0 in.
Level 269 ft.
Great Central
nce 3 miles

IMPORTANT NOTE.— result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in " R ation to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·07	—	—	—	·10	·01	—	—	·04	—	1
2	·08	—	·01	—	·13	—	—	·09	—	—	—	·06	2
3	—	·01	—	—	·20	—	—	·13	—	·05	·01	·01	3
4	·02	—	·10	·06	—	—	—	·01	·02	·27	·15	·22	4
5	·03	—	—	·02	—	—	—	·02	—	·01	—	—	5
6	·37	—	—	—	—	—	—	—	—	·09	·04	·58	6
7	—	·02	—	—	—	—	—	—	—	·16	·18	·11	7
8	·13	—	·25	—	—	—	—	—	·02	—	—	·30	8
9	·07	—	—	—	—	—	—	—	—	—	·10	·04	9
10	·05	·03	·29	—	—	—	—	·32	—	—	·01	·71	10
11	·19	—	—	—	—	—	—	·03	—	—	·43	—	11
12	·02	—	·41	—	—	—	—	—	·18	—	·24	—	12
13	—	—	·05	—	—	—	—	—	·15	—	·06	·50	13
14	—	·06	·02	—	·03	—	—	—	—	·01	—	·47	14
15	—	·11	·10	—	—	—	—	—	—	·03	·06	·05	15
16	—	—	·04	—	—	·02	—	—	—	·02	·14	·10	16
17	—	—	—	—	—	·12	—	—	—	—	·10	·27	17
18	—	·26	—	—	—	·18	—	—	—	·01	·12	·15	18
19	—	—	—	—	·03	·19	·02	·01	·11	·15	29	·08	19
20	—	·10	—	·06	—	—	—	1·02	·10	·02	—	·39	20
21	—	·34	·10	—	—	—	—	·24	·02	·32	·01	·07	21
22	—	—	·08	·05	—	—	—	·01	—	·24	·03	·35	22
23	—	·07	·38	—	—	·44	—	—	·33	·02	—	·12	23
24	·01	·10	·03	·06	—	·57	—	·01	—	·35	—	·07	24
25	—	·23	—	·14	·42	·04	—	—	—	·01	·03	·02	25
26	—	·03	—	·28	·18	·01	—	·01	—	·24	·35	·30	26
27	—	·27	·08	·02	—	—	—	·89	·19	·01	·01	·07	27
28	—	·31	—	·24	—	·31	—	—	·01	—	·05	—	28
29	—			—	—	·21	·01	—	·22	·34	—	·03	29
30	—		·02	·06	·02	·05	—	—	—	·10	·01	·01	30
31	—		·01		·02		—	—		·04		—	31
Total	·97	1·94	2·04	·99	1·03	2·14	·13	2·80	1·35	2·49	2·46	5·08	TOTAL for year 23·42
No. of Rain Days.	10	14	17	10	8	11	3	14	11	21	22	25	166.

W. 8,000, X. '11.

2518

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Nanpantan

in the County of Leicester 4

by The Loughborough Corporation

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 269 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Great Central
Distance 3 miles

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·07	—	—	—	·10	·01	—	—	·04	—	1
2	·08	—	·01	—	·13	—	—	·09	—	—	~~·01~~	·06	2
3	—	·01	~~·10~~	—	·20	—	—	·13	—	·05	·01	·01	3
4	·02	—	·10	·06	—	—	—	~~·10~~ ·01	·02	·27	·15	·22	4
5	·03	—	—	·02	—	—	—	·02	—	·01	—	—	5
6	·37	—	—	—	—	—	—	—	—	·09	·04	·58	6
7	—	·02	—	—	—	—	—	—	—	·16	·18	·11	7
8	·13	—	·25	—	—	—	—	—	·02	—	—	·30	8
9	·07	—	—	—	—	—	—	—	—	—	·10	·04	9
10	·05	·03	·29	—	—	—	—	·32	—	—	·01	·71	10
11	·19	—	—	—	—	—	—	·03	—	—	·43	—	11
12	·02	—	·41	—	—	—	—	—	·18	—	·24	—	12
13	—	—	·05	—	—	—	—	—	·15	—	·06	·50	13
14	—	·06	·02	—	·03	—	—	—	—	·01	—	·47	14
15	—	·11	·10	—	—	—	—	—	—	·03	·06	·05	15
16	—	—	·04	—	—	·02	—	—	—	·02	·14	·10	16
17	—	—	—	—	—	·12	—	—	—	—	·10	·27	17
18	—	·26	—	—	—	·18	—	—	—	·01	·12	·15	18
19	—	—	—	—	·03	·19	·02	·01	·11	·15	·29	·08	19
20	—	·10	—	·06	—	—	—	1·02	·10	·02	—	·39	20
21	—	·34	·10	—	—	—	—	·24	·02	·32	·01	·07	21
22	—	—	·08	·05	—	—	—	·01	—	·24	·03	·35	22
23	—	·07	·38	—	—	·44	—	~~·10~~	·33	·02	—	·12	23
24	·01	·10	·03	·06	—	·57	—	·01	—	·35	—	·07	24
25	—	·23	—	·14	·42	·04	—	—	—	·01	·03	·02	25
26	—	·03	—	·28	·18	·01	—	·01	—	·24	·35	·30	26
27	—	·27	·08	·02	—	—	—	·89	·19	·01	·01	·07	27
28	—	·31	—	·24	—	·31	—	—	·01	—	·05	—	28
29	—			—	—	·21	·01	—	·22	·34	—	·03	29
30	—		·02	·06	·02	·05	—	—	—	·10	·01	·01	30
31	—		·01		·02		—	—		·04		—	31
Total	99 ·97	1·94	2·04	·99	1·03	2·14	·13	2·80	1·35	2·49	2·46	5·08	TOTAL for year 23·42
No. of Rain Days.	10	14	17	10	8	11	3	14	11	21	22	25	166.

W. 8,000, X. '11.

WDH 8.III.13

2518

FORM A. BRITISH RAINFALL.

4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Nanpantan

in the County of Leicester 4

by The Loughborough Corporation

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Great Central

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 269 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·08	—	—	·34	·02	·08	·02	—	—	·36	1
2	—	·02	·16	·06	—	·30	·51	—	—	—	—	·06	2
3	·08	—	·04	—	·02	·18	·03	·80	·03	—	—	·04	3
4	·15	—	·45	—	·14	·63	—	·20	—	—	·28	—	4
5	·07	·05	·14	—	·05	·12	·01	·06	·04	—	·02	—	5
6	·71	·04	—	—	·02	—	—	·38	—	—	—	·08	6
7	—	·03	—	—	—	·15	—	·10	—	—	—	·02	7
8	·32	·29	·32	·06	—	·11	·14	·04	·12	—	—	·03	8
9	·09	·06	·02	·12	—	·30	—	·02	—	—	—	·32	9
10	—	—	—	—	—	·02	—	·25	—	—	·23	—	10
11	·15	·08	—	—	—	·15	—	·02	—	—	·03	·62	11
12	·08	·50	·18	—	—	·02	·04	—	—	—	—	—	12
13	—	·05	—	—	—	·22	—	·06	—	·05	·06	·01	13
14	·12	—	·47	—	—	·07	—	·03	—	—	—	—	14
15	·14	·06	·12	—	·25	·23	—	·07	—	—	—	·08	15
16	(·57) ·59	—	·22	—	·08	·03	—	·11	—	·18	—	—	16
17	·75	—	·22	—	—	·20	·06	·28	—	—	·07	·72	17
18	·37	—	·13	—	—	—	—	·02	—	·03	·01	·04	18
19	·42	·09	—	—	·02	—	·42	·54	—	·04	·02	—	19
20	·18	·01	·16	—	—	—	·24	·10	—	·27	—	—	20
21	—	·01	·43	—	·92	—	·07	·18	—	·50	—	—	21
22	·06	·09	—	—	·64	—	·73	·36	—	—	—	·26	22
23	·05	·12	·27	—	—	·01	·35	·31	—	—	·15	·05	23
24	·25	—	·01	—	—	·11	·31	·10	—	—	—	·16	24
25	—	·01	—	—	—	·35	—	·30	—	~~·50~~ —	·25	·32	25
26	—	·04	·06	—	—	·05	·16	1·43	—	·69	·28	·32	26
27	—	—	·01	—	—	·15	·06	—	—	·86	—	·21	27
28	—	·01	—	—	—	·10	·04	·52	·01	·25	·40	·45	28
29	—	·02	·02	·01	—	·05	·15	—	1·01	·29	·04	—	29
30	·06		·01	—	·14	—	·66	—	—	·06	—	—	30
31	—		·09		·22		—	·07		—		·10	31 x
99 Total	4·62	1·68	3·61	·25	2·50	3·89	4·00	6·43	1·23	3·22	1·84	4·25	YEAR'S TOTAL 37·52
Rain Days.	19	19	22	4	11	23	18	26	6	11	13	20	192

W. 7,500, XI. 12

Ex DL

2518

FORM A.
BRITISH RAINFALL
8 - JAN 14

REGISTER OF RAINFALL IN 1913

Kept at Nanpantan
in the County of Leicester
by The Loughborough Corporation.

4

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Great Central (3 miles)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 269 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	·02	—	·13	·01	—	—	—	—	·72	—	·05	—	1
2	—	·16	·02	—	—	—	—	—	·03	—	·04	—	2
3	·03	—	·19	—	·94	—	—	—	·02	—	—	·04	3
4	·80	·01	·01	—	·02	·01	·01	—	—	·01	·11	·47	4
5	·04	—	·04	—	—	·01	·05	—	·09	1·77	—	·01	5
6	·01	—	·11	—	·34	·08	·84	—	—	·10	—	·01	6
7	—	·18	—	—	·32	·04	·01	—	—	·61	·07	·01	7
8	—	—	—	—	·19	·19	—	—	—	·08	·09	—	8
9	—	·34	·04	·02	·02	·54	—	·03	—	—	·12	·01	9
10	·01	—	—	·10	·01	—	—	·31	—	—	·21	—	10
11	1·03	—	—	·35	—	—	—	·30	—	—	·28	—	11
12	—	—	—	—	·16	·02	—	—	—	—	·49	—	12
13	·05	—	·18	·06	—	—	—	·02	·06	—	·23	—	13
14	·13	·03	·60	·02	—	—	—	·12	—	·11	·04	—	14
15	·08	·09	·56	·41	—	—	—	—	·05	—	·06	—	15
16	·02	·04	·59	·06	—	—	—	·05	·21	—	—	—	16
17	·01	·04	·04	·09	—	·02	·05	—	·27	—	·02	—	17
18	·01	—	·18	·15	—	—	·03	—	—	—	·03	·01	18
19	·11	—	—	—	·01	—	·04	—	·16	·01	—	·01	19
20	·27	—	·05	·10	—	—	—	—	·02	·18	·18	—	20
21	—	—	·14	—	·06	—	·02	—	—	—	·35	—	21
22	·38	—	·66	—	—	—	—	·26	·30	—	—	—	22
23	—	—	—	—	—	·07	·01	·11	·09	—	·02	—	23
24	·07	—	—	·05	—	—	—	—	—	—	—	—	24
25	·01	·01	—	·12	—	·03	—	—	·01	·01	—	·01	25
26	—	·10	·13	·21	—	—	—	·06	—	·21	·01	·25	26
27	—	·04	·01	·07	—	—	—	—	—	—	—	—	27
28	·48	—	·19	·28	·02	—	—	—	—	·12	—	·04	28
29	·01		·31	·50	·06	—	—	·34	—	·02	—	·12	29
30	·46		—	—	—	—	—	—	—	·21	·05	—	30
31	—		·01		—		—	·01		—		—	31
99 Total	4·03	1·04	4·19	2·60	2·15	1·01	1·06	1·61	2·03	3·44	2·45	·96	YEAR'S TOTAL 26·57
Rain Days.	21	11	21	17	12	10	9	11	13	13	19	12	169

W.7,000, XI. 13

2518

FORM A. BRITISH RAINFALL.

11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Nanpantan
in the County of Leicester 4
by The Loughborough Corporation

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Great Central (3 miles)
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 269 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	—	—	—	·91	·28	—	—	—	—	1
2	—	—	—	—	—	—	·02	·53	—	—	·54	·17	2
3	—	—	—	·02	·10	—	·17	·07	—	—	·04	—	3
4	·20	—	·04	·21	·01	—	—	·06	—	—	·05	·38	4
5	·11	—	·15	·29	—	·22	·29	—	—	—	·02	—	5
6	—	·03	—	·15	·08	—	—	—	—	—	·08	·03	6
7	—	·12	·40	—	·02	—	·05	·07	—	—	—	·13	7
8	·12	—	—	·05	·05	·73	·23	·29	—	—	—	·06	8
9	·33	·01	·09	·22	—	1·14	—	—	·05	—	—	—	9
10	·13	·10	—	·16	·03	—	—	—	·12	—	—	—	10
11	—	·09	·52	·18	·01	·01	—	—	·02	—	·77	·52	11
12	—	·02	·08	—	—	—	—	—	·21	—	·05	·41	12
13	·01	·14	·11	—	—	—	—	—	—	·10	·34	·45	13
14	·02	·03	·13	—	—	—	·10	—	·01	·18	·18	·34	14
15	·03	—	·15	—	—	—	—	—	·04	—	·03	—	15
16	·01	—	·02	—	—	—	·34	—	·03	—	—	—	16
17	·01	·20	·12	—	—	—	·02	—	·14	—	—	·29	17
18	—	—	—	—	—	—	·04	—	—	—	·02	·58	18
19	—	·01	·10	—	—	—	·05	—	·04	—	·03	·06	19
20	—	·18	·11	—	—	·03	·01	—	—	·04	—	·03	20
21	·02	·39	·05	—	—	·28	—	—	—	·25	·01	·28	21
22	·01	·02	·01	—	·74	—	·05	·05	—	·26	—	—	22
23	—	·08	·14	—	·27	·04	—	—	—	·06	—	—	23
24	—	—	·21	—	·41	—	·07	·01	—	·29	·17	—	24
25	·01	—	—	—	—	—	·04	·24	—	·64	·02	·30	25
26	—	—	·04	—	—	—	·01	·10	—	·11	·46	·27	26
27	·05	—	—	—	—	—	—	—	—	—	·04	·17	27
28	·02	·07	·04	—	—	—	—	—	—	·06	·57	·79	28
29	·05	X	·19	·01	·03	—	—	—	—	·31	·13	—	29
30	—	X	—	·01	—	·01	—	—	—	·02	·39	·38	30
31	—	X	—	X	—	X	·23	—	X	·01	X	·07	31
Total	1·13	1·49	2·76	1·30	1·75	2·46	2·63	1·70	·66	2·33	4·52	5·70	YEAR'S TOTAL 28·45
Rain Days.	16	15	21.	10	11	8	17	10	9	13	20	20	170.

28·45

W. 8,000. X. 14.

2631
2518

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
8. JAN 19

Kept at Nanpantan Reservoir
in the County of Leicester
by The Loughborough Corporation

Lat. 52° 45' N Long. 1° 15' W.
Time of Observation 9 a.m.
Nearest Railway Station Loughboro' G.C (3 miles)
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 269 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17"	·29	·06	·00	·45	·00	·00	·04	·04	·00	·02	·05	1
2	·10	·10	·23	·18	·00	·10	·00	·39	·00	·16	·00	·05	2
3	·46	·00	·02	·07	·00	·00	1·33	·43	·03	·00	·00	·15	3
4	·12	·00	·00	·00	·02	·00	1·26	·00	·00	·00	·00	1·09	4
5	·05	·46	·00	·00	·25	·02	·00	·06	·00	·02	·06	·41	5
6	·01	·13	·00	·23	·00	·00	·72	·01	·00	·00	·00	·07	6
7	·16	·44	·00	·00	·00	·03	·10	·21	·00	·00	·00	·43	7
8	·11	·17	·02	·03	·00	·00	·00	·04	·00	·00	·03	·00	8
9	·00	·17	·00	·00	·00	·00	·00	·00	·00	·00	·24	·48	9
10	·54	·00	·06	·00	·00	·00	·00	·00	·00	·02	·30	·00	10
11	·01	·00	·07	·05	·16	·00	·23	·27	·00	·00	·63	·12	11
12	·01	·00	·00	·20	·35	·00	·05	·11	·00	·03	1·32	·00	12
13	·00	·42	·00	·00	·53	·00	·00	·04	·00	·00	·00	·00	13
14	·00	·07	·00	·00	·00	·00	·00	·00	·02	·00	·00	·34	14
15	·31	·00	·00	·00	·02	·00	·06	·08	·00	·02	·23	·18	15
16	·00	·40	·00	·00	·00	·00	3.24	·00	·00	·00	·00	·00	16
17	·00	·18	·00	·00	·00	·00	·26	·03	·00	·00	·03	·02	17
18	·00	·19	·24	·00	·00	·00	·00	·00	·00	·00	·02	·00	18
19	·00	·07	·02	·00	·02	·00	·15	·00	·00	·00	·00	·00	19
20	·14	·00	·00	·03	·00	·00	·00	·03	·00	·00	·00	·23	20
21	·12	·04	·00	·07	·00	·00	·19	·00	·00	·00	·00	·09	21
22	·09	·00	·15	·03	·00	·00	·13	·00	·00	·04	·00	·04	22
23	·05	·00	·05	·00	·00	·09	·11	·00	·05	·32	·00	·19	23
24	·05	·00	·05	·03	·00	·00	·00	·00	·84	·04	·00	·13	24
25	·00	·00	·02	·00	·00	·64	·06	·00	·04	·00	·00	·18	25
26	·00	·22	·00	·00	·00	·00	·05	·00	·02	·00	·00	·32	26
27	·00	·02	·00	·00	·00	·02	·22	·00	·00	·71	·00	·09	27
28	·00	·16	·02	·00	·00	·38	·07	·31	·02	·00	·00	·01	28
29	·00	X	·00	·00	·00	·05	·00	·06	·00	·00	·16	·25	29
30	·08	X	·00	·02	·00	·40	·00	·01	·00	·02	·07	·07	30
31	·08	X	·00	X	·00	X	·00	·10	X	·17	X	·11	31
Total	2.66	3·47	·95	·88	1·80	1·73	8.23	2.22	1·06	1·55	3.11	~~4·20~~ 5·1	YEAR'S TOTAL ~~31·86~~ 27
Rain Days.	19	17	13	11	8	9	17	17	8	11	12	24	166

W. 8,000. X. 15.

2566

FORM A.
BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Nanpantan Reservoir

in the County of Leicester

by Loughborough Corporation

Lat. 52°45'N Long. 1°15'W

Time of Observation 9 a.m.

Nearest Railway Station Lboro' G.C. (3 miles)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 269 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
16 1	·16	~~·00~~	·23	~~·00~~	·02	·08	·10	~~·00~~	~~·00~~	~~·00~~	·21	~~·00~~	1
2	·33	·11	·23	~~·00~~	·33	~~·00~~	·29	~~·00~~	·06	·33	·02	~~·00~~	2
3	·00	·56	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·05	~~·00~~	·18	·23	·12	~~·00~~	3
4	·27	·03	~~·00~~	~~·00~~	·48	·31	~~·00~~	~~·00~~	~~·00~~	·22	·19	~~·00~~	4
5	·02	~~·00~~	~~·00~~	~~·00~~	·08	·19	~~·00~~	~~·00~~	~~·00~~	·10	·20	~~·00~~	5
6	·10	·14	·13	~~·00~~	·30	~~·00~~	·37	~~·00~~	~~·00~~	·05	·27	~~·00~~	6
7	·02	~~·00~~	·17	~~·00~~	·05	~~·00~~	·08	~~·00~~	~~·00~~	·13	·13	·15	7
8	~~·00~~	~~·00~~	·09	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·14	·07	·23	8
9	~~·00~~	~~·00~~	·10	~~·00~~	·37	·17	~~·00~~	~~·00~~	·03	·01	~~·00~~	·09	9
10	~~·00~~	·10	·06	·13	~~·00~~	~~·00~~	·02	~~·00~~	·06	~~·00~~	~~·00~~	·04	10
11	·02	·40	·11	·15	~~·00~~	·19	~~·00~~	~~·00~~	·02	~~·00~~	~~·00~~	·07	11
12	·07	·02	·16	·02	·76	·05	·05	~~·00~~	~~·00~~	·05	~~·00~~	~~·00~~	12
13	~~·00~~	·22	·07	·07	·10	~~·00~~	~~·00~~	·08	~~·00~~	·07	~~·00~~	·02	13
14	~~·00~~	·41	~~·00~~	·05	~~·00~~	~~·00~~	~~·00~~	·76	~~·00~~	·10	~~·00~~	~~·00~~	14
15	~~·00~~	·39	·70	~~·00~~	~~·00~~	~~·00~~	·06	·36	~~·00~~	·02	~~·00~~	~~·00~~	15
16	·03	·14	·63	·35	·02	~~·00~~	·22	·05	~~·00~~	·01	~~·00~~	~~·00~~	16
17	·06	·06	~~·00~~	·17	~~·00~~	~~·00~~	·06	·24	·14	·17	~~·00~~	~~·00~~	17
18	·00	·19	·03	~~·00~~	~~·00~~	·02	~~·00~~	·34	·10	·00	·70	·05	18
19	·13	·11	·35	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·07	·14	·00	·52	·11	19
20	·12	~~·00~~	·40	·16	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·07	·12	20
21	·00	~~·00~~	·25	~~·00~~	·04	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·01	·31	21
22	·00	·04	~~·00~~	~~·00~~	·04	·03	~~·00~~	~~·00~~	~~·00~~	·10	~~·00~~	·55	22
23	·09	·40	~~·00~~	·08	~~·00~~	~~·00~~	~~·00~~	·03	~~·00~~	·04	·07	·28	23
24	~~·00~~	·63	·07	·03	~~·00~~	~~·00~~	~~·00~~	·10	~~·00~~	·04	~~·00~~	·15	24
25	~~·00~~	·07	·24	~~·00~~	·06	~~·00~~	~~·00~~	·33	~~·00~~	·03	·20	·01	25
26	·04	·12	·02	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·05	~~·00~~	·04	·10	~~·00~~	26
27	·02	·28	·68	~~·00~~	~~·00~~	·03	~~·00~~	·08	·06	·29	~~·00~~	~~·00~~	27
28	~~·00~~	·30	·34	·02	~~·00~~	·25	~~·00~~	~~·00~~	·01	·04	~~·00~~	·27	28
29	~~·00~~	·12	~~·00~~	~~·00~~	·04	·23	~~·00~~	1·05	~~·00~~	·36	~~·00~~	·19	29
30	~~·00~~		~~·00~~	~~·00~~	~~·00~~	·09	~~·00~~	·03	~~·00~~	·12	~~·00~~	~~·00~~	30
31	~~·00~~		~~·00~~		~~·00~~		~~·00~~	·04		·13		·01	31
99 Total	148 1·49	4·84	5·06	1·23	2·69	1·64	1·30	3·55	·80	2·76	2·84	2·65	YEAR'S TOTAL 30·84
Rain Days.	15	22	21	11	14	12	10	15	10	24	15	17	186

W. 8,000, VIII. 16

-438

FORM A.
BRITISH RAINFALL.

JAN

REGISTER OF RAINFALL IN 1917

Kept at Nanpantan Reservoir
in the County of Leicester
by Loughborough Corporation

Lat. 52°45' N Long. 1° 15' W.
Time of Observation 9 am.
Nearest Railway Station Loughboro' G.C. (3 mls).
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 269 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~·00~~	·01 [illegible]	~~·00~~	·10	~~·00~~	·03	~~·00~~	1·23	·16	·00	·01	11	1
2	·06	·00	~~·00~~	~~·00~~	~~·00~~	·06	~~·00~~	·20	~~·00~~	·03	·03	~~·00~~	2
3	·02	·08	~~·00~~	·06	~~·00~~	~~·00~~	~~·00~~	·16	~~·00~~	·25	·06	~~·00~~	3
4	·02	[illegible]	·09	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·08	~~·00~~	·62	·00	03	4
5	·12	~~·00~~	[illegible]	[illegible]	~~·00~~	~~·00~~	~~·00~~	·02	·06	·17	·09	~~·00~~	5
6	02 [illegible]	~~·00~~	[illegible]	[illegible]	~~·00~~	·32 ·32	~~·00~~	·00	~~·00~~	·20	·09	~~·00~~	6
7	·46 [illegible]	~~·00~~	[illegible]	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·20	~~·00~~	·44	·02	~~·00~~	7
8	·45 [illegible]	~~·00~~	~~·00~~	·11	~~·00~~	~~·00~~	·22	·48	~~·00~~	·51	·10	·21	8
9	12 ·12	~~·00~~	·21	·06	·09	~~·00~~	~~·00~~	·20	~~·00~~	·01	·20	~~·00~~	9
10	·26	~~·00~~	·53	·07	·67	~~·00~~	~~·00~~	·08 [illegible]	~~·00~~	·01	·04	~~·00~~	10
11	·09	~~·00~~	·06	·20	~~·00~~	~~·00~~	~~·00~~	·15	·01	·27	[illegible]	~~·00~~	11
12	·08	·02	~~·00~~	~~·00~~	·06	·20	~~·00~~	·04	·01	·15	[illegible]	01	12
13	·08	~~·00~~	~~·00~~	·14	~~·00~~	~~·00~~	~~·00~~	·12	·09	·02	·01	~~·00~~	13
14	·07	~~·00~~	·09	·08	~~·00~~	~~·00~~	~~·00~~	·75	~~·00~~	~~·00~~	~~·00~~	11	14
15	·01	~~·00~~	~~·00~~	·06	~~·00~~	~~·00~~	·29	~~·00~~	~~·00~~	·06	~~·00~~	06	15
16	·03	·11	~~·00~~	·14	~~·00~~	~~·00~~	·14	·02	~~·00~~	·02	~~·00~~	25	16
17	~~·00~~	~~·00~~	·02	·11	·40	·42	·24	·20	·13	·07	~~·00~~	01	17
18	·06	~~·00~~	~~·00~~	·06	·34	~~·00~~	·64	~~·00~~	·75	·01	~~·00~~	~~·00~~	18
19	·26	·14	·12	~~·00~~	·12	·15	~~·00~~	·01	·03	~~·00~~	~~·00~~	~~·00~~	19
20	·03	·18	·02	~~·00~~	·54	·11	~~·00~~	·06	·19	~~·00~~	·03	~~·00~~	20
21	·01	·04	·09	~~·00~~	·12	·23	~~·00~~	·08	~~·00~~	·02	~~·00~~	02	21
22	~~·00~~	~~·00~~	·15	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·04	·05	·09	~~·00~~	~~·00~~	22
23	~~·00~~	·05	~~·00~~	~~·00~~	·15	~~·00~~	~~·00~~	·22	·02	·04	~~·00~~	~~·00~~	23
24	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·47	~~·00~~	·10	~~·00~~	·28	·06	01	24
25	~~·00~~	·01	·06	~~·00~~	~~·00~~	~~·00~~	·02	~~·00~~	~~·00~~	·00	·10	~~·00~~	25
26	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·01	~~·00~~	·29	·26	·02	·13	~~·00~~	26
27	~~·00~~	~~·00~~	·04	~~·00~~	~~·00~~	·58	·27	·83	~~·00~~	·02	~~·00~~	01	27
28	~~·00~~	~~·00~~	·10	~~·00~~	·00	·19	~~·00~~	·22	~~·00~~	·02	~~·00~~	08	28
29	~~·00~~	X	~~·00~~	·60	~~·00~~	·19	·07	·01	~~·00~~	·36	~~·00~~	27	29
30	[illegible]	X	·01	~~·00~~	~~·00~~	~~·00~~	·28	·25	~~·00~~	·01	~~·00~~	~~·00~~	30
31	[illegible]	X	·10	X	~~·00~~	X	·02	·14	X	~~·00~~	X	06	31
99 Total	2·06	9 [illegible]	1·75	1·34	2·49	2·96	3·19	[illegible]	1·76	3·70	[illegible]	[illegible]	YEAR'S TOTAL 27·39
Rain Days.	20	10	17	18	9	13	10	27	12	25	[illegible]	14	44 184

W. 8,000, IX. 17.

31

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Nanpantan Reservoir

in the County of Leicester

by Loughborough Corporation

Lat. 52° 45′N Long. 1° 15′ W

Time of Observation 9 am

Nearest Railway Station Loughborough (G. C.) 3 miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 269 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
18 1	.04	.07	~~.00~~	.03	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.12	.02	.15	.03	1
2	~~.00~~	.09	~~.00~~	.09	.00	~~.00~~	~~.00~~	.87	.02	.02	~~.00~~	.40	2
3	~~.00~~	.02	.06	~~.00~~	.63	~~.00~~	~~.00~~	.19	.12	.01	.28	~~.00~~	3
4	~~.00~~	.03	.03	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.06	1.05	.06	.45	.11	4
5	~~.00~~	~~.00~~	~~.00~~	.10	.15	~~.00~~	~~.00~~	.09	.07	.14	~~.00~~	~~.00~~	5
6	~~.00~~	.05	~~.00~~	.23	~~.00~~	.07	~~.00~~	~~.00~~	.03	.08	~~.00~~	~~.00~~	6
7	.07	.10	~~.00~~	.22	~~.00~~	.02	~~.005~~	~~.00~~	.14	.01	.11	~~.00~~	7
8	~~.00~~	.09	.13	.03	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.07	.03	~~.00~~	.04	8
9	.02	.42	~~.00~~	.14	~~.00~~	.12	.28	~~.00~~	.48	.25	~~.00~~	.04	9
10	.07	~~.00~~	~~.00~~	.12	~~.00~~	~~.00~~	.36	~~.00~~	.03	.10	~~.00~~	.04	10
11	.10	.07	~~.00~~	.03	.13	~~.00~~	.22	~~.00~~	.11	.02	~~.00~~	.10	11
12	~~.00~~	.18	.03	.02	.09	~~.00~~	.16	~~.00~~	.12	~~.00~~	~~.00~~	.05	12
13	~~.00~~	~~.00~~	~~.00~~	.00	.05	~~.00~~	~~.00~~	~~.00~~	.16	.03	~~.00~~	.02	13
14	.39	~~.00~~	~~.00~~	.03	.02	.02	.17	~~.00~~	.21	.10	~~.00~~	.15	14
15	.54	~~.00~~	~~.00~~	.24	~~.00~~	.08	.19	~~.00~~	.13	~~.00~~	~~.00~~	.24	15
16	.03	~~.00~~	.01	.21	~~.00~~	.00	~~.00~~	.01	.26	~~.00~~	~~.00~~	.03	16
17	.23	~~.00~~	~~.00~~	~~.00~~	.02	.10	.30	~~.00~~	.08	.06	~~.00~~	.17	17
18	.41	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.12	.22	~~.00~~	.38	~~.00~~	~~.00~~	.37	18
19	.05	.01	.07	.16	~~.00~~	~~.00~~	.02	~~.00~~	~~.00~~	.10	~~.00~~	.18	19
20	.05	.06	~~.00~~	.32	~~.00~~	.07	.06	~~.00~~	.03	~~.00~~	~~.00~~	~~.00~~	20
21	.09	.04	~~.00~~	.10	.42	.03	.05	~~.00~~	.37	.09	~~.00~~	.05	21
22	.05	.00	~~.00~~	~~.00~~	.20	.02	.07	~~.00~~	~~.00~~	.12	.05	.41	22
23	.15	~~.00~~	~~.00~~	~~.00~~	.59	~~.00~~	.08	~~.00~~	.05	~~.00~~	~~.00~~	~~.00~~	23
24	~~.00~~	.15	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.06	~~.00~~	.05	.02	.09	~~.00~~	24
25	~~.00~~	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.06	.13	.28	.02	.05	.02	~~.00~~	25
26	~~.00~~	~~.00~~	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.01	.03	.04	~~.00~~	.09	.11	26
27	~~.00~~	.02	.01	~~.00~~	~~.00~~	.01	.02	.29	.25	~~.00~~	.08	.15	27
28	~~.00~~	.22	.36	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.02	.01	~~.00~~	.23	.22	28
29	~~.00~~	X	~~.00~~	~~.00~~	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.59	~~.00~~	~~.00~~	.01	29
30	~~.00~~	X	.47	.01	~~.00~~	~~.00~~	~~.00~~	~~.00~~	.05	.01	.10	.07	30
31	~~.00~~	X	.16	X	~~.00~~	X	~~.00~~	.04	X	—	X	~~.00~~	31
99 Total	2.29 ✓	1.62 ✓	1.33 ✓	2.08 ✓	2.30 ✓	.72 ✓	2.40 ✓	1.88 ✓	5.04 ✓	1.32 ✓	1.65 ✓	2.99 ✓	YEAR'S TOTAL 25.62 ✓
Rain Days.	15 ✓	16 ✓	10 ✓	17 ✓	10 ✓	12 ✓	17 ✓	10 ✓	28 ✓	20 ✓	11 ✓	22 ✓	188 ✓

A H Walker

W, 6,500, VII. 18. W W C

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Nanpantan Reservoir
in the County of Leicester
by Loughborough Corporation

Lat. 52° 45' N Long. 1° 15' W
Time of Observation 9 a.m.
Nearest Railway Station Loughborough [illegible]
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 369 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
19 1	·51	·09	·05	~~·00~~	·26	~~·00~~	·30	~~·00~~	·01 ·01	·12	·10	[illegible] ·36	1
2	·20	·05	·01	~~·00~~	~~·00~~	~~·00~~	·26	·17	·30 ·30	·04	[illegible] ·08	·26	2
3	·99	~~·00~~	·03	~~·00~~	·01	·07	·21	~~·00~~	·09 ·09	~~·00~~	·29 ·29	·10	3
4	·05	~~·00~~	·36	~~·00~~	~~·00~~	·06	~~·00~~	·11	·11 ·11	~~·00~~	[illegible] ·08	·25	4
5	·07	·16	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·03	~~·00~~	·26 ·26	~~·00~~	~~·00~~	·13 ·13	5
6	·04	~~·00~~	·13	·01	·71	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·01	·03 ·09	·03 ·03	6
7	·06	~~·00~~	·32	·03	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	[illegible] ·20	7
8	·20	~~·00~~	·03	·12	~~·00~~	·06	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·00 ·00	~~·00~~	8
9	·01	~~·00~~	~~·00~~	·04	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·01 ·01	~~·00~~	9
10	~~·00~~	~~·00~~	·31	·02	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	[illegible] ·03	·13 ·13	10
11	·03	~~·00~~	·91	·01	·07	~~·00~~	·39	~~·00~~	·01 ·01	~~·00~~	[illegible]	[illegible]	11
12	~~·00~~	~~·00~~	·22	·03	~~·00~~	·28	·02	~~·00~~	·05 ·05	·02	·11	·01 ·01	12
13	·28	~~·00~~	~~·00~~	·34	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·19 ·19	[illegible] 0.88	~~·00~~	[illegible] ·04	13
14	·44	·03	~~·00~~	·16	~~·00~~	~~·00~~	~~·00~~	~~·00~~	[illegible] ·05	[illegible]	[illegible]	[illegible] ·02	14
15	·21	·02	·03	·07	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·01 ·01	·06	[illegible] ·66	15
16	·15	·89	~~·00~~	·13	~~·00~~	~~·00~~	~~·00~~	·02	~~·00~~	[illegible]	·19 ·19	[illegible] ·01	16
17	·04	·53	~~·00~~	·04	·02	·03	~~·00~~	~~·00~~	~~·00~~	[illegible]	·27	[illegible]	17
18	~~·00~~	·09	·28	~~·00~~	·02	~~·00~~	~~·00~~	·13	·03 ·03	[illegible]	·02	·27	18
19	·09	·23	1·29	~~·00~~	~~·00~~	·12	1·76	·61	·09 ·09	[illegible]	·22	·01	19
20	·52	·07	·20	~~·00~~	~~·00~~	·01	·40	·16	~~·00~~	~~·00~~	·22	[illegible] ·05	20
21	·10	·44	·06	~~·00~~	~~·00~~	~~·00~~	·27	~~·00~~	·02 ·02	~~·00~~	[illegible] ·06	[illegible] ·33	21
22	~~·00~~	·05	·02	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·45 ·45	[illegible]	~~·00~~	[illegible] ·06	22
23	~~·00~~	~~·00~~	~~·00~~	~~·00~~	~~·00~~	·02	·02	·02	~~·00~~	·05 ·05	·01	~~·00~~	23
24	~~·00~~	~~·00~~	~~·00~~	·10	·13	·01	·11	~~·00~~	~~·00~~	·32 ·32	·12	·05	24
25	·09	·01	~~·00~~	·11	·16	~~·00~~	~~·00~~	·69	~~·00~~	~~·00~~	·02	[illegible] ·08	25
26	~~·00~~	~~·00~~	·32	·05	~~·00~~	~~·00~~	~~·00~~	·03	·08 ·08	~~·00~~	[illegible]	·39 ·39	26
27	·27	·01	~~·00~~	·29	~~·00~~	~~·00~~	~~·00~~	·12	~~·00~~	~~·00~~	·05	[illegible] ·02	27
28	·09	~~·00~~	~~·00~~	·06	~~·00~~	·00	·03	1·06	~~·00~~	·02 ·02	·05	[illegible] ·20	28
29	·06	~~·00~~	~~·00~~	·01	~~·00~~	·01	~~·00~~	·12	~~·00~~	[illegible] ·23	·19 ·19	·11	29
30	·02		·06	·15	~~·00~~	·31	~~·00~~	~~·00~~	~~·00~~	·03 ·03	[illegible]	·35	30
31	·02		~~·00~~		~~·00~~		·05	~~·00~~		·03 ·03		·04	31
99 Total	4·54	2·58	4·63	1·77	1·38	·98	3·83	3·24 3·24	1·74	1·76	2·34 2·34	4·5[illegible] 7	Year's Total 23·85 5
Days with ·01 in. or more	24	13	18	19	8	11	13	12	14	12	22	26	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at Nanpantan Reservoir
in the County of Leicester
by Loughborough Corporation

Lat. 52° 45' N Long. 1° 15' W
Time of Observation 9 a.m.
Nearest Railway Station Loughboro' (G.C.) 3 miles
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 269 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

70

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·30	·26	—	·21	—	·01	·21	·01	·21	1
2	—	—	—	·23	·01	—	·24	—	·07	·23	—	·07	2
3	·09	·07	—	·18	—	·03	1·33	—	·08	·17	—	·03	3
4	·01	—	—	·17	—	—	·09	·33	·01	·34	—	·04	4
5	—	·01	·03	—	·40	—	·34	·10	·14	·03	—	—	5
6	—	—	·19	·09	·11	—	·12	·02	—	—	—	·05	6
7	—	—	·04	·05	·12	—	·12	—	—	—	—	—	7
8	·12	·09	—	·64	·10	—	·23	—	—	·01	—	—	8
9	·42	·01	—	·39	—	—	·01	·35	—	—	—	—	9
10	·34	·18	·10	·05	—	—	·08	—	—	—	·06	—	10
11	·19	—	·04	·11	·26	·22	·01	—	—	—	—	·04	11
12	·02	·01	·02	·23	—	·22	·05	·06	—	·01	·07	·11	12
13	·07	·13	·22	·59	—	·04	—	—	—	—	·02	·02	13
14	·02	·07	·81	·18	—	·15	·05	—	·24	·02	·18	·01	14
15	·01	·09	·26	·29	—	·01	·03	—	·14	·04	·01	·01	15
16	—	—	—	·05	·10	·06	·07	—	·05	·14	—	—	16
17	—	—	—	—	·12	—	—	—	·50	·09	—	·01	17
18	·14	—	—	·14	·08	—	·09	·09	·23	—	—	—	18
19	·13	1·06	—	·31	—	·12	—	·14	·01	—	—	—	19
20	·04	·09	—	·24	—	·19	·04	—	·02	—	—	—	20
21	·10	—	—	—	—	—	·30	·14	—	—	—	·02	21
22	·02	—	—	·25	—	—	·06	—	·04	—	—	·01	22
23	—	·01	—	—	—	—	·16	—	—	—	·02	·56	23
24	·01	—	·11	—	—	—	—	—	—	—	—	·12	24
25	—	·03	·05	·06	·06	·03	·57	—	—	·02	·01	—	25
26	·23	—	·13	·03	—	—	·05	—	—	·01	—	·02	26
27	·16	—	·01	·05	·05	·34	·12	—	—	·02	·37	·50	27
28	·53	—	·06	·02	·03	—	·03	—	—	—	·07	·10	28
29	·07	—	·18	—	·31	·02	·08	—	—	·01	·18	·58	29
30	·03	×	—	·18	·02	·09	·02	—	·08	—	·18	·30	30
31	·08	×	·08	×	·09	×	·01	—	×	·22	×	·10	31
Total	2·84	1·85	2·33	4·83	2·12	1·52	4·51	1·23	1·62	1·57	1·18	2·91	Year's Total 28·51
Days with ·01 in. or more	23	13	16	24	16	13	27	8	14	16	12	21	203
Days with ·04 in. or more	15	8	13	22	13	9	21	7	10	8	7	13	146

99

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LOUGHBOROUGH

SEWAGE FARM

LEICESTERSHIRE

1911 – 1920

R 11

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at The Sew 8 in.

ve Ground 1 ft. 0 in.

in the County of Lei Sea Level 135 ft.

by The Lough Name Midland

Distance 1 mile

IMPORTANT NO d the result entered to the previous day. If an C iversal rule, he is earnestly requested to add the re year in the space provided for it at the end of t ement of rain, the selection and plac British Rainfall Organization are given application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06					·02			·03		1
2	·07							·04		·04		·05	2
3								·05					3
4	·02		·09	·04				·01	·02	·17	·11	·21	4
5										·17			5
6	·39										·03		6
7										·28	·14	·50	7
8	·12		·15									·28	8
9	·02										·10	·04	9
10	·09		·16					·35				·66	10
11	·16							·15			·34	·04	11
12			·29						·29		·21		12
13	·02		·02			·02			·11		·04	·45	13
14					·02								14
15		·10	·09								·03	·03	15
16	·05										~~·01~~ ·18	·06	16
17						·11					·09	·20	17
18		·17				·05					·25	·09	18
19					·02		·04		·07	·17	·12	·09	19
20		·09		·04				·96	·05	·12		·34	20
21		·72	·09							·24	·01	·06	21
22			·02	·02						·49	·01	·30	22
23		·06	·17			·40			·24			·07	23
24			·03	·06		·66				·33		·06	24
25		·16		·08	·47	·04		·02				·04	25
26				·07	·22						35	·18	26
27		·17	·10	·09				·64	·27			·08	27
28		·23		·25		·11							28
29						·19			·20	·23		·03	29
30				·04		·03				·10			30
31			·03		·04					·04			31
Total	·94	1·70	1·30	·69	·77	1·61	·04	2·24	1·25	2·38	1·96	3·86	TOTAL for Year 18·74
No. of Rain Days.	9	8	13	9	5	9	1	9	8	12	16	22	121

. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at The Sewage Farm
Loughborough 4
in the County of Leicester
by The Loughborough Corporation.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 135 ft.

Time of Observation

Nearest Railway Station
Name Midland
Distance 1 mile

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06					·02			·03		1
2	·07							·04		·04		·05	2
3								·05					3
4	·02		·09	·04				·01	·02	·17	·11	·21	4
5										·17			5
6	·39										·03		6
7										·28	·14	·50	7
8	·12		·15									·28	8
9	·02										·10	·04	9
10	·09		·16					·35				·66	10
11	·16							·15			·34	·04	11
12			·29						·29		·21		12
13	·02		·02			·02			·11		·04	·45	13
14					·02								14
15		·10	·09								·03	·03	15
16	·05										~~·04~~ ·10	·06	16
17						·11					·09	·20	17
18		·17				·05					·25	·09	18
19					·02		·04		·07	·17	·12	·09	19
20		·09		·04				·96	·05	·12		·34	20
21		·72	·09							·24	·01	·06	21
22			·02	·02						·49	·01	·30	22
23		·06	·17			·40			·24			·07	23
24			·03	·06		·66				·33		·06	24
25		·16		·08	·47	·04		·02				·04	25
26				·07	·22						35	·18	26
27		·17	·10	·09				·64	·27			·08	27
28		·23		·25		·11							28
29						·19			·20	·23		·03	29
30				·04		·03				·10			30
31			·03		·04					·04			31
~~Total~~	·94	1·70	1·30	·69	·77	1·61	·04	2·24	1·25	2·38	1·96	3·86	TOTAL for year 18·74
No. of Rain Days.	9	8	13	9	5	9	1	9	8	12	16	22	121

. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at The Sewage Farm Loughborough 4
in the County of Leicester
by The Loughborough Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Midland
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·	·03	·05	·	·	·	·03	·11	·05	·	·	·38	1
2	·	·01	·10	·	·	·	·40	·	·	·	·	·02	2
3	·08	·	·05	·01	·03	·	·	·50	·06	·	·	·02	3
4	·11	·	·41	·	·04	·	·	·19	·01	·	·23	·	4
5	·06	·	·10	·	·03	·	·	·04	·06	·	·	·	5
6	·65	·14	·	·	·03	·	·	·20	·	·	·	·05	6
7	·	·04	·	·	·	·08	·	·05	·	·	·	·01	7
8	·38	·25	·22	·06	·	·02	·25	·03	·04	·	·	·03	8
9	·10	·13	·	·01	·	·47	·	·02	·	·	·	·21	9
10	·	·	·	·01	·	·	·	·13	·	·	·20	·	10
11	·10	·15	·	·	·	·14	·	·02	·	·	·02	·53	11
12	·04	·30	·13	·	·	·	·	·01	·	·	·01	·	12
13	·01	·05	·	·	·	·15	·11	·03	·	·	·02	·02	13
14	·12	·	·40	·	·	·05	·	·02	·	·	·	·	14
15	·10	·03	·14	·	·25	·17	·	·04	·	·	·	·09	15
16	·55	·	·07	·	·04	·07	·	·09	·	·14	·01	·	16
17	·50	·	·30	·	·	·13	·05	·20	·	·	·08	·50	17
18	·25	·	·11	·	·	·01	·	·	·	·	·02	·03	18
19	·34	·11	·	·	·01	·	·41	·36	·	·	·02	·	19
20	·12	·	·14	·	·	·	·16	·06	·	·28	·	·	20
21	·01	·	·35	·	·67	·	·04	·14	·	·42	·	·	21
22	·03	·09	·	·	·40	·02	·48	·38	·	·	·	·14	22
23	·04	·13	·28	·	·	·03	·31	·33	·	·	·09	·03	23
24	·30	·	·	·	·	·07	·15	·06	·	·		·26	24
25	·03	·	·	·	·	·28	·	·21	·	·	·22	·18	25
26	·01	·02	·04	·	·	·02	·07	1·37	·	·64	·13	·33	26
27	·	·	·	·	·	·16	·28	·	·	·69	·	·17	27
28	·	·02	·	·	·	·15	·08	·37	·	·22	·44	·44	28
29	·	·01	·02	·	·	·22	·02	·	·67	·25	·03	·	29
30	·04	·	·	·	·15	·	·01	·	·	·11	·	·	30
31	·	·	·06	·	·03	·	·50	·07	·	·	·	·06	31
Total	3·97	1·51	2·97	·09	1·68	2·24	3·35	5·03	·89	2·75	1·52	3·50	YEAR'S TOTAL 29·50
Rain Days.	23	16	18	4	11	18	17	26	6	8	14	20	181

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7 - JAN.

Kept at The Sewage Farm
Loughborough
in the County of Leicester
by The Loughborough Corporation

4

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Midland (1 miles)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·18	.	.	.	.	.	·70	.	·06	.	1
2	-	·10	·02	.	.	.	.	.	·03	.	.	.	2
3	·04	.	·20	.	·73	.	.	.	·01	.	.	·02	3
4	·59	.	.	.	·04	.	·02	.	.	·03	·09	·40	4
5	·04	.	·06	.	·03	.	·04	.	·07	1·30	.	.	5
6	.	.	·10	.	·36	·03	·45	.	.	·18	.	·02	6
7	.	·08	.	.	·21	·05	.	.	.	·39	·05	.	7
8	.	.	.	.	·15	·15	.	.	·02	·15	·04	.	8
9	.	·30	·04	.	·01	·45	.	·04	.	.	·10	.	9
10	.	.	.	·10	.	.	.	·50	.	.	·20	.	10
11	·77	.	.	·31	.	.	.	·25	.	.	·24	.	11
12	.	.	.	.	·11	·03	.	.	.	.	·40	.	12
13	·05	.	·13	.	.	.	.	.	·04	.	·14	.	13
14	·12	·03	·63	.	.	.	·03	·10	.	·07	·04	.	14
15	·05	·05	·55	·40	.	.	.	.	·05	.	·08	·01	15
16	.	·03	·48	·07	.	.	.	·03	·20	.	.	.	16
17	.	.	·02	·06	.	.	.	.	·03	.	·03	.	17
18	.	.	·14	·10	.	.	·04	.	.	.	.	·01	18
19	·10	.	.	·03	.	.	·03	.	·14	.	.	·02	19
20	·21	.	·07	·04	.	.	.	.	.	·20	·10	.	20
21	.	.	·12	·02	.	.	.	.	.	.	·25	.	21
22	·31	.	·57	.	.	.	.	·22	·30	.	.	.	22
23	·07	.	.	.	.	·07	.	·05	·05	.	·01	.	23
24	.	.	.	·03	.	.	.	.	.	.	.	·03	24
25	.	.	.	·03	.	.	.	.	·01	.	.	.	25
26	.	·13	·16	·15	.	.	.	·04	·01	·26	·02	·25	26
27	.	.	.	·06	.	.	.	.	.	.	.	.	27
28	·36	.	·36	·35	·02	.	.	.	.	·15	.	·03	28
29	.	.	·15	·53	·10	.	.	·54	.	.	.	·08	29
30	·35		.	.	.	.	.	.	.	·17	·06	.	30
31	.	.	·03	.	.	.	.	.	.	.	.	.	31
Total	3·06	·72	4·01	2·28	1·76	·78	·61	1·77	1·66	2·90	1·91	·87	YEAR'S TOTAL 22·33
Rain Days.	13	7	19	15	10	6	6	9	14	10	17	10	136

W.7,000, XI. 13

cnd by Obs. 10.IV.15 Exc. H.R.M.

Ene 9.7.1.07 written 8.IV.15

FORM A. BRITISH RAINFALL.

11 JA 15

REGISTER OF RAINFALL IN 1914

Kept at The Sewage Farm Loughborough

in the County of Leicester 4

by The Loughborough Corporation

Lat. .... Long. ....
Time of Observation 9. a.m.
Nearest Railway Station Midland (? Hills)
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·	·	·	·	·	1·15	·23	·	·	·	·	1
2	·	·	·	·	·	·	·02	·52	·	·	·59	·13	2
3	·	·	·	·	·10	·	·18	·07	·	·	·03	·	3
4	·17	·	·02	·20	·04	·	·	·03	·	·	·37	·35	4
5	·15	·	·18	·30	·02	·16	·30	·02	·	·	·02	·	5
6	·	·02	·	·19	·03	·	·02	·02	·	·	·07	·02	6
7	·	·09	·40	·07	·06	·02	·07	·07	·	·	·01	·13	7
8	·10	·	·	·	·06	·70	·35	·18	·	·	·	·05	8
9	·35	·	·06	·15	·	1·07	·	·01	·02	·	·	·	9
10	·12	·09	·	·15	·	·	·	·	·07	·	·03	·	10
11	·	·05	·39	·12	·	·07	·	·	·	·	·64	·25	11
12	·	·	·08	·	·	·	·05	·	·23	·	·05	·25	12
13	·	·10	·10	·	·	·	·	·	·	·13	·22	·40	13
14	·07	·	·13	·	·	·	·10	·	·	·20	·24	·35	14
15	·04	·	·12	·	·	·	·	·	·	·	·05	·25	15
16	·02	·	·	·	·	·	·42	·	·	·	·03	·	16
17	·	·15	·09	·	·	·	·07	·	·08	·	·06	·05	17
18	·	·	·	·	·	·	·03	·	·01	·	·03	·50	18
19	·	·	·10	·	·	·	·06	·	·01	·	·	·06	19
20	·	·15	·11	·	·	·	·04	·	·	·	·	·03	20
21	·	·35	·03	·	·	·21	·01	·	·	·10	·	·04	21
22	·	·07	·	·	·80	·03	·	·07	·	·14	·	·	22
23	·	·06	·23	·	·18		·04	·	·	·04	·	·	23
24	·	·	·18	·	·55		·04	·24	·	·57	·14	·	24
25	·	·	·	·	·		·05	·17	·	·	·05	·51	25
26	·	·	·02	·01	·		·	·35	·	·06	·37	·23	26
27	·06	·	·	·	·		·	·	·	·	·20	·13	27
28	·03	·05	·15	·	·		·	·	·	·06	·35	·02	28
29	·05		·17	·	·03		·	·	·	·27	·06	·02	29
30	·	×		·	·		·	·	·	·03	·40	·36	30
31	·	×	·	×	·	×	·20	·	×	·02	×	·04	31
Total	1·12	1·12	2·56	1·13	1·87	2·20	3·14	1·98	·42	1·56	4·00	4·77	YEAR'S TOTAL 25·87
Rain Days.	12	11	18	8	10	7	19	13	6	11	22	22	159

W. 8,000. X. 14.

2·20

25·87

2633

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
6. JAN 1916

Kept at Loughborough Sewage Farm.
in the County of Leicester
by The Loughborough Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Loughborough L. R. (1 mile)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·16	·04	·00	·41	·00	·02	·04	·02	·00	·24	·03	1
2	·12	·10	·14	·16	·00	·00	·00	·50	·00	·00	·02	·04	2
3	·35	·00	·00	·06	·02	·03	1·90	·08	·04	·12	·00	·13	3
4	·11	·00	·00	·00	·00	·00	1·67	·06	·00	·00	·00	1·00	4
5	·05	·38	·00	·01	·49	·00	·00	·04	·00	·00	·05	·36	5
6	·03	·18	·01	·15	·00	·00	·77	·06	·00	·00	·00	·07	6
7	·11	·38	·00	·00	·00	·00	·06	·19	·00	·00	·00	·33	7
8	·12	·14	·00	·10	·00	·00	·00	·03	·00	·00	·03	·02	8
9	·00	·05	·00	·00	·00	·00	·01	·00	·00	·00	·18	·45	9
10	·35	·00	·09	·00	·00	·02	·00	·00	·00	·02	·42	·02	10
11	·02	·00	·02	·02	·17	·00	·08	·46	·00	·00	·55	·09	11
12	·00	·00	·00	·18	·18	·00	·01	·08	·00	·00	·91	·00	12
13	·03	·35	·00	·00	·49	·00	·00	·04	·00	·00	·00	·02	13
14	·01	·03	·00	·00	·00	·00	·16	·02	·04	·00	·00	·22	14
15	·31	·00	·00	·00	·02	·00	·26	·16	·00	·02	·22	·12	15
16	·00	·37	·00	·00	·00	·00	3.87	·00	·00	·00	·00	·00	16
17	·00	·18	·00	·00	·00	·00	·15	·04	·00	·00	·00	·02	17
18	·02	·10	·21	·00	·00	·00	·00	·00	·00	·00	·00	·00	18
19	·00	·04	·00	·00	·00	·00	·11	·00	·00	·00	·00	·00	19
20	·10	·00	·00	·00	·00	·00	·00	·02	·00	·00	·00	·26	20
21	·11	·00	·00	·00	·00	·00	·15	·00	·00	·00	·00	·09	21
22	·09	·02	·15	·07	·00	·00	·08	·00	·00	·00	·00	·02	22
23	·03	·07	·04	·03	·00	·06	·12	·00	·04	·23	·00	·22	23
24	·04	·00	·00	·00	·00	·00	·05	·00	·72	·00	·00	·10	24
25	·00	·00	·06	·00	·00	·01	·05	·00	·03	·02	·02	·15	25
26	·00	·13	·00	·00	·00	·00	·03	·00	·03	·01	·00	·30	26
27	·00	·03	·00	·00	·00	·02	·19	·00	·00	·47	·00	·11	27
28	·00	·13	·00	·00	·00	·30	·04	·25	·00	·00	·00	·00	28
29	·00		·00	·00	·00	·05	·00	·09	·00	·02	·11	·25	29
30	·05		·00	·00	·00	·90.	·00	·00	·00	·02	·05	·05	30
31	·08		·00		·00.		·00	·00		·26		·08	31
Total	2·21	2·84	·76	·78	1·78	1·39	9·78	2·16	·92	1·19	2·80	4·55	YEAR'S TOTAL 31·16
Rain Days.	21	18	9	9	7	8	21	17	7	10	12	26	165

W. 8,000. X. 15.

2569

FORM A.
BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Loughborough Sewage Farm
in the County of Leicester
by Loughborough Corporation

Lat. 52° 47' N Long. 1° 12' 30" W.
Time of Observation 9 a.m.
Nearest Railway Station Loughboro' M.R. 1 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·	·22	·	·02	·09	·08	·	·	·	·20	·	1
2	·32	·06	·20	·	·45	·	·43	·	·06	·30	·	·	2
3	·01	·49	·	·	·04	·	·10	·	·15	·20	·11	·	3
4	·26	·02	·	·	·37	·20	·	·	·	·16	·11	·	4
5	·02	·	·	·	·05	·	·	·	·	·08	·18	·	5
6	·10	·10	·07	·	·25	·	·25	·	·	·	·29	·	6
7	·02	·	·12	·	·03	·	·20	·	·	·14	·10	·18	7
8	·	·	·07	·	·	·	·	·	·	·21	·	·18	8
9	·	·	·06	·	·29	·14	·	·	·02	·02	·	·03	9
10	·	·07	·05	·09	·02	·	·02	·	·05	·02	·	·02	10
11	·	·37	·10	·	·	·10	·	·	·	·	·	·03	11
12	·12	·02	·12	·11	·74	·05	·15	·	·	·03	·	·01	12
13	·	·13	·	·	·06	·	·	·06	·	·	·	·06	13
14	·	·36	·06	·07	·07	·	·02	·37	·	·03	·	·	14
15	·	·23	·60	·	·	·	·05	·16	·	·07	·	·	15
16	·07	·15	·53	·30	·02	·	·22	·07	·	·03	·	·	16
17	·03	·05	·07	·30	·	·	·04	·40	·09	·10	·	·	17
18	·	·18	·	·04	·	·	·	·04	·15	·	·60	·	18
19	·11	·03	·30	·03	·	·	·	·	·15	·	·65	·17	19
20	·10	·	·19	·14	·	·	·	·	·03	·	·06	·11	20
21	·07	·04	·17	·	·	·	·	·	·	·	·02	·24	21
22	·	·	·02	·02	·	·02	·	·	·	·06	·	·43	22
23	·	·20	·07	·07	·	·07	·	·03	·	·04	·11	·25	23
24	·06	·40	·07		·	·	·	·07	·	·02	·12	·12	24
25	·	·05	·20		·04	·	·	·24	·	·	·14	·	25
26	·04	·07	·07		·	·	·	·	·	·04	·	·	26
27	·07	·14	·34		·	·	·	·08	·	·18	·	·	27
28	·	·30	·		·	·69	·	·	·	·02	·	·23	28
29	·	·09	·		·04	·18	·	·92	·	·18	·	·15	29
30	·	×	·		·07	·15	·	·04	·	·18	·	·	30
31	·	×	·	×	·	×	·	·	×	·19	×	·	31
Total	1.33	3·56	3·52	1·17	2·44	1·63	1·56	2·48	·70	2·24	2·49	2·21	YEAR'S TOTAL 25·33
Rain Days.	16	22	22	10	16	10	11	12	8	22	13	15	177

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Loughborough Sewage Farm
in the County of Leicester
by Loughborough Corporation

Lat. 52° 47' N Long. 1° 12' [illegible] W
Time of Observation 9 a.m.
Nearest Railway Station Midland (1 mile)
Diameter of Funnel of Rain Gauge [illegible] in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	[illegible]	·00	[illegible]	[illegible]	·00	·00	·97	·10	·00	·00	·05	1
2	·06	·00	·00	·00	·00	·06	·00	·16	·00	·00	·04	·00	2
3	·04	·05	·00	·00	·00	·00	·00	·16	·00	·11	·00	·00	3
4	[illegible]	·00	[illegible]	·00	·00	·00	·00	·03	·00	·16	·03	·00	4
5	·04	·00	·04	·17	·00	·00	·00	·00	·07	·65	·00	·00	5
6	·06	·00	·00	·00	·00	·35	·00	·00	·00	·21	·05	·00	6
7	·36	·00	·00	·00	·00	·00	·00	·11	·00	·26	·08	·00	7
8	·33	·00	·00	·12	·00	·00	·16	·68	·00	·35	·09	·20	8
9	·06	·00	·06	·00	·00	·00	·00	·15	·00	·03	·23	·00	9
10	·20	·16	·44	·05	·73	·00	·00	·05	·00	·00	·03	·00	10
11	·08	·00	·02	·17	·00	·00	·00	·08	·00	·25	·00	·00	11
12	·06	·00	·00	·00	·30	·00	·00	·35	·00	·16	·00	·00	12
13	·08	·00	·00	·07	·00	·00	·00	·10	·07	·00	·00	·00	13
14	·06	·00	·04	·12	·00	·00	·00	·50	·00	·00	·02	·07	14
15	·00	·00	·00	·04	·00	·00	·16	·00	·00	·06	·00	·00	15
16	·00	·00	·00	·03	·00	·00	·15	·10	·00	·00	·00	·17	16
17	·00	·00	·00	·11	·35	·47	·17	·00	·13	·05	·00	·00	17
18	·07	·08	·00	·07	·30	·00	·50	·00	·70	·00	·00	·00	18
19	·08	·10	·10	·00	·33	·23	·00	·00	·00	·00	·00	·00	19
20	·00	[illegible]	·03	·00	·50	·10	·00	·06	·10	·00	·03	·00	20
21	·00	[illegible]	·05	·00	·10	·16	·00	·08	·00	·00	·00	·00	21
22	·00	·00	·10	·00	·11	·00	·00	·03	·04	·09	·00	·00	22
23	·00	·06	·00	·00	·00	·00	·00	·14	·00	·02	·00	·02	23
24	·00	·00	·00	·00	·00	·50	·00	·00	·00	·27	·03	·00	24
25	·00	·01	·00	·00	·00	·00	·00	·00	·00	·00	·03	·00	25
26	·00	·00	·06	·00	·00	·00	·00	·23	·18	·00	·06	·00	26
27	·00	·06	·02	·00	·00	·42	·97	·59	·00	·03	·00	·00	27
28	·00	·00	·08	·00	·00	·21	·00	·37	·00	·00	·00	·10	28
29	·00	·00	[illegible]	·00	·00	·11	·06	·04	·00	·28	·28	·18	29
30	·00		·00	[illegible]	·00	·00	·20	·29	·00	·02	[illegible]	·00	30
31	·00		·01		·00		·02	·11		·00		·04	31
Total	1·68	·56	1·06	·97	2·72	2·61	2·39	5·38	1·39	3·00	1·02	·83	YEAR'S TOTAL 23·61
Rain Days.	15	7	13	10	8	10	9	23	8	17	14	8	142

1·57

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
7. 1. 19

Kept at Loughborough Sewage Farm
in the County of Leicester
by Loughborough Corporation

Lat. 52° 47′ N Long. 1° 12′ 30″ W
Time of Observation 9 am.
Nearest Railway Station Midland (1 mile)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.05	.03	.09	.00	.00	.00	.00	.07	.04	.17	.00	1
2	.00	.06	.00	.12	.00	.00	.00	.51	.06	.00	.00	.27	2
3	.00	.02	.00	.00	.65	.00	.00	.14	.10	.00	.29	.04	3
4	.00	.01	.07	.00	.00	.00	.04	.06	.72	.07	.51	.10	4
5	.00	.00	.00	.00	.12	.00	.00	.00	.09	.14	.00	.00	5
6	.00	.04	.00	.30	.00	.02	.00	.00	.06	.11	.00	.00	6
7	.05	.06	.00	.15	.00	.00	.00	.00	.07	.02	.10	.00	7
8	.00	.05	.12	.05	.00	.00	.00	.00	.06	.03	.00	.03	8
9	.00	.47	.00	.11	.00	.00	.20	.00	.37	.13	.00	.03	9
10	.03	.00	.00	.05	.00	.00	.23	.00	.07	.10	.00	.01	10
11	.05	.07	.01	.00	.13	.00	.13	.00	.11	.00	.00	.07	11
12	.00	.15	.00	.03	.13	.00	.15	.00	.15	.00	.00	.05	12
13	.00	.00	.00	.00	.00	.00	.00	.00	.20	.00	.00	.00	13
14	.30	.00	.00	.00	.00	.00	.11	.00	.08	.06	.00	.10	14
15	.55	.00	.00	.20	.00	.05	.20	.00	.25	.00	.00	.18	15
16	.00	.00	.00	.10	.00	.00	.10	.00	.18	.00	.00	.04	16
17	.22	.00	.00	.00	.00	.06	.20	.00	.06	.07	.00	.14	17
18	.37	.00	.00	.00	.00	.05	.26	.00	.35	.00	.00	.33	18
19	.04	.00	.05	.14	.00	.02	.02	.00	.00	.08	.00	.10	19
20	.05	.05	.00	.22	.00	.00	.04	.00	.08	.00	.00	.00	20
21	.09	.03	.00	.07	.21	.03	.01	.00	.42	.15	.00	.03	21
22	.04	.00	.00	.00	.12	.00	.01	.00	.05	.12	.00	.30	22
23	.11	.00	.00	.02	.34	.00	.04	.00	.07	.00	.00	.00	23
24	.00	.12	.00	.00	.00	.00	.06	.00	.06	.04	.01	.03	24
25	.00	.04	.00	.00	.00	.05	.10	.16	.00	.05	.08	.02	25
26	.00	.00	.00	.00	.00	.00	.00	.09	.07	.00	.00	.02	26
27	.00	.03	.00	.00	.00	.00	.00	.22	.31	.00	.07	.13	27
28	.00	.13	.28	.00	.00	.00	.00	.00	.01	.00	.23	.24	28
29	.00		.00	.00	.00	.00	.00	.00	.53	.00	.00	.02	29
30	.00		.30	.00	.00	.00	.00	.00	.04	.00	.10	.06	30
31	.00		.00		.00		.00	.02		.00		.00	31
Total	1.90	1.38	.86	1.65	1.70	.28	1.90	1.20	4.64	1.21	1.56	2.34	YEAR'S TOTAL 20.62
Rain Days.	12	16	7	14	7	7	17	7	28	15	9	23	162

C H Walden. Am I.C.E.

W. 6,500, VII. 18. W W C

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

5 JAN 20

Kept at Loughborough Sewage Farm
in the County of Leicester
by Loughborough Corporation

Lat. 52° 47' N Long. 1° 12' 30" W
Time of Observation 9 am.
Nearest Railway Station Midland (1 mile)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. [illegible] in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·09	·03	·00	·23	·00	·20	·00	·00	·10	·10	·32	1
2	·12	·03	·02	·00	·00	·00	·24	·12	·26	[illegible]	·26	·04	2
3	·78	·00	·00	·00	·00	·00	·16	·00	·06	·00	·25	·09	3
4	·03	·00	·36	·00	·00	·11	·00	·23	·06	·00	·00	·22	4
5	·09	·10	·00	·00	·00	·00	·00	·00	·22	·00	·03	·11	5
6	·02	·00	·06	·00	·70	·00	·00	·00	·00	·00	·00	·00	6
7	·00	·00	·31	·00	·00	·00	·00	·00	·00	·00	·00	·02	7
8	·14	·00	·00	·08	·00	·00	·00	·00	·00	·00	·00	·00	8
9	·00	·00	·02	·06	·00	·00	·00	[illegible]	·00	·00	·00	·00	9
10	·00	·00	·30	·00	·00	·00	·00	·00	·00	·00	·00	·09	10
11	·05	·00	·90	·00	·00	·00	·40	·00	·00	·00	·00	·00	11
12	·00	·00	·17	·00	·00	·18	·00	·00	·02	·00	·00	·00	12
13	·26	·00	·00	·21	·00	·00	·02	·00	·20	·00	·00	·00	13
14	·30	·00	·00	·25	·00	·00	·00	·00	·23	·00	·11	·00	14
15	·27	·00	~~·00~~ ·03	·04	·00	·00	·00	·00	·00	·00	·00	·70	15
16	·11	·05	·00	·04	·00	·00	·00	·00	·00	·00	·25	·00	16
17	·03	·36	·00	·05	·00	·00	·00	·00	·00	·00	·26	·00	17
18	·00	·00	·26	·00	·00	·00	·20	·40	·00	·00	·00	·22	18
19	·04	·20	1·00	·00	·00	·12	1·40	·38	·11	·00	·15	·00	19
20	·36	·04	·15	·00	·00	·00	·60	[illegible]	·00	·00	·15	·04	20
21	·10	·44	·03	·00	·00	·00	·30	·00	·00	·00	·05	·31	21
22	·00	·10	·03	·00	·00	·00	·00	·00	·25	·00	·00	·60	22
23	·00	·00	·00	·03	·00	·00	·00	·00	·00	·35	·00	·00	23
24	·00	·00	·00	[illegible]	·07	·00	·10	·00	·00	·25	·04	·40	24
25	·08	·00	·00	[illegible]	·37	·00	·00	·46	·00	·00	·11	·13	25
26	·00	·00	·30	·07	·00	·00	·00	·00	·07	·00	·00	·24	26
27	·21	·00	·00	·22	·00	·00	·00	·00	·00	·00	·00	·04	27
28	·09	·00	·00	·07	·00	·00	·00	·80	·00	·04	·03	·39	28
29	·00		·00	·01	·00	·00	·00	·08	·00	·44	·20	·10	29
30	·03		·03	·17	·00	·20	·00	·00	·00	·05	·05	·30	30
31	·03		·00		·00		·05	·00		·05		·01	31
TOTAL	3·52	1·41	4·00	1·46	1·37	·61	3·45	2·66	1·38	2·04	2·04	4·17	YEAR'S TOTAL 28·11
Days with ·01 in. or more	21	9	17	15	4	4	9	8	10	9	15	[illegible]	141

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W (WD) 2203

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Sewage Farm, Loughborough

in the County of Leicester.

by Loughborough Corporation

Lat. 52° 47' N Long. 1° 12' 30" W

Time of Observation 9 a.m.

Nearest Railway Station Midland (1 mile)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1' ft. in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·30	·22		·10			·25		·16	1
2				·21			·30			·15		·06	2
3	·01	·07		·06			1·01		·16	·11			3
4	·03	·01		·15			·22	·31		·35			4
5					·30		·25	·11		·34			5
6	·02		·11	·06	·04		·05		·04	·04		·05	6
7			·07	·07	·10		·04						7
8	·05	·08		·62	·10		·10						8
9	·35	·04		·31				·05					9
10	·30	·16	·05	·05			(·02)						10
11	·14		·02	·09	·26	·23							11
12			·02	·10		·30		·13			·07	·11	12
13	·05	·19	·06	·70								·05	13
14		·04	·65	·18			·10		·22		·13		14
15		·08	·42	·20								·04	15
16				·02	·07					·16			16
17				·01	·19		·02		·46	·02			17
18	·15			·08			·07	·08	·28				18
19	·05	·91		·42		·16		·13					19
20	·04	·14		·11		·20			·05				20
21	·01			·07			·32						21
22				·22			·12	·14					22
23		·02					·10					·40	23
24			·11										24
25			·05	·07			·47						25
26			·10	·04			·03						26
27					·05	·26	·06				·37	·47	27
28			·07	·11	·02		·03				·07	·09	28
29			·15			·09	·09				·10	·03	29
30		X		·20			·03		·10		·21	·29	30
31		X		X		X			X		X	·10	31
TOTAL	1·20	1·74	1·88	4·39	1·35	1·24	3·53 ✓	0·95	1·31	1·42	0·95	1·85	YEAR'S TOTAL 21·81 ✓
Days with ·01 in. or more	12	11	13	25	10	6	21 ✓	7	7	8	6	12	~~138~~ ✓
Days with ·04 in. or more	8	9	11	22	9	6	16 ✓	7	7	7	6	11	119 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

30 JAN 1912

REC ... 911

LEICESTER.

NEW HARCOURT.

1911-1912

Kept at Newton H ... 6" Long. 1° 13' 17" W.
... y Station Gt. Glen Mid.
in the County of Leic ... vation 9. a. m.
... 5 in.
by Hon. T. F. Fre ... bove Ground 1 ft. 0 in.
Sea Level 352 ft.
By level from beach mark.

NOTE.—Full instructions respecting ... the British Rainfall Organization are given in "Rules for Rainfall Observ ... post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·04	·00	·00	·00	·00	·19	·00	·00	·06	·00	1
2	·05	·00	·00	·00	·25	·00	·00	·00	·00	·09	·00	·04	2
3	·00	·00	·00	·00	·20	·00	·00	·00	·00	·00	·00	·00	3
4	·00	·10	·11	·19	·00	·00	·00	·00	·00	·00	·10	·25	4
5	·00	·00	·00	·08	·00	·00	·00	·11	·00	·00	·02	·00	5
6	·28	·00	·00	·04	·00	·00	·00	·00	·00	·00	·00	·33	6
7	·00	·00	·00	·04	·00	·00	·00	·00	·00	·23	·23	·00	7
8	·11	·00	·14	·00	·00	·00	·00	·00	·00	·00	·00	·14	8
9	·09	·00	·00	·00	·00	·00	·00	·00	·00	·00	·17	·06	9
10	·00	·00	·18	·00	·00	·00	·00	·00	·00	·00	·00	·22	10
11	·26	·00	·00	·00	·00	·00	·00	·09	·00	·00	·30	·00	11
12	·00	·00	·43	·00	·00	·00	·00	·00	·25	·00	·15	·00	12
13	·00	·08	·00	·00	·00	·00	·00	·00	·15	·00	·00	·50	13
14	·00	·00	·08	·00	·09	·00	·00	·00	·00	·00	·05	·40	14
15	·00	·10	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	15
16	·00	·00	·00	·00	·00	·08	·00	·00	·00	·00	·17	·15	16
17	·00	·00	·00	·00	·00	·00	·00	·00	·00	·04	·04	·18	17
18	·00	·24	·00	·00	·00	·23	·11	·00	·00	·00	·00	·00	18
19	·00	·00	·00	·00	·00	·16	·00	·00	·06	·00	·40	·19	19
20	·00	·05	·00	·00	·00	·00	·00	·95	·10	·05	·00	·42	20
21	·00	·20	·10	·00	·00	·00	·00	·26	·07	·19	·00	·07	21
22	·00	·00	·04	·00	·00	·08	·00	·02	·00	·25	·00	·34	22
23	·00	·11	·00	·00	·00	·30	·00	·00	29	·00	·00	·15	23
24	·00	·00	24	·03	·00	·52	·00	·00	·00	·71	·00	·10	24
25	·00	·12	·00	·13	·95	·12	·00	·00	·00	·00	·00	·00	25
26	·00	·00	·00	·20	37	·00	·00	·00	·00	·17	·21	·20	26
27	·00	·16	·17	·08	·00	·00	·00	·32	·21	·00	·00	·04	27
28	·00	·16	·00	·20	·00	·18	·00	·00	·00	·00	·09	·00	28
29	·00	–	·00	·00	·00	·15	·00	·00	·19	·15	·00	·06	29
30	·00	–	·00	·00	·00	·00	·00	·00	·00	·10	·00	·00	30
31	·00	–	·00	–	·00	–	·00	·00	–	·03	–	·00	31
Totals	·79	1·32	1·53	·99	1·86	1·82	·11	1·94	1·32	2·01	1·99	3·84	1952
Total from Jan. 1	·79	2·11	3·64	4·63	6·49	8·31	8·42	10·36	11·68	13·69	15·68	19·52	
	5	10	10	9	5	9	1	7	8	11	13	19	107

K/1000/5/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

FORM A.
BRITISH RAINFALL.

30 JAN 1912

REC 11

Kept at Newton Harcourt.

in the County of Leicestershire 4

by Hon. T. F. Fremantle

6" Long. 1°13'17"

Nearest Railway Station Gt. Glen Mid.

RAIN GAUGE. Time of Observation 9. a.m.

Diameter 5 in.

Height of top above Ground 1 ft. 0 in.

" " Sea Level 352 ft. By level from bench mark.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·04	·00	·00	·00	·00	·19	·00	·00	·06	·00	1
2	·05	·00	·00	·00	·25	·00	·00	·00	·00	·09	·00	·04	2
3	·00	·00	·00	·00	·20	·00	·00	·00	·00	·00	·00	·00	3
4	·00	·10	·11	·19	·00	·00	·00	·00	·00	·00	·10	·25	4
5	·00	·00	·00	·08	·00	·00	·00	·11	·00	·00	·02	·00	5
6	·28	·00	·00	·04	·00	·00	·00	·00	·00	·00	·00	·33	6
7	·00	·00	·00	·04	·00	·00	·00	·00	·00	·23	·23	·00	7
8	·11	·00	·14	·00	·00	·00	·00	·00	·00	·00	·00	·14	8
9	·09	·00	·00	·00	·00	·00	·00	·00	·00	·00	·17	·06	9
10	·00	·00	·18	·00	·00	·00	·00	·00	·00	·00	·00	·22	10
11	·26	·00	·00	·00	·00	·00	·00	·09	·00	·00	·30	·00	11
12	·00	·00	·43	·00	·00	·00	·00	·00	·25	·00	·15	·00	12
13	·00	·08	·00	·00	·00	·00	·00	·00	·15	·00	·00	·50	13
14	·00	·00	·08	·00	·09	·00	·00	·00	·00	·00	·05	·40	14
15	·00	·10	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	15
16	·00	·00	·00	·00	·00	·08	·00	·00	·00	·00	·17	·15	16
17	·00	·00	·00	·00	·00	·00	·00	·00	·00	·04	·04	·18	17
18	·00	·24	·00	·00	·00	·23	·11	·00	·00	·00	·00	·00	18
19	·00	·00	·00	·00	·00	·16	·00	·00	·06	·00	·40	·19	19
20	·00	·05	·00	·00	·00	·00	·00	·95	·10	·05	·00	·42	20
21	·00	·20	·10	·00	·00	·00	·00	·26	·07	·19	·00	·07	21
22	·00	·00	·04	·00	·00	·08	·00	·02	·00	·25	·00	·34	22
23	·00	·11	·00	·00	·00	·30	·00	·00	·29	·00	·00	·15	23
24	·00	·00	·24	·03	·00	·52	·00	·00	·00	·71	·00	·10	24
25	·00	·12	·00	·13	·95	·12	·00	·00	·00	·00	·00	·00	25
26	·00	·00	·00	·20	·37	·00	·00	·00	·00	·17	·21	·20	26
27	·00	·16	·17	·08	·00	·00	·00	·32	·21	·00	·00	·04	27
28	·00	·16	·00	·20	·00	·18	·00	·00	·00	·00	·09	·00	28
29	·00	-	·00	·00	·00	·15	·00	·00	·19	·15	·00	·06	29
30	·00	-	·00	·00	·00	·00	·00	·00	·00	·10	·00	·00	30
31	·00	-	·00	-	·00	-	·00	·00	-	·03	-	·00	31
Totals	·79	1·32	1·53	·99	1·86	1·82	·11	1·94	1·32	2·01	1·99	3·84	1952
Total from Jan. 1	·79	2·11	3·64	4·63	6·49	8·31	8·42	10·36	11·68	13·69	15·68	19·52	

5 10 10 9 5 9 1 7 8 11 13 19 107

K/1000/5/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

EXML

Form A.
British Rainfall.

22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Newton Harcourt

in the County of Leicester 4

by Hon. T. F. Fremantle.

Lat. 52° 34' 6" Long. 1° 13' 17"

Nearest Railway Station Gt. Glen Mid

Rain Gauge.
Time of Observation 9 a. m.
Diameter 5 in.
Height of top above Ground 1 ft. 0 in.
" " Sea Level 352 ft. By level from bench mark

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·00	·00	·00	·15	·00	·03	·09	·00	·00	·23	1
2	·00	·00	·00	·00	·00	·35	·60	·00	·00	·00	·00	·07	2
3	·00	·00	·00	·00	·02	·20	·02	·47	·03	·00	·00	·00	3
4	·12	·00	·00	·00	·07	·50	·00	·10	·04	·00	·39	·04	4
5	·08	·00	·62	·00	·00	·12	·00	·21	·00	·00	·05	·00	5
6	·34	·20	·50	·00	·04	·02	·06	·30	·00	·00	·00	·04	6
7	·00	·00	·00	·00	·00	·19	·00	·02	·00	·00	·00	·00	7
8	·26	·30	·17	·00	·00	·02	·06	·00	·12	·00	·00	·00	8
9	·00	·00	·20	·00	·00	·04	·00	·05	·00	·00	·00	·25	9
10	·00	·00	·00	·00	·00	·00	·00	·32	·03	·00	·12	·00	10
11	·12	·15	·00	·00	·00	·07	·00	·06	·00	·00	·04	·33	11
12	·00	·20	·06	·00	·17	·02	·05	·00	·00	·00	·04	·00	12
13	·05	·06	·00	·00	·00	·03	·00	·00	·00	·00	·06	·00	13
14	·06	·00	·40	·00	·00	·09	·00	·03	·00	·00	·00	·00	14
15	·02	·00	·14	·00	·23	·17	·00	·00	·00	·00	·00	·14	15
16	·40	·00	·19	·00	·03	·01	·00	·10	·00	·08	·00	·00	16
17	·50	·00	·05	·00	·00	·18	·00	·17	·00	·00	·08	·35	17
18	·25	·00	·09	·00	·00	·00	·00	·14	·00	·00	·03	·03	18
19	·25	·00	·00	·00	·00	·00	·24	·22	·00	·00	·00	·00	19
20	·06	·05	·38	·00	·00	·00	·40	·33	·00	·20	·03	·00	20
21	·04	·00	·37	·00	·43	·00	·00	·50	·00	·20	·00	·00	21
22	·10	·00	·00	·00	·65	·00	1·35	·36	·00	·01	·00	·09	22
23	·15	·23	·21	·00	·00	·00	·53	·45	·00	·00	·00	·52	23
24	·07	·00	·00	·00	·00	·49	·15	·13	·00	·00	·00	·15	24
25	·10	·00	·00	·00	·00	·55	·00	·24	·00	·00	·27	·28	25
26	·00	·00	·00	·00	·00	·00	·62	1·15	·00	·56	·22	·27	26
27	·00	·00	·00	·00	·00	·21	·11	·00	·00	·52	·00	·17	27
28	·00	·00	·00	·00	·00	·02	·11	·40	·00	·26	·18	·46	28
29	·04	·00	·00	·00	·00	·09	·26	·02	·75	·10	·00	·00	29
30	·00		·00	·00	·20	·00	·00	·00	·03	·13	·00	·00	30
31	·00		·15		·05		·65	·14	–	·00	–	·04	31 ✓
Totals	3.01	1.19	3.53	·00	1.89	3.50	5.21	5.94	1.09	2.06	1.51	3.46	32.39
Total from Jan. 1	19	7	14	0	10	20	15	24	7	9	12	17	154

K/1000/5/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

LEICESTER.

MARKFIELD

ULVERCROFT.

1911 - 1912

RE… 1911

FORM A.
BRITISH RAINFALL.
9 JAN 1912

Kept at Ulvers… ULV…

…ong.

…tion Bardon Hill

in the County of Lei…

9

…uge ______ in.

by Capt Lilli…

…ge above Ground ______ ft. ______ in.

" Sea Level ______ ft.

NOTE.—Rain should be measu… …y. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·09	—	—		·16	—	—	—	·02	—	1
2	·06	—	—	—	·17	—	—	·18	—	—	—	·03	2
3	—	·02	—	—	·16	—	—	·21	—	·08	—	·11	3
4	·03	·01	·14	·08	—	—	—	—	·02	·35	·18	—	4
5	·01	—	·01	—	—	—	—	—	—	—	—	—	5
6	·20	—	·01	·01	—	—	—	—	—	·57	·03	·39	6
7	·02	·02	—	—	—	—	—	—	—	·07	·16	·44	7
8	·10	—	·22	—	—	—	—	—	—	—	—	·04	8
9	·05	—	·01	—	—	·02	—	—	—	—	·14	·50	9
10	·03	·08	·28	·01	—	—	—	·16	—	—	—	·01	10
11	·23	—	—	—	—	—	—	·08	—	—	·44	·45	11
12	—	—	·35	—	—	—	—	—	·23	—	·23	·36	12
13	·01	—	·10	—	—	—	—	—	·13	—	—	—	13
14	—	·08	·01	—	—	—	—	—	—	·04	·03	·06	14
15	—	·10	·19	—	—	—	·04	—	—	·07	·09	·22	15
16	·01	—	·03	—	—	·02	—	—	—	·03	·10	—	16
17	—	—	—	—	—	·08	—	—	—	·01	·11	—	17
18	—	·15	—	—	—	·02	—	—	—	—	·17	·15	18
19	—	·01	—	·03	·02	·23	—	—	·17	·10	·37	·06	19
20	·01	·07	—	—	—	—	—	·02	·10	·05	—	·45	20
21	—	·49	·08	—	—	·01	—	·25	—	·20	·02	·07	21
22	—	—	·06	·06	—	·02	—	·02	—	·24	·03	·43	22
23	—	·06	·29	—	—	·37	—	—	·52	·04	—	·10	23
24	·01	·09	—	·06	—	·75	·05	·01	—	·34	—	·06	24
25	—	·11	·02	·15	—	·08	—	·07	·01	·01	·01	·08	25
26	—	—	—	·23	·57	·11	—	[illegible]	—	·20	·20	·31	26
27	—	·28	·10	·17	—	—	—	—	·25	·02	·07	·09	27
28	·01	·29	—	·31	—	·31	—	—	·05	—	·18	—	28
29	—		—	·01	·05	·16	·10	—	·25	·23	—	—	29
30	—		·01	—	—	·06	—	—	·01	—	—	·02	30
31	—		·02		·03		—	—		·05		·01	31
Total	·78	1·86	2·0·2	1·1·2	1·0·0	2·2·4	·3·5	2·8·0	1·7·4	2·70	2·5·8	4·4·4	TOTAL for year 23.63
No. of Rain Days	14	15	19	11	6	14	4	10	11	19	19	23	165

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

RE 1911

FORM A.
BRITISH RAINFALL.
9 JAN 1912

ULVE

Kept at Ulverscroft

in the County of Leicester 4

by Capt Lillingston

Lat. Long.

Nearest Railway Station Bardon Hill

Time of Observation 9

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·09	—	—		·16	—	—	—	·02	—	1
2	·06	—	—	—	·17	—	—	·18	—	—	—	·03	2
3	—	·02	—	—	·16	—	—	·21	—	·08	—	·11	3
4	·03	·01	·14	·08	—	—	—	—	·02	·35	·18	—	4
5	·01	—	·01	—	—	—	—	—	—	—	—	—	5
6	·20	—	·01	·01	—	—	—	—	—	·57	·03	·39	6
7	·02	·02	—	—	—	—	—	—	—	·07	·16	·44	7
8	·10	—	·22	—	—	—	—	—	—	—	—	·04	8
9	·05	—	·01	—	—	·02	—	—	—	—	·14	·50	9
10	·03	·08	·28	·01	—	—	—	·15	—	—	—	·01	10
11	·23	—	—	—	—	—	—	·08	—	—	[illegible]	·45	11
12	—	—	·35	—	—	—	—	—	·23	—	·23	·36	12
13	·01	—	·10	—	—	—	—	—	·13	—	—	—	13
14	—	·08	·01	—	—	—	—	—	—	·04	·03	·06	14
15	—	·10	·19	—	—	—	·04	—	—	·07	·09	·22	15
16	·01	—	·03	—	—	·02	—	—	—	·03	·10	—	16
17	—	—	—	—	—	·08	—	—	—	·01	·11	—	17
18	—	·15	—	—	—	·02	—	—	—	—	·17	[illegible]	18
19	—	·01	—	·03	·02	·23	—	—	·17	·10	·37	·06	19
20	·01	·07	—	—	—	—	—	·02	·10	·05	—	·45	20
21	—	·49	[illegible]	—	—	·01	—	·25	—	·20	·02	·07	21
22	—	—	·06	·06	—	·02	—	·02	—	·24	·03	·43	22
23	—	·06	·29	—	—	·37	—	—	·52	·04	—	·10	23
24	·01	·09	—	·06	—	·75	·05	·01	—	·34	—	·06	24
25	—	·11	·02	·15	—	·08	—	·07	·01	·01	·01	·08	25
26	—	—	—	·23	·57	·11	—	[illegible]	—	·20	·20	·31	26
27	—	·28	·10	·17	—	—	—	—	·25	·02	·07	·09	27
28	·01	·29	—	[illegible]	—	·31	—	—	·05	—	·48	—	28
29	—		—	·01	·05	·16	·10	—	·25	·23	—	—	29
30	—		·01	—	—	·06	—	—	·01	—	—	·02	30
31	—		·02		·03		—	—		·05		·01	31
Total	·78	1·86	2·0·2	1·1·2	1·0·0	2·2·4	·3·5	2·8·0	1·7·4	2·70	2·5·8	4·4·4	TOTAL for year 23.63
No. of Rain Days	14	15	19	11	6	14	4	10	11	19	19	23	165

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

made

Total cor. for auth. 6. VI. 13. W 7

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
27 MAY 1913

Kept at Ulverscroft.
in the County of Leicester 4
by Capt Lillingston

Lat. Long.
Nearest Railway Station as before
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	. .	. .	·04	. .	. .	·36	·03	·03	·08	. .	. .	·15	1
2	. .	. .	·10	·04	. .	·82	·46	. .	·06	·01	. .	·06	2
3	·11	·02	·02	. .	. .	·11	·14	·64	·04	. .	. .	·08	3
4	·16	. .	·38	·01	·14	·50	. .	·29	. .	. .	·38	. .	4
5	·05	·01	·21	·01	·08	·18	. .	·08	·08	. .	·02	·02	5
6	·48	·10	. .	. .	. .	·02	. .	·28	. .	·01	·01	·11	6
7	·10	·06	. .	. .	. .	·12	. .	·05	. .	. .	. .	. .	7
8	·16	·23	·22	·06	. .	. .	·13	·05	·12	. .	. .	·02	8
9	·04	·02	·01	·14	·06	·20	. .	·32	. .	. .	. .	·33	9
10	. .	. .	·01	. .	. .	·04	. .	·24	·02	. .	·22	·49	10
11	·10	·10	·04	. .	. .	·15	·07	·04	. .	. .	·03	. .	11
12	·06	·37	·09	. .	·01	·01	. .	. .	. .	. .	·01	. .	12
13	. .	·08	. .	. .	. .	. .	. .	. .	. .	·08	·05	. .	13
14	·17	. .	·38	. .	. .	·10	. .	·05	. .	. .	. .	. .	14
15	·12	·08	·10	. .	·25	·23	. .	·04	. .	. .	·01	·13	15
16	·36	. .	·12	. .	·06	·03	. .	. .	. .	·26	. .	. .	16
17	·98	. .	·16	. .	. .	·34	·03	·37	. .	. .	·07	·55	17
18	·49	. .	·13	. .	. .	·01	. .	·18	. .	·06	. .	·03	18
19	·31	·09	. .	. .	·02	. .	·37	·41	. .	·05	·02	. .	19
20	·16	. .	·06	. .	. .	. .	·35	·09	. .	·24	·02	·01	20
21	. .	·01	·48	. .	·73	. .	·03	·26	. .	·35	. .	. .	21
22	·14	·07	·01	. .	·61	. .	·56	·40	. .	. .	·14	·20	22
23	·15	·03	·21	. .	. .	·04	·20	·71	. .	. .	. .	·05	23
24	·13	·02	·09	. .	. .	·16	·27	·11	. .	. .	. .	·18	24
25	. .	. .	. .	. .	. .	·42	. .	·24	. .	. .	·22	·41	25
26	. .	·11	·06	. .	. .	·01	·22	1·37	. .	·64	·24	·18	26
27	. .	. .	·02	. .	. .	·13	·03	·01	. .	·74	. .	·19	27
28	. .	·01	. .	. .	. .	·12	·08	·46	·03	·23	·23	·31	28
29	. .	·03	·01	. .	. .	·08	·14	. .	·98	·20	. .	·11	29
30	·06		. .	. .	·19	. .	. .	·01	. .	·13	. .	. .	30
31	. .		·08		·16		·66	·11		·01		·13	31
Total	4·33	1·44	3·03	·26	2·31	4·18	3·77	6·84	1·41	3·01	1·67	3·74	TOTAL for year 35·99 [illegible]·99
No. of Rain Days	20	18	24	5	11	23	17	26	8	14	15	21	35·89

4,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

202

Price 2d.

LEICESTER

QUORN

GRAMMAR SCHOOL.

1916

REGI 16

FORM A.
BRITISH RAINFALL.

3. MAR 1917

Kept at Quorn Gra

in the County of Leic

by C. E. Pe

ong.

9. A.M.

on Quorn + Woodhouse. (E.C)

Rain Gauge 5' in.

above Ground 0 ft. in.

„ Sea Level 100 – 200 ft.

IMPORTANT NOTI and the result entered to the previous day. If an Obs universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					–	·03	–			–			1
2					·2	–	·23			·44			2
3							·01			·11			3
4					·16	·08	–			·04			4
5					·04	·06	–			·07			5
6					·10	–	·20			–	·37		6
7					–	–	·13				·06		7
8					–	–	–						8
9					·30	·10	–			·20	·01		9
10					–	–	·04			–	–		10
11					–	–	–			–	–		11
12					·83	–	·01			·02	–		12
13						–	–			–	–		13
14					·02	·15	–			–	–		14
15					–	–	–			–	–		15
16					–	–	–			·06	–		16
17					–	–	·21			·09	–		17
18					–	–	–			–			18
19					–	–	–			–			19
20					–	–	–			–	·59		20
21					·08	–	–			–	–		21
22					–	–	–			–			22
23					–	–	–			–	·02		23
24					·04	–	–			·04	–		24
25					–	–	–				–		25
26					–	·01	–				–		26
27					–	–	·03				–		27
28					–	·50	–				–		28
29					·01	·13	–				–		29
30		X			–	·05	–				–		30
31		X		X	–	X	–		X	·76	X		31
Total					1·60	1·11	·86			1·83	1·05		YEAR'S TOTAL
Rain Days.					–		·86						

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
3. MAR 1917

REGI 16

ong.

Kept at Quorn Grammar School

in the County of Leicestershire

by C. E. Pearson

Time of Observation 9 A.M.

Nearest Railway Station Quorn + Woodhouse (G.C)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 0 ft. in.

" " " " Sea Level 100 – 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					–	·03	–			–			1
2					·2	–	·23			·44			2
3							·01			·11			3
4					·16	·08	–			·04			4
5					·04	·06	–			·07			5
6					·10	–	·20			–	·37		6
7					–	–	·13				·06		7
8					–	–	–						8
9					·30	·10	–			·20	·01		9
10					–	–	·04			–	–		10
11					–	–	–			–	–		11
12					·83	–	·01			·02	–		12
13						–	–			–	–		13
14					·02	·15	–			–	–		14
15					–	–	–			–	–		15
16					–	–	–			·06	–		16
17					–	–	·21			·09	–		17
18					–	–	–			–			18
19					–	–	–			–			19
20					–	–	–			–	·59		20
21					·08	–	–			–	–		21
22					–	–	–			–			22
23					–	–	–			–	·02		23
24					·04	–	–			·04	–		24
25					–	–	–				–		25
26					–	·01	–				–		26
27					–	–	·03				–		27
28					–	·50	–				–		28
29					·01	·13	–				–		29
30		X			–	·05	–				–		30
31		X		X	–	X	–		X	·76	X		31
Total					1·60	1·11	·86 ·86			1·83	1·05		YEAR'S TOTAL
Rain Days.					–								

W. 8,000, VIII. 16

LEICESTER

DE MONTFORT ST.

LEICESTERSHIRE

1912 – 1917

FORM A2.
BRITISH RAINFALL.
7 - JAN 1913

REG

Kept at Priory Lodge.
in the County of Leices
by Bernard Stra

ns
in.
ound 1 ft. 0 in.
Level 190 ft.
n
ne Midland Sta
tance ½ mile Direction NE

IMPORTANT NOTE. he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01 in

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·03	·01	·04	–	·20	–	–	·06	–	–	·25	1
2	–	–	·02	·02	·03	·95	·48	–	·01	–	–	·04	2
3	·08	–	·04	–	–	·07	·03	·44	·03	–	–	·04	3
4	·10	–	·38	–	·11	·54	–	·08	–	–	·37	–	4
5	·04	–	·32	–	–	·14	–	·14	·08	–	·06	·02	5
6	·48	·13	–	–	·03	·01	·01	·29	–	–	–	~~·02~~	6
7	–	·01	–	–	–	·20	–	·03	–	–	–	·01	7
8	·26	·23	·20	·02	·01	–	·09	·02	·09	–	–	·01	8
9	–	–	·04	·10	·16	·21	–	–	–	–	–	·31	9
10	–	–	–	–	–	–	–	·36	·01	–	·14	–	10
11	·12	·12	–	–	–	·09	–	·05	–	–	·04	·43	11
12	·05	·27	·10	–	·14	–	–	–	–	–	·07	–	12
13	–	·01	–	–	–	–	–	–	–	·01	·09	–	13
14	·15	–	·31	–	·04	·04	–	–	–	–	–	–	14
15	·10	·04	·11	–	·20	·16	–	–	–	–	·01	·16	15
16	·43	–	·09	–	·01	–	–	·11	–	·11	–	–	16
17	·44	–	·01	–	–	·24	·03	·18	–	–	·07	·46	17
18	·24	–	·16	–	–	–	–	·15	–	·01	·03	·04	18
19	·30	·05	–	–	–	–	·20	·19	–	·01	·01	–	19
20	·07	–	·25	–	·01	–	·25	·20	·01	·22	–	–	20
21	–	–	·46	–	·46	–	–	·43	–	·23	·01	–	21
22	·11	·06	–	–	1·27	–	·55	·36	–	–	–	·12	22
23	·11	~~·13~~ ·13	·23	–	–	·05	·46	·39	–	–	·10	·28	23
24	·18	–	·01	–	–	·15	·51	·15	–	–	–	·12	24
25	–	–	–	–	–	·51	–	·32	–	–	·21	·30	25
26	–	·02	·03	–	–	·01	·70	1·15	–	·47	·33	·22	26
27	–	–	–	–	·02	·26	·03	·01	–	·49	–	·16	27
28	–	–	–	–	–	·04	·25	·37	·02	·19	·25	·37	28
29	–	·04	–	–	–	·08	·36	–	·53	·15	–	–	29
30	·05	–	–	–	·19	·02	·02	–	·01	·10	–	–	30
31	–		–		·11		·73	·11		–		·10	31
Total	3·31	1·14	2·77	·18	2·79	3·97	4·70	5·53	·85	1·99	1·79	3·46	TOTAL for year 32·48
No. of Rain Days	18	13	18	4	15	20	16	22	10	11	15	20	182

7,000. X. '09.

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

REG

Kept at Priory Lodge. New Walk Leicester

in the County of Leicester 4

by Bernard Stracey M.B.

RAIN GAUGE	Pattern	Symons
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 0 in.
	" " " Sea Level	190 ft.

Time of Observation 9 AM

Nearest Railway Station: Name Midland Sta; Distance ½ mile; Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01 in

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·03	·01	·04	–	·20	–	–	·06	–	–	·25	1
2	–	–	·02	·02	·03	·95	·48	–	·01	–	–	·04	2
3	·08	–	·04	–	–	·07	·03	·44	·03	–	–	·04	3
4	·10	–	·38	–	·11	·54	–	·08	–	–	·37	–	4
5	·04	–	·32	–	–	·14	–	·14	·08	–	·06	·02	5
6	·48	·13	–	–	·03	·01	·01	·29	–	–	–	·02	6
7	–	·01	–	–	–	·20	–	·03	–	–	–	·01	7
8	·26	·23	·20	·02	·01	–	·09	·02	·09	–	–	·01	8
9	–	–	·04	·10	·16	·21	–	–	–	–	–	·31	9
10	–	–	–	–	–	–	–	·36	·01	–	·14	–	10
11	·12	·12	–	–	–	·09	–	·05	–	–	·04	·43	11
12	·05	·27	·10	–	·14	–	–	–	–	–	·07	–	12
13	–	·01	–	–	–	–	–	–	–	·01	·09	–	13
14	·15	–	·31	–	·04	·04	–	–	–	–	–	–	14
15	·10	·04	·11	–	·20	·16	–	–	–	–	·01	·16	15
16	·43	–	·09	–	·01	–	–	·11	–	·11	–	–	16
17	·44	–	·01	–	–	·24	·03	·18	–	–	·07	·46	17
18	·24	–	·16	–	–	–	–	·15	–	·01	·03	·04	18
19	·30	·05	–	–	–	–	·20	·19	–	·01	·01	–	19
20	·07	–	·25	–	·01	–	·25	·20	·01	·22	–	–	20
21	–	–	·46	–	·46	–	–	·43	–	·23	·01	–	21
22	·11	·06	–	–	1·27	–	·55	·36	–	–	–	·12	22
23	·11	~~·13~~ ·13	·23	–	–	·05	·46	·39	–	–	·10	·28	23
24	·18	–	·01	–	–	·15	·51	·15	–	–	–	·12	24
25	–	–	–	–	–	·51	–	·32	–	–	·21	·30	25
26	–	·02	·03	–	–	·01	·70	1·15	–	·47	·33	·22	26
27	–	–	–	–	·02	·26	·03	·01	–	·49	–	·16	27
28	–	–	–	–	–	·04	·25	·37	·02	·19	·25	·37	28
29	–	·04	–	–	–	·08	·36	–	·53	·15	–	–	29
30	·05	–	–	–	·19	·02	·02	–	·01	·10	–	–	30
31	–		–		·11		·73	·11		–		·10	31
Total	3·31	1·14	2·77	·18	2·79	3·97	4·70	5·53	·85	1·99	1·79	3·46	TOTAL for year 32·48
No. of Rain Days	18	13	18	4	15	20	16	22	10	11	15	20	182

7,000. X. '09.

Written ✓ 15.4.14

Ex 82

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 FEB 1914

Kept at Priory Lodge. New Walk to 9th Aug.
26 De Montfort St. from 9th Aug.

4

in the County of Leicester

by Bernard Tracey M.B.

Lat. Long.

Time of Observation 9 Am

Nearest Railway Station Mid. Stn Leicester

Diameter of Rain Gauge ~~8~~ 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·05	—	—	—	—	—	1·08	—	·16	—	1
2	—	·11	—	·08	—	—	—	—	—	·05	—	—	2
3	·01	—	·20		·36	—	—	—	·03	·07	—	·02	3
4	·52	—	—		—	·01	—	—	—	·16	·09	·26	4
5	·02	—	—		—	·02	·12	—	·03	1·39	·02	—	5
6	·07	—	·03		·06	·33	·80	—	—	·06	—	·02	6
7	—	·10	—		·25	·13	—	—	—	·37	·17	·01	7
8	—	—	—		·39	·19	—	—	—	·07	—	—	8
9	—	·33	·04		·09	·36	—	·02	—	—	·11	—	9
10	·01	—	—	·09	—	—	—	·15	—	—	·28	—	10
11	1·27	—	—	·33	·06	·03	—	·03	—	·03	·28	—	11
12	—	—	—	—	·14	·01	—	—	—	·01	·46	—	12
13	·07	—	·05	·05	—	—	—	·04	·05	—	·22	—	13
14	·09	—	·71	—	—	—	—	·10	—	·09	·06	—	14
15	·07	·03	·34	·24	—	—	·02	—	·11	—	·02	—	15
16	·04	·03	·58	·14	—	—	—	—	·17	—	—	—	16
17	·04	·02	·08	·17	—	·15	·05	—	·04	—	·01	·01	17
18	·01	—	·18	·08	—	—	·04	—	—	—	—	—	18
19	·09	—	·03	—	—	—	·01	—	·07	—	—	·01	19
20	·10	—	·03	·03	—	—	—	—	·01	·19	·14	—	20
21	·03	—	—	·01	·10	—	·05	~~·13~~	—	—	·31	—	21
22	·35	—	·20	—	—	—	—	·13	·25	—	—	—	22
23	—	—	·30	—	—	·05	—	·13	·10	—	—	—	23
24	·07	—	—	·06	—	—	—	·02	—	—	—	—	24
25	—	·01	—	·08	—	·01	—	~~·08~~	·02	·01	—	—	25
26	—	·09	·16	·19	—	—	—	·08	—	·26	·03	·21	26
27	—	·01	·02	·01	·13	—	—	—	—	—	—	—	27
28	·43	—	·26	·21	—	—	—	~~·34~~	—	·10	—	·05	28
29	—		·15	·51	—	—	—	·34	—	·05	·01	·20	29
30	·31		—	—	—	—	·01	—	—	·09	·05	—	30
31	—		·03		·07		—	·02		—		—	31
Total	3·61	·73	3·44	2·28	1·65	1·29	1·10	1·06	1·96	3·00	2·42	·79	YEAR'S TOTAL 23·33
Rain Days.	20	9	19	16	10	11	8	11	12	16	17	9	158

W. 7,500, XI. ·12

Exc D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

18 JAN 1915

Kept at 26 De Montfort Street
in the County of Leicester 4
by Dr Bernard Stracey

Lat. 52° 37' Long. 1° 8' W
Time of Observation 9 AM
Nearest Railway Station 1/4 mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04 in

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·03			·31	·25			·02		1
2				·01				·26			·58	·24	2
3				·01	·12		·18	·36					3
4	·10		·05	·16	·01			·12			·40	·27	4
5	·12		·15	·30	·01	·08	·32	·03					5
6		·06		·06	·04						·10	·04	6
7		·10	·51	·06	·04		·04	·18				·06	7
8	·12			·08	·07	·74	·56	·16	·02			·01	8
9	·40	·01	·13	·27	·03	1·06		·07	·09				9
10	·10	·13		·21	·03				·08				10
11		·05	·27	·20	·06	·06			·02		·49	·30	11
12	·02		·13			·01			·25		·06	·33	12
13	·01	·13	·16						·22	·05	·10	·46	13
14	·03	·02	·15				·22			·24	·13	·35	14
15	·05		·22						·02		·11	·01	15
16	·01		·01				·21		·06				16
17	·01	·19	·08				·06		·05			·20	17
18							·13					·38	18
19		·02							·01				19
20		·12	·20				·04		·03	·01		·06	20
21		·32	·03			·01	·01			·07	·01	·35	21
22		·01			·35		·02	·05		·26		·01	22
23		·08	·10		·20	·08				·06		·05	23
24			·10		·56		·22			·37	·18		24
25	·03						·04			·36	·02	·21	25
26										·21	·13	·28	26
27	·06										·07	·11	27
28		·04	·08				·01			·07	·22	·65	28
29			·07		·04					·45	·08		29
30		X				·03				·02	·40	·25	30
31	·01	X		X		X	·26		X		X	·04	31
Total	1·07	1·28	2·48	1·39	1·56	2·07	2·63	1·48	·85	2·17	3·10	4·66	YEAR'S TOTAL 24·74
Rain Days.	14	14	18	11	13	8	16	9	11	12	17	22	165

W. 8,000. X. 14.

2611

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 26 De Montfort St: Leicester
in the County of Leicester
by B. Stracey

Lat. 52° 37" N Long. 1° - 8" W
Time of Observation 9 AM
Nearest Railway Station 1/4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07 in

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·20	·06	·17	·45	–	–	·09	·11	·01	·05	–	1
2	·05	·14	·21	·09	–	·15	–	·21	–	·13	–	·05	2
3	·27	–	·02	–	–	–	1·20	·22	·12	–	–	·17	3
4	·09	–	–	–	·03	–	·23	·10	–	–	–	·92	4
5	·03	·25	–		·24	–	·03	·02	–	–	·05	·31	5
6	·08	·17	·01	·28	–	–	·83	–	–	–	–	·06	6
7	·13	·35	–	–	–	·01	·08	·22	–	–	–	·60	7
8	·05	·06	–	·03	–	–	–	·04	–	–	·02	–	8
9	–	·12	–	–	–	–	–	–	–	–	·25	·32	9
10	·35	–	·05	–	–	–	–	–	–	–	·06	–	10
11	·04	–	–	·05	·19	–	·10	–	–	–	·51	·09	11
12	·03	–	–	·15	·34	–	·01	·39	–	·03	1·10	–	12
13	·02	·44	–	–	·61	–	–	–	–	–	–	–	13
14	–	·03	–	–	–	–	–	·14	·08	–	–	·29	14
15	·04	–	–	–	·05	–	·09	·13	–	–	·15	·07	15
16	–	·31	–	–	·03	–	1·62	–	–	–	–	–	16
17	–	·13	–	–	–	–	·05	·02	–	–	–	·01	17
18	–	·25	·40	–	–	–	·16	–	–	–	·02	–	18
19	–	·03	·05	–	·02	–	–	–	–	–	·01	–	19
20	·24	–	–	–	–	–	·15	–	–	–	–	·35	20
21	·12	·13	–	–	·01	–	–	–	–	–	·01	·11	21
22	·15	–	·12	·04	–	·05	·31	–	–	–	–	·05	22
23	·03	·07	·01	–	–	·01	1·05	–	·07	·16	–	·18	23
24	–	–	·06	·05	–	·49	·46	–	·97	·11	–	·10	24
25	–	–	·03	–	–	–	·48	–	·03	·01	·01	·25	25
26	–	·14	–	–	–	–	·03	–	·03	–	–	·26	26
27	–	·10	–	–	–	·29	·27	–	–	·45	–	·06	27
28	–	·09	·09	–	–	·06	–	·25	–	·02	–	–	28
29	–			–	–	1·57	–	·04	–	–	·22	·13	29
30	·05	X		·02		–	–	–	–	·01	·04	·08	30
31	·03	X		X		X		·04	X	·25	X	·07	31
Total	1·93	3·01	1·11	0·88	1·97	2·63	7·15	1·91	1·41	1·18	2·50	4·53	YEAR'S TOTAL 30·21
Rain Days.	19	18	12	9	10	8	18	14	7	10	14	22	161

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at 26 De Montfort St. Leicester
in the County of Leicester
by B. Stacey M.B.

Lat. 52° 37' N Long. 1° 8' W.
Time of Observation 9 A.M.
Nearest Railway Station Mid. Rly. Leic.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	—	·20	—	—	·04	·09	—	—	—	·22	—	1
2	·30	·03	·12	—	·22	·02	·20	—	·03	·39	·05	—	2
3	—	·52	—	—	—	—	·01	—	·93	·16	·05	—	3
4	·27	·05	—	—	·35	·29	—	—	—	·05	·10	—	4
5	·03	~~13~~	—	—	·05	·12	—	—	—	·11	·04	—	5
6	·02	13	·17	—	·12	—	·34	—	—	·01	·22	—	6
7	·02	—	·18	—	·02	—	·32	—	—	·08	·29	·13	7
8	—	—	·08	—	—	·17	—	—	—	—	·02	·12	8
9	—	—	·05	—	·25	·05	—	—	·01	·05	—	·01	9
10	—	·07	·06	·05	—	—	—	—	·02	—	—	·06	10
11	—	·32	·10	·13	·03	·18	—	—	·02	—	—	·02	11
12	·07	—	·09	·02	·47	·11	·03	—	—	·04	—	·01	12
13	—	·19	·12	·05	·05	—	—	·08	—	·02	—	—	13
14	—	·38	—	·10	·02	—	—	·19	—	·17	—	—	14
15	—	·24	·60	—	·01	—	·07	·21	—	·01	—	—	15
16	·03	·13	·51	·21	·04	—	·23	—	—	·01	—	—	16
17	·06	·02	—	·15	—	—	·06	·85	·11	·18	—	—	17
18	—	·11	·03	·02	—	—	—	—	·16	—	·70	·05	18
19	·07	—	·29	·02	—	—	—	—	·34	—	·41	·05	19
20	·07	—	·32	·08	—	—	—	—	—	—	·08	·07	20
21	·04	—	·18	—	·02	—	—	—	—	—	—	·42	21
22	—	·12	·03	·02	·08	·01	—	—	—	·02	—	·48	22
23	·03	·62	—	·04	—	·03	—	—	—	·06	·06	·20	23
24	—	·41	·01	·02	—	·06	—	—	—	·02	—	·17	24
25	—	·10	·12	—	—	—	—	·35	—	·05	·18	—	25
26	·03	·17	·01	—	—	·02	—	—	—	·06	·01	—	26
27	·03	·34	·80?	—	—	—	—	·16	·04	·10	—	—	27
28	—	·21	·30	—	—	—	—	·10	—	·02	—	·22	28
29	—	·08	—	—	·22	·20	—	1·27	—	·20	—	·10	29
30	—	×	—	—	·03	·06	—	·04	—	·15	—	—	30
31	—	×	—	×	·01	×	—	·05	×	·02	×	·01	31
Total	1·14	4·24	4·37	0·91	1·99	1·36	1·35	3·30	1·66	1·98	2·43	2·12	YEAR'S TOTAL 26·85
Rain Days.	15	20	22	13	17	14	9	10	9	23	14	16	182

W. 8,000, VIII. 16

8, JAN 1918
FORM A.
BRITISH RAINFALL.
2420

REGISTER OF RAINFALL IN 1917

Kept at 26 De Montfort St - Leicester
in the County of Leicester
by B. Stracey M.B.

Lat. 52°37" N Long. 1°: 8" W
Time of Observation 9 Am same even summer time
Nearest Railway Station Mid Sta.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·07	—	—	—	·93	·11	—	·01	—	1
2	·05	—	—	—	—	·10	—	·16	·17	·05	·02	—	2
3	—	·05	—	·51	—	—	—	·40	·01	22	·01	—	3
4	—	·15	·05	·02	—	—	—	·12	—	·52	—	·03	4
5	·13	—	·02	·12	—	—	—	·01	—	·13	·15	—	5
6	·02	—	—	—	—	·08	—	—	·10	·15	·06	—	6
7	·40	—	—	·20	—	—	—	·01	—	·23	·01	—	7
8	inaccurate ·30	—	—	—	—	—	·27	·90	—	·38	·05	·12	8
9	·01	—	·10	(·27)	·05	—	·01	·10	—	—	·17	—	9
10	·33	—	·26	—	·28	—	—	·02	·03	·01	·10	—	10
11	·05	—	·05	—	—	—	—	·13	—	·17	·01	—	11
12	·07	·05	—	—	·10	·25	—	·01	·02	·19	—	·02	12
13	·02	—	—	·37	—	—	—	·21	·01	—	·01	—	13
14	·08	—	—	—	—	—	—	·03	·13	—	—	·08	14
15	·01	—	—	·05	·01	—	·04	—	—	·05	—	·03	15
16	·05	·11	—	·09	—	—	—	—	—	·02	—	·17	16
17	—	—	—	·15	·29	·53	·12	·02	—	·07	—	—	17
18	·03	·01	—	·07	·26	—	·53	·07	·11	·02	—	·02	18
19	·08	·15	·20	·01	·23	·01	—	—	·80	—	—	—	19
20	·01	·16	·01	—	·57	·47	—	·04	·06	—	·07	—	20
21	—	—	·04	·01	·33	·26	—	·01	·17	·01	—	—	21
22	—	—	·05	—	—	—	—	·04	·04	·09	—	—	22
23	—	·06	—	—	·08	—	—	·16	·02	·06	—	—	23
24	—	—	—	—	—	·55	—	·02	—	·27	·03	—	24
25	—	·01	·04	—	—	·20	—	—	—	—	·04	—	25
26	—	—	—	—	—	—	—	·29	·25	·01	·13	—	26
27	—	—	·02	—	—	·47	·02	·53	—	—	—	[illegible]	27
28	—	—	·06	—	—	·08	—	·17	—	·03	—	·11	28
29	—		·01	—	—	·27	·04	—	—	·48	—	·25	29
30	·02	×	—	—	—	—	·46	·03	—	—	—		30
31	—	×	·10	×	—	×	·03	·29	×	—	×	·03	31
Total	1·66	·75	1·01	1·84	2·20	2·97	1·52	4·70	2·03	3·16	·87	·86	YEAR'S TOTAL 23·57
Rain Days.	17	9	14	13	10	12	9	25	15	21	15	10	170

W. 8,000, IX. 17.

MARKET BOSWORTH

OSBASTON HALL

LEICESTERSHIRE

1911 – 1920

Section A for the e

…ion No. 2505/4

METFORM 1090
(Rev. Feb. 1965)

R… 1911

Kept at Osba

in the County of

Diameter of funnel of gauge
Height of top of gauge abov
Height of ground above sea

THE MORNING MEASUR

An observer who does not co
year in the space on the right

…AY
…of the following
…leaf

Jan. 1, following

Date	Jan.	Feb.	Mar							Nov.	Dec.		Date
	in.	in.	in.							in.	in.	†	
1			02							22			1
2	07				15			12		04	03	05		2
3	01	02	T		15			11	01	05	04			3
4	03	01	13	04			04	04	02	28	18	19		4
5	01		01	01				04		02	08			5
6	24		02					01		11	03	45		6
7	02									05	17	11		7
8	07		21									22		8
9	04									01	17	05		9
10	03	09	16					23			04	53		10
11	20							/			26	01		11
12	02		40						27		32	01		12
13			04						13	01	03	43		13
14	01	08	03							02	02	48		14
15		11	11							05	06	05		15
16	01					03				02	09	08		16
17						09	01			01	12	31		17
18		32				03				01	10	19		18
19		03			01	44	13	01	22	23	34	08		19
20		08		03		01		22	04	01		37		20
21		18						36		22	03	04		21
22			02	03		05		01		24	03	30		22
23	01	06	12		01	26	01	01	37	04		12		23
24	01	09	05	06		72		02		35		05		24
25		11		12	53	07				11	01	06		25
26		04		24	03	17				20	26	30		26
27		28	08	23				51	29	01	02	07		27
28		23		19		19			01		06	01		28
29		X	01			15	35		25	17	02	02		29
30		x	03	05	05	04				05	01	02		30
31		x	01	x	03	x			x	03	x	01		31
TOTAL	·78	1·73	1·51	1·00	·96	2·25	·55	1·69	1·61	2·34	2·54	4·61	Year's Total 21·57	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)

(P.T.O.)

Section A for the ion No. 2505/4

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN ~~196~~ 1911

Kept at Osbaston Hall

in the County of

Copy.

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			08				01				02			1
2	07				15			12		04	03	05		2
3	01	02	[illegible]		15			11	01	05	04			3
4	03	01	13	04			04	04	02	28	18	19		4
5	01		01	01				04		02	08			5
6	24		02					01		11	03	45		6
7	02									05	17	11		7
8	07		21									22		8
9	04									01	17	05		9
10	03	09	16					23			04	53		10
11	20							/			26	01		11
12	02		40						27		32	01		12
13			04						13	01	03	43		13
14	01	08	03							02	02	48		14
15		11	11							05	06	05		15
16	01					03				02	09	08		16
17						09	01			01	12	31		17
18		32				03				01	10	19		18
19		03			01	44	13	01	22	23	34	08		19
20		08		03		01		22	04	01		37		20
21		18						36		22	03	04		21
22			02	03		05		01		24	03	30		22
23	01	06	12		01	26	01	01	37	04		12		23
24	01	09	05	06		72		02		35		05		24
25		11		12	53	07				11	01	06		25
26		04		24	03	17				20	26	30		26
27		28	08	23				51	29	01	02	07		27
28		23		19		19			01		06	01		28
29		X	01			15	35		25	17	02	02		29
30		X	03	05	05	04				05	01	02		30
31		X	01	X	03	X			X	03	X	01		31
TOTAL	·78	1·73	1·51	1·00	·96	2·25	·55	1·69	1·61	2·34	2·54	4·61	Year's Total 2157	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)

(P.T.O.)

2505/4

FORM A2.
BRITISH RAINFALL.

JAN 1912

REGISTER OF RAINFALL IN 1911

[illegible]

Kept at Osbaston

in the County of Leicester 4

by Thomas Cope

RAIN GAUGE
Pattern Meteorological Off
Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 393 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Market Bosworth
Distance 2 miles Direction S W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05		.23	.01	.05	.03	.04				.03	.01	1
2			.08				.01				.02		2
3	.07				.15			.12		.04	.03	.05	3
4	.01	.02			.15			.11	.01	.05	.04		4
5	.03	.01	.13	.04			.04	.04	.02	.28	.18	.19	5
6	.01		.01	.01				.04		.02	.08		6
7	.24		.02					.01		.11	.03	.45	7
8	.02									.05	.17	.11	8
9	.07		.21									.22	9
10	.04									.01	.17	.05	10
11	.03	.09	.16					.23			.04	.53	11
12	.20										.26	.01	12
13	.02		.40						.27		.32	.01	13
14			.04						.13	.01	.03	.43	14
15	.01	.08	.03							.02	.02	.48	15
16		.11	.11							.05	.06	.05	16
17	.01					.03				.02	.09	.08	17
18						.09	.01			.01	.12	.31	18
19		.32				.03				.01	.10	.19	19
20		.03			.01	.44	.13	.01	.22	.23	.34	.08	20
21		.08		.03		.01		.22	.04	.01		.37	21
22		.18						.36		.22	.03	.04	22
23			.02	.03		.05		.01		.24	.03	.30	23
24	.01	.06	.12		.01	.26	.01	.01	.37	.04		.12	24
25	.01	.09	.05	.06		.72		.02		.35		.05	25
26		.11		.12	.53	.07				.11	.01	.06	26
27		.04		.24	.03	.17				.20	.26	.30	27
28		.28	.08	.23				.51	.29	.01	.02	.07	28
29		×		.19		.19			.01		.06	.01	29
30		×	.01			.15	.35		.25	.17	.02	.02	30
31		×	.03	×	.05	×			×	.05	×	.02	31
Total	.83	1.50	1.73	.96	.98	2.24	.59	1.69	1.61	2.31	2.56	4.61	TOTAL for year 27.61
No. of Rain Days.	16	14	17	10	8	13	7	13	10	24	26	28	186

W. 8,000, X. '11.

Section A **for the entry of Daily Observations** **Station No.** 2505/4

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN ~~196~~ 1912

Kept at Osbaston Hall.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Copy.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	04	07			31	01		09			20		1
2			08	06	02	19	47					03		2
3	08		06		01	12	06	70	04			06		3
4	12		46		13	51		20			38	01		4
5	11	04	38	02	06	18		22	13			04		5
6	49	10			02	12		29	01		01	07		6
7		06				12		04			01	03		7
8	28	27	22			03	17	07	09			02		8
9	13		07	14	02	15		05	01			41		9
10			01			11		65	02		19	01		10
11	11	11	01			16		07			07	60		11
12	05	20	10		06	01	41				03	01		12
13		04				03				04	06			13
14	15		28		04	07		04						14
15	14	06	12		29	20		03				16		15
16	47		09		11	03		10		16		01		16
17	56		20			29	03	30			09	57		17
18	73		11					06		06	01	08		18
19	23	07	01		04		34	84	02	01	04	01		19
20	13	01	15		06		20	12		18	01			20
21	02	02	33		73		03	40		26	02	02		21
22	15	06	01		58	02	62	50		01		18		22
23	11	08	23			03	145	47			12	07		23
24	14	01	02		01	14	06	08			01	16		24
25	02		05			44		25			21	28		25
26		11					19	130		62	20	27		26
27					01	09	02			72		24		27
28		02				17	04	39	02	19	45	44		28
29		02		01		17	17	01	64	27	03	01		29
30	04	x			37	13	01		02	07		01		30
31		x	04	x	15	x	59	11	x	03	x			31
TOTAL	4·27	1·32	3·10	.23	2·71	3·82	4·87	7·29	1·09	262	1·94	4·00	Year's Total 3726	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

7C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

2505/4

Kept at Osbaston Hall

in the County of Leicester 4

by Thomas Cope

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 393 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Market Bosworth
Distance 2¼ miles Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.02	.04		.15	.13	.59	.11	.02	.03		1
2	.01	.04	.07			.31	.01		.09			.20	2
3			.08	.06	.02	.19	.47					.03	3
4	.08		.06		.01	.12	.06	.70	.04			.06	4
5	.12		.46		.13	.51		.20			.38	.01	5
6	.11	.04	.38	.02	.06	.18		.22	.13			.04	6
7	.49	.10			.03	.12		.29	.01		.01	.07	7
8		.06				.12		.04			.01	.03	8
9	.28	.27	.22			.03	.17	.07	.09			.02	9
10	.13		.07	.14	.02	.15		.05	.01			.41	10
11			.01			.11		.65	.02		.19	.01	11
12	.11	.11	.01			.16		.07			.07	.60	12
13	.05	.20	.10		.06	.01	.41				.03	.01	13
14		.04				.03				.04	.06		14
15	.15		.28		.04	.07		.04					15
16	.14	.06	.12		.29	.20		.03				.16	16
17	.47		.09		.11	.03		.10		.16		.01	17
18	.56		.20			.29	.03	.30			.09	.57	18
19	.73		.11					.06		.06	.01	.08	19
20	.23	.07	.01		.04		.34	.84	.02	.01	.04	.01	20
21	.13	.01	.15		.06		.20	.12		.18	.01		21
22	.02	.02	.33		.73		.03	.40		.26	.02	.02	22
23	.15	.06	.01		.58	.02	.62	.50		.01		.18	23
24	.11	.08	.23			.03	1.45	.47			.12	.07	24
25	.14	.01	.02		.01	.14	.06	.08			.01	.16	25
26	.02		.05			.44		.25			.21	.28	26
27		.11					.19	1.30		.62	.20	.27	27
28					.01	.09	.02			.72		.24	28
29		.02				.17	.04	.39	.02	.19	.45	.44	29
30		X		.01		.17	.17	.01	.04	.27	.03	.01	30
31	.04	X		X	.37	X	.01		X	.07	X	.01	31
Total	4.28	1.30	3.08	.27	2.56	3.84	4.41	7.77	1.18	2.61	1.97	4.00	TOTAL for year 37.27
No. of Rain Days.	23	17	23	5	17	25	18	25	11	13	19	27	223

W. 8,000, X. '11.

Cor. for WD. 11.IV.14.

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.

3 - JAN 1914

2505/4

W. H

4

Kept at Osbaston

in the County of Leicester

by Thomas Cope

Lat. 52.37 Long. 1.27

Time of Observation

Nearest Railway Station Market Bosworth

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.03		.02			.02	.02		.08	1
2	.02		.07	.03	.02				.54		.05	~~SR~~	2
3	.03	.13	.01	.01						.02	.02		3
4	.04		.19		.90				.02	.02	.01	SR .03	4
5	.62	.02			.04		.03			.03	.13	SR .30	5
6	.06	.02	.03			.03	.18		.04	1.49	.03	.01	6
7	.01	.01	.05		.31	.23	.78			.08		.04	7
8		.13			.21	.05	.05			.41	.06	.02	8
9		.01	RS .03		.19	.30			.02	.26	.07		9
10		.32	.08	.03	.03	.37	.01				.11	.02	10
11	.03			SR .07	.14				.01		.30		11
12	Sn. .88			SR .42		.05				.05	.21		12
13		.01			.14				.01	.02	.69		13
14	Sn .06	.01	.07	.07				.01	.02	.01	.20		14
15	.14	.01	SR .63	.04				.14		.15	.07		15
16	.08	.04	.59	.28			.01		.10		.02	.02	16
17	.04	.03	SR .57	.06				.03	.09	.01	.02		17
18	(.03) .03	.04	SR .11	SR .15		.01	.11		.07	.01			18
19			SR .12	.11	.02		.07		.01			.01	19
20	.10		.03		.03	.01	.05		.61				20
21	.10		.05	.10					.02	.12	.13		21
22	.05		SR .12	.02	.09		.08	.02			.31		22
23	S.R .52	.01	.45					.13	.41				23
24	.01					.11	.01	.25	.07	.01	.02	.02	24
25	.08			.03				.03	.01	.01	.02		25
26				.05		.01			.02	.01	.01	.01	26
27		.11	.10	.27	.05			.10	.03	.29	~~[illegible]~~	.26	27
28		.01	.02	.04					.01	.01			28
29	.48	×	.18	.36	.04				.01	.11	.01	SR .03	29
30	.01	×	.29	.58	.05			.24	.01	.03	.01	S .12	30
31	.39	×	.03	×	.02	×	.01	.02	× .02	.21	× .08	S .01	31
Total	3.78	.91	3.79	2.75	2.26	1.19	1.39	.95	2.15	3.38	2.50	.98	YEAR'S TOTAL 26.03
Rain Days.	22	16	22	~~20~~ 19	16	10	12	~~9~~ 10	22	~~23~~ 22	~~22~~ 23	~~15~~ 14	208 ✓
	3.78	.91	3.82	2.72	2.28	1.17	1.39	.97	2.15	3.36	2.58	.90	26.03

W.7,000, XI. 13

W.D. written 8.IV.15

cw for W.D. 19.IV.15

Esc. M.G.

2505/4

FORM A.
BRITISH RAINFALL.
8 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Osbaston Hall

in the County of Leicester 4

by Thomas Cope

Lat. 52.37 Long. 1.27

Time of Observation 9 a.m.

Nearest Railway Station Market Bosworth

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05				.03	.21	.01		.02	.40	1
2	.01	.01		.03		.01	1.70	.28		.04	.03	.02	2
3				.02			.02	.57		.01	.47	.23	3
4	.01		.02	.04	.11		.34	.10			.02	.01	4
5	.18		.04	.14	.04		.01	.07			.48	.44	5
6	R.S .09	.01	.19	.30	.03	.27	.48				.05	~~.06~~	6
7	R.S .03	.04		.05	.05	.02		.01			.07	.06	7
8	.01	.08	.53	R.S .10	.05	.10	.04	.11			.01	.15	8
9	.18	.01	.02	.11	.14	.70	.61	.14				.04	9
10	.43		R.S .11	R.S .25	.03	.97		.02	.46			.01	10
11	.15	.15	R.S .03	.20	.11	.04			.11		.01	.02	11
12		.06	.25	.14	.05	.03			.03		.55	.66	12
13		.04	.15			.01	.06		.22		.06	.27	13
14	.02	.12	.11						.03	.14	.14	.49	14
15	.02	.02	.08				.12			.20	R.S .14	.28	15
16	.05	.01	.19					.01	.02	.03	.02	.01	16
17	.01		.05				.25		.08		.02	.01	17
18	.14	.10	R.S .07				.05		.09			.24	18
19	.04		~~R.S .04~~				.05		.02		.01	.49	19
20		.01	R.S .04				.02		.03		.06	.04	20
21		.16	R.S .09			.01	.07			.01	.02	.09	21
22		.41	.04			.03	.07			.12		R.S .35	22
23	.01	.01	R.S .01		.71	.04	.06	.13		.16	.01		23
24	.01	.13	.07		.23	.09	.33	.01		.07	.17		24
25		.01	.11	.03	22		.06	.04		.25	.05	S .02	25
26	.01						.02	.21		.37	.31	.19	26
27		.01	.03					.13		.20	.09	.28	27
28	.07										.22	.15	28
29			.05		.01					.07	.13	R.S 1.09	29
30	.01	✕	.06		.04					.37		.01	30
31		✕	.01	✕		✕			✕	.03	✕	.32	31
	-	.05	-	-	-	.03	.21	.01	-	.02	.40	.08	YEAR'S TOTAL
Total	~~1.48~~	~~1.39~~	~~2.40~~	~~1.41~~	~~1.82~~	~~2.32~~	~~4.39~~	~~2.04~~	~~1.10~~	~~2.07~~	~~3.16~~	~~6.37~~	~~29.95~~
	1.48	1.44	2.35	1.41	1.82	2.35	4.57	1.84	1.09	2.09	3.54	6.05	30.03
Rain Days.	20	~~14~~ 20	~~25~~ 24	12	14	~~13~~ 14	20	15	~~11~~ 10	~~15~~ 16	25	28	218 ✓

W. 8,000. X. 14.

6

2614

2505/4

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Osbaston Hall
in the County of Leicestershire
by Thomas Cope

Lat. 52.37 Long. 1.27
Time of Observation 9 a.m
Nearest Railway Station Market Bosworth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	.14	.09						.43	.03	.04	.06	1
2	.17	.09	.29	.17	.02	.19	.01	.30	.02	.22	.01	.07	2
3	.55	.01	.03	.10	.47		1.30	.34	.02		.02	.21	3
4	.07				.03		1.03	.04				.91	4
5	.04	.32		.01	.06	.01		.03		.02	.04	.40	5
6	.07	.17	.02	.32			.73					.07	6
7	.14	.41	.01		.02	.04	.15	.23				.47	7
8	.09	.09	.04	.02				.03			.03		8
9	.29	.11		.01				.20			.22	.55	9
10			.08				.01	.05		.01	.12	.02	10
11	.02	.01		.03	.24		.11	.17			.63	.11	11
12	.06			.26	.26		.01			.04	.83		12
13	.01	.46			.54		.02		.01	.01	.01	.02	13
14	.02	.02					.02	.16	.10	.01	.	.19	14
15	.27	.01			.06		.14	.09		.04	.16	.13	15
16	.05	.32		.01	.05		2.84	.03		.	.01	.02	16
17		.16	.02		.02		.23			.01		.01	17
18	.21	.18	.28		.04		.02	.03			.04	.02	18
19		.07	.03				.12					.02	19
20		.01	.01	.05			.02				.01	.17	20
21	.19	.12					.21					.08	21
22	.07	.01	.14	.03			.18		.01	.01		.06	22
23	.02	.03	.03			.01	.23		.07	.33	.01	.16	23
24	.03		.02	.02			.05		.81	.09		.11	24
25	.02		.02			.07	.06		.03	.01	.02	.31	25
26	.01	.12	.01				.05		.02			.30	26
27		.14	.02			.01	.10			.41		.09	27
28		.08	.01			.68		.19	.01	.07	.01	.01	28
29		×			.04	.07		.02	.01	.01	.09	.15	29
30	.05	×				.27		.03		.07	.08	.07	30
31	.06	×		×		×	.01	.07	×	.12	×	.13	31
Total	2.61	3.08	1.15	1.03	1.85	1.35	7.65	2.01	1.54	1.51	2.38	4.92	YEAR'S TOTAL 31.08
Rain Days.	24	23	18	12	13	9	24	16	12	18	19	29	217

W. 8,000. X. 15.

used [illegible]

2505/4

FORM A. BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Osbaston Hall
in the County of Leicester
by Thomas Cope

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Market Bosworth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.01	.22		.03	.11	.14		~~.27~~	.01	.11		1
2	.23	.04	.11 ~~[illegible]~~		.30	.07	.07		.07	.55	.02		2
3	.01	.62	~~[illegible]~~				.03		.62	.17	.07		3
4	.27	.03	.01		.45	.36			.02	.12	.21		4
5	.06			.01	.06	.07				.10	.13		5
6	.08	.10	.17	.01	.17		.34			.15	.29	.03	6
7	.07	.06	.14			.02	.17			.08	.14	.15	7
8	.02		.06		.02	.08				.03	.06	.25	8
9	.01	.02	.07		.24	.11				.01	.62	.05	9
10		.14	.08	.07	.02	.07	.02		.02	.03	.01	.02	10
11	.04	.27	.04	.20	.04	.14			.05		.01	.12	11
12	.10	.01	.10	.03	.39	.07	.05		.02	.04	.01	.01	12
13	.01	.18	.08	.07	.06	.02		.16		.13		.02	13
14		.45		.14	.02			.26		.02			14
15		.20	.63	.01	.03		.11	.21	.01	.03			15
16	.02	.09	.53	.32			.28	.20		.02			16
17	.08	.07	.01	.19			.06	.20	.18	.23		.01	17
18	.02	.13	.03					.13	.07	.05	.81	.09	18
19	.07	.10	.23	.03				.02	.21		.42	.04	19
20	.03		.21	.06				.03			.13	.15	20
21	.03	.01	.16	.01	.12		.13					.23	21
22		.06	.03	.01		.03				.04	.02	.44	22
23	.06	.72	.01	.04				.07		.05	.06	.30	23
24		1.11	.02					.11		.06	.02	.15	24
25		.18	.14		.06			.21		.05	.18		25
26	.05	.16	.03					.08		.06	.01		26
27	.04	.25	.79			.05		.08		.14	.62	.03	27
28	.01	.25	.62	.01				.70	.02	.05	.01	.17	28
29		.12	.01			.16		.02		.30		.15	29
30		✕		.01		.12				.12		.01	30
31		✕		✕	.01	✕		.03	✕	.07	✕	.06	31
Total	1.35	5.38	4.53	1.22	2.02	1.48	1.40	2.51	1.29	2.71	2.76	2.48	YEAR'S TOTAL 29.13
Rain Days.	22	26	26	17	16	15	11	16	11	27	22	21	230

W. 8,000, VIII. 16

FORM A. BRITISH RAINFALL.

25 05/4

REGISTER OF RAINFALL IN 1917

Kept at Osbaston

in the County of Leicester

by Thomas Cope

Lat. 52.38 Long. 1.22

Time of Observation 9 am

Nearest Railway Station Market Bosworth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.01		.65		.04		.90	.29		.03	.15	1
2	.06	.13			.04	.08		.20	.02	.02	.02	.01	2
3	.02	.26		.32				.10		.19	.07	.02	3
4	.04		.14	.03				.6		.70		.02	4
5	.18		.10	.05					.05	.14	.19		5
6	.02					.73				.17	.07		6
7	.43		.02					.25		.31		.03	7
8	.64			.12			.15	.33	.01	.42	.17	.18	8
9	.09		.16	.17	.06			.33		.01	.15	.01	9
10	.52		.31	.04	.78			.05	.01	.02	.02		10
11	.16		.14	.18				.07		.17	.03	.02	11
12	.09	.06		.01	.20					.17			12
13	.07			.02				.10	.15	.04		.01	13
14	.07		.11	.07				.29		.02	.02	.07	14
15	.02			.06	.02		.25	.55		.04		.08	15
16	.04	.17				.01		.02				.18	16
17	.01	.02	.02	.18	.37	.59	.35	.12	.11	.07			17
18	.05	.03		.09	.48		.44	.02	.83	.03			18
19	.06	.19	.19	.04	.18	.14			.03				19
20		.22	.01		.39	.13	.08	.05	.09		.06	.01	20
21	.02	.03	.18	.04	.14	.24		.06	.05	.03	.01		21
22								.05		.16	.01		22
23		.10			.18			.11	.01	.08		.04	23
24		.03				.48	.02	.06		.26			24
25		.04	.04			.05	.06				.11		25
26		.01				.30		.54		.02	.17	.01	26
27			.02			.14	.24	.62	.35		.02		27
28			.11					.12		.02		.08	28
29			.01			.19	.08	.02		.34		.30	29
30	.02						.35	.28		.03		.01	30
31	.01		.12				.12	.08		.01		~~1.23~~	31
Total	2.63	1.30	1.68	1.47	2.84	3.12	2.14	5.38	2.00	3.47	1.15	1.23	YEAR'S TOTAL 28.41
Rain Days.	22	14	16	16	11	13	11	26	13	25	16	18	201

W. 8,000, IX. 17.

175

Good

16

2505/4

FORM A.
BRITISH RAINFALL
1918

REGISTER OF RAINFALL IN 1918

Kept at Osbaston

in the County of Leicester

by Sir Thomas Cope Bt.

Lat. 52.38 Long. 1.22

Time of Observation 9 a.m.

Nearest Railway Station Market Bosworth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .32

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	.04	.05	.01	.17					.03				
1	.01	.06		.07					.02	.02	.15	.01	1
2		.03							.11	.04 ~~.02~~	.02	.27	2
3		.04	.04		.42			.42	.77	.02 ~~.21~~	.21	.01	3
4	.01	~~.01~~	.03	.01	.03			.14	.13	.03 ~~.44~~	.44	.08	4
5		.01 ~~.04~~	.02	.06				.07	.02	.06	.01	.01	5
6	.03	.04	.01	.19		.12		.06	.13	.10		.02	6
7	.07	.17 ~~.08~~		.14	.02	.11	.01		.06	.08 ~~.11~~	.11	.01	7
8	.01	.08	.10	.01					.32	.07	.01	.06	8
9	.02	.47		.09		.20	.25		.04	.42	.01	.03	9
10	.11			.06			.33		.07	.02	.01	.06	10
11	.01	.03		.02	.07		.11		.11	.06		.07	11
12	.03	.18	.07	.01	.11		.17		.14	~~.01~~	.01	.08	12
13	.01	.03		.02	.23	.05	.01		.11	.03		.03	13
14	.31				.02	.03	.09		.06	.11		.09	14
15	.74			.27			.20		.13	~~.02~~	.02	.26	15
16	.08			.14			.07	.02	.04			.05	16
17	.28			.01		.01	.32	.03	.28			.10	17
18	.38					.07	.06		.02	.06		.42	18
19	.03	.05	.10	.07			.04			.07 ~~.02~~	.02	.31	19
20	.05	.07		.38		.19	.12			.01 ~~.02~~	.02	.01	20
21	.07	.01		.26	.04	.01	.09		.23	.03 ~~.01~~	.01	.11	21
22	.07				.28	.01	.10	.01	.02	.12 ~~.02~~	.02	.38	22
23	.10				.92		.10		.03	.01 ~~.01~~	.01		23
24		.12					.11	.01	.07	.03 ~~.18~~	.18	.03	24
25						.09	.08	.19		.05 ~~.06~~	.06	.01	25
26							.03	.04	.02	.02 ~~.09~~	.09	.03	26
27		.11	.01			.01		.38	.23	~~.13~~	.13	.15	27
28		.20	.28					.07		.01 ~~.23~~	.23	.27	28
29	.01	×	.03						.68	~~.02~~	.02	.01	29
30	.02	×	.33					.02	.05	~~.25~~	.25	.07	30
31		×	.13	×		×			×	.01	×	.01	31
Total	2.49	1.69	1.16	1.98	2.14	.90	2.29	1.46	3.92	~~1.64~~ 1.53	2.04	3.05	YEAR'S TOTAL 24.70
Rain Days.	23	19 8	13	18	10	12	19	13	27	22	23	30	231

2505/4

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Osbaston Hall

in the County of Leicester

by Sir Thomas Cope Bt

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Market Bosworth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.05	.05		.22		.32		.03	.19	.16	.33	1
2	.24	.03	.04				.17	.04	.43	.20	.20	.04	2
3	.62		.03		.03	.08	.21		.13		.23	.06	3
4	.05		.31			.04	.01	.19	.14		.06	.17	4
5	.04	.20							.21			.21	5
6	.03		.11		.42						.02	.09	6
7	.22		.16	.04									7
8			.05	.10		.10							8
9	.01		.02	.06						.02	.03		9
10	.62		.38	.06							.04	.07	10
11	.63		.48	.01	.14		.30				.01		11
12			.20	.05		.32			.01	.15	.22	.01	12
13	.20			.17			.01		.08	.10		.04	13
14	.32	.02		.18					.10	.03		.02	14
15	.22	.04	.11	.09			.01			.03		.48	15
16	.04	1.18		.01				.02			.26		16
17	.07	.36		.02	.12	.06					.23		17
18		.01	.28		.02		.04	.28	.05		.02	.20	18
19	.07	.27	.97			.14	1.10	.27	.07	.01	.11	.01	19
20	.32	.03	.14			.02	.36	.18	.05		.30	.08	20
21	.05	.41	.08				.34	.01	.01	.01	.04	.20	21
22		.13							.43		.02	.82	22
23						.03	.01	.06		.72	~~.05~~ .01	.05	23
24	.01	.02		.07	.05		.01			.39	.10	.06	24
25	.18			.15	.08		.23	.42		.02	.02	.03	25
26	.01		.22	.09		.03	.01	.03	.10			.24	26
27	.11		.05	.32				(.12)			.01	.03	27
28	.06	.02	.01	.04				.65		.04	.16	.34	28
29	.06		.01	.02		.03		.08		.61	.02	.07	29
30	.02		.24	.20		.36				.03	.04	.24	30
31	.02		.02				.06			.04		.04	31
TOTAL	3.34	2.77	3.96	1.68	1.08	1.21	3.19	2.35	1.84	2.59	2.31	3.93	YEAR'S TOTAL 30.25
Days with ·01 in. or more	26	14	22	18	8	11	16	13	14	16	23	25	206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

E4R

2187
2805/4

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Osbaston
in the County of Leicester
by Sir Thomas Cope Bt.

Lat. 52.38 Long. 1.22
Time of Observation 9 am
Nearest Railway Station Market Bosworth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.40

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~.10~~			.23	.18		.16		.05	.14	.01	.22	1
2				.29	.01		.26		.14	.18		.04	2
3	.10	.07		.16		.03	.89	.02	.13	.10			3
4	.01			.28	.01		.04	.23	.02	.27		.03	4
5			.04	.04	.33		.87	.04	.16	.07			5
6		.02	.25	.03	.02		.18			.01		.04	6
7		.09	.04	.10			.09			.04		.01	7
8	.22			.47	.14		.22			.01			8
9	.38	.01	.02	.27			.01	.07	.01	.06			9
10	.21	.08	.08	.05		.03				.01	.05	.01	10
11	.14	.03	.04	.24	.32	.07	.02				.02	.01	11
12	.02			.15		.35	.04	.08		.03	.03	.25	12
13	.04	.12	.25	.19							.02	.02	13
14	.02	.02	.97	.16		.28			.26	.02	.11	.01	14
15		.08	.08	.24			.02		.03	.07			15
16		.01		.06	.05	1.10	.07		.04	.16			16
17					.11				.60	.03		.02	17
18				.09		.20	.14	.08	.29				18
19	.18	.52		.20	.01	.17		.09	.05		.01	.01	19
20	.02			.26		.24	.02		.01		.01	.01	20
21	.06			.02			.30	.14			.01	.03	21
22	.02			.22			.04	.08	.04	.01	.01	.01	22
23		.02					.15	.07		.01	.01	.35	23
24	.02		.13	.02				.02			.02	.07	24
25	.01	.06	.10	.09		.04	.33			.02		.01	25
26	.22	.02	.09	.03			.02		.01	.02		.04	26
27	.13	.03	.03	.12	.11	.31	.01				.23	.37	27
28	.70		.05	.02	.05		.02			.02	.06	.06	28
29	.66	-	.18		.49		.14		.01		.10	.37	29
30	.02			.19	.10	.08	.18		.16		.15	.16	30
31	.07		.07		.06		.02			.24		.03	31
Total	2,65	1.18	2.42	4.22	1.99	2.90	3.74	.92	2.01	1.52	.85	2.18	YEAR'S TOTAL 26.58
Days with ·01 in. or more	21	13	16	27	15	12	25	11	17	21	16	24	220
Days with ·04 in. or more	13	7	14	22	11	10	17	9	11	10	6	11	141

Heavy dews/fog

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
6 FEB 1912

MARKET HARBOROUGH
ROSE HILL

LEICESTERSHIRE

1911 – 1920

REGIST 1911

Kept at Rose Hi

in the County of L

by Geo O

Snowdon

op 5 in.

above Ground 1 ft. - in.

„ Sea Level 350 ft.

9 am daily

Name Market Harborough

Distance 1¼ mile Direction S.E.

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and pla British Rainfall Organization are given n application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·04	-	-	-	-	·	·	·	·03	·04	1
2	·08	·	·	·	·14	·	·	·02	·	·	·06	·06	2
3	·	·	·	·	·14	·	·	·02	·	·04	·03	·01	3
4	·03	-	·09	·05	·	·	·	·01	·15	·10	·16	·31	4
5	·01	·01	·	·10	·	·	·	·13	·	·02	·03	·01	5
6	·36	·	·02	·04	·	·	·	·	·	2 · 5	·05	·37	6
7	·	·	·	·01	·	·	·	·	·	·22	·15	·08	7
8	·14	·	·13	·	·	·	·	·	·	·	·04	·12	8
9	·	·	·	·01	·	·	·	·	·	·	·13	·02	9
10	·06	·06	·29	·	·	·	·	·11	·	·	·	·52	10
11	·03	·	·	·	·	·	·	·24	-	·	·47	·01	11
12	·13	·	·45	·	·	·	·	·	·13	·	·11	-	12
13	·03	-	·05	·	·05	·	·	·	·18	·01	·01	·44	13
14	-	·09	·	·	·08	·	·	·	·	·04	·	·45	14
15	·	·09	·10	·	·	·	·	·	·	·	·10	·03	15
16	-	·	·08	·	·	·01	-	·	·	·03	·33	·10	16
17	-	·	·	·	·	·08	·	·	·	·	·10	·18	17
18	·	·41	·	·01	·01	·06	·	·	·	·	·14	·06	18
19	·	·	·	·	·	·11	·03	·	·04	·05	·49	·12	19
20	·	·07	·	·	·	·02	·	·45	·08	·	·	·49	20
21	·01	·21	·30	·	·	·	·	·54	·02	·23	·	·09	21
22	-	·01	·08	·	·	·45	-	·08	·	09	·02	·33	22
23	·	·07	·20	·	·	·63	·02	·	·24	5 ·74 2	·	·13	23
24	·01	·07	·02	·	·	·45	·	·01	·	·	·	07	24
25	·02	·10	·03	·14	·95	·07	·	·03	·01	·01	·	·01	25
26	·	·02	·	·27	·55	·	·	·	·	·16	·29	·15	26
27	·	·20	·12	·15	·	·	·06	·29	·16	·03	·05	·08	27
28	-	·20	-	·20	·	·	·	·09	·	-	·06	·01	28
29	·	·	·	·04	·	·15	·01	·	·18	·16	·01	·	29
30	·	·	·02	·	·	·01	·	·	·	·12	·	·	30
31	-	·	·	·	·17	-	·	·05	·	-	·	·	31
Total	·91	1·61	2·02	1·02	2·09	2·04	·12	2·07	1·19	2·05	2·86	4·29	TOTAL for year 22·27
No. of Rain Days.	12	14	16	11	8	11	4	14	10	16	22	27	165

W. 8,000, X. '11.

911

FORM A2.
BRITISH RAINFALL.
6 FEB 1912

Kept at Rose Hill Market Harborough

in the County of Leicester 2

by Geo. O. Nicholson

RAIN GAUGE Pattern	Snowdon
Diameter of top	5 in.
Height of top above Ground	1 ft. - in.
„ „ „ Sea Level	350 ft.
Time of Observation	9 am daily
Nearest Railway Station Name	Market Harborough
Distance	1¼ mile
Direction	S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.04	-	-	-	.	.	.	.	.03	.04	1
2	.08	.	.	.	.14	-	.	.02	.	.	.06	.06	2
3	.	.	.	.	.14	.	.	.02	.	.04	.03	.01	3
4	.03	-	.09	.05	.	.	.	.01	.15	.10	.16	.31	4
5	.01	.01	.	.10	.	.	.	.13	.	.02	.03	.01	5
6	.36	.	.02	.04	.	.	.	.	.	2 . 5	.05	.37	6
7	.	.	.	.01	.	.	.	.	.	22	.15	.08	7
8	.14	.	.13	.	.	.	.	.	.	.	.04	.12	8
9	.	.	.	.01	.	.	.	.	.	.	.13	.02	9
10	.06	.06	.29	.	.	.	.	.11	.	.	.	.52	10
11	.03	.	.	.	.	.	.	.24	-	.	.47	.01	11
12	.13	.	.45	.	.	.	.	.	.13	.	.11	-	12
13	.03	-	.05	.	.05	.	.	.	.18	.01	.01	.44	13
14	.	.09	.	.	.08	.	.	.	.	.04	.	.45	14
15	.	.09	.10	.	.	.	.	.	.	.	.10	.03	15
16	.	.	.08	.	.	.01	.	.	.	.03	.33	.10	16
17	.	.	.	.	.	.08	.	.	.	.	.10	.18	17
18	.	.41	.	.01	.01	.06	.	.	.	.	.14	.06	18
19	.	.	.	.	.	.11	.03	.	.04	.05	.49	.12	19
20	.	.07	.	.	.	.02	.	.45	.08	.	.	.49	20
21	.01	.21	.30	.	.	.	.	.54	.02	.23	.	.09	21
22	.	.01	.08	.	.	.45	.	.08	.	09	.02	.33	22
23	.	.07	.20	.	.	.63	.02	.	.24	.74	.	.13	23
24	.01	.07	.02	.	.	.45	.	.01	.	.	.	07	24
25	.02	.10	.03	.14	.95	.07	.	.03	.01	.01	.	.01	25
26	.	.02	.	.27	.55	.	.	.	.	.16	.29	.15	26
27	.	.20	.12	.15	.	.	.06	.29	.16	.03	.05	.08	27
28	.	.20	-	.20	.	.	.	.09	.	-	.06	.01	28
29	.	.	.	.04	.	.15	.01	.	.18	.16	.01	.	29
30	.	.	.02	.	.	.01	.	.	.	.12	.	.	30
31	-	.	.	.	.17	-	.	.05	.	.	.	.	31
Total	.91	1.61	2.02	1.02	2.09	2.04	.12	2.07	1.19	2.05	2.86	4.29	TOTAL for year 22.27
No. of Rain Days.	12	14	16	11	8	11	4	14	10	16	22	27	165

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Rosehill Market Harborough
in the County of Leicester 2
by Geo. O. Nicholson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Market Harborough
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	·01	.	.	·12	-	.	·11	-	-	·18	1
2	.	.	·08	·03	·02	·21	·39	-	·02	-	-	·06	2
3	·09	-	·02	-	·09	·19	·07	·45	·01	-	-	·05	3
4	·08	·06	·56	-	·10	·44	-	·24	-	-	·36	-	4
5	·05	·06	·29	-	-	·12	-	·28	·04	-	·05	·02	5
6	·38	·06	·01	-	·02	·06	·11	·20	-	-	-	·06	6
7	-	-	-	-	·02	·20	-	-	-	-	-	·02	7
8	·35	·28	·20	·01	-	·06	·05	·05	·12	-	-	·02	8
9	-	·10	·19	·07	-	·18	-	·03	-	-	-	·12	9
10	-	-	·01	-	.	·01	-	·21	-	-	·18	-	10
11	·08	·10	-	-	·01	·07	-	·02	-	-	·04	·40	11
12	·06	·26	·09	-	·09	·02	·10	-	-	-	·09	·01	12
13	-	·04	-	-	·03	-	-	-	-	-	·06	·02	13
14	·04	-	·24	-	-	·10	-	·03	.	·01	-	-	14
15	·03	·03	·05	-	·27	·14	-	·04	-	-	.	·20	15
16	·32	-	·08	-	·10	-	-	·08	.	·08	·01	-	16
17	·63	-	·08	-	-	·14	-	·19	-	-	·04	·34	17
18	·20	.	·11	-	-	-	·01	·12	.	.	·01	·08	18
19	·24	·05	·01	-	-	-	·16	·31	-	·04	·04	-	19
20	·11	-	·25	-	-	-	1·28	·45	-	·37	-	-	20
21	-	-	·20	-	·50	-	-	·50	.	·23	·03	-	21
22	·29	·06	-	-	·94	-	1·11	·33	-	·07	-	·04	22
23	·09	·27	·20	.	.	·06	·65	·51	.	-	·08	·28	23
24	·09	.	·01	-	-	·29	·02	·11	-	-	.	·17	24
25	.	.	.	.	.	·40	-	·23	-	.	·29	·30	25
26	-	·03	·01	.	.	·02	·35	1·15	-	·58	·26	·33	26
27	-	-	-	-	-	·08	·01	·58	.	·48	.	·20	27
28	-	·07	←	. .	-	·09	·23	-	·03	·27	·26	·45	28
29	-	·01	.	-	-	·12	·34	.	·65	·25	.	-	29
30	-	-	-	-	·17	·03	-	-	·05	·40	-	·01	30
31	·06	-	·08	-	·10	-	·44	·08	-	·01	.	·05	31
Total	3·19	1·48	2·78	·11	2·46	3·15	5·32	6·19	1·03	2·79	1·80	3·41	YEAR'S TOTAL 33·71
Rain Days.	18	15	22	3	14	23	16	23	8	12	15	23	192

W. 7,500, XI. ·12

FORM A. BRITISH RAINFALL.
2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Rose Hill - Market Harborough
in the County of Leicester 2
by Geo. O. Nicholson

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Market Harborough
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·02	·13	·03	-	-	-	·01	·93	-	·07	-	1
2	·01	·11	-	·12	-	-	·03	-	·08	·02	·02	-	2
3	·02	·01	·15	-	·54	-	·01	-	·06	10	-	·04	3
4	·54	-	-	-	·12	-	-	-	-	·57	·07	·14	4
5	·03	·01	-	-	-	-	·08	-	·09	·90	·07	·02	5
6	-	·04	·05	-	·25	·09	·91	-	-	·21	·20	·03	6
7	-	·13	·01	-	·06	·03	·06	-	-	·45	·05	-	7
8	-	·03	-	-	·14	·15	-	-	-	·16	·08	-	8
9	-	·23	·04	-	·01	·19	-		-	-	·09	·03	9
10	·03	-	·01	·04	-	-	·03	-	-	-	·39	-	10
11	1·20	-	-	·38	·18	-	-	·07	-	·05	·43	-	11
12	-	-	-	·03	-	-	-	-	-	-	·45	-	12
13	·05	-	·04	-	-	-	-	·04	·07	-	·20	-	13
14	·09	-	·37	·01	-	-	-	-	-	·10	·08	-	14
15	11	·12	·49	·46	-	-	·03	·07	·02	-	·02	-	15
16	·06	-	·85	·22	-	-	-	-	·08	-	-	-	16
17	·11	·06	·08	·06	-	-	·04	-	·10	-	·05	-	17
18	-	-	·29	·20	-	-	·05	-	-	-	·05	-	18
19	·19	-	·10	-	-	-	·05	-	·05	-	-	-	19
20	·33	-	·13	·03	-	-	-	-	-	·30	·05	-	20
21	·03	-	·14	·03	·05	-	·09	-	-	-	·37	-	21
22	·46	-	·33	-	-	-	-	·10	·24	-	-	-	22
23	·01	-	·03	-	-	·04	·02	·09	·02	-	-	·03	23
24	·05	-	-	·11	-	·01	-	·04	-	-	-	-	24
25	-	·11	-	·11	-	-	-	-	-	·01	·01	-	25
26	-	·05	·20	·16	-	-	-	·05	-	·29	·02	·20	26
27	-	-	·03	·05	·19	-	-	-	-	-	-	-	27
28	·40	-	·29	·26	-	-	-	·20	-	·07	-	-	28
29	·02	-	·17	·51	·03	-	-	·10	-	·11	-	·27	29
30	·33	-	-	·01	-	-	-	-	-	·14	·16	·02	30
31	·01	-	·01	-	·15	-	-	-	-	-	-	-	31
Total	4·11	·92	3·94	2·82	1·72	·51	1·40	·77	1·74	3·48	2·93	·78	YEAR'S TOTAL 25·12
Rain Days.	22	12	22	19	11	6	12	10	11	15	21	9	170

W. 7,500, XI. ·12 Snow on 11th Jany 13. 14 & 15 Jany 16 Mch & 11 April & 29 Decr

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
16 JAN 1915

Kept at Rosehill Market Harborough
in the County of Leicester 2
by Geo. O. Nicholson

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Market Harborough
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·07	-	-	·32††	·25	-	-	·05	·02	†† Thunderstorm 5–6 pm. 1
2	-	-	-	·01	-	-	-	·23	-	-	·23	·20	2
3	-	-	-	-	·18	.	·19	·26	-	.	.	.	3
4	·35	-	·01	·19	-	-	·21	·27	-	-	·41	·20	4
5	·04	-	·11	·17	·13	·13	-	·06	.	.	·01	-	5
6	-	·04	-	-	·03	-	·10	-	-	-	·07	·03	× By night 6
7	-	·05	·37	-	·09	-	·04	·02	.	.	.	·03	7
8	·08	·06	·11	-	·08	1·30×	-	·19	·09	-	-	-	8
9	·39	·01	·26φ	·16	-	·90×	-	·03	-	-	-	-	φ sleet 9
10	·20	·11	-	·14	·04	-	-	-	·07	-	-	-	10
11	-	·20	·32	·14	·16	·05	-	-	·02	-	·35	·40	11
12	·02	-	·10	-	-	-	-	-	·28	-	·04	·37	12
13	·03	·14	·21	-	-	-	-	-	·05	·18	·17	·32	13
14	-	-	·10	-	-	-	·17	-	-	·50	·10	#·33	# Sleet 14
15	·01	·01	·20	-	-	-	-	·02	·07	-	·02	·06	15
16	-	-	·06	-	-	-	·10	-	-	-	-	-	16
17	·01	·22	·07	-	-	-	·09	-	·15	-	-	·25	* Snow 17
18	-	-	-	-	-	-	·17	-	-	-	-	*·44	18
19	-	·03	·03	-	-	-	-	-	·03	-	·05	-	19
20	.	·20	·17	-	-	-	-	-	-	-	-	·05	20
21	.	·28	·05	-	-	·11	-	-	-	·08	-	·42	21
22	-	-	-	-	·63	·01	·02	·11	-	·25	-	·01	22
23	-	·13	·06	-	·10	-	-	-	.	·03	-	·01	23
24	-	-	·03	.	·01	-	·08	-	-	·19	·08	-	24
25	·06	-	-	-	-	-	·03	·16	.	·37	-	·18	25
26	-	-	·02	.	-	-	-	·04	-	·06	·14	·30	Snow * 26
27	·05	.	-	.	-	.	-	-	.	-	·03	·22	27
28	-	·07	-	-	-	-	·02	-	-	·07	·01	*1·16	28
29	·01	-	·12	-	·01	-	-	-	-	·25	·12	-	29
30	-	X	·01	-	.	·03	-	-	-	·06	·20	·19	30
31	·01	X	-	X	·03	X	·30	-	X	-	X	·02	31
Total	1·26	1·55	2·41	·88	1·49	2·53	1·84	1·64	·76	2·04	2·08	5·21	YEAR'S TOTAL 23·69
Rain Days.	13	14	20	7	12	7	14	12	8	11	17	22	157

2598

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

JAN 1916

Kept at Rosehill Market Harborough

in the County of Leicester

by Geo. O. Nicholson

Lat. 52 30 Long. nearly 1 w. 9 8·3

Time of Observation 9 am

Nearest Railway Station Market Harborough

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·15	·06	.	·19	-	-	·02	·04	-	.	·13	1
2	-	·20	·14	·24	-	·07	-	·79	·02	·09	.	·06	2
3	·26	-	·04	·10	-	-	·28	·80	·09	.	.	·13	3
4	·10	-	-	-	-	-	·09	-	-	.	·03	·60	4
5	·02	·32	-	-	·01	-	·18	·03	-	-	.	·30	5
6	·10	·04	.	·23	-	-	·90	·03	-	·04	.	·02	6
7	·07	·27	·01	·06	-	·12	·17	·19	-	.	.	·20	7
8	·02	·15	·01	·04	-	-	-	·01	-	.	·06	·03	8
9	-	·01	-	-	-	.	.	-	.	.	·20	·42	9
10	·35	-	-	-	-	.	·01	·13	-	.	·06	.	10
11	·02	-	·02	·02	-	.	·07	-	-	.	·50	.	11
12	·03	-	-	·13	·38	.	-	·32	-	.	1·17	·06	12
13	-	·56	-	-	·75	-	·04	-	-	.	·01	.	13
14	-	·01	-	-	-	~~7~~	·05	·04	·09	·01	.	·31	14
15	·28	-	-	-	·05	-	·03	·02	-	.	·10	·19	15
16	-	·39	-	-	·01	-	1·07	·05	-	.	.	·02	16
17	-	·19	-	-	·02	-	·37	-	-	.	.	.	17
18	.	·13	·41	.	-	.	-	-	-	.	·03	.	18
19	-	·03	·02	.	·04	.	·10	-	-	.	.	.	19
20	·40	-	.	.	-	.	-	-	.	.	.	·33	20
21	·11	·15	. .	.	.	.	·12	-	-	.	.	·10	21
22	·15	-	·17	·06	-	-	·15	-	-	.	.	·12	22
23	·02	·02	-	-	-	·02	·12	-	·05	·21	·01	·24	23
24	-	-	·14	.	.	.	·03	-	·80	·08	.	·10	24
25	-	-	·01	.	.	·25	·09	-	.	·04	.	·25	25
26	-	·16	-	.	.	.	·02	.	·03	.	.	·31	26
27	-	-	·01	.	.	-	·15	.	.	·45	.	·04	27
28	-	·14	·01	.	.	·25	.	·08	·09	·18	.	.	28
29	.	×	-	.	.	·60	·07	·08	.	.	·13	·18	29
30	·08	×	.	.	.	·32	.	·03	.	·07	·03	·08	30
31	-	×	.	×	.	×	·01	·07	×	·40	×	·08	31
Total	2·18	2·92	1·05	·88	1·45	1·63	4·12	2·69	1·21	1·57	2·33	4·30	YEAR'S TOTAL 26·33
Rain Days.	16	17	13	8	8	7	22	16	8	10	12	24	161

W. 8,000. X. 15.

cottage

REGISTER OF RAINFALL IN 1916

2493

FORM A. BRITISH RAINFALL. 15. JAN 1917

Kept at Rose Hill Market Harborough

in the County of Leicester

by Geo. D. Nicholson

Lat. 52-30 Long. 1' west

Time of Observation 9 am

Nearest Railway Station Market Harborough

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	-	·21	·	-	·10	·18	·	-	-	·17	-	1
2	·40	·01	·09	·	·20	·	·11	·	·02	·41	·11	-	2
3	-	·48	-	·	·	·	·09	·	·90	·23	·04	-	3
4	·30	·10	-	·	·23	·25	·51	·	-	-	·17	-	4
5	·03	-	-	·	·04	·14	-	·	-	·14	·20	-	5
6	-	·15	·15	·04	·04	·	·52	·	-	·07	·38	-	6
7	·09	-	·12	·	·04	·	·40	·	-	·15	·19	·10	7
8	-	-	·14	·	·	·	·	·	-	-	·04	·15	8
9	·01	-	·05	·	·28	·04	·	·	-	·04	-	-	9
10	-	-	·09	·08	-	·17	·03	·	·02	·	·01	·08	10
11	-	·32	·11	·12	·11	·22	·	·	·01	·	·	·09	11
12	·06	·01	·17	·	·57	·08	·03	·	·01	·03	·	·03	12
13	·04	·16	·12	·08	·04	·03	·03	·10	-	-	·	-	13
14	-	·58	-	·10	-	·	-	·07	-	·10	·	-	14
15	-	·21	·53	·	·01	·	·04	·10	-	·01	·	-	15
16	-	·05	·35	·15	·03	·	·10	·01	-	·02	·	-	16
17	·04	-	-	·10	·	·	·05	·13	·14	·20	·	-	17
18	-	·27	·03	·06	·	·	·	·41	·10	·	·88	-	18
19	·10	·04	·28	·05	·	·	·	·	·11	·	·41	·14	19
20	·08	-	·16	·04	·	·	·	·11	·	·	·19	·26	20
21	-	-	·23	·	·	·	·06	-	·	·	·	·54	21
22	-	-	·01	·	·05	·02	·	-	·	·03	·01	·47	22
23	·03	}	-	·	·	·	·	·04	·	·07	·06	·33	23
24	-	1·14	·04	·03	·	·22	·	·03	·	·04	-	·13	24
25	-	·14	·10	·	·05	·	·	·23	·	·05	·14	-	25
26	-	·05	-	·	·	·04	·	·50	·	·08	-	-	26
27	·03	·17	1·15	·	·	-	·	·17	·12	·13	-	-	27
28	-	·27	·77	·	·	·10	·	-	·	-	-	·20	28
29	-	·11	-	·	·	·23	·	1·35	·	·27	-	·04	29
30	-	X	-	·	·	·03	·	·04	·	·13	·01	-	30
31	-	X	-	X	·	X	·	·03	X	·05	X	·01	31
Total	1·32	4·26	4·90	·85	1·69	1·67	2·15	3·32	1·43	2·25	3·01	2·57	YEAR'S TOTAL 29·42
Rain Days.	13	19	21	11	13	14	13	15	9	20	16	14	178

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. F24 93

Kept at Rose Hill Market Harborough
in the County of Leicester
by G. O Nicholson

Lat. 52·30 Long. 1 West
Time of Observation 9 am
Nearest Railway Station Market Harborough
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·16	-	-	-	·78	·45	-	·02	·04	1
2	·03	-	-	-	-	·10	-	·13	-	·03	·03	-	2
3	-	-	-	·12	-	-	-	·50	-	·30	·05	-	3
4	-	·23	·10	-	-	-	-	·14	-	·30	-	-	4
5	·13	-	·05	·15	-	-	-	·04	·08	·05	·10	·02	5
6	-	-	-	-	-	·20	-	-	·01	·17	·06	-	6
7	·31	-	-	·20	-	·10	-	-	-	·23	-	-	7
8	·59	-	-	-	-	-	-	·15	-	·33	·11	·03	8
9	·05	-	·14	·12	·09	-	·27	·11	-	-	·15	-	9
10	·34	-	-	·10	·10	-	-	·02	-	-	·09	-	10
11	·05	-	·19	·42	·02	-	-	·20	·05	·24	·01	-	11
12	·17	-	-	-	·24	·05	-	-	-	·36	-	·02	12
13	·03	-	·01	·02	-	-	·01	·24	·08	-	·01	-	13
14	·13		·01	·07	-	-	-	·02	-	-	-	-	14
15	-		-	-	-	-	·15	-	-	·02	-	-	15
16	·13	·19	-	·19	-	-	·03	-	-	·03	-	·22	16
17	-	·01	·01	·13	·45	·93	·24	-	-	·11	-	·02	17
18	·02	-	-	·10	·29	-	·09	·14	·97	·02	-	-	18
19	-	·13	·08	-	·23	-	-	-	·03	-	-	-	19
20	-	·15	·06	-	·82	·02	-	-	-	-	·18	-	20
21	-		·05	·03	·22	-	-	-	-	-	-	-	21
22	-		·15	-	-	-	-	-	·05	·06	-	-	22
23	-	·09	-	-	·10	-	-	·10	·02	-	-	-	23
24	-	·04	-	-	-	·42	-	·01	-	·21	·10	-	24
25	-	·02	·02	-	-	-	·13	-	-	-	·11	-	25
26	-	-	·02	-	-	-	-	·39	·16	-	·10	·01	26
27	-	-	-	-	-	·54	-	·62	-	-	-		27
28	-	-	·09	-	-	·65	-	·05	-	·01	-	·10	28
29	-	-	·04	-	·03	·02	·02	·03	-	·50	-	·26	29
30	-		-	-	-	-	·34	·22	-	-	-	·01	30
31	-		-		-		·02	·10		-		·07	31
Total	1·98	·86	1·02	1·81	2·59	3·03	1·30	3·99	1·90	2·97	1·12	·80	YEAR'S TOTAL 23·37
Rain Days.	12	8	15	13	11	10	10	20	10	17	14	11	151

1·79

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

2493

BRITISH RAINFALL FORM A.

Kept at Rosehill Market Harborough

in the County of Leicester

by Geo. O. Nicholson

Lat. 52·30 Long. 1 West

17.1

Time of Observation 9 am

Nearest Railway Station Market Harborough

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	·	·01	–	·	·	·	·	·	·	·	·	·	
1	·	·10	·	·08	·	·	·	·	·	·	·01	·02	1
2	·	·13	·	·04	·	·	·	·20	·	·	·	·12	2
3	·	·08	·05	·	·42	·	·	·14	·21	·02	·68	·	3
4	·01	·06	·03	·	·	·	·04	·03	·61	·01	·66	·05	4
5	·	·10	·	·02	·24	·	·	·11	·09	·03	·	·01	5
6	·	·10	·01	·26	·	·	·	·	·	·01	·	·	6
7	·10	·10	·	·04	·	·06	·	·	·04	·28	·10	·	7
8	·	·01	·09	·09	·	·	·	·	·08	·03	·	·15	8
9	·01	·19	·	·10	·	·10	·23	·	·47	·18	·	·04	9
10	·09	·01	·	·02	·	·	·32	·	·04	·15	·	·	10
11	·01	·	·		·10	·	·35	·	·09	·25	·	·05	11
12	·	·13	03	·	·09	·	·10	·	·12	·	·	·06	12
13	·		·	·03	·08	·05	·02	·	·11	·01	·	·05	13
14	·36	·	·	·45	·	·06	·27	·	·15	·04	·	·04	14
15	1·00	·	·	·34	·	·	·20	·	·07	·	·	·16	15
16	·05	·	·	·03	·	·	·	·	·13	·	·	·13	16
17	·23	·	·		·	·	·52	·03	·	·02	·	·03	17
18	·28	·	·	-	·	·10	·09	·	·37	·	·	·32	18
19	·01	·01	·06	·18	·	·	·01	·	·	·10	·	·20	19
20	·	·	·	·51	·	·	·03	·	·14	·09	·03	·	20
21	·07	·09	·	·38	·	·02	·05	·	·24	·05	·01	·02	21
22	·18		·	·	·12	·	·03	·	·01	·	·	·36	22
23	·18	·	·	·	·33	·01	·04	·	·	·01	·	·02	23
24	·19	·18	·	·	·	·	·20	·	·06	·03	·15	·	24
25	·	·	·	·	·	·	·08	·33	·02	·	·	·	25
26	·	·	·	·	·	·	·	·	·03	·04	·09	·17	26
27	·	·	·	·	·	·	·11	·19	·10	·	·09	·03	27
28	·	·25	·20	·	·	·	·07	·12	·	·	·26	·15	28
29	·	·	·	·	·	·	·	·	·75	·	·	·03	29
30	·	X	·	·	·	·	·	·01	·13	·	·15	·08	30
31		X	·30	X	·	X	·	·	X	·	X	-	31
Total	2·77	1·55	·77	2·57	1·38	·40	2·76	1·16	4·06	1·35	2·23	2·29	YEAR'S TOTAL 23·29
Rain Days.	15	16	8	15	7	7	19	9	23	18	11	23	171

W, 6,500, VII. 18. W W O

Ex. [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 2493

REGISTER OF RAINFALL IN 1919.

Kept at Rose Hill Market Harborough
in the County of Leicester
by Geo. O. Nicholson

Lat. 52'.30 Long. 1 West
Time of Observation 9 am
Nearest Railway Station Market Harboro'
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·07	·05	.	·21	.	·09	.	-	·10	·05	·43	1
2	·09	·02	·04	.	-	.	·35	.	·28	·07	·28	·05	2
3	·80	-	·04	.	·06	.	·21	.	·17	.	·19	·05	3
4	-	-	·37	.	-	·08	·01	·13	·09	.	·02	·36	4
5	·07	·14	·02	.	-	.	·04	.	·32	.	.	·11	5
6	-	.	-	.	·70	.	.	.	.	.	·04	·06	6
7	·05	.	·30	.	-	.	.	.	.	.	.	.	7
8	·16	.	·05	·15	-	.	.	.	.	.	·04	.	8
9	-	.	-	·11	·03	.	.	.	.	.	·02	.	9
10	-	.	·36	·02	·05	.	.	.	.	·02	·04	·05	10
11	·06	.	·30	·03	.	.	·51	.	.	.	·01	.	11
12	-	.	·26	·09	.	·32	.	.	.	·08	·28	.	12
13	·15	.	-	·23	.	.	·01	.	.	·05	-	·02	13
14	·31	.	-	·25	.	.	.	.	·24	.	-	-	14
15	·40	.	·05	·09	.	.	.	.	-	.	·10	·57	15
16	·15	·80	-	·01	.	.	.	·03	.	.	·25	-	16
17	·07	·43	-	.	·05	·02	.	-	.	.	·23	·01	17
18	-	-	·14	.	.	.	·01	·23	·02	.	-	·23	18
19	·03	·19	·80	.	.	·20	·70	·24	·14	.	·06	·02	19
20	·58	·44	·21	.	.	·04	·36	·21	·03	.	·11	-	20
21	·15	·30	·12	.	.	.	·26	.	.	.	·04	·19	21
22	-	.	·01	.	.	.	-	.	.	.	.	·60	22
23	-	.	-	.	.	·02	·01	·07	.	·63	.	·04	23
24	-	.	-	·24	·02	.	·18	-	·30	·27	·03	·04	24
25	·12	.	-	·16	·10	.	.	·27	.	.	.	·05	25
26	·05	.	·30	·05	.	.	.	·04	·10	.	.	·40	26
27	·80	.	·02	·45	.	·02	.	·24	.	·01	·02	·07	27
28	·04	.	-	·01	.	·01	.	·60	.	-	.	·40	28
29	·04	.	-	·06	.	·01	.	·13	.	·28	·20	·08	29
30	-		·10	·22	.	·30	.	·02	.	·04	·12	·32	30
31	·04		·18		.		·03	-		·06		·03	31
TOTAL	452	2·39	372	2·17	1·22	1·02	2·77	2·21	1·69	1·61	2·13	4·18	YEAR'S TOTAL 29·63
Days with ·01 in. or more	21	8	20	16	8	10	14	12	10	11	20	23	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2493

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Rose Hill Market Harborough

in the County of Leicester

by Geo. O. Nicholson

Lat. 52·30 Long. 1 West

Time of Observation 9 am

Nearest Railway Station Market Harboro'

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in **Millimetres should** not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·17	·26	-	·23	-	-	·12	-	·20	1
2	-	-	-	·11	-	-	-	·10	·11	·05	-	·07	2
3	-	·03	-	·50	·04	·05	·36	·02	·05	·10	-	·01	3
4	-	-	-	·10	-	-	-	·35	-	·33	-	·10	4
5	-	-	·09	-	·26	-	·76	·07	·05	-	-	-	5
6	-	-	·15	·01	·04	-	·22	-	-	-	-	·05	6
7	-	-	·12	·20	-	-	·06	-	-	-	-	-	7
8	·46	·07	-	·63	·06	-	·14	-	-	·01	-	-	8
9	·37	-	-	1·12	-	-	·01	·20	-	-	-	-	9
10	·32	·05	·07	·24	-	·01	·05	-	-	-	·02	-	10
11	·19	·04	·03	·18	·22	-	·01	·06	-	-	-	06	11
12	·02	-	·01	·14	-	·25	·06	·04	-	-	01	·15	12
13	·03	·04	·08	·08	-	-	-	-	·09	-	·01	-	13
14	-	·01	49	·18	-	·42	-	-	·16	·22	·15	-	14
15	-	·08	·83	·04	-	-	·01	-	·19	·07	-	-	15
16	-	-	-	·04	·05	·08	-	-	·18	·09	·05	-	16
17	·01	-	-	·12	·13	-	-	-	·62	·09	-	09	17
18	·14	-	-	·11	·08	-	-	·18	·40	-	-	-	18
19	·07	12	-	·28	-	·11	-	·15	-	-	·01	·04	19
20	04	·35	-	·34	-	·31	-	-	-	-	-	-	20
21	-	-	-	-	-	-	·12	·09	·04	-	-	02	21
22	·01	-	-	·16	-	-	·02	-	·13	-	-	-	22
23	-	-	·17	·	-	-	·23	-	-	-	-	·34	23
24	-	-	-	·	-	-	-	-	-	-	·02	·04	24
25	-	·04	[illegible]	·08	·15	·01	·61	-	-	-	-	-	25
26	·22	-	·12	·02	·01	-	·02	-	-	-	-	·01	26
27	·12	·02	·00	·10	-	·50	·	-	-	·03	·62	·26	27
28	·50	-	·07	·01	·15	-	·01	-	-	-	·05	·20	28
29	·12	-	·11	-	·48	-	·05	-	-	-	·06	·43	29
30	-		·00	·04	·05	·08	·06	-	·19	-	·04	·17	30
31	·10		·04		·05		·10	-		·23		·05	31
TOTAL	2·72	·85	2·38	5·00	2·03	1·82	3·13	1·26	2·21	1·34	1·07	2·29	YEAR'S TOTAL 26·10
Days with ·01 in. or more	16	11	14	25	15	10	20	10	12	11	11	18	173
Days with ·04 in. or more	12	8	12	22	14	8	14	9	12	9	6	15	141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made

LEICESTER.

MELTON MOWBRAY.

1913 – 1920

15 JAN 1914

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Mr. G. Walsh
Time of Observation 9. a.m.

YEAR 1913.

At Melton Mowbray
County Leicestershire

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	-	-	·11	-	-	-	-	-	·90	-	·02	-
2	-	·10	·02	-	-	-	·03	-	·02	-	-	-
3	·04	-	·17	·08	·35	-	-	-	-	-	-	-
4	·41	-	·02	-	·04	-	·03	-	-	·01	·07	·31
5	·07	·02	·02	-	-	·02	·04	-	·05	1·05	-	-
6	·01	-	·04	-	·26	·08	·52	-	-	·03	-	-
7	-	·05	·01	-	·10	·02	·01	-	-	·63	·02	·05
8	-	·01	-	-	·10	·22	-	-	-	·38	·05	·01
9	-	·32	·03	-	-	·20	·01	·12	·01	-	·10	-
10	-	-	-	·12	-	-	·01	·33	-	-	·36	-
11	·87	-	-	·31	·10	-	-	·37	-	·02	·41	-
12	-	-	-	-	·03	·01	-	-	-	-	·19	·01
13	·10	-	·05	·05	-	-	-	-	·05	-	·19	-
14	·07	·02	·60	·04	-	-	·02	·02	-	·09	-	-
15	·07	·03	·36	·25	-	-	·20	-	·37	-	·06	-
16	·05	·04	·48	·16	-	-	-	·01	·27	-	-	-
17	·02	·05	·09	·06	-	·34	·04	-	·07	-	·02	-
18	-	-	·18	·06	-	-	·03	-	-	-	-	·02
19	·09	-	-	-	-	·02	·03	-	·03	-	-	-
20	·09	-	·02	·04	-	-	-	-	-	-	·03	·01
21	·01	-	·11	-	·04	-	·03	-	·06	·15	·19	-
22	·21	-	·41	-	-	-	-	·06	·25	-	-	-
23	-	-	·01	-	-	·05	-	·04	·05	-	-	-
24	·05	-	-	·03	-	·01	-	·29	-	-	-	-
25	-	·03	-	·12	-	·01	-	-	·02	-	-	-
26	-	·07	·24	-	-	-	-	·01	-	·24	·02	·23
27	-	·05	·03	·17	-	-	-	-	-	-	-	·01
28	·21	-	·21	·27	-	-	-	-	-	·03	-	·03
29	·01		·13	·51	-	-	-	·68	-	·02	-	·21
30	·34		·02	·02	·06	-	·01	-	-	·06	·06	·04
31	-		-		·34		-	·01		-		-
Totals	2·72	0·79	3·36	2·29	1·42	0·98	1·01	1·94	2·15	2·71	1·79	0·93



22.09 MONTHLY TOTALS

S. made ✓

15 JAN 1914

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Mr. G. Walsh

YEAR 1913.

At Melton Mowbray

Time of Observation 9. a.m

County Leicestershire

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	-	-	·11	-	-	-	-	-	·90	-	·02	-
2	-	·10	·02	-	-	-	·03	-	·02	-	-	-
3	·04	-	·17	·08	·35	-	-	-	-	-	-	-
4	·41	-	·02	-	04	-	·03	-	-	·01	·07	·31
5	·07	·02	·02	-	-	02	·04	-	05	1·05	-	-
6	·01	-	·04	-	·26	·08	·52	-	-	·03	-	-
7	-	·05	·01	-	·10	·02	·01	-	-	·63	·02	·05
8	-	·01	-	-	·10	·22	-	-	-	·38	·05	·01
9	-	·32	·03	-	-	·20	·01	·12	·01	-	·10	-
10	-	-	-	·12	-	-	·01	·33	-	-	·36	-
11	·87	-	-	·31	·10	-	-	·37	-	·02	·41	-
12	-	-	-	-	·03	·01	-	-	-	-	·19	·01
13	·10	-	·05	·05	-	-	-	-	·05	-	·19	-
14	·07	·02	·60	·04	-	-	·02	·02	-	·09	-	-
15	·07	·03	·36	·25	-	-	·20	-	·37	-	·06	-
16	·05	·04	·48	·16	-	-	-	·01	·27	-	-	-
17	·02	·05	·09	·06	-	·34	·04	-	·07	-	·02	-
18	-	-	·18	·06	-	-	·03	-	-	-	-	·02
19	·09	-	-	-	-	·02	·03	-	·03	-	-	-
20	·09	-	·02	·04	-	-	-	-	-	-	03	·01
21	·01	-	·11	-	04	-	·03	-	·06	·15	·19	-
22	·21	-	·41	-	-	-	-	·06	·25	-	-	-
23	-	-	·01	-	-	·05	-	·04	·05	-	-	-
24	·05	-	-	·03	-	·01	-	·29	-	-	-	-
25	-	·03	-	·12	-	·01	-	-	·02	-	-	-
26	-	·07	·24	-	-	-	-	·01	-	·24	·02	·23
27	-	·05	·03	·17	-	-	-	-	-	-	-	·01
28	·21	-	·21	·27	-	-	-	-	-	·03	-	·03
29	·01		·13	·51	-	-	-	·68	-	·02	-	·21
30	·34		·02	·02	·06	-	01	-	-	·06	·06	·04
31	-		-		·34		-	·01		-		-
Totals	2·72	0·79	3·36	2·29	1·42	0·98	1·01	1·94	2·15	2·71	1·79	0·93



22.09

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 8 - JAN 1915

Kept at Melton Mowbray

in the County of Leicestershire 4

by G. Walsh

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Melton (Mid) ¾ mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·03	-	-	·70	·21	-	-	·02	-	1
2	-	-	-	·04	-	-	·05	·27	-	-	·11	·18	2
3	-	-	-	·01	·10	-	·16	·14	-	-	·01	-	3
4	·15	-	·07	·15	·01	-	-	·11	-	-	·49	·19	4
5	·08	-	·10	·18	·01	·11	·12	·08	-	-	·01	-	5
6	-	·02	-	·11	·05	-	-	-	-	-	·06	·10	6
7	-	·09	·44	·02	·01	·03	·01	01	-	-	-	·04	7
8	08	-	·03	·02	·11	·83	·05	·16	-	-	-	-	8
9	·35	·01	·12	·18	-	1·03	-	·05	·11	-	-	-	9
10	·20	·07	-	·14	·01	-	-	-	·03	-	-	-	10
11	-	·06	·35	·35	·19	·02	-	-	·07	-	·50	·22	11
12	·02	·01	·07	-	-	-	·12	-	·29	-	·03	·25	12
13	·01	·07	·13	-	-	-	-	-	·01	·06	·11	·22	13
14	·02	·01	·16	-	-	-	·20	-	-	·16	·11	·27	14
15	·07	-	·08	-	-	-	-	01	-	·01	·14	·04	15
16	·01	-	·04	-	-	-	·34	-	01	-	·01	-	16
17	-	·20	·05	-	-	-	·03	-	·07	-	-	·12	17
18	·01	-	·01	-	-	·02	·14	-	-	-	-	·36	18
19	-	·02	-	-	-	-	-	-	-	-	·07	·02	19
20	-	·09	·11	-	-	-	·04	-	·08	·01	-	-	20
21	-	·29	·04	-	-	·22	-	-	-	·03	-	·22	21
22	-	·02	·01	-	36	-	·02	·10	-	·24	-	-	22
23	-	·07	·05	-	·13	·02	·03	-	-	·04	-	·03	23
24	-	-	·31	·01	·14	-	·04	-	-	·18	·23	-	24
25	·01	-	-	-	-	-	·05	·10	-	·42	·01	·24	25
26	·03	-	-	-	-	-	-	·08	-	·14	·23	·27	26
27	-	-	-	-	-	-	-	-	-	-	·01	·10	27
28	·01	·04	·01	-	·06	-	-	-	-	·04	·33	·87	28
29	·01	✕	-	-	-	-	-	-	-	·37	·02	-	29
30	-	✕	09	-	-	03	-	·01		·02	·35	·19	30
31	-	✕	-	✕	-	✕	·26	-	✕	·01	✕	·05	31
Total	1·06	1·07	2·27	1·24	1·18	2·31	2·36	1·33	0·67	1·73	2·85	3·98	YEAR'S TOTAL 22·05
Rain Days.	15	15	20	12	12	9	17	13	8	14	20	20	175

W. 8,000. X. 14.

2629

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Melton Mowbray

in the County of Leicester

by G. Walsh

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station ½ mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·14	·02	-	·34	-	-	-	·03	-	·09	·12	1
2	-	·06	·15	·15	-	·09	-	1·35	·16	-	-	·04	2
3	·30	-	·04	·17	-	-	·97	·18	·07	-	·01	·18	3
4	·14	-	-	-	01	-	·56	·01	-	·04	-	1·00	4
5	·02	·32	-	-	·05	-	-	·03	-	-	-	·36	5
6	·02	·10	·01	·17	-	-	·70	·02	-	·02	·03	·03	6
7	·10	·30	·01	-	-	·02	·15	·17	-	-	-	65	7
8	·09	·11	-	·05	-	-	-	·03	-	-	·01	-	8
9	·01	·09	-	-	-	-	-	-	-	-	·06	·30	9
10	·27	-	·01	-	-	-	-	·20	-	-	·17	-	10
11	-	-	·03	·03	·14	-	·07	·16	-	-	·39	·10	11
12	·01	-	-	·27	·19	-	·06	·01	-	-	·98	-	12
13	-	·40	-	-	·49	-	-	-	·01	-	·01	·27	13
14	-	·07	-	-	·01	-	-	·04	·03	-	-	-	14
15	·24	·01	-	-	·04	-	06	·02	-	-	·09	·12	15
16	-	·28	-	-	·02	-	1·63	-	-	-	-	·01	16
17	·01	·10	-	-	-	-	·23	-	-	·02	-	·01	17
18	-	·17	·26	-	-	-	-	-	-	-	·07	-	18
19	-	·03	-	-	·01	-	·15	-	-	-	-	·01	19
20	·14	-	-	-	-	-	-	-	-	-	-	·33	20
21	·13	06	-	-	·31	-	·17	-	-	-	-	·15	21
22	·10	-	·15	·03	-	-	·27	-	·01	·01	-	·07	22
23	·06	·02	-	-	-	·03	·12	-	·05	·17	-	·19	23
24	·01	-	·17	-	-	·03	·07	-	·77	·09	-	·09	24
25	-	-	·01	·03	-	·43	·08	-	·01	·04	·01	·19	25
26	-	·21	-	-	-	·01	·02	-	·05	-	-	·28	26
27	-	·01	·01	-	-	·08	·03	-	-	·42	-	·05	27
28	-	·15	·02	-	-	·19	-	·17	-	06	-	-	28
29	-	╳	-	-	-	·09	·01	·07	·01	-	·19	·24	29
30	·04	╳	-	·01	-	·97	-	·01	-	·01	·02	·06	30
31	·09	╳	-	╳	-	╳	-	·04	╳	·12	╳	·06	31
Total	1·91	2·63	0·89	0·91	1·61	1·94	5·35	2·51	1·20	1·00	2·13	4·91	YEAR'S TOTAL 26·99
Rain Days.	19	19	13	9	11	10	18	16	11	11	14	25	176

W. 8,000. X. 15.

ext 75.

2564

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Melton Mowbray

in the County of Leicester

by G. Walsh

Lat. ______ Long. ______

Time of Observation 9 a.m. — during operation of Summer time Act 10 a.m.

Nearest Railway Station Melton Mowbray ½ Mile distant

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ______ ft. 11 in.

" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	-	·19	-	·01	·11	·07	-	-	-	·14	-	1
2	·30	·03	·07	-	·33	·01	·39	-	·04	·23	·09	-	2
3	·01	·33	-	·01	·01	-	·09	-	·55	·19	·07	-	3
4	·25	·08	·04	-	·24	·47	·03	-	·08	·05	·18	-	4
5	·01	-	-	·01	·03	·19	-	-	-	·10	·12	-	5
6	·08	·08	·16	-	·04	-	·32	-	-	·08	·30	-	6
7	·04	-	·13	-	·02	·01	·16	-	-	·10	·28	·12	7
8	-	-	·04	-	-	·16	-	-	-	·08	·03	·15	8
9	-	-	·03	-	·23	·16	-	-	·02	·05	-	-	9
10	-	·03	·07	·05	-	·11	·01	-	·06	-	-	·10	10
11	-	·38	·13	·11	-	·12	-	-	·01	-	-	·04	11
12	04	·01	·15	·01	·46	·16	·04	-	-	04	-	-	12
13	-	·18	·20	·01	·05	·04	-	09	-	-	-	-	13
14	-	·28	·01	·05	·02	-	-	·57	-	-	-	-	14
15	-	·26	·31	·01	-	-	·17	·05	-	·03	-	-	15
16	·01	·11	·20	·24	·01	-	·12	·10	-	-	-	-	16
17	·02	·09	·01	·13	-	-	·05	·15	·15	·17	-	-	17
18	-	·16	·01	·05	-	-	-	·05	·15	-	·98	·02	18
19	·06	·04	·25	·03	-	-	-	·02	·08	-	·15	·06	19
20	·11	-	·19	·10	-	-	-	-	-	-	·09	·13	20
21	·03	-	·28	-	·03	-	-	-	-	-	-	·40	21
22	-	·02	·01	-	·01	-	-	-	-	·02	·01	·27	22
23	·06	·32	-	·01	-	04	-	02	-	-	·11	·64	23
24	·01	·66	-	·03	-	-	-	09	-	·03	-	-	24
25	-	·34	·13	-	·01	-	-	·19	-	·04	·28	-	25
26	·03	·26	-	-	-	·03	-	-	-	·13	-	-	26
27	·01	·33	·69	-	-	-	·43	·27	·02	·23	-	-	27
28	-	·22	·33	-	-	·16	·01	-	·01	·05	-	·16	28
29	-	·14	·05	-	·04	·21	-	·81	-	·25	-	·15	29
30	-	X	-	-	·01	·11	-	·01	-	·10	-	·02	30
31	-	X	-	X	·01	X	-	·05	X	·13	X		31
Total	1·12	4·35	3·68	0·85	1·56	2·09	1·89	2·47	1·17	2·10	2·83	2·26	YEAR'S TOTAL 26·37
Rain Days.	17	22	24	15	18	16	13	14	11	20	14	13	197

W. 8,000, VIII. 16

[illegible]

2-130

FORM A.
BRITISH RAINFALL
2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Melton Mowbray

in the County of Leicester

by G. Walsh

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Melton (Mid) ½ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. · in.
" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·08	-	-	-	·92	·14	-	·01	·11	1
2	05	-	-	-	-	·07	-	·19	-	·01	-	-	2
3	-	05	-	·35	-	·01	-	·84	-	·19	·02	-	3
4	-	-	05	-	-	-	-	·10	-	·50	-	-	4
5	·08	-	·02	·06	-	-	-	·01	·05	·06	·12	-	5
6	-	-	-	-	-	·09	-	-	-	·30	·07	·01	6
7	·29	-	-	-	-	-	-	-	-	·22	-	-	7
8	·60	-	·01	·08	-	-	·20	·95	-	·31	·08	·02	8
9	·06	-	·08	·04	-	-	-	·18	-	·04	·17	·01	9
10	·26	-	·26	·10	16	-	-	·03	-	-	-	-	10
11	·04	-	·05	·16	-	-	-	05	-	·20	·04	-	11
12	·15	05	-	-	·14	-	-	·02	·02	·18	-	·02	12
13	-	-	-	·01	-	-	-	·25	·05	-	-	-	13
14	·15	-	-	·10	-	-	-	·04	-	-	-	·02	14
15	-	-	-	-	-	-	·04	-	-	·05	-	·02	15
16	·04	·23	-	·08	-	-	-	-	-	·01	-	·12	16
17	·01	-	·05	·19	·29	·12	·13	·02	·10	·08	-	·03	17
18	-	·02	-	·09	·10	·01	·64	-	·69	·01	-	-	18
19	·10	·10	·06	-	·05	-	-	·02	·06	-	-	-	19
20	-	·16	·06	-	·41	·01	-	·03	·03	-	·12	-	20
21	-	·01	·03	-	-	·12	-	·01	-	·02	-	-	21
22	-	-	·11	-	-	-	-	·01	-	·05	-	-	22
23	-	·02	-	-	·06	-	-	·12	-	·03	-	·02	23
24	-	-	-	-	-	·31	·01	·08	-	·22	·02	-	24
25	-	-	·03	-	-	·02	-	-	-	-	-	-	25
26	-	-	·02	-	-	-	-	·31	·46	-	·10	·01	26
27	-	-	-	-	-	·21	05	·44	-	-	-	-	27
28	-	-	·10	-	-	·12	-	·16	-	·01	-	·12	28
29	-	╳	-	-	-	·14	·01	·02	-	·50	-	·21	29
30	·02	╳	·01	-	-	-	·55	·28	-	-	-	-	30
31	-	╳	07	╳	-	╳	·07	·12	╳	-	╳	05	31
Total	1·85	0·64	1·01	1·34	1·21	1·23	1·70	5·20	1·60	2·99	0·75	0·77	YEAR'S TOTAL 20.29
Rain Days.	13	8	16	12	7	12	9	25	9	20	10	14	20·29

2.58

155

W. 8,000, IX. 17.

Exd E.F.E.

29

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8. 1. 19

Kept at Melton Mowbray
in the County of Leicester
by G. Walsh

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Melton (Mid) ½ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07		·04					·05	·02	·15	·04	1
2		·08		·07				·68			·06	·18	2
3		·02	·04		·52			·17	·08		·37		3
4		·02	·04				·05	·03	·83	·02	·47	·02	4
5				·01	·12			·11	·08	·08			5
6		·07		·12		·03				·04			6
7	·01	·11		·32		·05			·03	·09	·08		7
8		·07	·02	·06					·03	·03		·09	8
9		·29		·04		·19	·17		·31	·25		·01	9
10	·01			·04			·54			·19		·01	10
11	·05	·07		·01	·19		·05		·09	·18		·11	11
12		·18	·01		·13		·47		·01			·03	12
13					·16				·11	·01		·02	13
14	·30			·06		·01	·07		·13	·06		·09	14
15	·75			·56		·02	·09		·05			·18	15
16				·28					·07			·02	16
17	·24			·01		·01	·58		·09	·06		·15	17
18	·33					·05			·18			·26	18
19	·04		·09	·05		·01				·06		·12	19
20		·02		·21		·06	·04		·01				20
21	·07	·01		·09					·25	·18			21
22	·10				·03		·03		·05			34	22
23	·08				·18		·05		·04				23
24		·18					·05		·04	·05	·11		24
25							·12	·17		·02	·02		25
26							·08		·01			06	26
27				·04		·02	·09	·26	·16		·17	07	27
28		·21	·15					·03			·20	36	28
29									·66			01	29
30		X	·22						·11		·12	·16	30
31		X	·19	X		X		·02	X		X		31
Total	1·98	1·40	0·76	2·01	1·33	0·45	2·48	1·47	3·47	1·34	1·75	2·33	YEAR'S TOTAL 20·77
Rain Days.	11	14	8	17	7	10	15	8	24	16	10	21	161

W, 6,500, VII. 18. W W G

2292

2 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at MELTON MOWBRAY
in the County of LEICESTER
by G WALSH

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station MELTON (MID) ½ MILE
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·13	-	-	·24	-	·11	-	-	·05	·08	·35	1
2	·12	-	04	-	-	-	·29	·06	·45	13	·15	·06	2
3	·70	-	04	-	-	-	·16	-	·13	-	·13	·03	3
4	·07	-	·26	-	-	·12	·07	·24	·05	-	·15	·22	4
5	·04	·08	-	-	-	-	·03	-	·30	-	-	·06	5
6	-	-	·06	-	·90	-	-	-	-	-	·04	·06	6
7	·03	-	·24	-	-	-	-	-	-	-	-	-	7
8	·11	-	·01	·12	-	-	-	-	-	-	·01	-	8
9	-	-	-	·06	-	·05	-	-	-	-	·01	-	9
10	-	-	·27	·04	-	-	-	-	-	·02	·01	·05	10
11	-	-	·33	·02	·08	-	·50	-	-	-	-	-	11
12	·03	-	·34	·02	-	·12	-	-	01	·05	·07	-	12
13	·13	-	-	·12	-	-	·01	-	·05	·04	-	-	13
14	·27	·04	-	·11	-	-	-	-	·11	·01	-	·01	14
15	·11	·03	-	·04	-	-	-	-	-	·03	·16	·63	15
16	·06	·97	-	·01	-	-	-	-	-	-	15	-	16
17	·06	·30	-	·03	-	·03	-	-	-	-	·20	-	17
18	-	-	·06	-	-	-	-	·26	-	-	·01	·19	18
19	·01	·18	·18	-	-	·12	1·63	·43	·15	-	·14	·10	19
20	·39	·08	·26	-	-	·03	·45	·24	·07	-	·17	·13	20
21	·24	·38	·04	-	-	-	·40	-	-	-	·03	·33	21
22	-	·03	·11	-	-	-	-	-	39	-	-	·48	22
23	-	-	-	-	-	-	04	-	-	·70	·02	·05	23
24	-	-	-	·28	·13	·05	-	-	-	·16	·08	·03	24
25	·10	-	-	·02	·07	-	-	·31	·10	-	-	·10	25
26	-	·04	·20	·07	-	-	-	·08	-	-	·03	·27	26
27	·36	·01	-	·27	-	-	-	03	-	-	-	·04	27
28	-	·01	-	·04	-	-	·01	·63	-	·06	05	·26	28
29	·08	✕	-	·06	-	-	-	·12	-	·36	·14	·04	29
30	-	✕	·04	·26	-	·36	-	-	-	·04	·03	·28	30
31	·01	✕	04	✕	-	✕	04	-	✕	·17	✕	·03	31
TOTAL	3·19	2·28	2·52	1·57	1·42	0·88	3·74	2·40	1·81	1·82	1·86	3·80	YEAR'S TOTAL 27·29
Days with ·01 in. or more	20	13	17	17	5	8	13	10	11	13	22	23	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at MELTON MOWBRAY
in the County of LEICESTER
by G WALSH

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station MELTON (MID)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 345 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·19	·15	-	·27	-	·09	·14	·03	·08	1
2	-	-	-	·18	-	-	·17	-	·07	·14	-	·03	2
3	-	·04	-	·10	·02	·03	·30	-	·05	·04	-	·03	3
4	-	-	-	·16	-	-	·07	·24	·01	·32	-	·08	4
5	-	-	·02	·01	·21	-	·36	·15	·03	-	-	-	5
6	-	-	·19	·03	·02	-	·14	·02	-	-	-	·05	6
7	-	-	·10	·13	-	-	·19	-	-	-	-	·02	7
8	·11	·05	-	·48	·09	-	·07	-	-	-	-	-	8
9	·32	·01	-	·69	-	-	-	·04	-	-	-	-	9
10	·21	·09	·06	·05	-	-	·03	-	-	-	·03	-	10
11	·14	·04	·04	·12	·14	·07	·01	·07	-	-	-	·10	11
12	·02	-	·01	·21	-	·22	·07	·02	-	-	·01	·08	12
13	·04	·09	·10	·35	-	·23	-	-	·01	-	-	-	13
14	-	·06	·50	·22	-	1·05	·02	-	·19	·16	·20	-	14
15	-	·07	·86	·13	-	-	-	-	·05	-	-	·02	15
16	-	-	·01	·05	·06	-	-	-	·05	·02	-	-	16
17	-	-	-	-	·11	-	-	-	·48	·02	-	·01	17
18	·10	-	-	·13	·10	·04	·10	·13	·19	-	-	-	18
19	-	·28	-	·16	-	·08	-	·05	·01	-	-	·03	19
20	·10	·34	-	·25	-	·24	·01	-	·01	-	-	-	20
21	·01	-	-	-	-	-	·17	·11	·03	-	-	·01	21
22	-	·01	-	·17	-	-	·02	-	·08	-	-	-	22
23	-	-	-	-	-	-	·10	-	·01	-	-	·28	23
24	-	·01	·10	-	-	-	-	·01	-	-	·04	-	24
25	-	·04	·02	·09	·01	·06	·46	-	-	-	-	·05	25
26	·15	-	·06	·04	-	-	·07	-	·01	-	-	-	26
27	·09	·01	-	·10	·03	·36	-	-	-	-	·47	·23	27
28	·46	-	·05	·02	·03	-	·04	-	·01	-	·03	·07	28
29	·06	-	·06	-	1·12	-	·07	-	-	-	·06	·30	29
30	·02	╳	-	·15	·02	05	·02	-	·11	-	·09	·20	30
31	·11	╳	·04	╳	·05	╳	-	-	╳	·25	╳	·06	31
Total	1·94	1·14	2·22	4·21	2·16	2·43	2·76	0·84	1·49	1·09	0·96	1·73	Year's Total 22·97
Days with ·01 in. or more	15	14	16	25	15	11	22	10	19	8	9	19	183
Days with ·04 in. or more	12	10	12	22	9	10	16	7	10	6	5	12	131

2198 A
2515

2515 —— 113397.

MELTON MOWBRAY

WHITE LODGE.

1920 – 32.

78 27 12

FORM A. 1. METEOROLO… …ANIZATION.

RE… …

20 AUG 1921

53°

Kept at White Lodg… …a.m. G.M.T.

Melton Mowbray

in the County of………… …n Gauge 8 in.

…e Ground 1 ft. 6 in.

by Richd… …Sea Level 236 ft.

IMPORTANT NOTI… …ntered to the previous day.
If an Observer prefers not to conform to this almost univers… …sted to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·15	·15	–	·29	–	·06	·16	·02	·10	1
2	–	–	–	·33	–	–	·16	–	·07	·12	–	·05	2
3	–	·04	–	·02	·01	·02	·30	–	·04	·06	–	·02	3
4	–	–	·	·18	–	–	·14	·26	·02	·32	–	·06	4
5	–	·01	·03	–	·32	–	·25	·16	·01	–	–	·01	5
6	–	–	·18	·04	·02	–	·11	·01	–	–	–	·07	6
7	–	·07	·15	·14	·01	–	·18	–	–	–	–	·01	7
8	·14	·05	–	·52	·09	–	·04	–	–	–	–	–	8
9	·33	·02	·01	·66	–	–	–	·04	–	–	–	–	9
10	·23	·09	·08	·01	–	–	·02	·01	–	–	–	–	10
11	·16	·03	·04	·12	·15	·08	·01	·06	–	–	–	·09	11
12	·02	–	·01	·23	–	·22	·13	·02	–	–	·04	– ~~·23~~	12
13	·04	·12	·11	·40	–	·21	–	–	·01	–	–	·14	13
14	·01	·02	·83	·22	–	1·15	·01	–	·22	·26	·21	–	14
15	–	·09	~~1·54~~ ·71	·15	–	–	–	–	·02	·03	–	·01	15
16	–	–	·01	·07	·05	–	·	–	·05	·02	–	–	16
17	–	–	–	–	·12	–	·01	–	·56	·03	–	·02	17
18	·14	–	–	·12	·12	·04	·11	·13	·17	–	–	–	18
19	·04	·28	–	·17	–	·14	–	·05	·02	–	–	·03	19
20	·04	·40	–	·25	–	·21	·01	–	·01	–	–	·01	20
21	–	–	–	–	–	–	·17	·11	·03	–	–	–	21
22	·02	–	–	·17	–	–	·02	–	·10	–	–	–	22
23	·01	–	–	–	–	–	·11	–	–	–	–	·30	23
24	·01	–	(·12) ~~·15~~	–	–	–	–	·01	–	–	·05	·05	24
25	–	·06	·02	·09	·01	·07	·48	–	·01	–	–	–	25
26	·15	–	·07	·03	–	–	·07	–	–	–	·02	·01	26
27	·09	–	–	·08	·02	·37	–	–	·02	–	·50	·23	27
28	·50	·02	·04	·07	·03	–	·05	–	–	–	·03	·05	28
29	·06	–	·05	–	1·11	–	·09	–	–	–	·07	·32	29
30	·03	✕	–	·19	·01	·05	·01	–	·12	–	·11	·24	30
31	·10	✕	·04	✕	·04	✕	–	–	✕	·28	✕	·04	31
TOTAL	2·12	1·24	2·50	4·35	2·26	2·56	2·77	0·86	1·54	1·28	1·05	1·86	620mm. YEAR'S TOTAL 24·39
Days with ·01 in. or more	19	14	17	24	16	11	23	11	18	9	9	~~20~~ 22	193
Days with ·04 in. or more	13	8	12	20	9	10	16	7	9	6	6	14	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2198 A

2515

Form A. 1. METEOROLOGICAL ~~OFFICE. BRITISH RAINFALL~~ ANIZATION.

REGISTER OF RAINFALL IN 1920.

10 AUG 1921

Kept at White Lodge Melton Mowbray
in the County of Leicester
by Richd Barker

Lat. 46° Long. 53°
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Melton Mowbray
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 236 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·15	·15	–	·29	–	·06	·16	·02	·10	1
2	–	–	–	·33	–	–	·16	–	·07	·12	–	·05	2
3	–	·04	–	·02	·01	·02	·30	–	·04	·06	–	·02	3
4	–	–	·	·18	–	–	·14	·26	·02	·32	–	·06	4
5	–	·01	·03	–	·32	–	·25	·16	·01	–	–	·01	5
6	–	–	·18	·04	·02	–	·11	·01	–	–	–	·07	6
7	–	·07	·15	·14	·01	–	·18	–	–	–	–	·01	7
8	·14	·05	–	·52	·09	–	·04	–	–	–	–	–	8
9	·33	·02	·01	·66	–	–	–	·04	–	–	–	–	9
10	·23	·09	·08	·01	–	–	·02	·01	–	–	–	–	10
11	·16	·03	·04	·12	·15	·08	·01	·06	–	–	–	·09	11
12	·02	–	·01	·23	–	·22	·13	·02	–	–	·04	– ~~·23~~	12
13	·04	·12	·11	·40	–	·21	–	–	·01	–	–	·14	13
14	·01	·02	·83 ~~1·54~~	·22	–	1·15	·01	–	·22	·26	·21	–	14
15	–	·09	·71	·15	–	–	–	–	·02	·03	–	·01	15
16	–	–	·01	·07	·05	–	·	–	·05	·02	–	–	16
17	–	–	–	–	·12	–	·01	–	·56	·03	–	·02	17
18	·14	–	–	·12	·12	·04	·11	·13	·17	–	–	–	18
19	·04	·28	–	·17	–	·14	–	·05	·02	–	–	·03	19
20	·04	·40	–	·25	–	·21	·01	–	·01	–	–	·01	20
21	–	–	–	–	–	–	·17	·11	·03	–	–	–	21
22	·02	–	–	·17	–	–	·02	–	·10	–	–	–	22
23	·01	–	–	–	–	–	·11	–	–	–	–	·30	23
24	·01	–	(·12) ~~·15~~	–	–	–	–	·01	–	–	·05	·05	24
25	–	·06	·02	·09	·01	·07	·48	–	·01	–	–	–	25
26	·15	–	·07	·03	–	–	·07	–	–	–	·02	·01	26
27	·09	–	–	·08	·02	·37	–	–	·02	–	·50	·23	27
28	·50	·02	·04	·07	·03	–	·05	–	–	–	·03	·05	28
29	·06	–	·05	–	1·11	–	·09	–	–	–	·07	·32	29
30	·03		–	·19	·01	·05	·01	–	·12	–	·11	·24	30
31	·10		·04		·04		–	–		·28		·04	31
													YEAR'S TOTAL 620mm
TOTAL	2·12	1·24	2·50	4·35	2·26	2·56	2·77	0·86	1·54	1·28	1·05	1·86	24·39
Days with ·01 in. or more	19	14	17	24	16	11	23	11	18	9	9	22 ~~20~~	193
Days with ·04 in. or more	13	8	12	20	9	10	16	7	9	6	6	14	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PRESTWOLD HALL

LEICESTERSHIRE

1911 – 1920.

FORM 412.
BRITISH RAINFALL.

2 - JAN 1912

RE

Kept at Prestwold

in the County of Leic

by D. Robert

in.

Ground 1 ft. in.

Sea Level 209 ft.

m

Name Midland

Distance 3 Direction N

IMPORTANT NOTE the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.05				.06	.03			.02		1
2	.12				.12		.01	.10		.01		.05	2
3		.02			.13			.16		.07	.01	.01	3
4	.03	.01	.11	.12				.02		.43	.12	.20	4
5	.02			.03				.03		.03			5
6	.30		.01	.01				.02		.09	.02	.40	6
7	.01	.02	.02							.07	.75	.08	7
8	.11		.16		.02				.07			.18	8
9	.04	.01									.10	.04	9
10	.06	.05	.13	.01				.04		.01	.04	.43	10
11	.18										.27		11
12		.01	.31					.17	.19		.12		12
13			.02						.11	.01	.03	.50	13
14	.01	.03	.03		.05		.01					.41	14
15		.06	.11					.01		.03	.06	.03	15
16	.01		.04			.04				.02	.11	.07	16
17				.01		.07				.01	.07	.20	17
18		.18			.01	.06				.02	.11	.10	18
19		.01				.12	.03		.05	.13	.37	.06	19
20	.01	.04		.05					.08	.06		.38	20
21		.59	.11					.75		.20		.07	21
22			.04	.02				.34		.39	.04	.31	22
23		.07	.17			.54		.01	.30	.02		.12	23
24	.01	.07	.07	.06		.67		.02		.33		.09	24
25		.11	.02	.06	.36	.04			.01		.03	.04	25
26		.01		.21	.33	.02		.01		.19	.37	.20	26
27		.10	.12	.02				.79	.30	.02	.01	.08	27
28		.24		.16		.14			.02		.06		28
29			.01			.18	.01		.12	.23	.01	.03	29
30			.02	.04	.02	.06				.16		.01	30
31			.02		.03					.06			31
Total	0.91	1.63	1.57	0.80	1.07	1.94	0.12	2.50	1.25	2.59	2.12	4.09 4.09	TOTAL for year 20.59 20.59
No. of Rain Days	13	18	20	13	9	11	5	15	10	23	21	25	183

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM 2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Prestwold Hall Gardens

in the County of Leicestershire 4

by D. Roberts

Rain Gauge: Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 209 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Midland
Distance 3 Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.05				.06	.03			.02		1
2	.12				.12		.01	.10		.01		.05	2
3		.02			.13			.16		.07	.01	.01	3
4	.03	.01	.11	.12				.02		.43	.12	.20	4
5	.02			.03				.03		.03			5
6	.30		.01	.01				.02		.09	.02	.40	6
7	.01	.02	.02							.07	.15	.08	7
8	.11		.16		.02				.07			.18	8
9	.04	.01									.10	.04	9
10	.06	.05	.13	.01				.04		.01	.04	.43	10
11	.18										.27		11
12		.01	.31					.17	.19		.12		12
13			.02						.11	.01	.03	.50	13
14	.01	.03	.03		.05		.01					.41	14
15		.06	.11					.01		.03	.06	.03	15
16	.01		.04			.04				.02	.11	.07	16
17				.01		.07				.01	.07	.20	17
18		.18			.01	.06				.02	.11	.10	18
19		.01				.12	.03		.05	.13	.37	.06	19
20	.01	.04		.05					.08	.06		.38	20
21		.59	.11					.75		.20		.07	21
22			.04	.02				.34		.39	.04	.31	22
23		.07	.17			.54		.01	.30	.02		.12	23
24	.01	.07	.07	.06		.67		.02		.33		.09	24
25		.11	.02	.06	.36	.04			.01		.03	.04	25
26		.01		.21	.33	.02		.01		.19	.37	.20	26
27		.10	.12	.02				.79	.30	.02	.01	.08	27
28		.24		.16		.14			.02		.06		28
29			.01			.18	.01		.12	.23	.01	.03	29
30			.02	.04	.02	.06				.16		.01	30
31			.02		.03					.06			31
Total	0.91	1.63	1.57	0.80	1.07	1.94	0.12	2.50	1.25	2.59	2.12	4.09 4.09	TOTAL for year 20.59 20.59
No. of Rain Days	13	18.	20	13	9	11	5	15.	10	23	21	25	183

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.3
BRITISH RAINFALL.
3 - JAN 1913

Kept at Prestwold Gardens
in the County of Leicestershire 4
by J. Roberts

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 209 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Midland
Distance 3 Miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.04	.	.	.23	.01	.04	.06	.	.	.35	1
2	.	.04	.11	.03	.	.13	.56	.	.02	.	.	.02	2
3	.16	.	.03	.	.01	.40	.03	.58	.09	.	.	.03	3
4	.09	.	.37	.	.08	.69	.01	.15	.02	.	.28	.	4
5	.09	.05	.12	.	.01	.10	.03	.04	.03	.	.03	.02	5
6	.62	.12	.	.	.02	.02	.	.35	.	.	.	.08	6
7	.	.02	.	.	.	.12	.	.05	.	.	.	.02	7
8	.32	.25	.24	.	.	.	.15	.04	.07	.	.	.02	8
9	.12	.03	.02	.10	.	.17	.	.02	.	.	.01	.27	9
10	.02	.	.	.	.	.02	.	.22	.	.	.19	.	10
11	.10	.09	.	.	.	.12	.	.01	.	.	.04	.49	11
12	.05	.30	.09	.	.	.01	.17	.	.	.	.02	.	12
13	.	.07	.	.	.	.17	.	.11	.	.03	.09	.02	13
14	.16	.	.27	.	.	.05	.	.09	.	.01	.	.	14
15	.04	.02	.14	.	.24	.15	.	.01	.	.	.	.08	15
16	.50	.	.11	.	.08	.07	.	.10	.	.12	.01	.	16
17	.67	.	.12	.	.	.20	.01	.19	.	.	.07	.39	17
18	.30	.	.11	.	.	.	.	.04	.	.04	.02	.02	18
19	.33	.17	.	.	.02	.	.39	.53	.01	.02	.01	.	19
20	.16	.	.17	.	.	.	.23	.04	.	.38	.	.	20
21	.	.01	.34	.	.58	.	.05	.14	.	.37	.01	.	21
22	.03	.10	.	.	.52	.08	.45	.51	.	.01	.	.12	22
23	.05	.08	.28	.	.	.03	.45	.32	.	.	.11	.03	23
24	.18	.	.01	.	.	.12	.10	.12	.	.01	.	.17	24
25	.01	.	.	.	.	.40	.	.26	.	.	.25	.30	25
26	.	.02	.05	.	.	.06	.15	1.14	.	.61	.19	.26	26
27	.	.	.01	.	.01	.28	.14	.	.	.65	.	.18	27
28	.	.01	.	.	.	.08	.07	.42	. 2	.25	.50	.41	28
29	.	.01	.02	.	.	.06	.09	.	.60	.17	.04	.	29
30	.03		.	.	.10	.02	.	.	.	.11	.	.	30
31	.01		.05		.04		.46	.08		.		.08	31
Total	3.94	1.39	2.70	.13	1.71	3.78	3.55	5.60	0.92	2.78	1.87	3.36	TOTAL for year 31.73
No. of Rain Days.	22	17	21	2	12	25	19	26	9	14	17	21	205

W 8,000, X. '11.

for auth 1·IV·14

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL
FORM A.
9 JAN 1914

√

Kept at Prestwold Gardens
in the County of Leicestershire 4
by D Roberts

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Midland Loughborough
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		18	02					·74		03		1
2	01	09	02	02					·02		03		2
3	02		21	01	65				·02	01		03	3
4	69	01	02		05	04	02		·01	03	14	32	4
5	03		04			05	07		·10	02			5
6	01		13		48	1.0	38			15		02	6
7		16		01	16	04	02			61	08		7
8		01	01		19	15			·03	77	04		8
9		26	03	01	06	38		04			13	01	9
10				08	01			43			19		10
11	94			37				28		01	23		11
12					14	02				01	35		12
13	04	01	16	03					04		11		13
14	09	03	57	01			01	08		08	01		14
15	04	06	44	32					11		11	02	15
16	02	05	51	05				03	28	01			16
17	02	04	11	07		09	01		06		03		17
18			14	11			04				01	02	18
19	08		01			03	03		09			01	19
20	15	01	05	06					03	17	12		20
21	02		07		07		02				23		21
22	31	01	40					18	31				22
23						12		05	07		02		23
24	05			05		02		06					24
25		03		03					01	02		02	25
26		12	19	18				03	01	24	02	27	26
27		02	02	30						01			27
28	44		32	28	01				01	13			28
29	01		20	47	05			·51 51		06		19	29
30	32			01				—		15	07		30
31								·01				02	31
Total	3.31	0.91	3.83	2.49	1.87	1.04	0.60	1·70	1.94	3.48	1.95	0.93	YEAR'S TOTAL 24.05
Rain Days.	20	15	22	21	11	11	9	11	17	17	19	11	184

W. 7,500, XI. ·12

1·04

24·05

REGISTER OF RAINFALL IN 1914

4 JAN 1915
FORM A.
BRITISH RAINFALL.

Kept at Prestwold Gardens
in the County of Leicestershire 4
by J. Roberts

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Midland
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.01	.01	.	.	.90	.18	.	.	.03	.	1
2	.01	.	.	.	.	.	.	.33	.	.	.51	.15	2
3	.	.	.	.02	.11	.	.14	.04	.	.	.04	.	3
4	.18	.	.02	.17	.	.	.	.06	.	.	.48	.27	4
5	.10	.	.13	.23	.01	.16	.56	.01	.	.	.	.	5
6	.	.02	.	.15	.05	.	.	.01	.	.	.07	.03	6
7	.02	.06	.39	.02	.01	.01	.03	.04	.	.	.	.11	7
8	.08	.	.	.01	.12	.83	.10	.20	.	.01	.	.04	8
9	.38	.	.07	.18	.	106	.	.01	.04	.	.	.	9
10	.17	.11	.01	.16	.06	.	.	.	.07	.	.	.	10
11	.	.09	.32	.17	.02	.02	.	.	.	.	.70	.33	11
12	.	.02	.08	.	.	.	.33	.	.27	.	.04	.26	12
13	.02	.13	.09	.	.	.	.	.	.02	.09	.22	.34	13
14	.02	.03	.09	.	.	.	.12	.	.	.19	.18	.32	14
15	.04	.	.10	.	.	.	.	.01	.03	.	.03	.03	15
16	.02	.	.02	.	.	.	.41	.	.03	.	.	.	16
17	.04	.15	.08	.	.	.	.04	.	.17	.	.	.29	17
18	.	.	.	.	.	.03	.11	.	.	.	.	.58	18
19	.	.01	.12	.	.	.	.	.	.01	.	.	.04	19
20	.	.14	.20	.	.	.	.07	.	.03	.03	.04	.02	20
21	.	.26	.05	.	.	.02	.01	.	.	.06	.01	.20	21
22	.01	.01	.	.	.77	.	.06	.08	.	.08	.	.	22
23	.	.05	.09	.	.25	.02	.02	.	.	.04	.	.	23
24	.	.	.17	.	.30	.	.05	.08	.	.12	.17	.	24
25	.	.	.	.	.	.	.06	.17	.	.55	.02	·30	25
26	.	.	.01	.	.	.	.03	.26	.	.10	.37	·26	26
27	.06	.	.	.	.	.	.	.	.	.	.08	·14	27
28	.02	.04	.05	.	.	.	.01	.	.	.06	.42	1·15	28
29	.03		.14	.01	.04	.	.	.	.	.54	.08	.	29
30	.		.01	.	.	.03	.	.	.	.04	.30	.36	30
31	.		.		.		.20	.		.03		.05	31
Total	1.20	1.12	2.25	1.13	1.74	2.18	3.25	1.48	0.67	1.94	3.79	5.27	YEAR'S TOTAL 26.02
Rain Days.	16	14	22	11	11	9	19	14	9	14	19	28	179

W.7,000, XI. 13

2635

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4. JAN 1916

Kept at Prestwold Gardens
in the County of Leicestershire
by D Roberts

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Midland
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13	.14	.04		.37			.08	.02		.06	.03	1
2	.06	.11	.13	.10		.09	.02	.38		.10		.04	2
3	.35		.02	.09			1.27	.39	.04			.14	3
4	.12				.04		1.24					.97	4
5	.05	.29			.24			.05		.02	.07	.35	5
6	.04	.11		.13			.64	.07				.06	6
7	.13	.37				.03	.04	.18				.29	7
8	.11	.07	.04	.08				.04			.02		8
9		.08									.17	.47	9
10	.25		.06								.25	.02	10
11	.01			.03	.14		.05	.38			.53	.20	11
12				.21	.21		.14	.02		.01	1.00		12
13	.03	.44			.60		.01						13
14		.03					.06	.04	.09	.02		.20	14
15	.22				.02		.19	.09		.01	.27	.12	15
16		.38					3.02						16
17		.17					.17	.03				.02	17
18		.13	.26				.01				.02		18
19		.05			.03		.11						19
20	.11						.11	.01				.32	20
21	.13	.09			.01		.15					.13	21
22	.12		.14	.07		.04	.28		.02			.05	22
23	.02	.07	.03				.03		.05	.24		.18	23
24	.02		.07	.03			.08		.63	.03		.08	24
25			.03			.58	.02		.04	.01		.21	25
26	.01	.14					.17		.05			.27	26
27						.03	.05			.47		.14	27
28		.15	.04			.23		.20	.01	.04			28
29						.11		.04			.18	.23	29
30	.02	✕				.53		.01			.05	.04	30
31	.07	✕		✕		✕	.01	.08	✕	.19	✕	.10	31
Total	2.00	2.82	0.86	0.74	1.66	1.64	7.87	2.09	0.95	1.14	2.62	4.63	YEAR'S TOTAL 29.02
Rain Days.	20	17	11	8	9	8	23	17	9	11	11	24	168

W. 8,000. X. 14.

2571

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Prestwold Gardens
in the County of Leicestershire
by J. Roberts

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	. .	.20	. .	.03	.09	.13	. .	. .	. .	.18	. .	1
2	.32	.03	.23	. .	.48	. .	.45	. .	.03	.27	.01	. .	2
3	. .	.49	. .	. .	. .	. .	.02	. .	.25	.22	.10	. .	3
4	.27	.02	. .	. .	.39	.24	. .	. .	. .	.19	.09	. .	4
5	.02	. .	. .	. .	.06	.25	. .	. .	. .	.08	.13	. .	5
6	.08	.10	.12	. .	.19	. .	.29	. .	. .	.03	.25	. .	6
7	.02	. .	.24	. .	. .	.01	.29	. .	. .	.14	.09	.15	7
8	. .	. .	.14	. .	. .	. .	. .	. .	. .	.15	.02	.15	8
9	. .	. .	.13	. .	.36	.14	. .	. .	.02	.02	. .	. .	9
10	. .	.10	.09	.07	. .	.23	.02	. .	.07	.03	. .	.08	10
11	.01	.34	.17	.12	. .	.18	. .	. .	.03	. .	. .	.05	11
12	.09	.02	.14	. .	.86	.10	.11	. .	. .	.03	. .	. .	12
13	. .	.13	.11	.02	.09	.02	. .	.04	. .	. .	. .	.02	13
14	. .	.47	. .	.13	.02	. .	. .	.45	. .	.05	. .	. .	14
15	. .	.23	.51	. .	. .	. .	.11	.20	. .	.01	. .	. .	15
16	.03	.12	.45	.31	.01	. .	.15	.02	. .	.02	. .	. .	16
17	.03	.04	. .	.29	. .	. .	.04	.10	.11	.11	. .	. .	17
18	. .	.19	.04	.01	. .	. .	. .	.08	.15	. .	.78	.04	18
19	.11	.04	.32	.01	. .	. .	. .	.02	.11	. .	.48	.10	19
20	.11	. .	.19	.18	. .	. .	. .	. .	. .	. .	.03	.08	20
21	.02	. .	.28	. .	.03	. .	. .	. .	. .	. .	. .	.34	21
22	. .	.02	.02	. .	.06	.01	. .	. .	. .	.05	.12	.16	22
23	.06	.55	.11	.03	. .	.01	. .	.04	. .	.03	. .	.60	23
24	. .	1.58	.04	.02	. .	. .	. .	.08	. .	.02	.11	.13	24
25	. .	.09	.21	. .	.07	. .	. .	.20	. .	. .	.09	. .	25
26	.05	.17	.02	. .	. .	.03	. .	.12	. .	.05	. .	. .	26
27	.01	.31	.20	. .	. .	. .	. .	.03	.06	.21	.01	. .	27
28	. .	.31	1.01	.02	. .	.03	. .	. .	.01	.03	.02	.19	28
29	. .	.12	. .	. .	.01	.20	. .	1.08	. .	.27	. .	.20	29
30	. .	X	. .	. .	. .	.23	. .	.06	. .	.11	. .	. .	30
31		X	. .	X	. .	X	. .	.02	X	.12	X	. .	31
Total	1.28	5.39	4.87	1.21	2.66	1.77	1.61	2.54	.84	2.24	2.51	2.29	YEAR'S TOTAL 29.21
Rain Days.	16	22	23	12	14	15	10	15	10	23	16	14	190

W. 8,000. X. 15.

FORM A. BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Prestwold Gardens

in the County of Leicestershire

by D. Roberts

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Midland

Diameter of Funnel of Rain Gauge Eight in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01		12		01		1·14	21		04	03	1
2	06					04		21		03	02		2
3	02	05		04				28		22			3
4		02	06					04		48		02	4
5	06		03	13					06	17	08		5
6	01					63				18	06		6
7	32							16		33	03		7
8	54			12			18	57		33	08	09	8
9	04		16	05				12		02	19		9
10	36		44	06	65			02			07		10
11	11		05	21				07	01	22			11
12	12	03		10	10	10			01	18		08	12
13	04			12				12	07	02	02		13
14	07		06					10				05	14
15				09			16			03		03	15
16	13	13		12			03			02		25	16
17		01	02	08	40	16	13	19	09	05			17
18	08				30		64		67				18
19	07	11	07		04	04			03				19
20		18	03		47	12		05	18		07		20
21	04	02	06		02	57		06		02			21
22			10					04	07	08			22
23		06			12			19	03	02		03	23
24			01			49	03	03		29	06		24
25			06					23			05		25
26						01		66	16		07		26
27			06			56	17	34				03	27
28			07			28				02		08	28
29						18	13	05		31		36	29
30	01	╳					27	26		02			30
31		╳	10	╳		╳	04	06	╳		╳	05	31
Total	2.08	0.62	1.38	1.24	2.10	3.19	1.78	4.99	1.59	3.04	0.84	1.10	YEAR'S TOTAL 23.95
Rain Days.	17	10	16	12	8	13	10	23	12	21	13	12	167

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

35

FORM A.
BRITISH RAINFALL.
4. 1. 19

Kept at Prestwold Gardens
in the County of Leicestershire
by D. Roberts

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.35

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.06		.09					.06	.03	.13	.02	1
2		.09		.06				.48	.03	.02	.01	.24	2
3		.02	.06		.60			.18	.05	.01	.32		3
4		.03	.03				.12	.05	.87	.04	.40	.10	4
5				.04	.10			.23	.19	.13			5
6		.04		.29		.02		.02	.02	.11			6
7	.11	.06		.09		.05			.05	.02	.12		7
8		.05	.04	.02					.07	.03		.03	8
9	.02	.32		.12		.11	.27		.36	.14	.01	.02	9
10				.13			.34		.03	.11		.02	10
11	.07	.05		.02	.15		.33		.09	.03		.09	11
12		.15	.03	.01	.07		.07		.23			.05	12
13				.01	.09				.18	.01		.01	13
14	.30			.04			.16		.11	.08		.10	14
15	.78			.32		.05	.20		.12			.11	15
16			.01	.21					.04	.01		.03	16
17	.22						.30		.07	.08	.02	.14	17
18	.36					.09	.27		.39			.32	18
19	.04	.01	.04	.13			.03			.08		.10	19
20	.04	.05		.23		.05	.06		.01		.01		20
21	.09	.02		.09	.02		.01		.30	.13		.02	21
22	.05				.05	.01	.04		.01	.09	.02	.35	22
23	.10				.29		.06		.07	.01			23
24		.16					.09		.05	.05	.08	.01	24
25						.01	.12	.15		.06	.02		25
26							.02	.07	.06		.10	.05	26
27			.01			.01		.29	.26		.08	.11	27
28		.26	.29					.14	.01		.24	.29	28
29	.01								.62			.01	29
30			.29	.03					.05		.16	.07	30
31			.08					.05					31
Total	2.22	1.37	0.88	1.93	1.37	0.40	2.49	1.66	4.40	1.27	1.72	2.29	YEAR'S TOTAL 22.00
Rain Days.	14	15	10	18	8	9	17	10	28	21	15	23	188

W. 8,000, IX. 17.

W. [illegible] 2298

FORM A. BRITISH RAINFALL.

2 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Prestwold Gardens
in the County of Leicestershire
by D. late Roberts ([illegible] Coe)

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.35	.11	.04	. .	.22	. .	.27	. .	.02	.11	.11	.32	1
2	.14	.05	. .	. .	. .	. .	.25	.10	.66	.27	.35	.04	2
3	.95	. .	.02	. .	.01	.02	.16	. .	.10	. .	.24	.07	3
4	.04	. .	.32	. .	. .	.09	.01	.32	.07	. .	.03	.20	4
5	.08	.12	. .	. .	. .	. .	. .	. .	.20	. .	.04	.10	5
6	.02	. .	.06	. .	.64	. .	. .	. .	. .	.01	. .	.03	6
7	.03	. .	.23	. .	. .	. .	. .	. .	. .	. .	. .	. .	7
8	.14	. .	.04	.02	. .	.03	. .	. .	. .	. .	.02	. .	8
9	. .	. .	. .	.10	. .	. .	. .	. .	. .	. .	.02	.10	9
10	. .	. .	.24	.03	. .	. .	. .	. .	. .	. .	.10	. .	10
11	.03	. .	.68	.62	. .	. .	.43	. .	. .	.02	. .	. .	11
12	. .	. .	.25	. .	. .	.13	. .	. .	.04	.08	.12	. .	12
13	.19	. .	. .	.27	. .	.02	. .	. .	.10	.04	. .	.04	13
14	.32	.04	. .	.14	. .	. .	. .	. .	.17	. .	.02	.01	14
15	.18	.03	.10	.05	. .	. .	. .	.03	. .	.10	.08	.69	15
16	.10	1.52	. .	.03	. .	. .	. .	. .	. .	. .	.22	. .	16
17	. .	.63	. .	.03	. .	.04	. .	. .	. .	. .	.25	.2	17
18	. .	. .	.20	. .	. .	. .	. .	.27	.03	. .	.03	.22	18
19	.07	.20	1.13	. .	. .	.09	1.58	.53	.17	. .	.14	.14	19
20	.36	.05	.20	. .	. .	.03	.48	.22	.61	. .	.16	.09	20
21	.17	.39	.12	. .	. .	. .	.22	. .	. .	. .	.06	.33	21
22	. .	.06	.03	. .	. .	. .	. .	. .	.34	. .	. .	.57	22
23	. .	. .	. .	.01	. .	.01	. .	. .	.01	.88	.03	.01	23
24	. .	. .	. .	.14	.10	. .	.04	. .	. .	.25	.08	. .	24
25	.10	.02	. .	.07	.39	.01	. .	.43	. .	.01	.03	.12	25
26	. .	. .	.25	.05	. .	. .	. .	.01	.09	. .	.02	.30	26
27	.37	.01	.02	33	. .	.02	. .	.04	. .	.01	.08	.10	27
28	.05	. .	. .	.10	. .	. .	.03	.81	. .	.05	.05	.30	28
29	. .	. .	. .	.02	. .	. .	. .	.10	. .	.30	18 .08	.09	29
30	.10	✕	.05	.18	. .	.17	. .	. .	. .	.07	.05	.24	30
31		✕		✕		✕	.06	. .	✕	.05	✕	.04	31
Total	3.79	3.23	3.98	1.59	1.36	0.66	3.53	2.86	2.01	2.45	2.54 2.52	4.20	YEAR'S TOTAL 32.18
Rain Days.	20	13	18	17	5	12	11	11	14	15	25	24	185

W, 6,500, VII. 18. W W C

and per month

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

8 JAN 1921

Kept at Prestwold Gardens

in the County of Leicestershire

by W. Coe.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Midland

Diameter of Funnel of Rain Gauge Eight in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 209 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	..	..	·26	·23	..	·20	..	..	·27	[illegible]	·12	1
2	·12	..	..	·22	..	..	·39	..	·10	·12	..	·09	2
3	·06	·08	..	·14	..	·11	1·61	..	·06	·11	..	..	3
4	·02	..	..	·19	..	..	·11	·30	·03	·44	..	·05	4
5	..	..	·05	..	·22	..	·33	·16	·03	·02	..	..	5
6	..	..	·26	·03	·06	..	·10	·01	..	..	..	·05	6
7	..	..	·09	·05	·06	..	·06	..	..	..	..	..	7
8	·14	·08	..	·60	..	..	·20	..	..	..	..	..	8
9	·35	·03	·04	·38	..	..	..	·05	..	..	..	..	9
10	·34	·18	·03	·06	..	..	·07	..	..	..	·02	..	10
11	·25	..	·05	1·0	·25	..	·03	..	..	..	..	~~·05~~	11
12	·05	..	..	·21	..	·26	·03	·06	..	..	·04	·03	12
13	·06	·12	·11	·38	..	·13	..	..	..	..	·02	..	13
14	..	..	·50	·17	..	·36	·04	..	·17	..	·15	..	14
15	·02	·12	·41	·25	..	..	·04	..	·14	·08	·03	..	15
16	..	..	..	·08	·17	·03	·04	..	·03	·06	..	..	16
17	..	..	..	..	·10	..	·02	..	·33	·05	..	·05	17
18	·14	..	..	·08	·05	..	·17	·10	·33	..	..	..	18
19	·08	·70	..	·35	..	·16	..	·14	·04	..	..	..	19
20	·04	·14	..	·17	..	·26	·02	..	·03	..	..	·02	20
21	·03	..	..	·02	..	..	·30	·11	..	..	..	..	21
22	·03	..	..	·19	..	..	·08	..	·06	..	..	..	22
23	..	..	..	..	..	..	·13	..	..	..	..	·37	23
24	..	..	·12	·02	..	·04	..	..	..	..	..	·08	24
25	..	·06	·05	·10	..	..	·43	..	..	..	..	·03	25
26	·15	..	·07	·04	..	..	·05	..	..	..	..	·02	26
27	·10	·02	·02	·05	..	·27	·05	..	..	..	·53	·40	27
28	·55	..	·06	·08	·11	..	·02	..	..	..	·02	·06	28
29	·06	..	·14	..	·48	..	·09	..	..	..	·12	·50	29
30	·05	✕	..	·16	·03	·05	·04	..	·06	..	·17	·28	30
31	·12	✕	·08	✕	·10	✕	..	..	✕	·22	✕	·12	31
TOTAL	2·63	1·53	2·08	~~4·16~~ 4·38	1·86	1·67	4·65	~~·42~~ ·93	1·38	1·37 1·3	1·10	2·3 2·32	25·90 ~~20·8~~
Days with ·01 in. or more	21	10	16	26	12	18	26	8	13	9	9	17	177 144
	15	9	14	23	11	9	21	7	9	8	5	13	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

✓

FORM A2.
BRITISH RAINFALL.

9 FEB 1912

RE 1.

RATCLIFFE - ON - WREAKE Coll

LEICESTERSHIRE

1911 - 17, 19 - 1920

Kept at Ratcliffe d's Copper Funnel 5 in.

Ground 1 ft. - in.

in the County of Lei Sea Level 288 ft.

a.m.

by Rev. J. C Name Sileby

Distance 2½ m. Direction W.

IMPORTANT NO l the result entered to the previous day. If an O versal rule, he is earnestly requested to add the rea year in the space provided for it at the end of th ement of rain, the selection and plac British Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	-	·02	-	-	-	·10	-	-	-	·02	·01	1
2	·10	-	-	-	·12	-	-	·12	-	-	·01	·03	2
3	-	-	-	-	·12	-	-	·12	-	·03	·02	-	3
4	·06	·01	-	·13	-	-	-	·18	·04	·23	·08	·20	4
5	-	·01	-	-	-	-	-	·09	-	·01	-	-	5
6	·15	-	-	-	-	-	-	·02	-	·10	-	·28	6
7	·10	·01	-	-	-	-	-	-	-	·17	·08	·10	7
8	·26	-	·22	-	-	-	-	-	-	-	·01	·15	8
9	·03	-	-	-	-	-	-	-	·04	-	·22	·03	9
10	·02	·07	·10	-	-	-	-	·03	-	-	·05	·34	10
11	·18	-	-	-	-	-	-	·09	-	-	·30		11
12	·03	-	-	-	-	-	-	-	·52	-	·07	-	12
13	-	-	·37	-	-	-	-	-	·10	-	·03	·50	13
14	-	·04	-	-	·10	-	-	-	-	-	·01	·31	14
15	-	·06	·16	-	-	-	-	-	·01	·04	·06	-	15
16	-	-	-	-	-	·04	-	-	-	·01	·11	·07	16
17	-	·01	-	-	-	·05	-	-	-	-	·04	·10	17
18	-	·21	-	-	-	·02	-	-	-	·01	·08	·08	18
19	-	-	-	-	-	·42	-	-	·07	·12	·65	·04	19
20	-	·05	-	·02	-	-	-	1·04	-	·01	-	·36	20
21	·02	·32	·13	-	-	-	-	·25	·04	·09	·02	-	21
22	-	-	·02	·03	-	·03	-	·01	·32	·17	·03	·30	22
23	-	·03	·11	-	-	·38	·01	-	-	·02		·13	23
24	-	·08	·03	·03	-	·52	-	-	-	·42	-	·09	24
25	-	·12	-	·04	·25	·07	-	-	-	·05	-	-	25
26	-	-	-	·22	-	-	-	-	-	·20	·18	·25	26
27	-	·16	·07	·14	-	-	-	·38	·19	·02	·01	·09	27
28	-	·25	-	·15	-	·24	-	-	·01	-	·05	-	28
29	-	-	-	-	-	·17	-	-	·17	·20	-	-	29
30	-	-	·01	·03	·04	·03	-	-	-	·04	-	-	30
31	-	-	·01		·05	-	-	·08	-	·02	-	-	31
Total	·97	1·43	1·25	·79	·68	1·97	·11	2·41	1·51	1·96	2·13	3·46	TOTAL for year 18·97
No. of Rain Days.	11	15	12	9	6	11	2	12	11	20	22	20	157.

W. 8,000, X. '11.

18·67

FORM A2.
BRITISH RAINFALL.
9 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Ratcliffe College
in the County of Leicester 4
by Rev. J. Cremonini.

RAIN GAUGE: Pattern Howard's Copper Funnel
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 288 ft.
Time of Observation 9. a. m.
Nearest Railway Station: Name Sileby
Distance 2¼ m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	·02	-	-	-	·10	-	-	-	·02	·01	1
2	·10	-	-	-	·12	-	-	·12	-	-	·01	·03	2
3	-	-	-	-	·12	-	-	·12	-	·03	·02	-	3
4	·06	·01	-	·13	-	-	-	·18	·04	·23	·08	·20	4
5	-	·01	-	-	-	-	-	·09	-	·01	-	-	5
6	·15	-	-	-	-	-	-	·02	-	·10	-	·28	6
7	·10	·01	-	-	-	-	-	-	-	·17	·08	·10	7
8	·26	-	·22	-	-	-	-	-	-	-	·01	·15	8
9	·03	-	-	-	-	-	-	-	·04	-	·22	·03	9
10	·02	·07	·10	-	-	-	-	·03	-	-	·05	·34	10
11	·18	-	-	-	-	-	-	·09	-	-	·30	-	11
12	·03	-	-	-	-	-	-	-	·52	-	·07	-	12
13	-	-	·37	-	-	-	-	-	·10	-	·03	·50	13
14	-	·04	-	-	·10	-	-	-	-	-	·01	·31	14
15	-	·06	·16	-	-	-	-	-	·01	·04	·06	-	15
16	-	-	-	-	-	·04	-	-	-	·01	·11	·07	16
17	-	·01	-	-	-	·05	-	-	-	-	·04	·10	17
18	-	·21	-	-	-	·02	-	-	-	·01	·08	·08	18
19	-	-	-	-	-	·42	-	-	·07	·12	·65	·04	19
20	-	·05	-	·02	-	-	-	1·04	-	·01	-	·36	20
21	·02	·32	·13	-	-	-	-	·25	·04	·09	·02	-	21
22	-	-	·02	·03	-	·03	-	·01	·32	·17	·03	·30	22
23	-	·03	·11	-	-	·38	·01	-	-	·02		·13	23
24	-	·08	·03	·03	-	·52	-	-	-	·42	-	·09	24
25	-	·12	-	·04	·25	·07	-	-	-	·05	-	-	25
26	-	-	-	·22	-	-	-	-	-	·20	·18	·25	26
27	-	·16	·07	·14	-	-	-	·38	·19	·02	·01	·09	27
28	-	·25	-	·15	-	·24	-	-	·01	-	·05	-	28
29	-	-	-	-	-	·17	-	-	·17	·20	-	-	29
30	-	-	·01	·03	·04	·03	-	-	-	·04	-	-	30
31	-	-	·01		·05	-	-	·08	-	·02	-	-	31
Total	·97	1·43	1·25	·79	·68	1·97	·11	2·41	1·51	1·96	2·13	3·46	TOTAL for year 18·97
No. of Rain Days.	11	15	12	9	6	11	2	12	11	20	22	20	151.

W. 8,000, X. '11.

18·67

FORM A2.
BRITISH RAINFALL.

24 FEB 1913

REGISTER OF RAINFALL IN 1913

Kept at Ratcliffe College

in the County of Leicester 4

by Rev. Joseph Cremonini

RAIN GAUGE
Pattern Howard's Copper Funnel
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 288 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Sileby
Distance 2½ m Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·01	-	-	·11	-	-	·10	-	-	·31	1
2	·02	·01	·01	·04	-	·20	·64	·02	·04	-	-	·04	2
3	·20	-	·01	-	·01	-	·05	-	-	-	-	·02	3
4	·02	-	·34	-	·11	·45	-	·42	·08	-	·26	-	4
5	·35	·02	·21	-	-	·20	-	·02	·06	-	·08	-	5
6	·12	·10	-	-	-	-	·04	·16	-	·01	·01	·09	6
7	-	·02	-	-	-	·08	-	·14	·02	-	-	·02	7
8	·22	·19	·19	·04	-	·22	·17	·12	·04	-	-	·03	8
9	·09	·08	·01	·04	-	·42	-	·03	-	-	-	·35	9
10	·02	-	-	-	-	-	-	·02	·01	-	·15	-	10
11	-	·06	·01	-	·05	·10	-	·21	·01	-	·06	·44	11
12	·14	·29	·08	-	-	·12	·07	·01	-	-	·02	-	12
13	-	·07	-	-	·04	·08	-	·01	-	-	·13	·01	13
14	·19	-	·29	-	·21	·01	-	·11	-	·03	-	-	14
15	·05	·03	·13	-	·09	·10	-	·01	-	-	-	·09	15
16	·30	-	·13	-	-	·05	-	·07	-	-	-	-	16
17	·70	-	·03	-	-	·19	·01	·07	-	·19	·14	·53	17
18	-	-	·07	-	-	-	-	·14	-	·02	·03	·03	18
19	-	·07	-	-	-	-	·02	·05	-	·03	·04	-	19
20	·12	·01	·02	-	·42	-	·10	·20	-	·18	-	-	20
21	-	·01	·40	-	1·01	-	·20	·27	-	·28	·05	-	21
22	·06	·08	-	-	-	·02	·80	·23	-	-	-	·03	22
23	·05	·04	·25	-	-	·07	·61	·47	-	-	·14	·03	23
24	·27	-	·01	-	-	·14	·02	·30	-	-	-	·06	24
25	-	-	-	-	-	·43	-	·40	-	-	·17	·22	25
26	-	·11	-	-	-	·07	·42	·60	-	·50	·14	·02	26
27	-	-	·01	-	-	·30	·11	·80	·01	·62	-	·33	27
28	-	·01	-	-	-	·07	·06	-	·52	·25	·38	·27	28
29	-	·01	·03	-	-	·19	·21	·41	-	·14	·12	·17	29
30	·06	-	-	-	·12	-	-	-	-	·15	-	·44	30
31	-	-	·04	-	-	-	·76	-	-	-	-	-	31
Total	2·98	1·21	2·28	·12	2·06	3·62	4·29	5·29	·89	2·40	1·92	3·53	TOTAL for year 30·59
No. of Rain Days.	18	18	21	3	9	22	17	~~20~~ 26	10	12	16	21	~~203~~ 193

W. 8,000, X. '11.

✓ cord for pr WD 1.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

27 JAN 1914

Kept at Ratcliffe College Ent D S

in the County of Leicester 4

by Rev. Joseph Cremonini

Lat. 52°43'N Long. 1°4' W

Time of Observation 9 a.m.

Nearest Railway Station Sileby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 288 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.01	.01	–	.02	–	–	–	.03	–	–	.04	1
2	.01	.01	.05	–	–	–	–	–	.56	–	–	–	2
3	–	.11	.03	–	–	–	–	–	.02	–	–	–	3
4	–	.01	.14	–	.40	–	–	–	.02	–	.03	.38	4
5	.31	.02	.01	–	.05	.08	–	–	–	1.00	–	.01	5
6	.05	.01	.03	–	–	–	.38	–	.04	–	–	–	6
7	.01	.03	.01	–	.31	.29	–	–	–	.59	–	–	7
8	–	.04	–	–	.19	–	–	–	–	.32	.02	.15	8
9	–	.01	.02	–	.15	.54	–	–	.15	–	.15	–	9
10	–	.42	.03	.01	.03	.19	.02	.11	–	–	–	–	10
11	–	.01	–	.06	.09	–	–	.45	–	–	–	–	11
12	.33	.01	–	–	.12	–	.09	.15	–	–	.24	.03	12
13	–	.02	.01	.01	.15	–	–	.02	–	–	.01	–	13
14	–	.01	.14	.04	–	–	–	.06	.03	–	–	–	14
15	.10	.02	.54	.02	–	–	–	–	–	–	.02	.10	15
16	.07	.06	.26	.16	–	–	.43	–	.15	–	–	–	16
17	.01	.01	.42	.06	–	–	–	–	.27	.01	–	–	17
18		.02	–	.08	–	–	–	–	.04	–	–	.05	18
19	.04	–	.09	.10	–	–	–	–	.02	.31	–	–	19
20	.05	–	.10	–	–	–	–	–	.06	–	.75	–	20
21	.10	–	.25	.07	.28	.01	–	–	.03	–	.05	–	21
22	.02	–	–	–	–	–	.01	–	–	.13	.25	–	22
23	.19	–	–	–	–	–	–	.11	.24	–	–	–	23
24	.01	–	–	–	–	–	–	.05	.07	–	–	–	24
25	.03	–	–	.10	–	–	.09	.05	–	–	.38	–	25
26	.01	.01	–	.08	–	.06	–	–	.04	.01	–	.01	26
27	–	.09	.24	–	–	–	–	.04	–	–	–	.22	27
28	.01	.02	–	–	–	–	–	–	–	–	.05	–	28
29	.41	–	.40	.41	.07	–	–	–	–	–	–	.09	29
30	.01	–	–	.50	–	–	–	.76	.05	.25	–	.03	30
31	.24	–	–	–	–	–	–	–	–	.01	–		31
Total	.01 ~~2.05~~ 2.02	.01 ~~.95~~ .95	~~2.78~~ 2.77	.02 ~~1.70~~ 1.72	~~1.86~~ 1.84	~~1.17~~ 1.17	~~1.02~~ 1.02	.03 ~~1.80~~ 1.83	(–) ~~1.82~~ 1.79	2.63	1.95	1.11	YEAR'S TOTAL ~~20.84~~ 20.80
Rain Days.	21	21	~~19~~ 18	~~14~~ 15	~~12~~ 11	6	6	~~10~~ 11	~~17~~ 16	9	11	~~10~~ 11	156 ✓

W. 7,500, XI. 12

[illegible] written 8.IV.15

Cntry Obr. 10.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2 - JAN 1915

Kept at Ratcliffe College
in the County of Leicester 4
by Rev. J. Cremonini

Lat. 52° 43' 46" Long. 1° 4' 22"
Time of Observation 9 a.m.
Nearest Railway Station Sileby M. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 288 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	·24	·31	—	—	·02	—	1
2	—	—	—	·01	—	—	—	·19	—	—	·38	·16	2
3	·10	·06	·01	—	·12	—	·14	·36	—	—	·02	—	3
4	—	—	—	—	·01	—	—	·10	—	—	·37	·30	4
5	·14	·03	·26	·37	·01	·11	·57	·04	—	—	—	—	5
6	·08	—	—	·12	·06	—	·02	·01	—	—	·10	·05	6
7	—	·02	·12	—	·02	—	·02	·07	—	—	·01	·08	7
8	·08	—	—	·25	·02	·66	·10	·30	—	—	—	·03	8
9	·40	—	·31	—	—	1·53	—	·07	·03	—	—	—	9
10	·23	·07	—	·38	·07	—	—	—	·04	—	—	—	10
11	—	—	·05	—	·04	·02	—	—	·10	—	·80	·25	11
12	·01	·43	—	—	—	·01	—	—	·34	—	·05	·32	12
13	·01	·02	·01	—	—	—	—	—	—	·06	·21	·43	13
14	—	·36	·02	—	—	—	·16	—	—	·14	·10	·34	14
15	·06	—	—	—	—	—	—	·01	—	—	·04	·01	15
16	·01	—	—	—	—	—	·37	—	·07	—	·03	—	16
17	—	·04	—	—	—	—	·05	—	·13	—	·01	·18	17
18	—	—	·01	—	—	—	·18	—	—	—	—	·57	18
19	—	·05	—	—	—	—	—	—	·01	—	·05	·02	19
20	—	—	—	—	—	—	·18	—	—	·01	—	—	20
21	—	—	—	—	—	·33	—	—	—	·06	—	·41	21
22	·02	—	·03	—	·61	—	·04	·11	—	·18	—	—	22
23	—	·05	·05	—	·24	·02	—	—	—	·05	—	—	23
24	—	—	—	—	·42	—	·04	·02	—	·35	·18	—	24
25	—	·01	·42	—	—	—	—	·28	—	·75	·01	·37	25
26	·02	—	—	—	—	—	·03	·27	—	·25	·28	·27	26
27	·01	·01 ·10	·30	—	—	—	—	—	—	—	·01	·13	27
28	·02	·02	—	—	—	—	·20	—	—	·16	·26	1·27	28
29	·02	✕	—	—	·02	—	—	—	—	·43	·04	—	29
30	—	✕	·07	—	—	·03	—	·04	—	—	·41	·15	30
31	·01	✕	—	✕	·01	✕	·26	—	✕	·01	✕	·06	31
Total	1·22	1·26 ✓	1·66	1·73	1·65	2·71	2·60	2·18	·72	2·45	3·38	5·53 5·43	YEAR'S TOTAL 26·29 26·39
Rain Days	16	13	13	5	13	8	16	15	7	12	21	20	159 ✓

W. 8,000. X. 14.

Copy

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
19 APR 1915

Kept at Ratcliffe College
in the County of Leicester
by Rev J. Cremonini

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 288 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	~~Jan.~~	Feb. Ratcliffe.	FEBRUARY ~~March.~~ Syston	~~April.~~ Barrow-upon-Soar.	~~May.~~	~~June.~~	~~July.~~ Ratcliffe.	MARCH ~~Aug.~~ Syston	~~Sept.~~ Barrow-upon-Soar.	Oct.	Nov.	Dec.	*Date.*
1		–	–	–			–	–	·04			–	1
2		–	–	–			–	–	–			·16	2
3		·06	–	–			·01	–	–			–	3
4		–	–	–			–	·10	·04			·30	4
5		·03	–	–			·26	·12	·11			–	5
6		–	·02	·03			–	–	–			·05	6
7		·02	·08	·07			·12	·51	·40			·08	7
8		–	–	–			–	–	–			·03	8
9		–	–	–			·31	·10	·07			–	9
10		·07	·10	·11			–	–	–			–	10
11		–	·07	·08			·05 ?	·425	·36			·25	11
12		·43 ?	·005	–			– ?	·10	·08			·32	12
13		·02	·10	·15			·01 ?	·16	·10			·43	13
14		·36 ?	–	·03			·02	·14	·08			·37	14
15		–	–	–			– ?	·16	·11			·01	15
16		–	–	–			–	·04	·03			–	16
17		·04	·20	·19			–	·11	·08			·18	17
18		–	–	–			·01	–	–			·57	18
19		·05	–	–			–	–	·02			·02	19
20		– ?	·14	·18			– ?	·15	} ·30			–	20
21		– ?	·31	·32			– ?	·10				·41	21
22		–	–	–			·03	·01	·02			–	22
23		·05	·10	·08			·05	·14	·13			–	23
24		–	–	–			– ?	·15	·12			–	24
25		·01	–	–			·42 ?	–	–			·37	25
26		–	–	–			–	–	–			·27	26
27		~~·01~~ ·10	–	–			·30 ?	–	–			·13	27
28		·02	·03	·05			–	·04	·03			1·27	28
29		X					–	·12	·19			–	29
30		X	For comparison				·07	For comparison –	–			·15	30
31		X		X		X	–	–	X		X	·06	31
Total		1·26 Adds to 1·17	1·155	1·29			1·66 ?	2·675	2·31			5·43 Adds to 5·43	YEAR'S TOTAL
Rain Days.		13	10	11			13 ?	18	19			20	

W. 8,000. X. 14.

RATCLIFFE COLLEGE
LEICESTER.

10 APR. 1915

April 9th, 1915.

The rainfall for Feb. 27 should have been ·10 instead of ·01. The total is correct.

Our register for March shows the daily entries just as entered on your form. They are quite reliable. I have known a difference of ·50 within ½ mile from the College so that need cause no lack of confidence in the records.

December was wrong in the total through an error in addition.

Many thanks for your great care in drawing attention to mistakes

T. Lyons
for
Rev. J. Caremonini.

~~15~~ [illegible] 29.11.16

2626

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

Kept at Ratcliffe College
in the County of Leicester
by T. Lyons for Rev. J. Cremonini

Lat. 52° 43′ 46″ Long. 1° 4′ 22″
Time of Observation 9 a. m
Nearest Railway Station Sileby M. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☒

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	·24	·01	—	·35	—	—	·05	·08	—	·06	·03	1
2	·02	·04	·03	·03	—	·12	—	·71	—	·11	—	·05	2
3	·40	—	·13	—	—	—	1·30	·84	·05	—	—	·26	3
4	·17	—	—	—	·02	—	·82	·04	—	—	—	1·30	4
5	·05	—	—	·02	·17	—	—	·02	—	—	·06	·44	5
6	·04	·25	—	—	—	—	·95	·03	—	·01	—	·04	6
7	·11	·15	·03	—	—	·01	·03	·16	—	—	—	·56	7
8	·05	·47	—	—	—	—	—	·03	—	—	·01	—	8
9	—	·05	·04	·05	—	—	—	·01	—	—	·11	·39	9
10	·50	·15	—	—	—	—	—	·01	—	—	·37	—	10
11	·01	—	—	—	·17	—	·16	·49	—	—	·47	·13	11
12	·01	—	—	·03	·23	—	·02	·15	—	·05	·82	—	12
13	·02	—	—	—	·44	—	—	—	—	—	—	—	13
14	—	·42	·01	·10	—	—	—	·16	·07	·02	—	·30	14
15	·22	·24	—	—	·02	—	·06	·26	—	·02	·12	·13	15
16	—	·09	—	—	·03	—	2·00	—	—	—	—	·01	16
17	—	·10	—	·05	—	—	·40	·02	—	—	—	·01	17
18	—	·54	·03	—	—	—	—	—	—	—	·03	·01	18
19	—	·10	·25	—	·01	—	·08	—	—	—	—	—	19
20	·09	·02	·12	·13	—	—	—	—	—	—	—	·41	20
21	·14	—	—	—	·05	—	·13	·01	—	—	—	·13	21
22	·08	·06	—	—	—	—	·24	—	—	—	—	·06	22
23	·01	—	·06	—	—	·09	·03	—	·17	·11	—	·19	23
24	—	·19	—	·07	—	·02	·29	—	·72 ~~·12~~	·02	—	·11	24
25	—	·03	·03	·14	—	·60	·04	—	·01	·01	—	·20	25
26	—	—	—	—	—	—	·02	—	·02 ~~·02~~	—	—	·29	26
27	—	·09	—	·06	—	·01	·30	—	— ~~·44~~	·44	—	·02	27
28	—	—	·02	—	—	·30	·06	·17	·01 ~~·05~~	·05	—	—	28
29	—	╳	—	—	·01	·28	·01	·10	·01 ~~·04~~	—	·37	·21	29
30	·05	╳	·05	·01	—	·84	—	·01	—	—	·03	·06	30
31	·05	╳	—	╳	—	╳	—	·10	╳	·17	╳	·07	31
Total	2·11	3·23	·81	·69	1·50	2·27	6·97	3·37	1·04	1·01	2·45	5·41	YEAR'S TOTAL 30·86
Rain Days.	19	18	13	11	11	9	19	20	8	11	11	25	175

W. 8,000. X. 15.

2560

FORM A.
BRITISH RAINFALL.

30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Ratcliffe College

in the County of Leicester

by Rev J. Cremonini

Lat. 52° 43' 46" Long. 1° 4' 22"

Time of Observation 9 a. m

Nearest Railway Station Sileby.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 288 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·16	–	–	·10	·10	–	·13	–	·21	–	1
2	·30	·05	·06	–	·43	–	·20	–	·36	·47	·11	–	2
3	–	·61	–	–	–	–	–	–	·24	·23	·03	–	3
4	·23	·08	–	–	·47	·62	–	–	–	·14	·15	–	4
5	·01	–	–	–	·04	·30	–	–	–	·20	·32	·03	5
6	·05	·12	·13	–	–	–	–	–	–	·06	·26	·07	6
7	–	–	·16	–	·14	–	·54	–	–	·10	·15	·10	7
8	–	–	·04	–	–	·10	·27	–	–	·12	·10	·25	8
9	–	–	·04	–	·45	·11	–	–	–	·17	–	·05	9
10	–	·01	·02	·05	–	·08	–	–	·06	–	–	·08	10
11	–	·48	·07	·10	·01	·29	–	–	·04	–	·02	·07	11
12	·05	·02	·11	·02	·53	·16	–	·11	–	·03	–	·01	12
13	–	·12	·13	·05	·06	·02	·04	·70	–	·05	–	·01	13
14	–	·40	–	·08	·01	–	·05	·14	–	–	–	–	14
15	–	·30	·42	–	–	–	·10	·08	–	–	–	·01	15
16	·02	·16	·43	·27	–	–	·02	·04	–	·04	–	·01	16
17	·03	·05	·01	·11	–	–	–	·11	·15	·26	–	–	17
18	·01	·11	·03	·01	–	–	–	·15	·13	–	·09	·12	18
19	·10	·11	·32	·01	–	–	–	·04	–	–	·75	·11	19
20	·13	–	·23	·19	–	–	–	–	–	–	·16	·40	20
21	–	–	·21	–	·08	–	–	–	–	–	·01	·35	21
22	–	·05	·01	–	·02	·01	–	–	–	–	·08	·30	22
23	·12	·15	–	·03	–	–	–	·05	–	·03	·01	·15	23
24	–	·42	·04	–	–	·01	–	·12	–	–	·05	–	24
25	–	·10	·15	–	·05	–	–	·03	–	–	·20	–	25
26	·03	–	·01	–	–	·02	–	–	–	·11	–	–	26
27	·02	·31	·31	–	–	·03	·04	–	–	·21	–	–	27
28	–	·16	·51	–	–	·31	–	·43	·09	·09	–	·46	28
29	–	·07	–	–	·15	·24	–	·70	–	·28	–	·17	29
30	–	X	–	–	–	·12	–	·72	–	·05	–	·01	30
31	–	X	–	X	·01	X	–	·12	X	·07	X	–	31
Total	1.11	3·88	3.60	·92	2.45	2.52	1·36	3·54	1·20	2·71	2·70	2·76	YEAR'S TOTAL 28·75
Rain Days.	14	21	23	11	14	16	9	15	8	19	17	20	187

W. 8,000, VIII. 16

2432

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917.

Kept at Ratcliffe College
in the County of Leicester
by Rev. J. Cremonini

Lat. 52°, 43', 46" Long. 1°, 4', 22"
Time of Observation 9 a.m.
Nearest Railway Station Sileby.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 288 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·05	-	-	-	1·91	·26	-	-	-	1
2	·04	·12	-	-	-	-	-	·24	-	-	-	-	2
3	-	-	-	·37	-	-	-	-	-	·30	·05	-	3
4	·12	·14	·04	·12	-	-	-	·15	-	·65	-	-	4
5	·10	-	·01	-	-	-	-	-	·07	-	-	·07	5
6	·16	-	-	·10	-	·52	-	-	-	·15	-	·05	6
7	·08	-	·02	-	-	-	-	·05	-	·30	·13	·08	7
8	·99	-	·04	·15	-	-	·32	·41	-	·48	·11	·06	8
9	-	-	·10	·05	-	-	-	·12	-	·59	·10	-	9
10	-	-	·05	·22	-	-	-	-	-	·58	·18	·01	10
11	·72	-	·30	-	·82	-	-	·05	-	·60	·12	-	11
12	·19	-	·01	-	·10	-	-	·19	·01	-	·10	-	12
13	·03	-	-	·01	-	-	-	·20	·11	-	-	-	13
14	·09	-	·04	·05	-	-	-	·02	-	·54	-	-	14
15	·02	-	-	·12	-	-	-	·29	-	-	-	·10	15
16	·01	·03	-	·18	·10	-	-	-	-	-	-	·15	16
17	-	·02	-	·09	·53	·18	·43	·05	·18	·14	-	·01	17
18	-	·04	·08	·11	·31	-	·99	-	·87	-	-	·16	18
19	-	·05	·04	-	-	-	-	-	·20	-	-	-	19
20	-	·15	·05	-	·73	·12	-	·10	·22	-	-	-	20
21	-	·23	·10	-	·01	·13	-	·03	-	-	-	-	21
22	-	·01	·05	-	-	-	-	·13	-	·14	-	-	22
23	-	·19	-	-	·10	-	-	·14	-	-	-	-	23
24	-	-	-	-	·28	·72	-	·07	-	·42	·10	-	24
25	-	·02	·04	-	-	-	-	·42	-	-	·05	-	25
26	-	-	·04	-	-	-	-	·83	·58	-	·01	-	26
27	-	-	·07	-	·11	·80	·06	·03	-	-	-	-	27
28	-	-	·11	-	-	·07	-	·29	-	-	-	·09	28
29	-	-	-	-	-	·39	·03	·01	-	·45	-	·39	29
30	-		-	-	-	-	·45	·35	-	-	-	-	30
31	-		-				-	·13		-		·02	31
Total	2·55	1·00	1·19	1 62	3·09	2·93	2·28	6·21	2·50	5·34	0·95	1·19	YEAR'S TOTAL 30·85
Rain Days.	12	11	18	13	9	8	6	24	9	13	10	12	145

2.63

W. 8,000, IX. 17.

2288

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

13 JAN 20

Kept at Ratcliffe College

in the County of Leicester

by Rev. A. Emery B.A.

Lat. 52° 43' 46" Long. 1° 4' 22"

Time of Observation about 9 am daily

Nearest Railway Station Sileby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 288 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	.04	.05	–	.30	–	.25	–	–	.16	.24	.50	1
2	.31	–	.02	–	–	–	.38	.18	.73	.34	.22	.03	2
3	.40	–	.03	–	.03	–	.37	–	.13	–	.34	.14	3
4	.42	–	.41	–	–	.16	–	.28	.12	–	.03	.26	4
5	.13	.08	–	–	–	–	.01	.01	.34	–	–	.16	5
6	.05	–	.06	–	.42	–	–	–	–	–	.03	.03	6
7	.15	–	.47	.04	–	–	–	–	–	–	–	–	7
8	.04	–	.03	.17	–	.06	–	–	–	–	.04	–	8
9	–	–	.03	.04	–	–	–	–	–	–	.01	–	9
10	–	–	.44	.03	–	–	–	–	–	.02	.02	.12	10
11	.01	–	.65	–	.06	–	.81	–	–	–	–	.04	11
12	.02	–	.30	–	–	.26	–	–	.02	.07	.13	–	12
13	.03	–	–	.24	–	.07	–	–	} .25	.04	–	–	13
14	.75	.06	–	.31	–	–	–	–		–	–	.84	14
15	.90	.01	.13	.14	–	–	–	–	–	–	.02	.04	15
16	.15	1.21	–	.03	–	–	–	.03	–	–	.16	–	16
17	–	.18	–	.02	–	.04	–	–	–	–	.45	–	17
18	–	.02	.18	–	.01	–	–	.41	–	–	.01	.27	18
19	.04	.34	.82	–	–	.06	2.90	.71	.01	–	.21	.10	19
20	.60	.12	.18	–	–	.10	.77	.30	.23	–	.18	.01	20
21	.19	.53	.01	–	–	.01	.48	–	.03	–	.12	.50	21
22	–	.08	.02	–	–	–	.02	–	.53	–	.01	.61	22
23	–	–	–	–	–	–	.02	.02	–	1.00	.02	.03	23
24	–	–	–	.22	.17	.05	.12	–	.10	.48	.16	.12	24
25	.11	–	–	.09	.27	.08	–	.86	–	[illegible]	.01	–	25
26	–	.06	.26	.08	–	–	–	.04	–	[illegible]	.02	.46	26
27	} .37 Snow	.01	–	.23	–	–	–	–	–	[illegible]	.02	.02	27
28		–	–	.22	–	–	.02	.98	–	–	.16	.49	28
29	.11		–	.02	–	–	–	.26	–	.55	.24	.02	29
30	–		.02	.33	–	.40	–	–	–	.03	.06	.28	30
31			–		–		.06	–		.05		.02	31
Total	5.24	2.74	4.11	2.21	1.56	1.29	6.21	4.08	2.49	2.74	2.91	5.09	Year's Total 40.67
Days with ·01 in. or more	21	13	19	16	7	11	13	12	12	10	25	23	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2195

26 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ratcliffe College, Leicester.

in the County of Leicester.

by Gerald Murray.

Lat. 52° 20'N Long. 1° 6' W

Time of Observation 8.25 A.M.

Nearest Railway Station Sileby

Diameter of Funnel of Rain Gauge 4·9 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·30	·23	–	·33	–	·05	·29	·02	·17	1
2	–	–	–	·40	–	–	·28	–	·04	·19	–	·10	2
3	–	·06	–	·48	·01	·01	1·30	–	·08	·11	–	·61	3
4	–	–	–	–	–	–	·09	·42	·08	·53	–	·13	4
5	–	–	·03	·12	·34	–	·45	·17	·05	·02	–	·03	5
6	–	·01	·36	–	·03	–	·22	·04	–	–	–	·09	6
7	·01	–	–	·18	·13	–	·11	–	–	–	·01	–	7
8	·19	·09	·12	1·23	·07	–	–	–	–	–	–	·02	8
9	·37	–	–	·30	–	–	–	·21	–	–	–	–	9
10	·41	·18	–	·02	–	–	·11	·04	–	–	·04	–	10
11	·16	–	·04	·13	–	·08	·02	·03	–	–	–	·07	11
12	·02	–	·04	·24	·37	·26	·01	·01	–	–	–	·11	12
13	·04	–	·14	·59	–	·09	–	–	–	–	·07	–	13
14	–	·09	·62	·21	–	·48	·03	–	·94	·04	·12	–	14
15	–	·11	1·00	·46	–	–	–	–	·40	·03	·04	·02	15
16	–	–	–	·06	·18	–	·02	–	·02	·04	–	–	16
17	–	–	–	–	·24	–	·02	·14	–	·05	–	·03	17
18	·25	·01	–	·15	·06	–	·15	·13	–	–	–	–	18
19	·06	·52	–	·23	–	–	·01	–	–	·01	–	·02	19
20	·04	–	–	·48	–	·45	·02	–	–	–	·02	–	20
21	·06	–	–	·01	–	–	·26	–	·03	–	–	·01	21
22	·01	·01	–	·23	–	–	·02	–	·05	–	–	–	22
23	–	·03	–	·01	–	–	·15	·08	–	–	·02	·47	23
24	–	–	·15	–	–	–	·71	·07	–	·01	·01	–	24
25	–	·14	–	·08	·01	·06	·03	–	–	–	–	–	25
26	·22	–	–	·03	–	–	·07	–	–	·01	·60	·03	26
27	·11	–	–	·06	·08	·47	·01	–	·01	–	·03	·26	27
28	·66	·01	·03	·05	·50	–	·03	–	·01	–	–	·09	28
29	·05	–	·40	–	·24	–	–	–	·01	–	·16	·53	29
30	–		–	·25	·01	·17	·11	–	·08	–	·17	·41	30
31	·21		·01		·09		–	–		·23		·06	31
Total	2·87	1·26	2·94	6·30	2·59	2·07	~~4·59~~ 4·56	~~1·35~~ 1·34	1·85	1·56	1·31	2·66	Year's Total ~~31·35~~ 31·31
Days with ·01 in. or more	17	12	12	25	16	9	25	11	14	13	13	20	186
Days with ·04 in. or more	~~13~~ 14	7 ~~8~~	~~8~~ 9	21 ~~18~~	12	8	14	9	9	8	7	12	~~120~~ 130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

√

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

SWITHLAND

THE BRAND

LEICESTERSHIRE

1911 – 1920

911

Kept at Swith

W. F. Stanley's

op 8 in.

above Ground 1 ft. 0 in.

„ Sea Level 172 ft.

in the County of

H. Griffith M.

by the Leicester

9 a.m.

on Name Quorn Woodhouse

Distance Direction

IMPORTANT N … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and pl … British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·06	·	·	·	·10	·	·	·	·05	·	1
2	·10	·	·02	·	·17	·	·	·15	·	·	·01	·03	2
3	·	·03	·	·	·20	·	·	·27	·	·05	·02	·02	3
4	·02	·	·11	·10	·	·	·	·02	·04	·32	·13	·16	4
5	·02	·	·	·03	·	·	·	·04	·	·02	·	·	5
6	·22	·	·02	·	·	·	·	·04	·	·10	·04	·45	6
7	·03	·03	·02	·	·	·	·	·	·	·17	·15	·13	7
8	·10	·	·25	·	·	·	·	·	·03	·	·	·20	8
9	·05	·	·	·02	·	·	·	·	·	·	·17	·07	9
10	·07	·07	·25	·	·	·	·	·03	·	·	·02	·58	10
11	·17	·	·02	·	·	·	·	·18	·	·	·32	·02	11
12	·02	·	r+s. ·37	·	·	·	·	·	·26	·	·16	·02	12
13	·	·	·06	·	·	·	·	·	·12	·	·05	·40	13
14	·	·08	·03	·	·05	·	·01	·	·	·02	·	·32	14
15	·	·10	·14	·	·	·	·	·	·	·07	·06	·04	15
16	·	·	·10	·	·	·03	·	·	·	·03	·15	·09	16
17	·	·	·	·	·	·06	·	·	·	·02	·08	·20	17
18	·	·22	·	·	·	·13	·	·	·	·02	·17	·13	18
19	·	·	·	·	·03	·20	·02	·	·11	·17	·30	·07	19
20	·	·09	·	·05	·	·	·	1·03	·08	·	·01	·39	20
21	·	·48	·10	·	·	·	·	·24	·03	·20	·02	·07	21
22	·	·	·08	·04	·	·03	·	·02	·	·20	·02	·30	22
23	·	·07	·22	·	·	·50	·	·	·40	·05	·	·12	23
24	·	·12	·06	·06	·	·50	·	·03	·02	·32	·	·09	24
25	·	·24	·03	·11	·55	·04	·	·	·02	·03	·02	·08	25
26	·	·03	·	·30	·20	·	·	·02	·	·20	·30	·30	26
27	·	·25	·10	·18	·	·	·	·75	·17	·02	·	·10	27
28	·	·33	·	·17	·	·27	·	·	·02	·	·05	·02	28
29	·		·02	·02	·	·20	·02	·	·20	·28	·02	·02	29
30	·		·02	·06	·05	·05	·	·02	·02	·10	·	·02	30
31	·		·		·05		·	·		·03		·	31
Total	0·80	2·14	2·08	1·14	1·30	2·01	0·15	2·84	1·52	2·42	2·32	4·44	TOTAL for year 23·16
No. of Rain Days	10	14	21	12	8	11	4	14	14	21	23	28	180

9,000, IX. '10.

1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Swithland Reservoir

in the County of Leicester 4

by H. Griffith M. Inst C.E. The Leicester Corporation Water Department.

RAIN GAUGE
Pattern W. F. Stanley's
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 172 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Quorn Woodhouse
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	·06	.	.	.	·10	.	.	.	·05	.	1
2	·10	.	·02	.	·17	.	.	·15	.	.	·01	·03	2
3	.	·03	.	.	·20	.	.	·27	.	·05	·02	·02	3
4	·02	.	·11	·10	.	.	.	·02	·04	·32	·13	·16	4
5	·02	.	.	·03	.	.	.	·04	.	·02	.	.	5
6	·22	.	·02	.	.	.	.	·04	.	·10	·04	·45	6
7	·03	·03	·02	.	.	.	.	.	.	·17	·15	·13	7
8	·10	.	·25	.	.	.	.	.	·03	.	.	·20	8
9	·05	.	.	·02	.	.	.	.	.	.	·17	·07	9
10	·07	·07	·25	.	.	.	.	·03	.	.	·02	·58	10
11	·17	.	·02	.	.	.	.	·18	.	.	·32	·02	11
12	·02	.	r+s. ·37	.	.	.	.	.	·26	.	·16	·02	12
13	.	.	·06	.	.	.	.	.	·12	.	·05	·40	13
14	.	·08	·03	.	·05	.	·01	.	.	·02	.	·32	14
15	.	·10	·14	.	.	.	.	.	.	·07	·06	·04	15
16	.	.	·10	.	.	·03	.	.	.	·03	·15	·09	16
17	.	.	.	.	.	·06	.	.	.	·02	·08	·20	17
18	.	·22	.	.	.	·13	.	.	.	·02	·17	·13	18
19	.	.	.	.	·03	·20	·02	.	·11	·17	·30	·07	19
20	.	·09	.	·05	.	.	.	1·03	·08	.	·01	·39	20
21	.	·48	·10	.	.	.	.	·24	·03	·20	·02	·07	21
22	.	.	·08	·04	.	·03	.	·02	.	·20	·02	·30	22
23	.	·07	·22	.	.	·50	.	.	·40	·05	.	·12	23
24	.	·12	·06	·06	.	·50	.	·03	·02	·32	.	·09	24
25	.	·24	·03	·11	·55	·04	.	.	·02	·03	·02	·08	25
26	.	·03	.	·30	·20	.	.	·02	.	·20	·30	·30	26
27	.	·25	·10	·18	.	.	.	·75	·17	·02	.	·10	27
28	.	·33	.	·17	.	·27	.	.	·02	.	·05	·02	28
29	.		·02	·02	.	·20	·02	.	·20	·28	·02	·02	29
30	.		·02	·06	·05	·05	.	·02	·02	·10	.	·02	30
31	.		.		·05		.	.		·03		.	31
Total	0·80	2·14	2·08	1·14	1·30	2·01	0·15	2·84	1·52	2·42	2·32	4·44	TOTAL for year 23·16
No. of Rain Days	10	14	21	12	8	11	4	14	14	21	23	28	180

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 13

4

Kept at Swithland Reservoir
in the County of Leicester
by The Water Committee of the Leicester Corporation F. Griffith Engineer.

Lat. Long.
Time of Observation 9am
Nearest Railway Station Quorn & Woodhouse G.C.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	·06	.	.	·25	·06	·04	·03	.	.	r+s ·40	1
2	.	s. ·03	·14	·04	.	·37	·53	.	.	.	.	·04	2
3	·06	.	·04	.	·02	·12	·06	·62	·04	.	.	·03	3
4	·15	.	·51	.	·12	·54	.	·22	.	.	·30	.	4
5	·08	s. ·05	·12	.	·03	·14	·02	·11	·05	.	·04	·02	5
6	r+s. ·64	·12	.	.	.	.	.	·16	.	.	.	·08	6
7	.	·03	.	.	.	·19	.	·13	·04	.	.	.	7
8	·26	·26	·27	.	.	·12	·22	·08	·07	.	.	·04	8
9	·03	·03	03	·18	.	·50	.	·03	.	.	.	·30	9
10	.	·02	.	.	.	·05	.	·48	.	.	·32	.	10
11	·16	·06	.	.	.	·15	.	·03	.	.	·05	·50	11
12	·06	·44	·18	.	·01	·02	·03	.	.	·03	·03	·02	12
13	.	·08	.	.	.	·16	.	·03	.	·05	·08	·02	13
14	·20	.	·40	.	·02	·09	.	·04	.	.	.	.	14
15	·10	·05	·06	.	·24	·10	.	·02	.	.	.	·12	15
16	r+s. ·47	.	·21	.	·15	·20	.	·09	.	·24	.	.	16
17	s. ·65	.	·20	.	.	·24	·05	·25	.	.	·08	·70	17
18	r+s. ·25	.	·11	.	.	.	.	·10	.	·03	·03	·05	18
19	·35	·14	·02	.	·02	.	·35	·75	.	·02	·03	.	19
20	·11	.	·18	.	.	.	·34	·03	.	·32	.	.	20
21	.	·02	·23	.	·65	.	·04	·25	.	·37	.	.	21
22	·07	·10	.	.	·44	.	·60	·48	.	·03	.	·15	22
23	·05	·05	·26	.	.	·06	·35	·40	.	.	·17	·08	23
24	·22	.	·03	.	.	·12	·22	·10	.	.	·02	·16	24
25	.	·01	.	.	.	·44	·02	·35	.	.	·47	·36	25
26	.	·08	·08	.	.	·05	·13	1·04	.	·63	·28	·54	26
27	.	·02	·02	.	.	·25	·23	.	.	·88	.	·20	27
28	.	·02	.	.	·02	·05	·10	·44	.	·30	r+s ·38	·34	28
29	.	·02	·03	.	.	·02	·10	.	·63	·20	.	·02	29
30	·07		·02	.	·20	·03	·02	.	.	·10	.	.	30
31	.		·03	.	·02		·70	·08		.		·15	31
Total	3·98	1·63	3·23	0·22	1·94	4·26	4·17	6·35	0·86	3·20	2·28	4·32	YEAR'S TOTAL 36·44
Rain Days.	19	20	23	2	13	24	20	26	6	13	14	22	202

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

Kept at Swithland Reservoir
in the County of Leicester 4
by The Leicester Corporation Water Committee
(G.T. Edwards Engineer)

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Quorn, G.C.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	.	·03	·01	.	.	.	.	·80	.	·04	.	1
2	.	·16	·07	.	.	.	.	.	·01	·02	·03	.	2
3	·04	.	·20	.	·70	.	.	.	·02	·04	.	r+s ·04	3
4	·67	.	.	.	·02	.	·02	.	.	·03	·11	r+s ·50	4
5	·03	·04	·03	.	.	.	·09	.	·07	1·00	.	r+s ·02	5
6	·02	.	·10	.	·35	·07	·59	.	.	·05	.	·02	6
7	.	·10	.	.	·17	·05	.	.	.	·50	·08	.	7
8	.	.	.	.	·17	·23	.	.	.	·13	·03	.	8
9	.	·37	·05	.	·04	·46	.	·04	.	.	·13	·02	9
10	.	.	.	r+s ·15	·02	.	.	·23	.	.	·21	.	10
11	s 1·00	.	.	r+s ·40	.	.	.	·09	.	·02	·29	.	11
12	.	.	.	.	·15	.	.	.	.	.	·50	.	12
13	·08	.	·13	·04	.	.	.	·05	·05	.	·23	.	13
14	s ·08	.	r+s ·60	·10	.	.	·02	·10	.	·12	·04	.	14
15	·05	·04	·58	·35	.	.	.	.	·07	.	·03	.	15
16	·05	·10	r+s ·60	·05	.	.	.	·02	·22	.	.	.	16
17	·03	·05	s ·02	·15	.	·04	·03	.	·15	.	.	.	17
18	.	.	·20	·10	.	.	·05	.	.	.	·04	·03	18
19	·10	.	.	.	.	.	·06	.	·11	.	.	.	19
20	·15	.	·14	·04	.	.	.	.	·04	·19	·19	.	20
21	·02	.	·06	.	·14	.	·03	.	.	.	·28	.	21
22	r+s ·40	.	·48	.	.	.	.	·17	·27	.	.	.	22
23	.	.	.	.	.	·11	.	·11	·07	.	·03	.	23
24	·08	.	.	.	.	.	.	·04	.	.	.	.	24
25	.	·03	.	·10	.	.	.	.	·02	.	.	·02	25
26	.	·11	·18	·22	.	.	.	·05	·02	·25	·02	·28	26
27	.	·02	·03	·27	.	.	.	.	.	.	.	.	27
28	·45	.	·38	·38	.	.	.	.	.	·10	.	s ·03	28
29	.		·20	·55	.	.	.	·40	.	·04	.	s ·15	29
30	r+s ·40		.	.	.	.	.	.	.	·15	·04	.	30
31	.		·03		·02		.	..		.		.	31
Total	3·67	1·02	4·11	2·91	1·78	0·96	0·89	1·30	1·92	2·64	2·32	1·11	YEAR'S TOTAL 24·63
Rain Days.	18	10	20	15	10	6	8	11	14	14	18	10	154

W.7,000, XI. 13

Ex. W.g.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Swithland Reservoir
in the County of Leicester 4
by The Water Committee of the Leicester Corporation

Lat. Long.
Time of Observation 9am
Nearest Railway Station Quorn
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.04	.02		.	Thunder .85	.25	.	.02	.03	.	1
2	.	.	.	.07	.	.	.	.45	.	.	.50	.18	2
3	.02	.	.	.03	.11	.	.16	.17	.	.	.06	.	3
4	.25	.	.05	.13	.02	.	.	.08	.	.	.52	.45	4
5	σ .15	.	.13	.40	.03	.13	.45	.02	.	.	.	.	5
6	.	.04	.	.12	.09	.	.	.	.	.	.08	.03	6
7	.	.09	.45	.03	.03	.	.06	.06	.	.	.	.16	7
8	.10	.	.	.20	.03	.65	.11	.28	.02	.	.	.05	8
9	.28	.02	.13	.23	.	.95	.	.04	.08	.	.	.	9
10	.11	.10	.	.20	.04	.	.		.10	.	.	.	10
11	.	.08	.38	.25	.05	.02	.	.	.04	.	.66	.35	11
12	.	.03	.08	.	.	.	.	.	.20	.	.04	.42	12
13	.	.12	.11	.	.	.	.	.	.	.06	.20	.45	13
14	.	.02	.12	.	.	.	.10	.	.	.13	.16	.28	14
15	.05	.	.15	.	.	.	.	.	.03	.	.04	.04	15
16	.	.	.03	.	.	.	.33	.	.10	.	.	.	16
17	.04	.18	.07		.	.	.06	.	.08	.	.	.29	17
18	.	.	.	.	.	.	.15	.	.02	.	.	.54	18
19	.	.02	.10	.	.	.	.05	.	.02	.	.05	.04	19
20	.	.17	s .17	.	.	.	.03	.	.11	.02	.	.	20
21	.	.32	rts. .05	.	.	.04	.	.	.	.12	.	.30	21
22	.02	.02	.02	.	.60	.	.10	.06	.	.16	.	.	22
23		.08	.10	.	.23	.02	.			.06			23
24	.	.03	.18	.	.30		.06	.		.20	.20	.	24
25	.03	.	.	.	.	.	.03	.30		.50	.02	.28	25
26	.	.	.03	.	.	.	.02	.33	.	.15	.31	.25	26
27	.05	.	.	.	.	.	.	.	.	.	.02	.12	27
28	.02	.05	.	.	.	.	.	.	.	.10	.34	.80	28
29	.05	×	.16	.	.03	.	.	.	.	.40	.08	.	29
30	.	×		.	.	.03	.	.	.	.	.40	.24	30
31	.	×	.	×	.	×	.23	.	×	.	×	.10	31
Total	1.17	1.37	2.55	1.68	1.56	1.84	2.79	2.04	0.80	1.92	3.71	5.37	YEAR'S TOTAL ✓ 26.80
Rain Days.	13	16	20	11	12	7	16	11	11	12	18	20	167 ✓

W. 8,000. X. 14.

2625

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Swithland Reservoir

in the County of Leicester

by The Water Committee of the Leicester Corporation

Lat. Long. —

Time of Observation 9am.

Nearest Railway Station Quorn

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·24	r ts. ·03	.	·30	.	.	·08	Thunder ·10	.	·06	·04	1
2	·07	·09	·19	·18	.	·12	.	Thunder ·35	.	·13	.	·05	2
3	·40	—	·02	·07	.	.	Thunder 1·75	do ·11	·04	.	·03	·16	3
4	·08	.	.	.	·06	.	do ·70	.	.	.	.	1·04	4
5	·05	·31	.	.	Thunder ·06	.	.	·03	.	.	·04	·42	5
6	·02	·15	.	·20	.	.	Thunder ·72	.	.	·02	.	·10	6
7	·15	·38	.	.	.	Thunder ·04	do ·23	·18	.	.	.	·51	7
8	·06	·10	·03	·04	.	.		·05	.	.	·03	.	8
9	.	·15	.		.	.		·04	.	.	·20	·43	9
10	·55	.	·05	.	.	.	.	Thunder ·07	.	.	·30	·05	10
11	·03	.	·03	·04	·14	.	·17	do ·17	.	.	·54	s. ·20	11
12	·02	.		·16	·30	.	·04	do ·18	.	·08	1·26	.	12
13	.	r ts. ·40	.		·48	.	.	.	.	.	.	.	13
14	.	·03	.	.	.	.	.	Thunder ·03	·04	·02	.	·35	14
15	·31	.	.	.	·02	.	·08	do ·02	.	.	r ts. ·20	·12	15
16	.	·31	.	.	.	.	2·40	.	.	.	·02	.	16
17	.	·21	.	.	.	.	·20	·03	.	.	.	·02	17
18	.	·20	s. ·29	.	.	.	.	.	.	.	·02	·02	18
19	.	.	.	.	·03	.	·14	.	.	.	.	.	19
20	·13	.	.	·02	.	.	.	·03	.	.	.	·28	20
21	·12	·11	.	.	.	.	·21	.	.	.	.	·10	21
22	·07	.	·16	·05	.	.	·18	.	·02	.	.	·05	22
23	·02	·05	·03	.	.	·10	Thunder ·12	.	·05	·20	.	·24	23
24	.	.	·05	·04	.	·02	do ·02	.	·73	·03	.	·13	24
25	.	.	·02	.	.	·70	do ·03	.	·03	.	·03	·19	25
26	.	·18	.	.	.	.	·04	.	·03	.	.	·32	26
27	.	·03	·04	.	.	.	Thunder ·23	.	.	·60	.	·04	27
28	.	r ts. ·14	s. ·04	.	.	Thunder ·32	·05	·25	.	·02	.	.	28
29	.	X	.	.	.	·42	.	·05	·02	.	·19	·18	29
30	·07	X	.	·02	.	Thunder ·45	.	·03	.	·02	·04	·02	30
31	·06	X	.	X	.	X	·03	·08	X	·17	X	·15	31
Total	2·29	3.08	0·98	0·82	1·39	2·17	7·34	1·78	1·06	1·29	2·96	5·21	YEAR'S TOTAL 30·37
Rain Days.	18	17	13	10	8	8	19	18	9	10	14	25	169

W. 8,000. X. 15.

2559

FORM A.
BRITISH RAINFALL

6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Swithland Reservoir
in the County of Leicester
by The Leicester Corporation Water Committee

Lat. Long.
Time of Observation 9am
Nearest Railway Station Quorn G.C. Rly
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.	r & s .17	.	.05	.09	.11	.	.	.	.19	.	1
2	.31	.09	r & s .18	.	.31	.	.09	.	.03	.37	.03	.	2
3	.	.51	.	.	.	.	.02	.	Th .18	.26	.11	.	3
4	.27	.02	.	.	.42	.35	.	.	.	.15	.13	.	4
5	.02	.	.	.	.07	.18	.	.	.	.10	.11	.	5
6	.08	.11	.16s	.	.17	.	.24	.	.	.07	.18	.	6
7	.03	.	.22s	.	.04	.	.15	.	.	.18	.14	.12	7
8	.	.	.08s	.	.	.02	.	.	.	.11	.02	.12	8
9	.	.	r & s .08	.	.34	.10	.	.	.04	.	.	.04	9
10	.	.07	.07 s	.09	.	.	.03	.	.04	.02	.	.08	10
11	.	r & s .20	r & s .10	.12	.	.15	.		.03	.	.	.05	11
12	.06	.02	.15	.03	.86	.10	.03		.	.04	.	.	12
13	.	.19	.08	.12	.04	.03	.	Th .07	.	.02	.	.02	13
14	.	.47 s	.	r & s .08Th	.02	.	.	Th .75	.	.06	.	.	14
15	.	.37	.61	.	.	.	.07	Th .16	.	.02	.	.	15
16	.03	r & s .20	.62	.28	.	.	.21	Th .05	.	.	.	.	16
17	.08	.04	.	.17	.	.	.05	Th .17	.10	.17	.	.	17
18	.	.19	.05	.02	.	.	.	Th .28	.08	.	r & s .60	.08	18
19	.15	.08	.31	.	.	.02	.	.	.15	.	r & s .45	.05	19
20	.12	.	.39	.14	.	.	.	.	.	.	.07	.12	20
21	.02	.	r & s .22	.	.05	.	.	.	.	.	.	.42	21
22	.	r & s .02	.02 s	.	.05	.02	.	.	.	.05	.	.30	22
23	.06	.60 s	.	.07	.	.03	.	.05	.	.04	.09	.49	23
24	.	.65 s	.07 s	.03	.	.	.	.09	.	.04	.	.14	24
25	.	.08 s	.15	.	.05	.	.	.30	.	.	.18	.	25
26	.04	.09 s	.	.	.	.02	.	Th .11	.	.05	.05	.	26
27	.02	.34 s	r & s .98	.	.	.	.05	Th .72	.07	.26	.	.	27
28	.	r & s .25	.45 s	.	.	.58Th	.	.	.02	.08	.	.21	28
29	.	.07	.	.	.04	.19	.	1.05	.	.29	.	.17	29
30	.	×	.	.	.	.12Th	.	.05	.	.30	.	.	30
31	.	×	.	×	.	×	.	.04	×	.11	×	.	31
Total	1.34	4.66	5.11	1.15	2.51	2.00	1.05	3.89	.74	2.79	2.35	2.41	YEAR'S TOTAL 30.00
Rain Days.	15	22	21	11	14	15	11	14	10	22	14	15	184

W. 8,000, VIII. 16

2431

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Swithland

in the County of Leicester

by The Leicester Corporation Water Dept.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Quorn (G. C. Rly)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug. X	Sept.	Oct.	Nov.	Dec.	*Date.*
1				s ·08.				1·28.	·17		·02	s ·11	1
2	s ·05					·07		·19		·04	·02.		2
3	·03	s ·02.		s ·11				·26		·23			3
4	r + s ·03	s ·05	s ·08.					·10		·48			4
5	r + s ·13		s ·02.	r + s ·13					·08.	·14	·11		5
6	r + s ·03					·15				·19	·10		6
7	r + s ·42.		s ·02.					·02		·47			7
8	r + s ·56			s ·12.			·18.	·47		·51	·11	·10	8
9	r + s ·10		s ·18.	s ·04				·24		·02	·24		9
10	s ·33		·32.	s ·04	·80.			·04		·03	·09		10
11	r + s ·06		·06	s + s ·19				·09		·19			11
12	r + s ·13	r + s ·02.		sleet ·03	·08.	Thunder ·04				·15			12
13	r + s ·03			·06				·13	·10				13
14	r + s ·15		·08	·05				·24				·08	14
15				·05			·32.			·07		s ·04	15
16	s ·04	·11		·12								s ·20	16
17		·02.	·02.	·13	·40	Thunder. ·13	·14	·08.	·11	·09			17
18	·05			·07	·30		·90		·71				18
19	s ·07	·15	·15		·13	Thunder. ·05			·04				19
20	s ·03	·20	r + s ·02.		·62	Thunder. ·18.		·04	·04		·05		20
21		·02.	s ·10		·09	Thunder. ·28.				·02			21
22			s ·09					·03	·06	·10			22
23		·03			·14			·12		·03		·02.	23
24						·39		·09		·34	r + s. ·05		24
25			r + hail ·06				·02.			·02.	·10		25
26								·36	·28.		·11		26
27			·03			Thunder. ·46	·16	·63				·03	27
28			·10			·16		·23		·02.		·05	28
29						·20	·06			·38.		·34	29
30		X					·25	·27				~~·34~~	30
31		X	s ·11	X		X	·03	·17	X		X	·05	31
Total	2·24	0·62	1·44	1·22	2·56	2·11	2·06	5·08	1·59	3·52	1·00	1·02 ~~1·31~~	YEAR'S TOTAL 24·46 ~~24·75~~
Rain Days.	17	9	16	14	8	11	9	21	9	20	11	10	155

W. 8,000, IX. 17.

X Many thunderstorms during month.

Exd ??   24

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

9. 1. 19

Kept at Swithland Reservoir

in the County of Leicester

The Leicester Corporation Water Dept.

by G. T. Edwards
Engineer & Manager

Lat. .... Long. ....

Time of Observation 9. am.

Nearest Railway Station Quorn

Diameter of Funnel of Rain Gauge 8. in.

Height of top of Gauge above Ground 1. ft. 0. in.

" " " " Sea Level 192 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.06	.	.04	.	.	.	.	.08	.02	.12	.03	1
2	.	.10	.	.05	.	.	.	.48	.02	.02	.	.32	2
3	.	.	r+S. .06	.	.61	.	.	.11	.06	.02	.43	.	3
4	.02	.04	.03	.	.	.	.06	.05	1.06	.06	.39	.04	4
5	.	.	.	.04	.11	.	.	.14	.05	.14	.	.	5
6	.	.06	.	.19	.	.03	.	.	.02	.05	.	.	6
7	S. .12	.09	.	.20	.	.03	.	.	.04	.04	.11	.	7
8	.	.08	S. .15	.04	.	.	.	.	.05	.04	.	.04	8
9	.	.39	.	.11	.	Thunder .12	.28	.	.40	.24	.	.	9
10	.09	.	.	.08	.	.	Thunder .33	.	.02	.13	.	.05	10
11	.08	.10	.	.02	.09	.	.10	.	.08	.02	.	.04	11
12	.	.18	.04	.	.12	.	.14	.	.21	.	.02	.04	12
13	.	.	.	.02	.12	.	.	.	.15	.03	.	.02	13
14	S+R. .36	.	.	.03	.	.02	.14	.	.21	.10		.13	14
15	S. .64	.	.	.32	.	.02	.19	.	.13	.	.	.16	15
16	S	.	.	.22	.	.03	.	.	.15	.	.	.03	16
17	S+R. .23	.	.	.	.	.02	.35	.	.14	.05	.	.14	17
18	.43	.	.	.	.	.10	Thunder .04	.	.44	.	.	.33	18
19	.05	.	.06	S. .19	.	.	.03	.	.	.04	.	S+R. .21	19
20	.03	.04	.	r+S. .30	.	.08	.04	.	.02	.	.02	.02	20
21	.08	.04	.	r+S. .12	.02	.	.03	.	.25	.08	.	.	21
22	.05	.	.	.	.10	.03	.05	.	.03	.12	.	.40	22
23	.13	.	.	.	.44	.	.20	.	.11	.	.02	.02	23
24	.	.14	.	.	.	.	.02	.	.04	.03	.06	.03	24
25	.	.	.	.	.	Thunder .02	Thunder .18	.14	.	.05	.04	.	25
26	.	.	.	.	.	.		.06	.03	.	.11	.12	26
27	.	r+S. .02	.	.	.	.02	Thunder .10	.32	.19	.	.06	.13	27
28	.	S. .25	.31	.	.	.	.	.08	.02	.	.09	.22	28
29	.		.	.	.	.	.	.	.54	.	.	.	29
30	.		.35	.	.	.	.	.	.05	.	.08	.09	30
31	.02		.10		.		.	.03		.		.	31
Total	2.36	1.62	1.10	2.00	1.64	0.52	2.34	1.44	4.68	1.34	1.55	2.64	YEAR'S TOTAL 23.56
Rain Days.	14	14	8	16	8	12	14	9	28	19	13	22	180

W, 6,500, VII. 18. W W G

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Swithland Reservoir
in the County of Leicester
by The Water Committee of the Leicester Corporation (G. T. Edwards, Engineer + Manager)

Lat. Long.
Time of Observation 9am
Nearest Railway Station Quorn G.C Rly
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	r+s .07	.05	.	.30	.	.19	.	.	.10	.10	.33	1
2	.19	r+s .03	.02	.	.	.	.23	.07	.66	.08	.21	.04	2
3	s. .98	.	.03	.	.	.03	.27	.	.10	.	.28	.08	3
4	.04	.	.34	.	.	.07	.	.10	.08	.	.03	.22	4
5	.09	s+s .12	.	.	.		.	.	.22	.	.	.13	5
6	.02	.	.14	.	.79	.	.	.	.	.	.03	.03	6
7	.02	.	.29	.03	.	.	.	.	.	.	.	.	7
8	.03	.	.02	Thunder .12	.	.04	.	.	.	.02	.	.	8
9	.	.	.	r+s .05	.	.	.	.	.	.	.	.	9
10	.	.	.21	.03	.	.	.	.	.	.	.	.06	10
11	.04	.	.63	.	.	.	.44	.	.	.	.	.	11
12	.	.	.21	.07	.	.31	.	.	.04	.04	s. .09	.	12
13	.28	.	.	.19	.	.	.	.	.09	.03	.	.04	13
14	.40	.04	.	.18	.	.	.	.	.09	.	.	.	14
15	.34	.	.07	.11	.	.	.	.	.	.02	s. .03	.54	15
16	.15	r+s .79	.	.02	.	.	.	.03	.	.	r.s+s .23	.	16
17	.05	r+s .51	.	.04	.	.04	.	.	.	.	s+r. .24	.02	17
18	.	.	.21	.	.	.	.	.25	.03	.	.	.25	18
19	.06	r+s .21	s.s+r 1.05	.	.	.07	1.81	.48	.12	.	.23	.03	19
20	.45	.09	s+s. .18	.	.	.03	.41	.17	.	.	s .21	.10	20
21	.11	.41	s+s. .15	.	.	.	.23	.	.	.	r+s .04	.26	21
22	.	.05	.	.	.	.	.	.	.46	.	.	.58	22
23	.	.	.	.	.	.	.03	.	.	.70	.	.	23
24	.	.	.	.11	.12	.04	.13	.	.	.28	.18	.07	24
25	.08	.	.	.10	.17	.	.	.59	.	.	.04	.06	25
26	.	.	r+s. .30	.05	.	.03	.	.06	.12	.	.	.38	26
27	s. .27	.	.	r+s .27	.	.	.	.05	.	.	.04	.	27
28	.04	.	.	.09	.	.	.03	.99	.	.	s. .11	.36	28
29	.05		.	.03	.	.	.	.15	.	.40	s. .12	.08	29
30	.02		s. .06	.17	.	.31	.	.	.	.02	.04	.24	30
31	.03		.		.		.04	.		.06		.02	31
TOTAL	4.15	2.32	3.96	1.66	1.38	0.97	3.81	2.94	2.01	1.75	2.25	3.92	YEAR'S TOTAL 31.12
Days with ·01 in. or more	23	10	17	17	4	10	11	11	11	11	18	22	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WMD

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Swithland Reservoir
in the County of Leicester
by The Water Committee of the Leicester Corporation

Lat. Long.
Time of Observation 9am
Nearest Railway Station Quorn
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	·33	·19	.	·19	.	.	·30	.	·14	1
2	.	.	.	·20	.	.	·34	.	·09	·15	.	·06	2
3	·04	·06	.	·21	.	·03	1·34	.	·06	·10	.	·02	3
4	.	.	.	·16	.	.	·07	·26	.	·37	.	·06	4
5	.	.	·05	.	·35	.	·28	·10	·12	·02	.	.	5
6	.	.	·23	·06	·04	.	·10	.	.	.	.	·07	6
7	.	·02	s. ·07	·07	·21	.	·07	.	.	.	.	.	7
8	r+s. ·17	·08	.	·63	·10	.	·12	.	.	·02	.	.	8
9	s.+r. ·40	.	.	·37	.	.	.	·19	.	.	.	.	9
10	·34	·21	·12	·06	.		·08	.	.	.	·06	.	10
11	·17	·02	·03	·06	·36	Thunder ·12	.	.	.	.	.	s. ·09	11
12	·02	.	·03	·19	.	Thunder ·11	·02	·02	.	.	·03	s. ·12	12
13	·07	·12	·19	·47	.	·05	·02	.	.	.	·04	.	13
14	.	·04	r+s. ·65	·20	.	Thunder ·13	.	.	·22	·02	·21	s. ·02	14
15	.	·10	s+r. ·50	·37	.		·02	.	·03	.	.	.	15
16	.	.	.	·12	·11	Thunder 10	·02	.	·03	·11	.	.	16
17	.	.	-	.	·13	-	·03	.	·53	·05	-	.	17
18	·15		.	·08	·05	.	Thunder ·02	·08	·14	.	.	.	18
19	·11	r+s. ·60	.	·33	.	·11	.	·12	·02	.	.	.	19
20	·04	r+s. ·32	.	·24	.	·21	.	.	.	.	.	.	20
21	·10	.	.	.	.	.	·19	·15	.	.	.	·02	21
22	.	.	.	·18	.	.	·03	.	·05	.	.	.	22
23	·02	·02	.	.	.	.	·10	.	.	.	.	·40	23
24	.	.	·11	.	.	.	.	.	.	·02	.	·09	24
25	.	·05	·03	·08	·06	·05	·47	.	.	.	.	.	25
26	·18	.	·08	·30	.	.	·04	.	.	.	.	·03	26
27	·09	.	.	·08	·03	·25	Thunder ·06	.	.	·03	·40	·46	27
28	·48	·03	·05	·02	·12	.	·02	.	.	.	·02	·09	28
29	·05	.	·20	.	·58	.	·05	.	.	.	·15	·46	29
30	·02		.	·20	·04	·05	·04	.	·10	.	·16	·26	30
31	·09		·05		·08		.	.		·21		·10	31
TOTAL	2·54	1·67	2·39	5·01	2·45	1·21	3·72	0·92	1·39	1·40	1·07	2·49	YEAR'S TOTAL 26·26
Days with ·01 in. or more	18	13	15	24	15	11	24	7	11	12	8	17	175
Days with ·04 in. or more	15	9	12	23	14	10	16	6	8	7	6	13	139

(44.283). 10/19. (52.638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIS

LEICESTER.

SYSTON.

1911 – 1915

1912 A/B

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Syston 5 in.
Ground 1 ft. 6 in.
in the County of Leic Sea Level 178 ft.
by T. K. D
Name Syston
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·08	·18			·04	·01	1
2	·13		·05		·16					·01	·04	·03	2
3	·01	·01			·17			·35		·06	·05		3
4	·03		·10	·12	·02			·03	·05	·18	·13	·29	4
5	·01							·07		·03		·04	5
6	·23		·02	·06						·75		·30	6
7	·03		·01							·12	·15	·20	7
8	·12		·23						·01			·19	8
9	·08										·10	·05	9
10	·07	·09	·25					·08			·10	·50	10
11	·24							·09			·35		11
12			·42						·13		·13		12
13			·03						·12		·05	51	13
14	·07	·07			·06						·01	·41	14
15		·09	·18						·03	·06	·04	·05	15
16			·03			·06				·02	·15	·08	16
17											·06	·15	17
18		·25				·02				·02	·30	·13	18
19						·28	·03		·12	·09	·47	·05	19
20	·01	·06		·04				·76	·06	·01		·38	20
21		·27	·11					·29		·14			21
22		·13	·11	·05						·25	·05	·37	22
23		·07	·17			·61		·02	·35			·13	23
24		·10	·05	·02		·57				·48		·09	24
25		·27	·01	·08		·08						·03	25
26		·01		·30	1·06					·23	·18	·32	26
27		·29	·13	·22				·34	·22	·03	·07	·09	27
28		·34		·22		·24			·01		·07	·01	28
29				·01		·24			·20	·22			29
30				·07	·08	·04		·12		·10	·02		30
31			·04		·07					·03			31
Total	1·03	2·05	1·94	1·19	1·62	2·14	·11	2·33	1·30	2·83	2·56	4·41	TOTAL for year 23·51
No. of Rain Days	12	14	17	11	7	9	2	11	11	19	21	24	158

7,000. X. '09. 1·03

/

REGIS

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Syston

in the County of Leicester 4

by A. K. Daniels

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 178 ft.

Time of Observation 8.15 am

Nearest Railway Station
Name Syston
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·08	·18			·04	·01	1
2	·13		·05		·16					·01	·04	·03	2
3	·01	·01			·17			·35		·06	·05		3
4	·03		·10	·12	·02			·03	·05	·18	·13	·29	4
5	·01							·07		·03		·04	5
6	·23		·02	·04						·75		·30	6
7	·03		·01							·12	·15	·20	7
8	·12		·23						·01			·19	8
9	·08										·10	·05	9
10	·07	·09	·25					·08			·10	·50	10
11	·24							·09			·35		11
12			·42						·13		·13		12
13			·03						·12		·05	·51	13
14	·07	·07			·06						·01	·41	14
15		·09	·18						·03	·06	·04	·05	15
16			·03			·06				·02	·15	·08	16
17											·06	·15	17
18		·25				·02				·02	·30	·13	18
19						·28	·03		·12	·09	·47	·05	19
20	·01	·06		·04				·76	·06	·01		·38	20
21		·27	·11					·29		·14			21
22		·13	·11	·05						·25	·05	·37	22
23		·07	·17			·61		·02	·35			·13	23
24		·10	·05	·02		·57				·48		·09	24
25		·27	·01	·08		·08						·03	25
26		·01		·30	1·06					·23	·18	·32	26
27		·29	·13	·22				·34	·22	·03	·07	·09	27
28		·34		·22		·24			·01		·07	·01	28
29				·01		·24			·20	·22			29
30				·07	·08	·04		·12		·10	·02		30
31			·04		·07					·03			31
Total	1·03	2·05	1·94	1·19	1·62	2·14	·11	2·33	1·30	2·83	2·56	4·41	TOTAL for year 23·51
No. of Rain Days	12	14	17	11	7	9	2	11	11	19	21	24	158

7,000. X. '09. 1·03

Exe DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
30 JAN 1914

Kept at Syston

in the County of Leicester 4

by S. K. Daniels

Lat. 52° 43' Long. 1° 5' W

Time of Observation 8·15 am

Nearest Railway Station Syston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~1~~ 1 ft. 6 in.

" " " " Sea Level 178 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·10	·02					·85		·04		1
2	·01	·13		·10									2
3			·23		·39				·05	·01			3
4	·57	·01		·05	·04					·16		·47	4
5	·07		·03				·13		·04	1·08			5
6	·01	·01	·03		·38	·16	·66			·04			6
7		·04			·20	·08				·55			7
8					·15	·20	·01			·18	·15		8
9		·39	·03		·06	·46		·20			·12		9
10					·01			·18			·31		10
11	1·05			·34	·08			·19		·03	·32		11
12						·01					·38		12
13			·05	·05									13
14	·13	·02	·76	·01				·07		·11	·26		14
15	·09	·05	·45	·22			·01		·16		·03		15
16	·05	·04	·66	·15					·23				16
17	·05	·05	·01	·15		·08	·06		·25				17
18			·15	·06			·04						18
19	·10		·03						·07				19
20	·11			·03						·20	·15		20
21	·03				·12		·09		·01		·30		21
22	·45		·27					·06	·30				22
23			·36						·10				23
24	·05			·01		·04		·14					24
25				·15					·01				25
26		·10	·19	·17				·05		·25		·25	26
27			·02										27
28	·45		·25	·28						·07		·34	28
29			·20	·57						·05			29
30	·31							·47		·10			30
31								·05					31
Total	3·55	·84	3·82	2·36	1·43	1·03	1·00	1·41	2·07	2·83	2·06	1·06	YEAR'S TOTAL 23·46
Rain Days.	17	10	18	16	9	7	7	9	11	13	10	3	130

W.7,000, XI. 13

Eve DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
29 JAN 1915

Kept at Syston
in the County of Leicester 4
by S. K. Daniels

Lat. 52·40 Long. 1·5 W
Time of Observation 8·15 am
Nearest Railway Station Syston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 178 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·01			·25	·26				·01	1
2								·27			·49	·17	2
3				·01	·11		·16	·17			·06		3
4	·21		·10	·02				·05			·45	·28	4
5			·12	·40		·15	·36						5
6	·18	·02		·10	·08						·20	·11	6
7		·08	·51	·06	·02			·05				·10	7
8	·10			·10	·06	·73	·05	·255				·03	8
9	·33		·10	·30		1·25							9
10	·13	·10			·05			·06	·05				10
11		·07	·425	·40	·09	·02			·04		·78	·30	11
12	·02	·005	·10						·22		·02	·39	12
13		·10	·16								·20	·37	13
14	·02		·14				·19			·20	·15	·35	14
15	·04		·16			·15			·01			·05	15
16			·04				·33		·04				16
17		·20	·11				·07					·20	17
18							·17		·12			·48	18
19							·01					·05	19
20		·14	·15				·04						20
21		·31	·10				·04			·05		·35	21
22			·01		·84		·06	·10		·15			22
23		·10	·14		·26		·06			·04			23
24			·15		·26					·31	·25		24
25	·03							·26		·55	·17	·35	25
26							·01	·11		·20	·03	·26	26
27	·04										·01	·10	27
28		·03	·04				·10			·05	·29	1·19	28
29	·04		·12		·03					·44	·03	[illegible]	29
30		✕				·03				·02	·30	·19	30
31		✕		✕		✕	·30		✕	·01	✕	·05	31
Total	1·14	1·155	2·675	1·40	1·80	2·33	2·20	1·585	·48	2·02	3·43	5·38	YEAR'S TOTAL 25·595
Rain Days.	11	11	18	9	10	6	16	10	6	11	15	21	144

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

2 MAY 1916

Kept at Syston
in the County of Leicester
by S. K. Daniels.

Lat. 52°43' Long. 1°5' W.
Time of Observation 8·15 am
Nearest Railway Station Syston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 178 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·24	·11		·43			·22	·06		·06	·04	1
2	·05	·06	·15	·14		·13		·30		·12		·02	2
3	·30		·02	·065			1·00.	·25	·05			·25	3
4	·13				·03		·70	·11				1·07	4
5	·07	·31			·13			·02			·04	·40	5
6	·06	·07		·21			·87	·01		·02		·07	6
7	·13	·29				·01	·09	·25				·65	7
8	·07	·06		·07				·06					8
9		·11						·02			·13	·40	9
10	·49										·20		10
11	·01		·05	·05	·21		·12	·07			·52	·14	11
12	·01			·20	·31		·02	·12		·025	1·10		12
13	·01	·44			·69								13
14	·02	·06						·05	·06			·29	14
15	·33				·05			·10		·02	·15	·13	15
16	·01	·28			·03		1·90						16
17		·18					·12	·02					17
18		·31	·34										18
19			·02		·01		·12						19
20	·15							·02				·39	20
21	·16	·07			·05		·17					·16	21
22	·09		·10	·06			·22					·06	22
23	·05	·04	·01			·06	·12		·08	·11		·20	23
24	·01		·04	·06		·01	·46		·81	·06.		·09	24
25			·01			·85	·08				·07	·20	25
26		·12					·02					·31	26
27		·03					·58			·48		·02	27
28		·13	·09			·32		·25		·16			28
29						·03		·03	·01		·27	·21	29
30	·07					1·01				·05	·06.	·07	30
31	·02							·05		·22		·05	31
Total	2·33	2·80	·94	·855	1·94	2·42	7·19	1·95	1·07	1·265	2·60	5·22	YEAR'S TOTAL 30·580
Rain Days.	22.	17	11	8	10	8	16	18	6	10	10	22	158

W. 8,000. X. 15.

FORM A2.
BRITISH RAINFALL.

4 JAN

REG

THORNTON RES.

LEICESTERSHIRE

1911 – 1920

Kept at Thornton ... Hanley ... in.

... ound 1 ft. 2 ins

in the County of Lei ... Level 370·70 ft. 2506

F. Griffiths M.Inst.C.E.

by The Leicester Co ... m.

... ne Bagworth

... ance ... Direction ...

IMPORTANT NOTE.– ... e result entered to the previous day. If an Obse ... sal rule, he is earnestly requested to add the reading ... in the space provided for it at the end of this ... of rain, the selection and placing ... n Rainfall Organization are given in " ... lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	·09	.	.	.	·03	·02	.	.	·01	.	1
2	·10	.	.	—	·13	.	.	·08	.	.	·06	·03	2
3	.	.	.	.	·16	.	.	·15	·02	·04	·04	.	3
4	·04	·04	·11	·07	.	·09	.	·03	·03	·37	·15	·21	4
5	·02	.	.	·02	.	.	.	·03	.	·01	·02	.	5
6	·22	.	·03	.	.	.	.	.	.	·24	·02	·43	6
7	·04	.	.	.	.	.	.	.	.	·04	·17	·12	7
8	·10	.	·25	.	.	.	.	.	.	.	.	·22	8
9	·03	.	.	.	.	.	.	.	.	.	·14	·04	9
10	·04	·09	·21	.	.	.	.	·20	.	.	·09	·53	10
11	·23	.	.	.	.	.	.	·08	.	.	·28	.	11
12	·02	.	ats. ·44	.	.	.	.	.	·23	.	·27	.	12
13	.	.	·07	.	.	.	.	.	·11	.	·02	·44	13
14	.	·10	·04	.	.	.	.	.	.	.	.	·43	14
15	.	·11	·22	.	.	.	.	.	.	·05	·09	·05	15
16	.	.	.	.	.	·03	.	.	.	·01	·10	·07	16
17	.	.	.	.	.	·04	.	.	.	.	·11	·22	17
18	.	·30	.	.	.	·05	.	.	.	.	·07	·16	18
19	.	·04	.	.	.	·23	·11	.	·17	·14	·49	·06	19
20	.	·10	.	·03	.	.	.	·73	·07	·03	.	·32	20
21	.	·35	.	·02	.	.	.	·34	.	·22	·02	·08	21
22	.	.	·04	·05	.	·02	.	·03	.	·25	·03	·42	22
23	.	·08	·17	.	.	·42	.	.	·39	·03	.	·10	23
24	.	·09	·04	·05	.	·75	.	·03	.	·42	.	·06	24
25	.	·10	·02	·14	·35	·10	.	.	.	.	.	·11	25
26	.	·02	.	·27	·17	·15	.	.	.	·21	·25	·26	26
27	.	·40	·10	·33	.	.	.	·47	·28	·01	·07	·11	27
28	.	·29	.	·18	.	·30	.	.	·02	.	·07	·02	28
29	.		.	.	.	·18	·06	.	·33	·17	·02	·01	29
30	.		·01	.	·02	·02	.	.	.	·05	·02	·02	30
31	.		·02		·03		.	.		·06		.	31
Total	0·84	2·11	1·86	1·16	0·86	2·38	0·20	2·19	1·65	2·35	2·61	4·52	TOTAL for year 22·73
No. of Rain Days	10	14	16	10	6	13	3	12	10	18	24	25	161

9,000, IX. '10.

REG

IN 1917

FORM A2.
BRITISH RAINFALL.

4 JAN

Kept at Thornton Reservoir

in the County of Leicester. 4

F. Griffith M.Inst.C.E.
by The Leicester Corporation Water Department

RAIN GAUGE	Pattern W. F. Stanley
	Diameter of top 8 in.
	Height of top above Ground 1 ft. 2 ins.
	" " " Sea Level 370·70 ft. 2506
Time of Observation	9 am.
Nearest Railway Station	Name Bagworth.
	Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·09	·	·	·	·03	·02	·	·	·01	·	1
2	·10	·	·	·	·13	·	·	·08	·	·	·06	·03	2
3	·	·	·	·	·16	·	·	·15	·02	·04	·04	·	3
4	·04	·04	·11	·07	·	·09	·	·03	·03	·37	·15	·21	4
5	·02	·	·	·02	·	·	·	·03	·	·01	·02	·	5
6	·22	·	·03	·	·	·	·	·	·	·24	·02	·43	6
7	·04	·	·	·	·	·	·	·	·	·04	·17	·12	7
8	·10	·	·25	·	·	·	·	·	·	·	·	·22	8
9	·03	·	·	·	·	·	·	·	·	·	·14	·04	9
10	·04	·09	·21	·	·	·	·	·20	·	·	·09	·53	10
11	·23	·	·	·	·	·	·	·08	·	·	·28	·	11
12	·02	·	r+s. ·44	·	·	·	·	·	·23	·	·27	·	12
13	·	·	·07	·	·	·	·	·	·11	·	·02	·44	13
14	·	·10	·04	·	·	·	·	·	·	·	·	·43	14
15	·	·11	·22	·	·	·	·	·	·	·05	·09	·05	15
16	·	·	·	·	·	·03	·	·	·	·01	·10	·07	16
17	·	·	·	·	·	·04	·	·	·	·	·11	·22	17
18	·	·30	·	·	·	·05	·	·	·	·	·07	·16	18
19	·	·04	·	·	·	·23	·11	·	·17	·14	·49	·06	19
20	·	·10	·	·03	·	·	·	·73	·07	·03	·	·32	20
21	·	·35	·	·02	·	·	·	·34	·	·22	·02	·08	21
22	·	·	·04	·05	·	·02	·	·03	·	·25	·03	·42	22
23	·	·08	·17	·	·	·42	·	·	·39	·03	·	·10	23
24	·	·09	·04	·05	·	·75	·	·03	·	·42	·	·06	24
25	·	·10	·02	·14	·35	·10	·	·	·	·	·	·11	25
26	·	·02	·	·27	·17	·15	·	·	·	·21	·25	·26	26
27	·	·40	·10	·33	·	·	·	·47	·28	·01	·07	·11	27
28	·	·29		·18	·	·30	·	·	·02	·	·07	·02	28
29	·		·	·	·	·18	·06	·	·33	·17	·02	·01	29
30	·		·01	·	·02	·02	·	·	·	·05	·02	·02	30
31	·		·02		·03		·	·		·06		·	31
Total	0·84	2·11	1·86	1·16	0·86	2·38	0·20	2·19	1·65	2·35	2·61	4·52	TOTAL for year 22·73
No. of Rain Days	10	14	16	10	6	13	3	12	10	18	24	25	161

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

10 JAN 1

REGISTER OF RAINFALL IN 1912

Kept at Thornton Reservoir

in the County of Leicester 4

by The Water Committee of the Leicester Corporation
F. Griffith, Engineer

Lat. Long.

Time of Observation 9am

Nearest Railway Stations Desford + Bagworth MR

Diameter of Rain Gauge 8 in. 2506

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 370.70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.	.	·06	.	.	·17	.	.	·09	.	.	r+s ·21	1
2	.	s. ·04	·10	·07	.	·43	·55	.	.	.	.	·02	2
3	·12	.	·02	.	.	·10	·04	·70	·04	.	.	·08	3
4	·17	.	·56	.	·14	·51	.	·22	.	.	·35	.	4
5	·02	s. ·03	·35	·07	·10	·20	.	·08	·08	.	·09	.	5
6	r+s. ·52	·09	.	.	·02	·07	.	·52	.	.	.	·11	6
7	.	·06	.	.	.	·12	.	·04	.	.	.	·02	7
8	·21	·23	·23	·05	.	·18	·18	·09	·06	.	.	·03	8
9	.	·02	·02	·17	·09	·05	.	·04	.	.	.	·37	9
10	.	.	.	.	.	·02	.	·55	.	.	·33	.	10
11	·02	·06	.	.	.	·13	.	.	.	.	·05	·57	11
12	·06	·38	·12	.	·05	·03	·13	.	.	.	·02	.	12
13	·04	·06	.	.	.	·01	.	.	.	·03	·09	.	13
14	·16	.	·37	.	·02	·08	.	·04	.	.	.	.	14
15	·13	·07	·13	.	·31	·26	.	·03	.	.	.	·14	15
16	r+s. ·40	.	·10	.	·07	·01	.	·09	.	·20	·02	.	16
17	s. ·49	.	·16	.	.	·30	·07	·25	.	.	·06	·66	17
18	r+s ·23	.	·11	.	.	.	.	·05	.	·04	·02	·07	18
19	·30	·07	·02	.	·02	.	·36	·55	.	·03	·04	.	19
20	·16	.	·11	.	·05	.	·30	·12	.	·19	·01	.	20
21	.	·03	·34	.	·69	.	·03	·35	.	·30	.	.	21
22	·15	·06	.	.	·80	.	·54	·38	.	.	.	·17	22
23	·12	·07	·25	.	.	·05	·24	·74	.	.	·14	·09	23
24	·18	·02	·03	.	.	·09	·11	·10	.	.	.	·14	24
25	·03	.	.	.	.	·46	.	·15	.	.	·21	·26	25
26	.	·12	·05	.	.	·02	·15	1·26	.	·68	·22	·29	26
27	.	.	.	.	·02	·13	·07	.	.	·67	.	·21	27
28	.	·02	.	.	.	·12	·09	·39	.	·18	r+s ·29	·41	28
29	.	·02	.	.	.	·11	·17	.	·70	·22	·05	·02	29
30	·04		.	.	·21	·02	.	.	.	·09	.	.	30
31	.		·07	.	·14		·70	·10		.		·10	31
Total	3·55	1·45	3·20	0·31	2·73	3·67	3·73	6·84	0·97	2·63	1·99	3·97	YEAR'S TOTAL 35·04
Rain Days.	20	18	20	4	15	25	16	23	5	11	16	20	193

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

2506

REGISTER OF RAINFALL IN 1913

Ex [illegible]

Kept at Thornton Reservoir.

in the County of Leicester 4

by The Leicester Corporation Water Committee, (G.T. Edwards Engineer)

Lat. Long.

Time of Observation 9am

Nearest Railway Station Bagworth M.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 370·70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·04	·04	·	·	·	·	·60	·	·04	·	1
2	·	·14	·03	·02	·	·	·	·	·	·	·	·	2
3	·02	·	·15	·	·77	·	·	·	·02	·03	·	r+s ·04	3
4	·58	·	·	·	·11	·04	·	·	·	·04	·12	r+s ·40	4
5	·04	·	·03	·	·	·07	·17	·	·04	1·25	·04	r+s ·09	5
6	·02	·	·09	·	·22	·45	·56	·	·	·09	·	·03	6
7	·	·12	·	·	·20	·02	·05	·	·	·56	·05	·02	7
8	·	·31	·02	·	·14	·25	·	·	·01	·55	·08	·	8
9	·	·	·05	·03	·05	·43	·	·27	·02	·	·13	·	9
10	·02	·	·	r+s ·03	·09	·	·	·14	·	·	·23	·	10
11	s ·61	·	·	r+s ·43	·	·04	·	·02	·	·02	·28	·	11
12	·	·	·	·	·14	·	·	·	·	·	·94	·	12
13	·	·	·09	·05	·	·	·	·	·02	·	·24	·	13
14	s ·13	·03	r+s ·60	·04	·	·	·	·15	·	·15	·12	·	14
15	·07	·04	·61	·24	·	·	·	·	·29	·	·03	·	15
16	·10	·03	r+s ·60	·13	·	·	·	·24	·07	·	·01	·	16
17	·02	·04	s ·11	·18	·	·02	·08	·	·07	·	·	·	17
18	·	·	·14	·09	·01	·	·02	·	·	·	·	·	18
19	·09	·	·05	·	·	·	·07	·	·18	·	·	·	19
20	·09	·	·12	·08	·	·	·	·	·	·15	·17	·	20
21	·	·	·12	·	·10	·	·07	·	·	·	·37	·	21
22	r+s ·43	·	·48	·	·	·	·	·10	·31	·	·	·	22
23	·	·	·	·	·	·07	·01	·14	·11	·	·	·	23
24	·12	·	·	·02	·	·02	·	·11	·	·	·03	·	24
25	·	·	·	·13	·	·02	·	·	·02	·02	·	·	25
26	·	·10	·09	·26	·02	·	·	·08	·	·25	·02	·26	26
27	·	·03	·02	·07	·02	·	·	·	·	·	·	·	27
28	·46	·	·16	·33	·02	·	·	·	·	·15	·	s ·02	28
29	·		·34	·56	·04	·	·	·28	·	·02	·	s ·15	29
30	r+s ·43		·	·	·	·	·	·	·	·21	·07	·	30
31	·		·02		·		·	·		·		·	31
Total	3·23	0·84	3·96	2·73	1·93	1·43	1·03	1·53	1·76	3·49	2·97	1·01	YEAR'S TOTAL 25·91
Rain Days.	16	9	22	18	14	11	8	10	13	14	18	8	161

W.7,000, XI. 13

Ex. W.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

2506

Kept at Thornton Reservoir
in the County of Leicester 4
by The Water Committee of The Leicester Corporation.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Bagworth
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 370.70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	.	.	.	Thunder .62	.21	.	.02	.	.03	1
2	.	.	.	.	.	.	.03	.68	.	.	.40	.23	2
3	.	.	.02	.02	.08	.	.20	.26	.	.	.02	.02	3
4	.27	.	.07	.13	.02	.	.	.06	.	.	.66	.47	4
5	s .13	.	.18	.31	.04	.15	.43	.02	.	.	.01	.	5
6	.	.03	.	.08	.05	.	.	.	.	.	.12	.06	6
7	.02	.09	.49	.10	.	.	.06	.02	.	.	.	.15	7
8	.17	.02		.05	.28	.65	.19	.28	.	.	.	.02	8
9	.47	.01	.12	.30	.09	1.11	.	.02	.04	.	.	.	9
10	.23	.10	.02	.15	.10	.	.	.	.09	.	.	.	10
11	.	.08	.31	.21	.08	.03	.	.	.02	.	.67	.45	11
12	r+s .02	.04	.08	.	.	.	.	.	.24	.	.03	.30	12
13	r+s .02	.14	.18	.	.	.	.	.	.	.11	.22	.43	13
14	.02	.02	.09	.	.	.	.04	.	.	.26	.10	.17	14
15	.10	.	.15	.	.	.	.	.	.02	.	.10	.02	15
16	.	.	.11	.	.	.	.38	.	.07	.	.	.	16
17	.09	.12	.11	.	.	.	.07	.	.10	.	.	.26	17
18	.	.	.	.	.	.16	.05	.	.	.	.	.49	18
19	.	.	.06	.	.	.	.07	.	.	.	.06	.06	19
20	.	.17	s .13	.	.	.02	.	.	.02	.	.	.06	20
21	.	.40	r+s .07	.	.	.33	.	.	.	.11	.02	r+s .36	21
22	.	.	.	.	.57	.02	.16	.10	.	.21	.	.	22
23	.	.07	.09	.	.29	.04	.25	.	.	.05	.	.	23
24	.	.	.10	.	.34	.02	.05	.01	.	.25	.20	.	24
25	.	.	.	.	.	.	.	.21	.	.41	.05	.25	25
26	.	.	.04	.	.	.	.04	.25	.	.16	.36	.26	26
27	.09	.	.	.	.	.	.	.	.	.	.02	.11	27
28	.02	.06	.02	.	.01	.	.	.	.	.08	.30	s 1.06	28
29	.02		.11	.	.06	.	.	.	.	.37	.09	.	29
30	.		.	.	.	.05	.	.	.	.02	.41	.27	30
31	.		.		.		.19	.		.		.03	31
Total	1.67	1.35	2.55	1.35	2.01	2.58	2.83	2.12	0.60	2.05	3.84	5.56	YEAR'S TOTAL 28.51
Rain Days.	14	14	21	9	13	11	16	12	8	12	19	23	172

W. 8,000. X. 14.

2620

FORM A.
BRITISH RAINFALL.

4. JAN 19

2506

REGISTER OF RAINFALL IN 1915

Kept at Thornton Reservoir

in the County of Leicester

by The Water Committee of the Leicester Corporation

Lat. Long.

Time of Observation 9am

Nearest Railway Station Bagworth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 370.70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	.27	r+s .13	.	.45	.	.	.	Thunder .27	.02	.04	.05	1
2	.16	.10	.27	.14	.	.16	.	Thunder .31	.	.22	.	.06	2
3	.49	.	.05	.11	.	.	Thunder 1.43	Thunder .20	.09	.	.	.20	3
4	.11	.	.	.	.02	.	Thunder 1.37	.15	.	.	.	.90	4
5	.06	.30	.	.	Thunder .19	.	.	.04	.	.	.05	.42	5
6	.07	.14	.02	.31	.	.	Thunder .67	.02	.	.	.	.06	6
7	.17	.41	.	.	.	Thunder .03	Thunder .26	.21	.	.	.	.52	7
8	.10	.13	.03	.04	.	.	.	.02	.	.	.02	.	8
9	.02	.12	.	.	.	.	.	.	.	.	.11	.41	9
10	.42	.	.07	.04	.	.	.	Thunder .27	.	.	.32	.03	10
11	.06	.	.	.05	.20	.	.10	Thunder .15		.	.62	s .20	11
12	.06	.	.	.23	.32	.	.02	Thunder .29	.	.02	1.10	.	12
13	.02	r+s .36	.	.	.81	.	.04	.	.	.	.	.02	13
14	.04	.03	.	.02	.	.	.	Thunder .03	.12	.	.	.26	14
15	.31	.	.	.	.05	.	.15	Thunder .44	.	.	r+s .13	.13	15
16	.05	.30	.	.	.02	.	2.53	.	.	.	.	.	16
17	.	.20	.	.	.	.	.62	.	.	.	.	.	17
18	.	.19	s .23	.	.	.	.01	.	.	.	.04	.	18
19	.	.04	s .03	.	.03	.	.16	.	.	.	.	.	19
20	.22	.	.	.04	.	.	.	.	.	.	.	.24	20
21	s .20	.14	.	.	.	.	.20	.	.	.	.	.10	21
22	.08	.	.13	.04	.	.	.18	.	.	.	.	.07	22
23	.07	.	.02	.	.	.06	Thunder .17	.	.02	.27	.	.18	23
24	.04	.	.03	.02	.	.	Thunder .14	.	.79	.05	.	.13	24
25	.	.	.04	.	.	.60	Thunder .03	.	.	.	.	.25	25
26	.02	.15	.	.	.	.	.05	.	.02	.	.	.27	26
27	.	.11	.03	.	.	.	Thunder .18	.	.	.48	.	.10	27
28	.	r+s .12	.	.	.	Thunder .40	.	.19	.02	.03	.	.	28
29	.	×	.	.	.02	.04	.	.04	.01	.	.16	.16	29
30	.06	×	.	.02	.	Thunder .44	.	.	.	.02	.06	.06	30
31	.05	×	.	×	.	×	.	.08	×	.12	×	.11	31
Total	3.07	3.11	1.08	1.06	2.11	1.73	8.31	2.44	1.34	1.23	2.65	4.93	YEAR'S TOTAL 33.06
Rain Days.	24	17	13	12	10	7	19	15	8	9	11	24	169

W. 8,000. X. 15.

2555

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1916

Kept at Thornton Reservoir
in the County of Leicester
by The Leicester Corporation Water Committee

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Bagworth M. Rly.
Diameter of Funnel of Rain Gauge 8 in. 2506
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 370·70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.	r&s .23	.	.	.11	.09	.	.	.	.18	.	1
2	.29	.07	r&s .17	.	.28	.03	.08	.	.04	.54	.03	.	2
3	.	.49	.	.	.02	.	.04	.	Thunder .29	.21	.11	.	3
4	.30	.04	.	.	.46	.33	.	.	.	.19	.14	.	4
5	.05	.05	.	.	.05	.09	.	.	.	.09	.20	.	5
6	.07	.10	s .18	.	.25	.	.34	.	.	.17	.27	.	6
7	.05	.	s .19	.	.03	.03	.17	.	.	.11	.14	r&s .18	7
8	.02	.	s .05	.	.	.08	.	.	.	.	.03	.08	8
9	.	.	r&s .03	.	.28	.07	.	.	.	.05	.03	.20	9
10	.	.14	s .09	.08	.02	.02	.	.	.04	.	.	.06	10
11	.02	r&s .32	r&s .16	.19	.02	.20	.	.	.04	.	.	r&s .09	11
12	.06	.	.08	.02	.52	.05	.04	.	.03	.08	.	.	12
13	.	.22	.09	.08	.14	.03	.	Thunder .16	.	.04	.	.02	13
14	.	s .36	.02	r&s .16	.04	.	.	do .48	.	.03	.	.	14
15	.	.24	.66	.	.	.	.14	do .17	.	.	.	.	15
16	.03	r&s .15	.65	.33	.	.	.25	do .12	.	.04	.	.	16
17	.10	.05	.	.25	.	.	.03	do .03	.20	.26	.	.	17
18	.	.11	.	.03	.	.	.	do .04	.16	.05	r&s .98	s .06	18
19	.12	.13	.29	.02	.	.	.	.	.26	.	r&s .54	s .04	19
20	.06	.	.22	.08	.	.	.	.	.	.	.11	.25	20
21	.04	.	r&s .29	.	.05	.	.05	.	.	.	.	r&s .29	21
22	.03	r&s .03	s .02	.03	.	.01	.	.	.	.04	.	.08	22
23	.09	s .68	.	.05	.	.	.	.03	.	.05	.	r&s .72	23
24	.	s .67	.	.	.	.	.	.08	.	.06	.	.16	24
25	.	s .04	r&s .19	.	.03	.	.	.31	.	.03	.21	.	25
26	.05	s .14	.03	.	.	.	.	Thunder .12	.	.07	.06	.	26
27	.03	s .32	r&s .76	.	.	Thunder .52	.	do .06	,	.09	.	.	27
28	.	r&s .28	s .37	.	.	.	.	.	.	.10	.04	.24	28
29	.	.11	.	.	.03	.16	.	.92	.	.28	.	.12	29
30	.		.	.	.	.22	.	.06	.	.15	.	.	30
31	.		.		.02		.	.04		.09		.04	31
Total	1.45	4.74	4.71	1.32	2.24	1.95	1.23	2.62	1.06	2.82	3.07	2.63	YEAR'S TOTAL 29.84
Rain Days.	18	22	21	12	16	15	10	14	8	23	15	16	190

W. 8,000, VIII. 16

2428

FORM A.
BRITISH RAINFALL.

2506

REGISTER OF RAINFALL IN 1917

Kept at Thornton

in the County of Leicester

by The Leicester Corporation Water Department.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bagworth (M. R)

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 370·70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug. X	Sept.	Oct.	Nov.	Dec.	Date.
1				s ·10		·04		1·11	·47		·02	s ·11	1
2	s. ·04					·05		·22.	·02.	·03	·03		2
3		s ·16		s ·16				·17		·06	·07		3
4	r & s ·04	s ·19	s ·06					·14		·84		·01	4
5	r & s ·16		s ·07	r & s ·09					·04	·14	·21		5
6	r & s ·05					·33				·20	·07	·02	6
7	r & s ·50		s ·03			·04		·42.		·25	·03		7
8	r & s ·76		s ·02.	s ·16			·11	·25		·40	·15	·25	8
9	r & s ·09		s ·07	s H ·15	·15			·42.			·19		9
10	s ·33		·27	s ·02.	·68			·04	·04	·02	·05		10
11	r & s ·15		·07	s H ·21				·32.		·20	·02		11
12	r & s ·10	s ·05			·20				·02.	·16			12
13	r & s ·07							·13	·14	·04		·03	13
14	r & s ·16		·14	·08.				·31				·10	14
15	s ·03			·07			·23			·04		s ·11	15
16	s ·07	·21		·15								s ·12	16
17			·04	·12	·36	Thunder. ·25	·35	·08.	·13	·06			17
18	·05	srr ·02		·03	·38		·53	·03	·80				18
19	s ·04	·19	·25		·55	Thunder. ·16			·02.				19
20	s ·02.	·24			·44	Thunder. ·20		·04			·10	·02	20
21		·02	s ·12		·25	Thunder. ·35		·04					21
22			s ·16					·03	·11	·15			22
23		·09			·13			·09	·02.	·09			23
24						·50		·05		·34	r & s ·10		24
25			r & hail ·10			·02					·06		25
26			s ·02.					·28	·37	·04	·22		26
27			·03			Thunder. ·32	·17	·60					27
28			·13			·25		·18		·04		·06	28
29						·33	·06	·04		·35		·47	29
30		✕					·40	·29		·02		·02	30
31		✕	s ·12	✕		✕	·03	·09	✕		✕	·03	31
Total	2·66 ✓	1·17 ✓	1·70 ✓	1·34 ✓	3·14 ✓	2·84 ✓	1·88 ✓	5·37 ✓	2·18 ✓	3·47 ✓	1·32 ✓	1·35 ✓	YEAR'S TOTAL 28·42. ✓
Rain Days.	17 ✓	9 ✓	17 ✓	12 ✓	9 ✓	13 ✓	8 ✓	24 ✓	12 ✓	20 ✓	14 ✓	13 ✓	168. ✓

W. 8,000, IX. 17.

X Many thunderstorms during month

Escape

21

FORM A. BRITISH RAINFALL.

9 . 1 . 19

2506

REGISTER OF RAINFALL IN 1918

Kept at Thornton Reservoir

in the County of Leicester

The Leicester Corporation Water Dept.,

by G. T. Edwards
Engineer & Manager

Lat. Long.

Time of Observation 9. am.

Nearest Railway Station Bagworth.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 340. 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.09	.	.05	.	.	.	.	.10	.02	.14	.03	1
2	.	.11	.	.08	.	.	.	.75	.11	.06	.04	.31	2
3	.	.	r+S. .04	.	.57	.	.	.11	.14	.	.21	.	3
4	.	.03	.04	.	.	.	.	.07	.72	.	.36	.07	4
5	.	.	.	.03	.05	.	.	.12	.07	.11	.	.	5
6	.	.04	.	.22	.	.06	.	.03	.	.03	.	.	6
7	S .09	.14	.	.23	.	.15	.	.	.07	.06	.11	.	7
8	S .02	.07	S. .06	.02	.		.	.	.05	.19	.	.07	8
9	S+R .03	.48	.	.13	.	Thunder .18	.27	.	.41	.31	.	.02	9
10	.14	.	.	.09	.	.	Thunder .51	.	.04	.13	.	.05	10
11	.06	.05	.	.02	.06	.	.09	.	.09	.06	.	.07	11
12	.10	.21	.07	.02	.14	.	.12	.	.10	.	.	.11	12
13	.	.	.	.	.24	.06	.	.	.13	.	.	.02	13
14	S+r .28	.	.	.05	.	.04	.14	.	.15	.11	.	.10	14
15	S. .69	.	.	.32	.	.	.19	.	.08	.	.	.28	15
16	S. .04	.	.	.22	.	.	.	.	.17	.	.	.03	16
17	S+R .29	.	.	.	.	.	.32	.08	.13	.05	.	.11	17
18	.40	.	.	.	.	.06	Thunder .02	.	.29	.	.	.44	18
19	.04	.04	.06	S. .06	.	.	.05	.	.	.07	.	S+R .30	19
20	.02	.07	.	r+S. .41	.	.29	.06	.	.	.	.	.	20
21	.09	.	.	r+S. .20	.07	.	.20	.	.25	.04	.	.08	21
22	.06	.	.	.	.18	.	.08	.	.02	.10	.	.38	22
23	.14	.	.	.	1.04	.	.05	.	.03	.02	.	.	23
24	.	.04	.	.	.	.	.09	.	.06	.04	.15	.06	24
25	.	.	.	.	.	Thunder .03	Thunder .10	.16	.	.08	.	.	25
26	.	.	.	.	.	.	Thunder .08	.10	.02	.02	.18	.11	26
27	.	r+S. .05	.02	.	.	.	.	.30	.28	.	.14	.17	27
28	.	S. .45	.37	.	.	.	.	.06	.	.	.22	.28	28
29	.		.	.	.	.	.	.	.74	.	.	.	29
30	.		.36	.	.	.	.	.04	.11	.	.22	.12	30
31	.		.16		.		.	.		.04		.	31
Total	2.49	1.87	1.18	2.15	2.35	0.87	2.37	1.82	4.36	1.54	1.77	3.21	YEAR'S TOTAL 25.98
Rain Days.	16	14	9	16	8	8	16	11	25	19	10	22	174

W, 6,500, VII. 18. W W G

2284

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3 JAN 20

2506

REGISTER OF RAINFALL IN 1919.

Kept at Thornton Reservoir

in the County of Leicester

by The Water Committee of The Leicester Corporation (G. T. Edwards, Engineer & Manager)

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Bagworth M. Rly.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

" " " " Sea Level 370.70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	rts. .16	.05		.27		.40			.17	.12	.37	1
2	.16	rts. .02	.03				.20		1.00		.20	.05	2
3	s. .93		.03		.03	.05	.16		.12		.29	.05	3
4	.02		.32			.10		.17	.13		.07	.22	4
5	.09	sts. .06							.27			.17	5
6	.06		.12		.60						.02	.12	6
7	.06		.20										7
8	.17		.03	Thunder .04		.07							8
9			.02	rts. .12							.03		9
10			.37	.05						.05		.06	10
11	.06		.40				.32						11
12			.30	.04		.30			.03	.15	s. .27		12
13	.20			.25					.09	.13		.06	13
14	.38			.17					.10	.02			14
15	.29	.06	.16	.08							s .02	.56	15
16	.11	rts. 1.12		.05							rts .21		16
17		rts. .64		.02	.02	.05	.02				str. .29		17
18		.04	.23					.27	.05			.35	18
19	.14	rts. .24	s.str. 1.13			.10	1.20	.16	.17		.11	.03	19
20	.38	.05	sts. .16				.47	.43	.04		s. .21	.09	20
21	.08	.41	sts. .11				.31				rts. .03	.24	21
22		.17							.46			.69	22
23								.04		.64		.05	23
24				.02	.04					.42	.15	.10	24
25	.18			.14	.18			.45				.11	25
26		str. .04	rts. .28	.07				.06	.08			.31	26
27	s .16			rts. .39				.02			.13		27
28				.06				.90		.02	s. .03	.37	28
29	.02		s. .03			.02		.10		.62	s. .22	.09	29
30			s. .14	.20		.35				.02	.04	.21	30
31							.06			.04		.03	31
TOTAL	3.81	3.01	4.11	1.70	1.14	1.04	3.14	2.60	2.54	2.28	2.44	4.33	YEAR'S TOTAL 32.14
Days with ·01 in. or more	19	12	19	15	6	8	9	10	12	11	18	22	161

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2191

8 JAN 1921

2506

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Thornton Reservoir

in the County of Leicester

by The Water Committee of the Leicester Corporation.

Lat. Long.

Time of Observation 9am

Nearest Railway Station Bagworth

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 270.70 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	·32	·24	.	·14	·02	·04	·18	.	·31	1
2	.	.	.	·10	.	.	·25	.	·16	·17	.	·05	2
3	·02	15	.	·22	.	02	·75	.	·09	·11	.	.	3
4	.	.	.	·24	·03	.	·04	·24	·02	·34	.	·03	4
5	.	.	·06	.	·44	.	·38	·08	·30	·05	.	.	5
6	.	.	·29	·04	·02	.	·09	.	.	.	.	·03	6
7	·05	.	s ·04	·12	·03	.	·09	.	.	.	.	.	7
8	r+s ·35	·12	.	·52	·11	.	·05	.	.	.	.	.	8
9	s+r ·42	.	·02	·30	.	.	·02	·11	.	.	.	.	9
10	·21	·14	·12	·06	.	.	·09	.	.	.	·02	.	10
11	·15	·05	·04	·22	30	05	·04	.	.	.	.	snow ·02	11
12	.	·02	.	22	.	Thunder ·25	·08	·02	.	·04	·06	s. ·10	12
13	·06	10	·26	29	.	.	.	.	.	.	·04	s. ·05	13
14	·04	·02	r+s. ·56	·17	.	Thunder ·34	·02	.	28	-	·16	.	14
15	.	10	s+r. ·54	·30	.		02	.	·04	·13	.	.	15
16	.	.	.	·04	·07	Thunder ·54	·02	.	·06	·16	.	.	16
17	.	.	.	.	18	.	·03	.	·56	·04	.	s. ·02	17
18	·17	.	.	·14	.	.	Thunder ·17	·08	·32	.	.	.	18
19	·03	r+s ·58	.	·25	.	16	.	·07	·02	.	·02	·02	19
20	·07	r+s ·05	.	·30	.	·37	02	.	.	.	.	·04	20
21	.	.	.	.	.	.	·26	14	.	.	.	.	21
22	·02	.	.	22	.	.	·04	·05	·04	.	·02	.	22
23	.	.	.	.	.	.	·15	·04	.	.	.	·43	23
24	·04	.	·10	.	.	.	.	.	.	.	.	·25	24
25	.	·10	·04	·17	.	·08	·40	.	.	.	·02	.	25
26	·19	.	·09	·04	.	.		.	.	.	.	·04	26
27	·14	·03	·02	·12	·14	·32	Thunder 15	.	.	.	·31	·44	27
28	·74	.	·03	·06	07	.	·09	.	.	.	·05	·04	28
29	·07	.	·22	·03	·54	.	13	.	.	.	·11	·44	29
30	·02	✕	.	·21	·10	·08	·11	.	·16	.	·14	·15	30
31	.	✕	·10	✕	·07	✕	·02	.	✕	·22	✕	·06	31
TOTAL	2·79	1·46	2·53	4·70	2·34	2·21	3·65	0·85	2·09	1·44	0·95	2·52	YEAR'S TOTAL 27·53
Days with ·01 in. or more	18	12	16	25	14	10	27	10	13	10	11	18	184
Days with ·04 in. or more	14	9	13	24	11	9	20	8	11	10	7	13	149

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

F … 11

FORM A2.
BRITISH RAINFALL.

8 JAN 1912

2521/8

Kept at Walthan…

in the County of L…

by Gev…

Snowdr…
… 5 in.
…ve Ground 1 ft. 0 in.
…, Sea Level 568 ft.
… a.m
Name Waltham. (Mineral)
Distance 1¼ mi Direction N

IMPORTANT NO… …d the result entered to the previous day. If an O… …iversal rule, he is earnestly requested to add the re… …year in the space provided for it at the end of th… …ement of rain, the selection and plac… British Rainfall Organization are given … …application to Dr. H. R. Mill, 62, Ca… …, London, N.W.

Jan. 1, following.

WALTHAM-ON-THE-WOLDS

LEICESTERSHIRE

1911 – 1917

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·030	-	-	-	·020	·020	-	-	·040	-	1
2	·220	-	-	·050	·150	-	·035	·110	-	-	·010	·040	2
3	-	·010	-	-	·190	-	-	·250	-	·020	·025	·015	3
4	·090	·010	·160	·210	-	-	-	·030	·030	·140	·130	·270	4
5	·030	-	-	·070	-	-	-	·050	-	·080	-	-	5
6	·240	-	·010	-	-	-	-	·040	-	·140	·010	·220	6
7	-	·020	-	-	-	-	-	-	-	·010	·110	·160	7
8	·220	-	·180	-	-	-	-	-	·160	.	·010	·155	8
9	·055	-	-	-	-	-	-	-	-	.	-	·030	9
10	·020	·030	·130	-	-	-	-	-	-	.	·130	·480	10
11	·320	.	-	-	-	-	-	·200	-	.	·330	·010	11
12	·120	-	·400	-	-	-	-	.	·170	.	·100	·015	12
13	-	-	·085	-	-	-	-	-	·140	·020	·040	·390	13
14	-	·030	·130	-	·410	-	-	-	-	.	·010	·490	14
15	-	·090	·130	-	-	-	-	-	·010	·075	·080	·040	15
16	·020	-	.	-	-	·030	-	-	-	·025	·180	·060	16
17	-	-	-	-	-	-	-	-	-	-	·050	·100	17
18	-	·220	-	-	-	·480	.	-	-	·020	·290	·065	18
19	·020	·040	-	-	-	·090	·020	-	·050	·130	·380	·430	19
20	-	·060	·180	·090	-	-	·010	·410	·050	·010	.	·090	20
21	-	·610	-	-	-	-	-	·210	·020	·250	·030	·065	21
22	·080	-	·045	·020	-	·030	-	·040	-	·285	·040	·240	22
23	.	·060	·220	.	-	·740	-	-	·710	·015	·015	·110	23
24	·020	·090	-	·035	-	·890	-	·010	-	·480	.	·260	24
25	-	·060	·065	·080	·310	·030	-	-	·010	·010	·025	·080	25
26	-	-	.	·180	·750	-	.	·010	.	·220	·300	·340	26
27	-	·170	·200	·020	.	-	·080	·240	·280	·040	·015	·060	27
28	-	·360	-	·190	-	·110	.	-	.	.	·060	·020	28
29	.	✗	.	-	.	·150	·050	-	·160	·200	·020	-	29
30	.	✗	·035	·030	·020	·030	-	-	·010	·110	-	·025	30
31	.	✗	.	✗	·030	✗	-	-	✗	·120	✗	-	31 ✓
Total	1·455	1·860	2·000	0·975	1·860	2·580	0·215	1·620	1·790	2·400	2·430	4·260	TOTAL for year ✓ 23·445
No. of Rain Days.	13	15	15	11	6 7	10	6	12 13	13	21	25	27	174 176

W. 8,000, X. '11.

✓

11

FORM A2.
BRITISH RAINFALL.
8 JAN 1912
2521/8

Kept at Waltham-on-Wolds

in the County of Leicestershire. 4

by Geo Higgins.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 568 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Waltham. (Mineral)
Distance 1¼ mi Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·030	-	-	-	·020	·020	-	-	·040	-	1
2	·220	-	-	·050	·150	-	·035	·110	-	-	·010	·040	2
3	-	·010	-	-	·190	-	-	·250	-	·020	·025	·015	3
4	·090	·010	·160	·210	-	-	-	·030	·030	·140	·130	·270	4
5	·030	-	-	·070	-	-	-	·050	-	·080	-	-	5
6	·240	-	·010	-	-	-	-	·040	-	·140	·010	·220	6
7	-	·020	-	-	-	-	-	-	-	·010	·110	·160	7
8	·220	-	·180	-	-	-	-	-	·160	.	·010	·155	8
9	·055	-	-	-	-	-	-	-	-	.	-	·030	9
10	·020	·030	·130	-	-	-	-	-	-	.	·130	·480	10
11	·320	.	-	-	-	-	-	·200	-	.	·330	·010	11
12	·120	-	·400	-	-	-	-	.	·170	.	·100	·015	12
13	-	-	·085	-	-	-	-	-	·140	·020	·040	·390	13
14	-	·030	·130	-	·410	-	-	-	-	.	·010	·490	14
15	-	·090	·130	-	-	-	-	-	·010	·075	·080	·040	15
16	·020	-	.	-	-	·030	-	-	-	·025	·180	·060	16
17	-	-	-	-	-	-	-	-	-	-	·050	·100	17
18	-	·220	-	-	-	·480	.	-	-	·020	·290 }	·065	18
19	·020	·040	-	-	-	·090	·020	-	·050	·130	·380 }	·430	19
20	-	·060	·180	·090	-	-	·010	·410	·050	·010	.	·090	20
21	-	·610	-	-	-	-	-	·210	·020	·250	·030	·065	21
22	·080	.	·045	·020	-	·030	-	·040	-	·285	·040	·240	22
23	.	·060	·220	.	-	·740 }	-	-	·710	·015	·015	·110	23
24	·020	·090	-	·035	-	·890 }	-	·010	-	·480	.	·260	24
25	-	·060	·065	·080	·310 }	·030	-	-	·010	·010	·025	·080	25
26	-	-	.	·180	·750 }	-	.	·010	.	·220	·300	·340	26
27	-	·170	·200	·020	.	-	·080	·240	·280	·040	·015	·060	27
28	-	·360	-	·190	-	·110	.	-	.	.	·060	·020	28
29	.	X	.	-	.	·150	·050	-	·160	·200	·020	-	29
30	.	X	·035	·030	·020	·030	-	-	·010	·110	-	·025	30
31	.	X	.	X	·030	X	.	-	X	·120	X	-	31
Total	1·455	1·860	2·000	0·975	1·860	2·580	0·215	1·620	1·790	2·400	2·430	4·260	TOTAL for year
No. of Rain Days.	13	15	15	11	6 7	10	6	12 13	13	21	25	27	23·445 174 176

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Waltham-on-Wolds

in the County of Leicestershire 4

by George Higgins.

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 568 ft. 252/8

Time of Observation 9. am

Nearest Railway Station Scalford 3½ G.N.R. W
Name Melton Mowbray (M.R)
Distance 5 mi Direction SSW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	0·380	0·010	0·010	0·030	-	-	0·320	1
2	-	0·080	-	0·035	-	0·190	0·730	-	0·140	-	-	0·090	2
3	0·130	0·010	0·090	-	0·010	0·430	0·060	0·490	0·150	-	-	0·060	3
4	0·085	-	0·360	-	0·070	0·720	-	0·195	0·010	-	0·360	-	4
5	0·330	0·030	0·220	-	-	0·050	-	0·100	-	-	0·050	-	5
6	0·590	0·060	-	-	0·020	0·090	0·060	0·150	-	-	-	0·020	6
7	-	0·050	-	-	-	0·120	0·030	0·070	-	-	-	0·010	7
8	0·370	0·360	0·210	0·035	-	0·080	0·130	0·015	0·120	-	-	0·120	8
9	0·040	0·090	0·080	0·140	-	0·045	-	0·050	-	-	-	0·220	9
10	0·090	0·010	-	-	-	0·030	-	0·360	-	-	0·160	-	10
11	-	0·090	0·020	-	-	0·100	-	-	0·025	-	·040 ~~0·4aa~~	0·450	11
12	0·080	0·470	0·070	-	0·055	0·180	0·270	-	-	-	0·050	0·100	12
13	0·010	0·070	-	-	-	0·090	-	0·010	-	0·050	0·120	0·050	13
14	0·115	-	0·350	-	-	0·050	-	0·100	0·010	-	-	-	14
15	0·010	0·020	0·090	-	0·290	0·200	-	0·010	-	-	-	0·090	15
16	0·590	-	0·070	-	0·070	0·060	-	0·095	-	0·260	-	-	16
17	0·400	-	0·080	-	-	0·250	-	0·130	-	-	0·070	0·500	17
18	0·210	-	0·095	-	-	-	-	0·030	-	0·010	0·020	0·020	18
19	0·210	0·070	0·015	-	0·010	-	0·200	0·310	0·010	0·010	0·010	-	19
20	0·070	0·010	0·170	-	0·060	-	0·540	0·175	-	0·300	-	-	20
21	0·010	0·010	0·530	-	0·570 }	-	0·175	0·175	-	0·280	0·040	0·050	21
22	0·015	0·075	-	-	0·690 }	-	0·480	0·470	-	0·010	-	0·180	22
23	0·080	0·090	0·320	-	0·010	-	0·490	0·480	-	-	0·170	0·100	23
24	0·230	-	0·020	-	-	0·110	0·030	0·080	-	0·020	0·010	0·250	24
25	0·010	-	-	-	-	0·420	-	0·340 }	-	-	0·340	0·300	25
26	-	0·025	0·040	-	-	0·140	0·250	1·590 }	-	0·490	0·330	0·400	26
27	-	-	0·010	-	-	0·120	0·020	-	-	0·530	-	0·160	27
28	-	-	-	-	-	0·070	0·070	0·360	0·070	0·300	0·365	0·440	28
29	-	0·010	0·060	-	-	0·060	0·170	-	0·480	0·130	-	0·010	29
30	0·060	×	-	-	0·190	0·010	-	-	0·050	0·080	0·080	-	30
31	-	×	0·150	×	0·620	×	0·710	0·100	×	-	×	0·040	31
Total	3·735	1·630	3·070	0·210	2·665	3·995	4·425	5·895	1·095	2·470	2·215	3·980	TOTAL for year 35·385
No. of Rain Days.	22	19	21	3	13	24	18	25	11	13	16	23	208

W. 8,000, X. '11.

Ex DJ

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
29 JAN 1914
2521/8

Kept at Waltham-on-Wolds
in the County of Leicestershire 4
by G. W. Higgins.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Scalford G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 568 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·050	·010	-	-	-	-	·910	-	·030	-	1
2	-	·080	·045	·080	-	-	·035	-	·030	-	·090	-	2
3	-	·010	·160	-	·510	-	-	-	·030	-	-	·015	3
4	·440	-	·010	-	·060	-	·010	-	-	-	·110	·255	4
5	·070	-	·020	-	·010	·010	·040	-	·020	1·000	·010	-	5
6	·010	-	·085	·010	·580	·050	·060	-	-	-	-	-	6
7	-	-	-	-	·110	·050	·015	-	-	·690	·035	·075	7
8	-	·040	-	-	·110	·170	-	-	·050	2·150	·075	-	8
9	-	·330	·025	-	·020	·250	·025	-	-	-	·115	-	9
10	·010	-	-	·120	·010	-	-	-	-	-	·440	-	10
11	1·170	-	-	·420	-	-	-	·010	-	-	·350	-	11
12	-	-	-	-	·030	-	-	·150	-	-	·310	-	12
13	·080	-	-	·050	-	-	-	·190	·050	·015	·170	-	13
14	·070	-	·570	·040	-	-	-	-	-	·100	-	-	14
15	·080	·050	·370	·250	-	-	·030	-	-	-	·080	·050	15
16	·045	·065	·640	·060	-	-	-	·050	·470	-	-	-	16
17	-	·050	·165	·130	-	·345	·060	·040	·035	-	·075	·010	17
18	-	-	·140	·080	-	-	·040	-	-	-	-	·020	18
19	·115	-	·020	-	-	-	·010	-	·055	-	-	-	19
20	·090	-	·080	·050	-	-	-	-	·010	-	·110	-	20
21	·015	-	·200	-	·050	-	·080	-	-	-	·250	-	21
22	·215	-	·400	-	-	-	-	·040	·260	-	-	-	22
23	·010	-	·010	-	-	·060	·010	·045	·080	-	·015	-	23
24	-	-	-	·040	-	·015	-	·200	-	-	-	-	24
25	-	·015	-	·150	-	·045	-	-	·015	-	-	·020	25
26	-	·080	·260	·100	-	-	-	-	-	·270	·040	·250	26
27	-	·115	·060	-	-	-	-	-	-	·010	-	-	27
28	·290	-	·200	·190	-	-	-	-	-	·150	-	·150	28
29	·030	X	·150	·550	·035	-	-	·700	-	·020	-	·230	29
30	·335	X	-	·010	-	-	·010	-	-	·070	·075	-	30
31	-	X	-	X	·390	X	-	·015	X	-	X	-	31
Total	3·075	·835	3·660	2·340	1·915	·995	·415	1·440	2·015	4·475	2·380	1·075	YEAR'S TOTAL 24·620
Rain Days.	17	10	21	18	12	9	13	10	13	10	18	10	161

W.7,000, XI. 13

ex. M.g.

FORM A. BRITISH RAINFALL.

2521/8

30 APR 1915

REGISTER OF RAINFALL IN 1914

Kept at Waltham-on-Wolds

in the County of Leicestershire 4

by Geo. Higgins.

Lat. 52° 49' N Long. 0° 49' W.

Time of Observation 9 a.m.

Nearest Railway Station ~~Melton M.~~ Scalford 2½

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 568 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·015	·020	-	-	1·150	·230	-	-	·030	-	1
2	-	-	-	·030	-	-	·070	·360	-	-	·130	·515	2
3	-	-	-	-	·100	-	·150	·170	-	-	-	-	3
4	·215	-	·025	·150	·010	-	-	·110	-	-	·470	·250	4
5	·055	-	·140	·295	·015	·070	·150	·080	-	-	·015	-	5
6	-	·020	-	·215	·090	-	·010	-	-	-	·020	·095	6
7	-	·070	·400	-	·040	·045	-	·040	-	-	-	·065	7
8	·060	·025	·010	·060	·180	·890	·060	·240	-	-	-	·040	8
9	·180	·010	·140	·210	-	1·160	-	·050	·050	-	-	·010	9
10	·520	·030	-	·210	·015	-	-	-	-	-	-	-	10
11	-	·015	·250	·290	·055	·030	-	-	·050	-	·540	·180	11
12	·015	-	·170	-	·005	·010	·380	-	·400	-	·035	·410	12
13	-	·100	·090	-	-	·030	-	-	·010	·135	·030	·235	13
14	·035	-	·280	-	-	-	·230	-	-	·240	·300	·290	14
15	·115	-	·100	-	-	-	-	·020	-	-	·115	·095	15
16	-	-	·020	-	-	-	·470	-	-	-	-	-	16
17	·050	·220	·050	-	-	-	·010	-	·260	-	-	·200	17
18	-	-	·030	-	-	·520	·150	-	·010	-	-	·400	18
19	-	-	-	-	-	-	·010	-	-	-	·100	·040	19
20	-	·090	·260	-	-	-	·015	-	·100	·025	-	·030	20
21	·020	·290	·050	-	-	·120	-	·040	-	-	·010	·190	21
22	-	·015	·010	-	·520	·010	·015	-	-	-	-	-	22
23	-	·100	·060	-	·130	-	-	-	-	·030	-	-	23
24	-	-	·215	·040	·110	-	·050	-	-	·110	·285	-	24
25	-	-	-	-	-	-	·060	·220	-	·545	·015	·250	25
26	-	-	-	-	-	-	·055	·070	-	·170	·320	·400	26
27	·045	-	-	-	-	-	-	-	-	-	-	·110	27
28	·025	-	-	-	·040	-	-	-	-	-	·360	1·070	28
29	-	·050	·070	-	·010	-	-	-	-	·580	-	-	29
30	-	X	·010	-	-	·045	-	-	-	·030	·290	·130	30
31	-	X	-	X	·030	X	-	-	X	·050	X	·080	31
Total	1·335	1·035	2·395	1·520	1·350	2·930	3·035	1·630	·880	1·915	3·065	5·085	YEAR'S TOTAL 26·175
Rain Days.	12	13	21	10	145	11	17	12	7	10	17	22	166

W. 8,000. X. 14.

2636

2521/8

FORM A.
BRITISH RAINFALL.
3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Waltham-on-Wolds

in the County of Leicestershire

by Geo. Higgins.

Lat. 52°49" Long. 0°49"

Time of Observation 9 a.m

Nearest Railway Station Melton Mowbray (MR)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 568 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.020	0.160	-	-	0.360	-	-	-	0.050	-	0.105	0.090	1
2	0.100	0.040	0.190	0.180	-	0.100	-	0.980	0.010	0.020	-	0.035	2
3	0.430	-	0.090	0.110	-	-	1.000	0.490	0.120	-	0.025	-	3
4	0.360	-	-	-	0.020	-	0.860	0.120	-	-	-	1.250	4
5	0.035	0.300	-	-	0.100	-	-	0.070	-	-	-	0.390	5
6	0.420	0.130	0.050	0.120	-	-	0.790	0.050	-		-	0.045	6
7	0.160	0.330	0.030	-	-	-	0.200	-	-	0.010	-	0.570	7
8	0.095	0.110	0.010	0.080	-	-	-	-	-	-	0.070	-	8
9	0.025	0.075	-	-	-	0.010	-	0.190	-	-	0.055	0.410	9
10	0.355	-	0.030	-	-	-	-	0.020	-	0.010	0.100	-	10
11	-	-	0.030	0.055	0.170	-	0.160	0.100	-	-	0.400	0.180	11
12	0.030	-	-	0.040	0.200	-	0.085	-	-	-	1.220	-	12
13	-	0.700	-	-	0.610	-	-	0.020	-	-	-	-	13
14	-	0.070	-	-	-	-	-	0.040	0.030	0.020	-	0.250	14
15	0.250	-	-	-	0.040	-	0.025	0.020	-	-	-	0.100	15
16	-	0.220	-	-	0.055	-	2.010	-	-	-	0.220	0.010	16
17	-	0.080	-	-	-	-	0.280	-	-	-	-	-	17
18	-	0.070	0.680	-	-	-	-	-	-	-	0.050	0.040	18
19	-	0.050	-	-	0.025	-	0.135	-	-	0.030	-	-	19
20	0.200	-	-	-	-	-	-	-	-	-	-	0.385	20
21	0.220	0.050	-	-	0.200	-	0.175	-	-	-	-	0.070	21
22	0.120	-	0.160	0.080	0.020	-	0.360	-	-	-	-	0.090	22
23	0.090	-	0.010	-	-	-	0.300	-	0.070	0.170	0.020	-	23
24	0.020	0.090	-	0.010	-	-	0.230	-	0.850	0.040	-	0.150	24
25	-	-	-	-	-	0.650	0.250	-	-	0.025	-	0.090	25
26	-	0.160	-	-	-	-	0.040	-	0.030	-	-	0.340	26
27	-	0.050	0.020	-	-	0.230	0.390	-	-	0.610	-	0.040	27
28	-	0.260	0.030	-	-	0.135	0.025	0.180	-	0.090	-	-	28
29	-		-	-	-	0.070	-	0.080	-	-	0.250	0.240	29
30	-		-	0.030	-	0.690	-	0.020	-	-	0.020	0.100	30
31	0.120		-		-		-	0.130		0.140		0.030	31
Total	3.050	2.945	1.330	0.705	1.800	1.885	7.315	2.520	1.160	1.165	2.535	4.905	YEAR'S TOTAL 31.315
Rain Days.	18	18	12	9	11	7	18	15	7	11	12	22	160

Y. 8,000; X. 15;

Section **A** for the entry of Daily Observations

Station No. 2521/8

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1966

Kept at Waltham-on-the-Wolds
in the County of LEICESTER SHIRE
Diameter of funnel of gauge 5 in.
Height of top of gauge above ground 1 ft. 0 in.
Height of ground above sea level 560 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			0.22			0.09	0.10				0.21			1
2	0.02	0.04	0.21		0.38	0.01	0.23		0.06	0.21	0.05			2
3	0.34	0.28					0.45		0.85	0.22	0.07			3
4	0.01	0.12			0.28	0.29			0.10	0.06	0.18			4
5	0.23		0.01		0.04	0.24			0.02	0.09	0.25			5
6	0.03	0.16	0.33		0.03		0.30			0.03	0.21			6
7	0.10		0.33		0.04		0.21			0.09	0.22	0.16		7
8	0.02		0.11							0.08		0.15		8
9			0.10		0.34	0.15			0.04	0.03				9
10		0.05	0.16	0.08		0.16	0.20		0.09	0.10		0.11		10
11	0.01	0.45	0.25	0.08		0.13			0.02			0.35		11
12	0.05	0.03	0.15		0.48	0.21	0.16			0.12				12
13		0.20	0.22	0.07	0.07	0.08	0.12	0.07		0.01		0.01		13
14		0.43			0.03			0.35	0.01	0.01				14
15		0.30	0.34				0.23	0.07		0.01				15
16		0.13	0.23	0.30			0.10	0.11	0.01					16
17	0.04	0.06		0.19				0.66	0.02	0.24				17
18	0.01	0.20	0.02	0.10				0.16	0.15	0.02	1.15			18
19	0.11	0.04	0.26	0.18		0.08		0.04	0.14		0.50	0.10		19
20	0.10		0.38								0.05	0.12		20
21	0.05		0.38				0.01					0.50		21
22				0.03	0.05					0.02				22
23	0.05	0.65				0.08		0.03		0.03	0.10	0.40		23
24		0.84		0.01				0.05		0.01	0.01	0.47		24
25		0.06	0.20	0.03	0.03			0.22		0.04	0.13	0.03		25
26	0.06	0.18	0.01			0.03		0.02		0.09				26
27		0.30	0.65					0.17	0.03	0.21				27
28		0.26	0.74			0.10			0.01	0.03	0.01	0.20		28
29		0.17		0.02		0.19		0.90		0.21		0.11		29
30		X			0.01	0.07		0.05		0.09				30
31		X		X		X		0.04	X	0.09	X	0.01		31
TOTAL	1.23	4.95	5.30	1.09	1.78	1.91	2.11	2.94	1.55	2.14	3.14	2.72	Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

2572

25 2/18

BRITISH RAINFALL FORM A.
16. JUL. 1917

REGISTER OF RAINFALL IN 1916

Kept at Walthum
in the County of Leicestershire
by Geo. Higgins.

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Scalford G N R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 520 ft.

Duplicate

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·020	–	·220	–	–	·090	·100	–	–	–	·205	–	1
2	·340	·040	·210	–	0·375	·010	·230	–	·060	·210	·055	–	2
3	·010	·280	–	–	–	–	·450	–	·850	·220	·070	–	3
4	·230	·120	–	–	·280	·290	–	–	·100	·060	·180	–	4
5	·025	–	·010	–	·040	·240	–	–	·020	·090	·250	–	5
6	·100	·160	·330	–	·030	–	·300	–	–	·030	·210	–	6
7	·020	–	·330	–	·040	–	·210	–	–	·090	·220	·155	7
8	–	–	·110	–	–	–	–	–	–	·080	–	·150	8
9	–	–	·095	–	·340	·150	–	–	·040	·025	–	–	9
10	–	·050	·165	·080	–	·160	·200	–	·090	·100	–	·115	10
11	·010	·450	·250	·080	–	·130	–	–	·020	–	–	·350	11
12	·050	·025	·145	–	·480	·210	·160	–	–	·120	–	–	12
13	–	·200	·220	·070	·070	·075	·120	·070	–	·010	–	·005	13
14	–	·430	–	–	·035	–	–	·350	·010	·010	–	–	14
15	–	·300	·340	–	–	–	·230	·070	–	·010	–	–	15
16	–	·130	·235	·300	–	–	·100	·105	·010	–	–	–	16
17	·040	·065	–	·190	–	–	–	·660	·020	~~·02~~ ·240	–	–	17
18	·010	·200	·015	·095	–	–	–	·160	·150	·020	1·150	–	18
19	·110	·035	·260	·185	–	·085	–	·040	·140	–	·500	·100	19
20	·100	–	·380	–	–	–	–	–	–	–	·050	·120	20
21	·050	–	·385	–	–	–	·010	–	–	–	–	·500	21
22	–	–	–	·025	·050	–	–	–	–	·025	–	–	22
23	·055	·650	–	–	–	·080	–	·030	–	·025	·100	·400	23
24	–	·840	–	·015	–	–	–	·050	–	·015	·015	·470	24
25	–	·065	·200	·030	·025	–	–	·215	–	·040	·125	·030	25
26	·055	·180	·010	–	–	·035	–	·020	–	·895	–	–	26
27	–	·300	·650	–	–	–	–	·175	·030	·210	–	–	27
28	–	·260	·740	–	–	·100	–	–	·010	·030	·010	·200	28
29	–	·170	–	·020	–	·190	–	·900	–	·210	–	·115	29
30	–	✕	–	–	·015	·070	–	·050	–	·095	–	–	30
31	–	✕	–	✕	–	✕	–	·040	✕	·085	✕	·010	31
Total	1·225	4·950	5·300	1·090	1·780	1·915	2·110	2·935	1·550	2·145	3·140	2·720	YEAR'S TOTAL 30·860
Rain Days.	16	21	21	11	12	15	11	15	14	25	14	14	189

W. 8,000, VIII. 16

Section A **for the entry of Daily Observations** **Station No.** 2521/8

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1967

Kept at Waltham-in-the-Wolds

in the County of LEICESTERSHIRE

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 560 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0·20				1·34	0·11			0·02		1
2	0·03					0·05		0·18		0·02	0·08			2
3		0·04		0·22				1·23		0·20	0·03			3
4		0·06	0·09					0·10		0·53				4
5	0·10			0·13										5
6						0·02				0·16	0·19			6
7	0·30		0·07			0·04				0·39	0·05			7
8	0·86			0·05			0·19	0·94			0·08			8
9	0·08		0·07	0·20				0·19			0·20			9
10	0·39		0·33	0·10	0·16			0·10		0·09	0·03			10
11	0·09		0·07	0·17				0·05		0·13	0·01			11
12	0·27	0·07						0·03	0·05	0·20		0·07		12
13	0·09			0·13				0·20						13
14	0·15			0·05				0·09				0·06		14
15	0·02						0·43	0·02		0·05		0·04		15
16	0·09	0·22		0·10						0·03		0·24		16
17	0·02	0·02	0·06	0·21	0·34	0·06	0·11	0·03		0·10		0·02		17
18	0·09			0·11	0·09		0·84		0·07					18
19	0·04	0·16			0·60			0·01	0·68					19
20	0·02	0·26	0·16					0·35	0·05		0·20			20
21	0·03		0·03			0·24		0·02						21
22		0·01	0·17					0·01	0·08	0·10				22
23					0·05			0·07	0·02			0·08		23
24						0·40	0·01	0·01		0·24	0·15			24
25		0·05	0·04								0·02			25
26			0·05					0·38	0·16		0·13	0·07		26
27						0·04	0·03	0·43						27
28			0·10			0·26		0·20				0·13		28
29		X			0·02	0·20	0·04	0·01		0·38		0·20		29
30	0·04	X					0·83	0·21				0·01		30
31		X	0·17	X		X	0·08	0·07	X		X	0·08		31
TOTAL	2·71	0·89	1·41	1·67	1·26	1·31	2·66	6·27	1·22	2·62	1·12	0·97	Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

2443

2521/8

8. JAN 1918

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Waltham School

in the County of Leics

by G. Higgens

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	0·200 s	-	-	-	1·340	0·110	-	-	0·020	1
2	0·030	-	-	-	-	0·050	-	0·180	-	0·020	0·030	-	2
3	-	0·040	-	0·220 s	-	-	-	1·230	-	0·200	0·025	-	3
4	-	0·060	0·090 s	-	-	-	-	0·100	-	0·530	-	-	4
5	0·100	-	-	0·135 +s	-	-	-	-	-	-	-	-	5
6	-	-	-	-	-	0·015	-	-	-	0·160	0·190	-	6
7	0·300	-	0·070	-	-	0·045	-	-	-	0·390	0·050	-	7
8	0·860 s	-	-	0·050	-	-	0·185	0·940	-		0·080	-	8
9	0·080 s	-	0·070	0·200 s	-	-	-	0·190	-	-	0·200	-	9
10	0·390 s	-	0·330	0·100 s	0·160	-	-	0·100	-	0·090	0·035	-	10
11	0·090 s	-	0·065	0·170 s	-	-	-	0·050	-	0·130	0·010	-	11
12	0·270 s	0·070	-	-	-	-	-	0·025	0·045	0·200	-	0·070	12
13	0·090 s	-	-	0·130	-	-	-	0·205	-	-	-	-	13
14	0·150 s	-	-	0·050	-	-	-	0·090	-	-	-	0·060	14
15	0·020 s	-	-	-	-	-	0·430	0·020	-	0·050	-	0·040 s	15
16	0·090 s	0·220	-	0·100	-	-	-	-	-	0·030	-	0·240 s	16
17	0·020 s	0·015	0·060	0·210	0·340	0·060	0·110	0·025	-	0·100	-	0·020 s	17
18	0·085	-	-	0·110	0·090	-	0·840	-	0·075	-	-	-	18
19	0·040	0·165	-	-	0·600	-	-	0·015	0·680	-	-	-	19
20	0·020	0·260	0·160	-	-	-	-	0·350	0·045	-	0·200	-	20
21	0·035	-	0·030 s	-	-	0·240	-	0·015	-	-	-	-	21
22	-	0·010	0·170 s	-	-	-	-	0·015	0·080	0·100	-	-	22
23	-	-	-	-	0·050	-	-	0·070	0·025	-	~~[illegible]~~	0·030	23
24	-	-	-	-	-	0·400	0·010	0·010	-	0·240	0·150	-	24
25	-	0·055	0·040 s	-	-	-	-	-	-	-	0·020	-	25
26	-	-	0·050 s	-	-	-	-	0·380	0·160	-	0·130	0·065 s	26
27	-	-	-	-	-	0·040	0·030	0·430	-	-	-	-	27
28	-	-	0·100	-	-	0·255	-	0·205	-	-	-	0·130	28
29	-	X	-	-	0·020	0·205	0·040	0·010	-	0·380	-	0·200	29
30	0·040	X	-	-	-	-	0·830	0·210	-	-	-	0·010	30
31	-	X	0·170 s	X	-	X	0·080	0·070	X	-	X	0·080	31
Total	2·710	0·895	1·405	1·675	1·260	1·310	2·555	6·275	1·220	2·620	1·120	0·965	YEAR'S TOTAL 24·010
Rain Days.	18	9	13	12	6	9	9	25	8	14	12	12	147

W. 8,000, IX. 17.

17.00

2490.

WELFORD
THE RESERVOIR
LEICESTERSHIRE

1918 – 20

FORM A.
BRITISH RAINFALL.
10 1. 19

2490

78271

RE

Kept at WELF ... 3 11W
... m ... WELFORD
in the County of LE
... Gauge 5 in.
by TWMILLN
... e Ground 1 ft. 6 in.
... Sea Level 429 92 ft.

IMPORTANT NO ... the result entered to the previous day. If an (... ersal rule, he is earnestly requested to add the rea ... following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·03	—	·16	—	—	—	—	—	·01	·21	·03	1
2	—	·16	—	·08	—	—	—	·12	—	·01	·06	·13	2
3	—	·04	·06	—	·49	—	—	·13	·19	·02	·37	—	3
4	—	·04	·04	—	—	—	—	·03	·55	—	·64	·03	4
5	—	·03	—	·02	·15	—	—	·09	·13	·06	—	·02	5
6	·01	·01	·02	·14	—	·04	—	—	—	—	—	·02	6
7	·08	·12	—	·20	—	·07	—	—	·03	·21	·11	—	7
8	—	·02	·04	·03	—	—	—	—	·11	·07	—	·13	8
9	·01	·23	—	·06	—	·13	·21	—	·26	·25	—	·08	9
10	·10	—	—	·05	—	·02	·29	—	·07	·15	—	·05	10
11	—	·01	—	·02	·11	—	·19	—	·19	·24	—	·06	11
12	·04	·13	·03	—	·13	—	·09	—	·10	—	—	·01	12
13	—	·02	—	·02	·09	·06	·02	—	·12	·02	—	·06	13
14	·29	—	—	·03	—	·03	·23	—	·21	·11	—	·03	14
15	·84	—	—	·48	—	·03	·16	—	·10	—	—	·22	15
16	·07	—	—	·58	—	·01	—	·02	·07	—	—	—	16
17	·18	—	—	·03	—	·17	·32	·01	—	·03	·01	·11	17
18	·34	—	—	—	—	·11	·13	—	·38	—	—	·26	18
19	·01	·03	·03	·11	—	·01	·03	—	—	·12	·01	·29	19
20	·01	·10	—	·64	—	·12	—	—	·19	·10	—	·02	20
21	·04	·01	—	·40	—	—	·04	—	·26	·07	·01	·01	21
22	·15	—	—	—	·22	—	·05	—	·02	—	·02	·48	22
23	·05	—	—	—	·73	—	·03	—	·08	·01	—	·02	23
24	—	·18	—	—	—	—	·22	—	·06	·03	·16	·02	24
25	—	—	—	—	·01	—	·03	·26	—	·03	·02	—	25
26	—	—	—	—	—	—	·28	·06	·04	—	·06	·22	26
27	—	—	·01	—	—	—	·24	·26	·07	—	·11	·05	27
28	—	·18	·20	—	—	—	—	·05	—	—	·23	·12	28
29	—	X	—	—	—	—	—	—	1·05	—	·04	·02	29
30	—	X	·28	—	—	—	—	·04	·13	—	·17	·11	30
31	—	X	·30	X	—	X	—	·01	X	—	X	—	31
Total	2·22	1·34	1·01	3·05	1·93	·80	2·56	1·08	4·41	1·54	2·23	2·60	YEAR'S TOTAL 24·7
Rain Days.	15	17	10	17	8	12	17	12	23	18	16	26	19

T. W. Mill

W. 6,500. VII. 18. W W C

RE

FORM A.
BRITISH RAINFALL.

1 0 1 . 1 9

Kept at WELFORD
in the County of LEICESTERSHIRE
by TWMILLNER

Lat. 52° 23 18N Long. 1° 3 11W
Time of Observation 9AM
Nearest Railway Station WELFORD
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 429 92 ft.

2490

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·03	—	·16	—	—	—	—	—	·01	·21	·03	1
2	—	·16	—	·08	—	—	—	·12	—	·01	·06	·13	2
3	—	·04	·06	—	·49	—	—	·13	·19	·02	·37	—	3
4	—	·04	·04	—	—	—	—	·03	·55	—	·64	·03	4
5	—	·03	—	·02	·15	—	—	·09	·13	·06	—	·02	5
6	·01	·01	·02	·14	—	·04	—	—	—	—	—	·02	6
7	·08	·12	—	·20	—	·07	—	—	·03	·21	·11	—	7
8	—	·02	·04	·03	—	—	—	—	·11	·07	—	·13	8
9	·01	·23	—	·06	—	·13	·21	—	·26	·25	—	·08	9
10	·10	—	—	·05	—	·02	·29	—	·07	·15	—	·05	10
11	—	·01	—	·02	·11	—	·19	—	·19	·24	—	·06	11
12	·04	·13	·03	—	·13	—	·09	—	·10	—	—	·01	12
13	—	·02	—	·02	·09	·06	·02	—	·12	·02	—	·06	13
14	·29	—	—	·03	—	·03	·23	—	·21	·11	—	·03	14
15	·84	—	—	·48	—	·03	·16	—	·10	—	—	·22	15
16	·07	—	—	·58	—	·01	—	·02	·07	—	—	—	16
17	·18	—	—	·03	—	·17	·32	·01	—	·03	·01	·11	17
18	·34	—	—	—	—	·11	·13	—	·38	—	—	·26	18
19	·01	·03	·03	·11	—	·01	·03	—	—	·12	·01	·29	19
20	·01	·10	—	·64	—	·12	—	—	·19	·10	—	·02	20
21	·04	·01	—	·40	—	—	·04	—	·26	·07	·01	·01	21
22	·15	—	—	—	·22	—	·05	—	·02	—	·02	·48	22
23	·05	—	—	—	·73	—	·03	—	·08	·01	—	·02	23
24	—	·18	—	—	—	—	·22	—	·06	·03	·16	·02	24
25	—	—	—	—	·01	—	·03	·26	—	·03	·02	—	25
26	—	—	—	—	—	—	·28	·06	·04	—	·06	·22	26
27	—	—	·01	—	—	—	·24	·26	·07	—	·11	·05	27
28	—	·18	·20	—	—	—	—	·05	—	—	·23	·12	28
29	—	X	—	—	—	—	—	—	1·05	—	·04	·02	29
30	—	X	·28	—	—	—	—	·04	·13	—	·17	·11	30
31	—	X	·30	X	—	X	—	·01	X	—	X	—	31
Total	2·22	1·34	1·01	3·05	1·93	·80	2·56	1·08	4·41	1·54	2·23	2·60	YEAR'S TOTAL 24·7
Rain Days.	15	17	10	17	8	12	17	12	23	18	16	26	19

T. W. Mill

W. 6,500, VII. 18. W W C

6 JAN 20 2490

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Welford.
in the County of Leicestershire
by T. W. Millner.

Lat 52° 25 18 N Long 1° 3 11 W.
Time of Observation 9 a m
Nearest Railway Station Welford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6" in.
" " " " Sea Level 429 92 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·14	·06	·01	·28	–	·22	–	–	·17	·07	·44	1
2	·12	–	·03	–	·02	–	·24	–	·37	·14	·32	·06	2
3	·85	–	·07	–	·06	·01	·42	–	·15	–	·21	·09	3
4	·05	–	·40	–	·01	·07	–	·19	·11	–	·01	·26	4
5	·03	·21	·09	–	–	–	·02	·01	·41	–	–	·13	5
6	·02	–	·05	–	·73	–	–	–	–	·02	·03	·09	6
7	·05	–	·21	·01	·01	–	–	–	·02	–	–	–	7
8	·17	–	·06	·19	–	–	–	–	–	–	–	–	8
9	–	–	·01	·16	–	–	–	–	–	–	·03	–	9
10	–	–	·38	·04	–	–	–	–	–	·03	·03	·04	10
11	·11	–	·45	·03	·03	–	·48	–	–	–	–	–	11
12	·01	–	·26	·10	–	·17	–	–	·02	·11	·30	–	12
13	·12	–	–	·17	–	·02	–	–	·03	·04	–	·03	13
14	·38	·01	–	·20	–	–	·01	–	·23	·03	–	–	14
15	·45	·03	·09	·14	–	–	–	–	–	·06	·07	·70	15
16	·19	·81	–	·03	–	–	·01	·10	–	–	·24	–	16
17	·02	·52	–	·01	–	–	–	–	–	–	·21	·02	17
18	–	–	·15	–	–	–	–	·18	–	–	·02	·23	18
19	·04	·20	·95	–	–	·17	·97	·20	·09	–	·01	·03	19
20	·48	·10	·28	–	–	·05	·33	·25	·02	–	·19	·03	20
21	·09	·41	·12	–	–	–	·32	–	–	–	·03	·21	21
22	–	·33	–	–	–	–	·03	–	·33	–	–	·62	22
23	–	–	–	–	–	·10	–	·02	·01	·53	–	·04	23
24	–	–	–	·12	·02	–	·23	–	–	·45	·02	·06	24
25	·12	–	–	·06	·08	·09	–	·29	–	–	·01	·04	25
26	·10	–	·18	·14	–	–	·01	·03	·10	–	·02	·35	26
27	·54	·02	·04	·43	–	·03	–	·10	–	·02	·02	·07	27
28	·05	–	–	·02	–	–	–	·69	–	–	·09	·22	28
29	·05		–	·03	–	·03	–	·06	–	·33	·08	·16	29
30	–		·22	·25	–	·26	–	·05	–	·01	·10	·26	30
31	·03		–		–		·06	–		·07		·05	31
TOTAL	4·40	2·78	4·10	2·14	1·24	1·0.0	3·35	2·17	1·89	2·06	2·11	4·23	YEAR'S TOTAL 31·47
Days with ·01 in. or more	24	11	20	19	9	11	14	13	13	14	22	24	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

T. W. Millner

2490

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Welford

in the County of Leicester

by T. W. Millner

Lat. 52° 25. 18 N Long. 1° 3. 11 W

Time of Observation 9. A.M.

Nearest Railway Station Welford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 429·92 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·22	·26	·01	·35	—	·06	·25	·01	·17	1
2	—	—	—	·04	—	—	·12	·06	·10	·08	—	·08	2
3	·02	·04	—	·42	—	·04	·46	—	·09	·07	—	·02	3
4	—	—	·02	·16	—	—	·03	·31	·02	·26	—	·10	4
5	—	—	·10	·01	·29	—	·47	·14	·05	·01	—	·01	5
6	—	—	·18	·01	·05	—	·26	—	—	—	—	·03	6
7	·01	·01	·05	·13	—	—	·05	—	—	—	—	—	7
8	·29	·09	—	·56	·05	—	·17	—	—	—	—	—	8
9	·40	—	—	1·08	—	—	·05	·06	—	—	—	—	9
10	·24	·04	·07	·08	—	·02	·08	—	—	—	·09	—	10
11	·33	—	·05	·29	·25	·03	·02	·21	—	—	—	·04	11
12	·04	—	·03	·18	—	·66	—	—	—	—	·02	·11	12
13	·04	·01	·12	·06	—	—	—	—	·05	—	·02	—	13
14	·02	—	·77	·14	—	·61	—	—	·18	·03	·18	·02	14
15	—	·09	·31	·04	—	—	—	—	·10	·53	·11	—	15
16	—	·01	·01	·02	·04	·66	·02	—	·22	·08	·01	—	16
17	·02	—	—	·17	·12	—	—	—	·66	·04	—	·12	17
18	·16	—	—	·01	·04	—	·01	·23	·54	—	—	·05	18
19	·05	·18	—	·27	—	·06	—	·15	—	—	—	·02	19
20	·08	·23	—	·33	—	·38	—	—	—	—	·01	·02	20
21	—	—	—	·01	—	—	·07	·12	·05	—	—	·02	21
22	·03	—	—	·11	—	—	·02	·03	·14	—	—	·01	22
23	—	·01	—	—	—	—	·23	—	—	—	·01	·33	23
24	—	—	·16	—	—	—	—	—	—	—	—	·08	24
25	—	·05	·01	·04	·15	·02	·74	—	—	·01	—	—	25
26	·23	—	·10	·02	·01	—	·02	—	—	·01	—	·04	26
27	·09	—	·01	·11	—	·57	—	—	—	·01	·84	·28	27
28	·63	·01	·03	—	·13	—	·03	—	—	—	·04	·07	28
29	·06	—	·24	—	·52	·05	·04	—	—	—	·04	·41	29
30	·01		·01	·11	·07	·08	·06	—	·13	—	·06	·19	30
31	·12		—		·03		·01	—		·36		·06	31
TOTAL	2·87	·77	2·29	4·62	2·01	3·19	3·31	1·31	2·39	1·74	1·44	2·28	YEAR'S TOTAL 28·22
Days with ·01 in. or more	20	12	19	26	14	13	22	9	14	13	13	23	198
Days with ·04 in. or more	14	7	11	20	12	9	14	8	13	8	7	15	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

T. W. Millner

✓ made

confirmed WD
8.III.13

REGIS

LEICESTER.

WITHCOTE HALL
GARDENS.

1912 – 1917

1916 A/B

FORM A.
BRITISH RAINFALL.
3 - JAN

Kept at Withcote Ha ... a.m.

Tilton 2½ miles West

in the County of Leicest ... in.

by W Rowe ... above Ground ... ft. 9 in.

„ Sea Level ... ft.

IMPORTANT NOTE. ... nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						.50						.20	1
2						19	.50						2
3						.40	.23	.50			5	.16	3
4					13	.50		.40			10		4
5	.22	.50	.68				5	.66	8				5
6			.50				.20				12	6	6
7	.63					19	15	8					7
8		.25	.25						12			2	8
9	.50		.25			10							9
10	2				8			10	3	—	.20	—	10
11	5	.50				×		9			14		11
12	9				.22	8	18					70	12
13		6	10										13
14								16					14
15			.20									16	15
16	.36				.47	14							16
17	10		.50					10					17
18			.20					.40				10	18
19	.40	12				.22	.20	.30			6		19
20					.50		.100	.25		14			20
21										.30			21
22	.26				.22		.50	.60					22
23	.20	25				15	.40					.40	23
24	6					.20		.40				.30	24
25						.50	.50	.50				.45	25
26						.30		.30		.50	.70	.30	26
27								.120		.55			27
28										.60		.20	28
29						10	.70	.40		.71		.42	29
30					.24			12					30
31							.50			.45		5	31
					.50						.20	(–)	YEAR'S TOTAL
Total	2.89	1.68	2.68	—	~~2.62~~ 3.12	~~3.57~~ 3.07	5.11	6.44	.23	3.25	~~1.37~~ 1.57	~~3.52~~ 3.32	33.36
Rain Days.	12	6	8	–	7	14	13	18	5	7	7	12	~~109~~

W. 7,500, XI. ·12

~~made~~ ✓

confd WD 8.111.13

REGIS

FORM A.
BRITISH RAINFALL.

3 - JAN

Kept at Withcote Hall Gardens
in the County of Leicestershire 2
by W. Rowse

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Tilton 2½ miles West
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						.50						.20	1
2						19	.50						2
3						.40	.23	.50			5	.16	3
4					13	.50		.40			10		4
5	.22	.50	.68				5	.66	8				5
6			.50				.20				12	6	6
7	.63					19	15	8					7
8		.25	.25						12			2	8
9	.50		.25			10							9
10	2				8			10	3		.20		10
11	5	.50				x		9			14		11
12	9				.22	8	18					70	12
13		6	10										13
14								16					14
15			.20									16	15
16	.36				.47	14							16
17	10		.50					10					17
18			.20					.40				10	18
19	.40	12				.22	.20	.30			6		19
20					.50		.100	.25		14			20
21										.30			21
22	.26				.98		.50	.50					22
23	.20	25				15	.40					.40	23
24	6					.20		.40				.30	24
25						.50	.50	.50				.45	25
26						.30		.30		.50	.70	.30	26
27								.120		.55			27
28										.60		.20	28
29						10	.70	.40		.71		.42	29
30					.24			16					30
31							.50			.45		5	31
Total	2.89	1.68	2.68	–	.50 ~~2.62~~ 3.12	~~3.57~~ 3.07	5.11	6.44	.23	3.25	.20 ~~1.37~~ 1.57	(–) ~~3.52~~ 3.32	YEAR'S TOTAL 33.36
Rain Days.	12	6	8	–	7	14	13	18	3	7	7	14	~~109~~

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL
14 JAN 1914

S. made

REGISTER OF RAINFALL IN 1913

Kept at Withcote Hall J. M. 2
in the County of Leicester
by W Rouse

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Tilton 2½ miles
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.140				1
2				27	~~.55~~				12				2
3		8			.55								3
4			9							10	10		4
5	.62						15					90	5
6					22	27	17				12		6
7			14							80			7
8		12			20					60	20		8
9					6	26							9
10		33		.50						25	10		10
11								30	15		50		11
12				10							50		12
13											40		13
14											30		14
15			.83	10			6	15					15
16	.50		.30	.40					27				16
17	.45		.40					.40	24				17
18				20			9						18
19	15		.68	10									19
20	.41												20
21										38			21
22			30										22
23	15		35	11					36				23
24	10		10										24
25													25
26				18						33		20	26
27		18	.32	15	.55								27
28										10		10	28
29	39	13	34	.30	12						10		29
30	42			.20						20			30
31													31
Total	3.19	.84	3.85	2.74	1.70	.53	.47	.85	2.54	2.76	2.32	1.20	YEAR'S TOTAL 22.99
Rain Days.	9	5	11	12	7	2	4	3	6	8	9	3	70

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Withcote Hall
in the County of Leicester
by W Rouse

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station Tilton 2¼ mls
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May,	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		12					32	50			26	10	1
2								30				22	2
3	10				8		21	3					3
4			5								71		4
5			4	25		13	9	20				7	5
6				30	8						7	3	6
7		7	7			10						9	7
8			20	21	10	60	27	38					8
9			19	24	12	70			38				9
10	40	20		38	5								10
11		23	40		22	8			12		52		11
12												53	12
13		15	12									20	13
14			30				18					43	14
15	7									30	57	40	15
16													16
17		26					31		10				17
18			12									45	18
19							22				7	28	19
20	10	17	25				9						20
21		40	15			14						25	21
22							5			44			22
23		8			40					20			23
24					10					21	18		24
25										50		}	25
26							6			15		}67	26
27											12		27
28		11			5					17	35	}30	28
29					6					43		}110	29
30		X								5	40	23	30
31		X	10	X		X			X		X		31
Total	.67	1.79	1.99	1.38	1.26	1.75	1.80	1.41	.60	2.45	3.25	5.35	YEAR'S TOTAL 23.70
Rain Days.	4	10	12	5	10	6	10	5	3	9	10	16	~~100~~

W. 8,000. X. 14.

2605

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

7 JAN 1916

Kept at Withcote Hall

in the County of Leicester

by W Rouse

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Tilton 2½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	22	32	5						22		5	19	1
2					28			155.	14				2
3	35		23	33		7	10	14	3	11		20	3
4	22	11					110.	5				56	4
5		30			3		10	4			12	54	5
6	11	12		30			80.	14				25	6
7	8	41	3				20	3				24	7
8	3	12											8
9	4	5		9				3		3	26	47	9
10	50										15		10
11							12	5			60		11
12				32			4	25			143	6	12
13	2	64			110.			3					13
14		6										46	14
15	29							14			20	31	15
16		35			5		150.					3	16
17		11					32						17
18		20	45								4		18
19		3					24					4	19
20	19		5		3							36	20
21					28		10					18	21
22	34						42					6	22
23		5	10			5	23		6			31	23
24						10	23			18			24
25	10		15			40	4		84	24		40	25
26		25								9		33	26
27			5				30			48		24	27
28		25				17							28
29						30		20			30	12	29
30		X				28							30
31	29	X		X		X		12	X	36	X	10	31
Total	2.78	3.39	1.11	1.04	1.77	1.37	6.23	2.86	1.29	1.79	3.15	5.48	YEAR'S TOTAL 32.29
Rain Days.	14	16	8	4	6	7	16	13	5	7	9	21	~~126~~

W. 8,000. X. 14.

S made

REGISTER OF RAINFALL IN 19 17

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at Withcote Hall
in the County of Leicester
by J. Woods

Lat. Long.
Time of Observation 9 a-m
Nearest Railway Station Tilton
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								125					1
2	40												2
3								112		20	23	20	3
4										50			4
5	50							26					5
6				50								30	6
7										20			7
8	60							128			22		8
9				26			31	26					9
10										50			10
11	40							40					11
12			50							50			12
13	25		33										13
14													14
15													15
16				56									16
17	23				50	21				21			17
18				36	34		73		59				18
19	11								52				19
20		50			50								20
21				7	34								21
22			40										22
23								25					23
24						104		23		42			24
25													25
26		27						63			37		26
27								92					27
28					15	16		20	26				28
29						43						20	29
30		✕						50		51			30
31		✕	60	✕		✕	54		✕		✕	34	31
Total	2.49	·77	1.83	1.75	1.83	1.84	1.58	7.30	1.37	3.04	·82	1.04	YEAR'S TOTAL 25·66
Rain Days.	~~7~~	~~2~~	~~4~~	~~5~~	~~5~~	~~4~~	~~3~~	~~12~~	~~3~~	~~8~~	~~3~~	~~4~~	~~60~~

W. 8,000, VIII. 16

2.91

RE 1

FORM A2. BRITISH RAINFALL.

6 - JAN 1912

WISTON HALL GDNS

LEICESTER SHIRE

1911 - 1920

Kept at Wistow

in the County of Lei

by R. W. Sha

5 in.

round 1 ft. 1 in.

ea Level 310 ft.

m

ame Great Glen

istance 1 mile Direction N. E

IMPORTANT NOTE previous day. If an Obse requested to add the readi for it at the end of this the selection and placing Organization are given in Dr. H. R. Mill, 62, Camden Square, London, N.W.

he result entered to the sal rule, he is earnestly r in the space provided ent of rain, ish Rainfall plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03					·16			·03		1
2	·08				·22		·01	·04			·03	·03	2
3		·02			·22			·14		·04	·01		3
4	·02		·10	·20				·01	·06	·08	·13	·26	4
5				·05				·10		·01			5
6	·28		·04	·05				·01		·01		·36	6
7	·01									·14	·27		7
8	·10		·13								·05	·14	8
9	·08										·14	·02	9
10	·04			·02								·35	10
11	·23							·10			·30	·01	11
12			·43						·23		·13	·01	12
13	·08		·04						·18	·01		·47	13
14		·07			·08					·02		·40	14
15		·09	·14			·08				·02	·07	·02	15
16											·17	·10	16
17	·01											·26	17
18		·24				·21					·08	·12	18
19		·04				·19	·16		·07	·08	·41	·08	19
20		·05						·83	·09			·42	20
21		·17	·08					·26	·03	·18	·03	·65	21
22				·03		·03		·02		·16	·02	·32	22
23		·05	·22			·34			·29			·11	23
24		·08				·47				·45		·12	24
25		·06	·03	·10	80	·10				·02		·01	25
26				·22	·40					·29	·17	·16	26
27		·22	·12					·34	·26		·03	·08	27
28		·14		·20		·18							28
29				·03		·14	·03		·20		·02	·01	29
30			·02	·06		·04			·01	·24			30
31					·10					·09			31
Total	·93	1·23	1·38	·96	1·82	1·78	·20	2·01	1·36	2·14	2·09 2·09	3·85	TOTAL for year 19·75
No. of Rain Days.	10	12	12	10	6	10	3	11	10	16	18	24	142

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

RE 1911

Kept at Wistow Hall Gardens

in the County of Leicester 4

by R. W. Thatcher

Rain Gauge
- Pattern
- Diameter of top 5 in.
- Height of top above Ground 1 ft. 1 in.
- " " " Sea Level 310 ft.

Time of Observation 9 am

Nearest Railway Station
- Name Great Glenn
- Distance 1 mile Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03					·16			·03		1
2	·08				·22		·01	·04			·03	·03	2
3		·02			·22			·14		·04	·01		3
4	·02		·10	·20				·01	·06	·08	·13	·26	4
5				·05				·10		·01			5
6	·28		·04	·05				·01		·01		·36	6
7	·01									·14	·27		7
8	·10		·13								·05	·14	8
9	·08										·14	·02	9
10	·04			·02								·35	10
11	·23							·10			·30	·01	11
12			·43						·23		·13	·01	12
13	·08		·04						·18	·01		·47	13
14		·07			·08					·02		·40	14
15		·09	·14			·08				·02	·07	·02	15
16											·17	·10	16
17	·01											·20	17
18		·24				·21					·08	·12	18
19		·04				·19	·16		·07	·08	·41	·08	19
20		·05						·83	·09			·42	20
21		·17	·08					·26	·03	·18	·03	·65	21
22				·03		·03		·02		·16	·02	·32	22
23		·05	·22			·34			·29			·11	23
24		·08				·47				·75		·12	24
25		·06	·03	·10	80	·10				·02		·01	25
26				·22	·40					·29	·17	·16	26
27		·22	·12					·34	·20		·03	·08	27
28		·14		·20		·18							28
29				·03		·14	·03		·20		·02	·01	29
30			·02	·06		·04			·01	·24			30
31					·10					·09			31
Total	·93	1·23	1·38	·96	1·82	1·78	·20	2·01	1·36	2·14	2·09 2·09	3·85	TOTAL for year 19·75
No. of Rain Days.	10	12	12	10	6	10	3	11	10	16	18	24	142

W. 8,000, X. '11.

✓

Ex M R

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
22 JAN 1913

Kept at Wistow.

in the County of Leicester 4

by Hon. T. F. Fremantle

Lat. Long.

Nearest Railway Station Great-Glen [illegible] Ry

RAIN GAUGE.
Time of Observation 9 am
Diameter in.
Height of top above Ground ft. in.
" " Sea Level ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·00	·15	·00	·00	·09	·00	·00	·22	1
2					·00	·34	·63	·00	·00	·00	·00	·07	2
3					·00	·21	·00	·48	·02	·00	·00	·00	3
4					·05	·50	·00	·10	·04	·00	·40	·04	4
5					·07	·15	·00	·21	·00	·00	·05	·00	5
6					·03	·03	·06	·38	·00	·00	·00	·03	6
7					·00	·20	·00	·00	·00	·00	·00	·00	7
8					·00	·05	·06	·00	·12	·00	·00	·00	8
9					·00	·10	·00	·05	·00	·00	·00	·23	9
10					·00	·00	·00	·33	·00	·00	·18	·00	10
11					·00	·00	·00	·02	·00	·00	·06	·33	11
12					·17	·10	·05	·00	·00	·00	·00	·00	12
13					·00	·02	·00	·00	·00	·00	·07	·00	13
14					·02	·03	·00	·05	·00	·00	03	·00	14
15					·23	·17	·00	·00	·00	·00	·05	·14	15
16					·03	·10	·00	·10	·00	·08	·00	·00	16
17					·00	·18	·00	·10	·00	·00	·10	·34	17
18					·00	·00	·00	·22	·00	·00	·02	·03	18
19					·00	·00	·24	·29	·00	·00	·00	·00	19
20					·00	·00	·40	·36	·00	·20	·03	·00	20
21					·45	·00	·00	·54	·00	·20	·00	·00	21
22					·65	·00	1·30	·38	·00	·02	·00	·10	22
23					·00	·00	·44	·41	·00	·00	·00	·52	23
24					·00	·43	·15	·12	·00	·00	·00	·16	24
25					·00	·64	·00	·36	·00	·00	·26	·28	25
26					·00	·00	·60	1·10	·00	·56	·22	·29	26
27					·00	·23	·09	·60	·00	·51	·00	·16	27
28					·00	·00	·16	·45	·00	·27	·19	·48	28
29					·00	·09	·32	·02	·75	·09	·00	·00	29
30					·20	·00	·00	·00	·03	·00	·00	·00	30
31					·05	-	·66	·14	-	·00	-	·03	31
Totals					1.95	3.71	5.~~16~~21		1.05	1.93	1.66	3.45	
Total from Jan. 1					11	18	14	23	6	8	13	17	

K/1000/5/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

19

Corr by ann. stats 1.IV.14 ~~W~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Lat. 52°33'28" Long. 1°3'12"

Kept at WISTOW HALL,

Nearest Railway Station Great-Glen Mid. Ry.

1914

in the County of LEICESTER~~SHIRE~~

RAIN GAUGE. Time of Observation 9 a.m.

Diameter 5 in.

Height of top above Ground 1 ft. 0 in.

" " Sea Level 307 ft.

by Hon. T. F. FREMANTLE.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.00	.00	.00	.00	.00	.00	.00	.75	.00	.06	.00	1
2	.00	.12	.00	.04	.00	.00	.00	.00	.00	.00	.00	.02	2
3	.00	.00	.00	.00	.41	.00	.00	.00	.02	.03	.10	.06	3
4	.51	.00	.38	.00	.00	.00	.00	.00	.00	.38	.12	.26	4
5	.57	.00	.00	.00	.00	.00	.12	.00	.00	1.65	.03	.00	5
6	.00	.00	.00	.00	.27	.00	.59	.00	.04	.10	.00	.00	6
7	.00	.10	.00	.03	.10	.00	.00	.00	.00	.42	.07	.00	7
8	.00	.00	.00	.00	.15	.15	.00	.00	.00	(1.50)	.08	.00	8
9	.00	.30	.00	.00	.00	.06	.00	.00	.000	.00	.14	.00	9
10	.00	.00	.00	.10	.04	.00	.00	.00	.00	.00	.39	.00	10
11	.70	.00	.05	.31	.04	.00	.00	.00	.09	.05	.41	.00	11
12	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.56	.00	12
13	.08	.00	.00	.03	.00	.00	.00	.00	.00	.00	.22	.00	13
14	.00	.00	.80	.01	.00	.00	.00	.00	.05	.10	.06	.00	14
15	.05	.00	.40	.45	.00	.00	.00	.10	.00	.00	.03	.00	15
16	.00	.00	.25	.08	.00	.00	.00	.00	.00	.00	.00	.00	16
17	.10	.00	.50	.09	.00	.04	.00	.00	.28	.00	.00	.00	17
18	.00	.00	.17	.08	.00	.00	.00	.00	.00	.00	.05	.00	18
19	.05	.00	.05	.00	.00	.00	.00	.00	.04	.00	.06	.00	19
20	.30	.00	.00	.03	.00	.00	.18	.00	.00	.24	.04	.00	20
21	.04	.00	.30	.00	.00	.00	.00	.00	.00	.00	.46	.00	21
22	.35	.00	.35	.00	.00	.00	.06	.05	.00	.00	.00	.00	22
23	.10	.00	.00	.00	.00	.00	.00	.00	.12	.00	.00	.00	23
24	.00	.000	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	24
25	.00	.00	.00	.18	.00	.00	.00	.00	.00	.00	.00	.00	25
26	.00	.12	.20	.18	.00	.00	.00	.00	.00	.26	.00	.35	26
27	.00	.00	.10	.00	.00	.00	.00	.00	.00	.02	.00	.00	27
28	.37	.00	.20	.00	.00	.00	.00	.00	.00	.05	.00	.20	28
29	.05	..	.25	.57	.24	.00	.00	.35	.00	.13	.00	.10	29
30	.30	..	.00	.00	.00	.00	.00	.00	.00	.11	.04	.00	30
31	.00	..	.00	..	.02	..	.00	.06	..	.00	..	.00	31
Totals	3.59	.64	4.00	2.18	1.27	.25 ✓	.95	.56	1.39	4.04 ✓	2.92	.99	22.78
Total from Jan. 1	15 3.59	4 4.23	14 8.23	14 10.41	8 11.68	3 11.93	4 12.83	4 13.44	8 14.83	14 18.87	18 21.79	6 22.78	112

K/1000/5/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 191

Kept at Wistow Hall

in the County of Leicestershire 4

by Hon. T. F. Fremantle

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Great-Glen Mid. Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 307 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.00	.00	.00	.00	.22	.26	.00	.00	.05	.00	1
2	.00	.00	.00	.00	.00	.00	.00	.23	.00	.00	.34	.41	2
3	.00	.00	.00	.00	.17	.00	.20	.11	.00	.00	.00	.00	3
4	.27	.00	.00	.25	.05	.00	.00	.25	.00	.00	.38	.23	4
5	.15	.00	.15	.19	.04	.11	.17	.07	.00	.00	.00	.00	5
6	.00	.07	.00	.00	.03	.00	.01	.00	.00	.00	.11	.03	6
7	.00	.10	.43	.09	.10	.00	.05	.05	.00	.00	.00	.00	7
8	.12	.00	.11	.08	.11	.94	.09	.17	.00	.00	.00	.02	8
9	.40	.05	.20	.18	.00	1.05	.00	.06	.09	.00	.00	.00	9
10	.15	.15	.00	.19	.05	.00	.00	.00	.08	.00	.00	.00	10
11	.00	.10	.28	.12	.10	.05	.00	.00	.05	.00	.40	.41	11
12	.05	.04	.10	.00	.00	.00	.00	.00	.18	.00	.04	.35	12
13	.00	.13	.24	.00	.00	.00	.00	.00	.04	.12	.13	.41	13
14	.00	.00	.11	.00	.00	.00	.13	.00	.00	.22	.14	.41	14
15	.00	.00	.17	.00	.00	.00	.00	.00	.00	.00	.04	.08	15
16	.00	.00	.06	.00	.00	.00	.16	.00	.14	.00	.00	.00	16
17	.00	.24	.05	.00	.00	.00	.04	.00	.11	.00	.00	.26	17
18	.00	.00	.05	.00	.00	.00	.18	.00	.00	.00	.00	.44	18
19	.00	.00	.08	.00	.00	.00	.00	.00	.02	.00	.05	.00	19
20	.00	.17	.14	.00	.00	.00	.00	.00	.02	.00	.00	.03	20
21	.00	.34	.05	.00	.00	.00	.00	.00	.00	.09	.00	.39	21
22	.00	.02	.00	.00	.15	.00	.00	.07	.00	.18	.00	.00	22
23	.00	.10	.06	.00	.12	.00	.05	.00	.00	.04	.00	.00	23
24	.00	.00	.00	.00	.55	.00	.27	.00	.00	.23	.15	.00	24
25	.00	.00	.00	.00	.02	.00	.03	.10	.00	.37	.02	.21	25
26	.00	.00	.08	.00	.00	.00	.00	.05	.00	.05	.14	.22	26
27	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.19	27
28	.00	.05	.00	.00	.00	.00	.03	.00	.00	.12	.10	.93	28
29	.00	–	.15	.00	.00	.00	.00	.00	.00	.32	.24	.00	29
30	.00	–	.00	.00	.00	.03	.00	.00	.00	.00	.35	.23	30
31	.17	–	.00	–	.01	–	.27	.00	–	.00	–	.00	31
Total	1.31	1.56	2.51	1.10	1.60	2.18	1.90	1.42	.73	1.74	2.68	5.25	YEAR'S TOTAL 23.88
Rain Days.	7	13	18	7	13	5	15	11	9	10	16	18	142

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

26.06

FORM A.
BRITISH RAINFALL
10 JAN 191

REGISTER OF RAINFALL IN 1915.

Kept at WISTOW.
in the County of LEICESTER
by Hon. T. F. Fremantle.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Great-Glen, Mid. Ry.
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 309.5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17	.13	.09	.00	.19	.00	.00	.00	.64	.00	.03	.06	1
2	.00	.12	.19	.04	.00	.15	.00	.73	.02	.16	.00	.04	2
3	.41	.00	.03	.21	.00	.00	.80	.60	.06	.00	.00	.19	3
4	.12	.00	.00	.00	.02	.00	.15	.20	.00	.00	.00	.61	4
5	.03	.33	.00	.00	.08	.00	.02	.05	.00	.00	.04	.32	5
6	.10	.08	.00	.32	.00	.00	.82	.04	.00	.00	.00	.06	6
7	.06	.28	.00	.02	.00	.00	.14	.27	.00	.00	.00	.36	7
8	.02	.08	.00	.04	.00	.00	.00	.01	.00	.00	.03	.00	8
9	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.16	.40	9
10	.30	.00	.05	.00	.00	.00	.00	.13	.00	.00	.09	.00	10
11	.00	.00	.00	.02	.00	.00	.00	.09	.00	.00	.50	.10	11
12	.03	.00	.00	.20	.37	.00	.00	.15	.00	.00	1.02	.00	12
13	.00	.42	.00	.00	.64	.00	.00	.00	.00	.00	.00	.00	13
14	.00	.05	.00	.00	.00	.00	.00	.02	.09	.00	.00	.25	14
15	.23	.00	.00	.00	.00	.00	.20	.00	.00	.00	.13	.15	15
16	.00	.36	.00	.00	.08	.00	1.58	.00	.00	.00	.00	.00	16
17	.00	.13	.00	.00	.00	.00	.44	.00	.00	.00	.00	.00	17
18	.00	.21	.38	.00	.00	.00	.00	.00	.00	.00	.00	.03	18
19	.00	.04	.04	.00	.00	.00	.18	.00	.00	.00	.00	.00	19
20	.31	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.42	20
21	.14	.10	.00	.00	.00	.00	.14	.00	.00	.00	.00	.14	21
22	.12	.00	.10	.05	.00	.00	.36	.00	.00	.00	.00	.15	22
23	.00	.06	.04	.00	.00	.02	.25	.00	.06	.20	.00	.22	23
24	.05	.00	.06	.07	.00	.00	.67	.00	1.22	.10	.00	.12	24
25	.00	.00	.00	.00	.00	.35	.07	.00	.00	.06	.05	.25	25
26	.00	.18	.00	.00	.00	.00	.02	.00	.03	.00	.00	.34	26
27	.00	.00	.03	.00	.00	.00	.36	.00	.00	.43	.00	.04	27
28	.00	.08	.00	.00	.00	.98	.03	.18	.00	.09	.00	.00	28
29	.00		.00	.00	.00	.10	.00	.05	.00	.00	.26	.17	29
30	.08	╳	.00	.00	.00	.37	.00	.02	.00	.00	.00	.08	30
31	.00	╳	.00	╳	.00	╳	.00	.02	╳	.36	╳	.07	31
Total	2.17	2.70	1.01	1.02	1.38	1.97	6.23	2.56	2.12	1.40	2.31	4.57	YEAR'S TOTAL 29.44
Rain Days.	15	17	10	10	6	6	17	15	7	7	10	23	143

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

W. 500, X. 14.

Price 2d.

2540

FORM A.
BRITISH RAINFALL.
13. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wistow. Leic

in the County of Leicester

by Col. Hon. T. F. Fremantle.

Lat. Long.

Time of Observation 9. 0. a.m

Nearest Railway Station Gt.-Glen. Mid. Ry.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 309·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·19	·00	·10	·00	·00	·14	·08	·00	·00	·00	·21	·00	1
2	·37	·00	·11	·00	·25	·01	·23	·00	·02	·42	·10	·00	2
3	·00	·38	·00	·00	·00	·00	·00	·00	·28	·17	·04	·00	3
4	·26	·03	·00	·00	·28	·30	·00	·00	·00	·00	·09	·00	4
5	·04	·00	·00	·00	·06	·12	·00	·00	·00	·14	·13	·00	5
6	·09	·14	·10	·00	·10	·00	·52	·00	·00	·02	·36	·00	6
7	·05	·00	·25	·00	·05	·02	·15	·00	·00	·11	·30	·13	7
8	·00	·00	·20	·00	·00	·06	·00	·00	·00	·00	·04	·19	8
9	·00	·00	·00	·00	·23	·08	·00	·00	·00	·07	·00	·01	9
10	·00	·08	·10	·04	·00	·05	·00	·00	·02	·00	·00	·06	10
11	·00	·30	·04	·14	·08	·21	·00	·00	·03	·00	·00	·02	11
12	·09	·09	·15	·06	·46	·13	·04	·00	·01	·05	·00	·03	12
13	·00	·10	·00	·06	·09	·02	·00	·18	·00	·00	·00	·00	13
14	·00	·32	·15	·13	·04	·00	·00	·20	·00	·00	·00	·00	14
15	·00	·17	·50	·00	·02	·00	·09	·19	·00	·09	·00	·00	15
16	·00	·08	·54	·18	·00	·00	·18	·23	·00	·01	·00	·00	16
17	·09	·00	·00	·21	·00	·00	·05	·96	·14	·17	·00	·00	17
18	·00	·17	·05	·04	·00	·00	·00	·00	·15	·00	·74	·01	18
19	·11	·00	·29	·03	·00	·00	·00	·07	·20	·00	·39	·05	19
20	·08	·00	·27	·16	·00	·00	·00	·00	·00	·00	·08	·17	20
21	·03	·00	·17	·00	·00	·00	·00	·00	·00	·00	·01	·47	21
22	·00	·10	·03	·00	·04	·02	·00	·00	·00	·01	·00	·49	22
23	·05	·78	·00	·00	·00	·05	·00	·02	·00	·06	·06	·26	23
24	·00	·15	·03	·00	·00	·12	·00	·00	·00	·03	·00	·17	24
25	·00	·10	·26	·00	·10	·00	·00	·22	·00	·03	·16	·00	25
26	·00	·20	·04	·00	·00	·06	·00	·15	·00	·09	·01	·00	26
27	·05	·15	·48	·00	·00	·00	·02	·18	·04	·16	·00	·00	27
28	·00	·14	·97	·00	·00	·07	·00	·00	·00	·00	·00	·18	28
29	·00	·20	·00	·00	·00	·25	·00	1·20	·00	·22	·00	·06	29
30	·00	✕	·00	·00	·04	·16	·00	·02	·00	·14	·00	·00	30
31	·00	✕	·00	✕	·00	✕	·00	·03	✕	·03	✕	·00	31
Total	1·50	3·68	4·83	1·05	1·84	1·87	1·36	3·65	·89	2·02	2·72	2·30	YEAR'S TOTAL 27·71
Rain Days.	13	18	21	10	14	18	9	13	9	19	15	15	175

W. 500, X. 14.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

175

2416

FORM A.

BRITISH RAINFALL 1918

REGISTER OF RAINFALL IN 1917

Kept at Wistow

in the County of Leicestershire

by Col. Hon. T. F. Fremantle

Lat. 52°33' 20·075" N Long. 1°3' 13·5" W

Time of Observation 9.0 a.m.

Nearest Railway Station Great-Glen Mid. Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 309·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·05	·	·	·	1·18	·14	·	·03	·03	1
2	·04	·	·	·	·	·21	·	·21	·	·04	·05	·	2
3	·	·02	·	·29	·	·	·	·55	·	·22	·04	·	3
4	·	·17	·05	·	·	·	·	·16	·	·35	·	·	4
5	·14	·	·03	·15	·	·	·	·09	·13	·12	·18	·	5
6	·03	·	·	·	·	·12	·	·	·	·09	·05	·	6
7	·42	·	·01	·	·	·01	·	·03	·	·23	·	·	7
8	·86	·	·	·13	·	·	·26	·67	·	·33	·08	·11	8
9	·03	·	·07	·07	·05	·	·02	·10	·	·	·16	·	9
10	·30	·	·27	·11	·19	·	·	·	·	·	·09	·	10
11	·01	·	·10	·18	·	·	·	·32	·07	·20	·01	·	11
12	·19	·04	·	·	·12	·48	·	·	·	·29	·	·01	12
13	·	·	·	·	·	·	·	·29	·09	·	·	·	13
14	·09	·	·05	·10	·	·	·	·06	·	·	·	·04	14
15	·	·	·	·04	·02	·	·14	·05	·	·02	·	·03	15
16	·04	·15	·	·15	·	·	·	·00	·	·06	·	·28	16
17	·02	·	·01	·16	·36	·54	·13	·	·04	·07	·	·	17
18	·01	·02	·	·12	·45	·02	·34	·06	·82	·02	·	·	18
19	·	·11	·11	·	·18	·	·	·	·05	·	·	·	19
20	·	·18	·02	·	·61	·01	·	·	·	·	·13	·	20
21	·	·	·10	·02	·35	·	·	·	·	·01	·	·	21
22	·	·	·10	·	·	·	·	·04	·06	·05	·	·	22
23	·	·08	·	·	·08	·	·	·14	·04	·06	·	·03	23
24	·	·01	·02	·	·	·75	·	·10	·	·31	·05	·	24
25	·	·	·01	·	·	·	·	·	·	·	·08	·	25
26	·	·	·	·	·	·	·	·30	·24	·	·08	·	26
27	·	·	·09	·	·	·43	·04	·65	·	·	·	·03	27
28	·	·	·	·	·	·37	·	·14	·	·02	·	·07	28
29	·		·	·	·	·08	·02	·	·	·43	·	·27	29
30	·04		·	·	·	·	·48	·31	·	·	·	·01	30
31	·		·06		·		·04	·08		·		·04	31
Total	2·22	·78	1·10	1·57	2·41	3·02	1·47	5·53	1·68	2·92	1·03	·90	YEAR'S TOTAL 24·63
Rain Days.	14	9	16	13	10	11	9	21	10	19	13	12	157

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

Kept at WISTOW.

in the County of LEICESTERSHIRE.

by COLONEL THE LORD COTTESLOE.

Lat. 52°23'20·075" Long. 1°3' 13·5"
Time of Observation 9. 0. a.m.
Nearest Railway Station Great-Glen, Mid. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 309·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.02	.	.20	.	.	.	.	.	.	.	.02	1
2	.01	.13	.	.04	.	.	.	.83	.	.02	.04	.13	2
3	.	.03	.04	.	.39	.	.	.13	.15	.	.34	.01	3
4	.	.05	.03	.	.	.	.06	.02	.72	.03	.45	.07	4
5	.	.02	.	.03	.08	.	.	.24	.05	.02	.	.	5
6	.	.03	.	.18	.	.02	.	.	.	.11	.	.	6
7	.11	.12	.	.15	.	.09	.	.	.04	.03	.11	.	7
8	.	.17	.12	.05	.	.	.	.	.08	.06	.	.12	8
9	.	.20	.	.15	.	.09	.32	.	.35	.19	.	.05	9
10	.15	.	.	.08	.	.	.32	.	.04	.23	.	.05	10
11	.07	.02	.	.01	.17	.	.15	.	.18	.21	.	.09	11
12	.07	.11	.03	.	.18	.	.25	.	.22	.	.	.12	12
13	.	.	.	.02	.15	.03	.02	.	.15	.02	.	.05	13
14	.27	.	.	.05	.	.01	.20	.	.15	.07	.	.03	14
15	.46	.	.	.43	.	.	.10	.	.09	.	.	.18	15
16	.03	.	.	.21	.	.20	.	.01	.02	.	.	.	16
17	.31	.	.	.02	.	.03	.32	.04	.09	.03	.	.05	17
18	.32	.	.	.	.	.07	.09	.	.25	.	.	.34	18
19	.03	.03	.06	.17	.	.	.04	.	.	.06	.	.27	19
20	.01	.06	.	.39	.	.14	.	.	.04	.03	.	.	20
21	.07	.	.	.24	.	.01	.06	.	.33	.05	.	.01	21
22	.11	.	.	.	.15	.	.01	.	.07	.02	.	.34	22
23	.11	.	.	.	.49	.	.17	.	.05	.	.02	.	23
24	.	.16	.	.	.	.	.03	.	.11	.04	.13	.	24
25	.	.	.	.	.	.01	.01	.18	.	.06	.04	.	25
26	.	.	.	.	.	.	.	.	.04	.	.05	.12	26
27	.	.02	.	.	.	.	.10	.37	.27	.	.10	.04	27
28	.	.22	.24	.	.	.	.	.21	.	.	.19	.18	28
29	.		.	.	.	.	.	.	.78	.	.	.02	29
30	.		.24	.	.	.	.	.	.12	.	.14	.17	30
31	.		.33		.		.	.		.17		.	31
Total	2.13	1.39	1.09	2.42	1.61	.70	2.25	2.03	4.39	1.45	1.61	2.46	YEAR'S TOTAL 23.53
Rain Days.	~~14~~ 15	~~15~~ 16	8	17	7	11	17	9	24	19	11	22	~~174~~ 176

W. 500, VIII. 16.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Wistow
in the County of Leicestershire
by The Lord Cottesloe

Lat. 52°23'20.075" N. Long. 1°3'13.5" W.
Nearest Railway Station Great-Glen Mid. Ry.
Time of Observation 9.0.a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 309·5 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·11	·04	·	·16	·	·29	·	·	·06	·06	·45	1
2	·12	·	·02	·	·	·	·20	·	·33	·05	·25	·04	2
3	·77	·	·	·	·01	·	·15	·	·09	·	·15	·03	3
4	·03	·	·35	·	·	·11	·02	·10	·11	·	·	·18	4
5	·04	·14	·	·	·	·	·	·	·32	·	·	·16	5
6	·02	·	·05	·06	·58	·	·	·	·	·	·	·10	6
7	·	·	·19	·	·	·	·	·	·	·	·	·	7
8	·14	·	·04	·20	·	·	·	·	·	·	·02	·	8
9	·	·	·	·07	·	·	·	·	·	·	·13	·	9
10	·	·	·33	·	·	·	·	·	·	·02	·	·08	10
11	·04	·	·38	·03	·	·	·51	·	·	·	·53	·	11
12	·	·	·15	·02	·	·24	·	·	·	·08	·	·	12
13	·14	·	·	·23	·	·	·	·	·	·07	·	·06	13
14	·31	·	·	·17	·	·	·03	·	·27	·	·	·	14
15	·14	·04	·15	·09	·	·	·	·	·	·	·27	·67	15
16	·11	·87	·	·	·	·	·	·04	·	·	·23	·	16
17	·08	·34	·	·	·	·	·	·	·	·	·	·	17
18	·	·	·16	·	·	·	·	·21	·05	·	·08	·23	18
19	·04	·04	·77	·	·	·10	1·30	·19	·15	·	·11	·04	19
20	·41	·43	·18	·	·	·	·55	·23	·02	·	·05	·08	20
21	·10	·21	·11	·	·	·	·30	·	·	·	·	·23	21
22	·	·25	·	·	·	·	·	·	·38	·	·	·55	22
23	·	·	·	·	·	·	·03	·09	·	·76	·	·11	23
24	·	·	·	·19	·04	·	·25	·	·	·30	·04	·08	24
25	·12	·	·	·24	·07	·15	·	·36	·	·	·	·05	25
26	·	·	·20	·08	·	·	·	·06	·09	·	·04	·37	26
27	·35	·01	·	·33	·	·03	·	·08	·	·	·	·03	27
28	·05	·	·	·03	·	·	·	·51	·	·03	·	·26	28
29	·07		·	·02	·	·	·	·10	·	·32	·16	·07	29
30	·		·07	·24	·	·30	·	·06	·	·04	·10	·31	30
31	·05		·		·		·06	·		·04		·01	31
Total	3·47 ✓	2·44 ✓	3·19 ✓	2·00 ✓	·86 ✓	·93 ✓	3·69 ✓	2·03 ✓	1·81 ✓	1·77 ✓	2·22 ✓	4·19 ✓	TOTAL for year 28·60 ✓
No. of Rain Days	21 ✓	10 ✓	16 ✓	15 ✓	5 ✓	6 ✓	12 ✓	12 ✓	10 ✓	11 ✓	15 ✓	23 ✓	156

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

max daily fall 1·30 in on July 19

Price 2d.

2182

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at W I S T O W.

in the County of LEICESTERSHIRE.

by THE LORD COTTESLOE.

Lat. 52° 23'20·075" Long. 1° 3' 13·5" W.

Time of Observation 9.0. a.m.

Nearest Railway Station Great-Glen. Mid. Ry.

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. ---- in.

" " " " Sea Level 309·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	.27	.27	.	.24	.	.	.25	.02	.20	1
2	.	.	.	.05	.	.	(.11)	.03	.09	.05	.	.08	2
3	.	.04	.	.59	.04	.	.34	.	.09	.05	.	.	3
4	.	.	.	.18	.	.	.03	.30	.	.27	.	.13	4
5	.	.	.09	.	.27	.	.50	.09	.04	.	.	.	5
6	.	.	.16	.04	.05	.	.20	.	.	.	.	.06	6
7	.	.	.07	.15	.03	.	.07	.	.	.	.	.	7
8	.21	.08	.	.52	.09	.	.16	.	.	.	.	.	8
9	.42	.	.	.84	.	.	.	.09	.	.	.	.	9
10	.25	.	.11	.	.	.	.05	.	.	.	.03	.	10
11	.14	.	.03	.18	.26	.	.	.19	.	.	.	.05	11
12	.02	.11	.	.19	.	.17	.04	.03	.	.	.02	.13	12
13	.01	.05	.16	.17	.	.	.	.	.04	.	.	.02	13
14	.03	.	.53	.21	.	.40	.	.	.17	.	.17	.	14
15	.	.07	.46	.16	.	.	.	.	.25	.05	.10	.	15
16	.	.	.	.05	.04	.22	.02	.	.15	.09	.	.	16
17	.	.	.	.	.13	.	.	.	.46	.09	.	.05	17
18	.17	.	.	.05	.08	.	.02	.19	.35	.	.	.	18
19	.	.18	.	.32	.	.09	.	.12	.02	.	.	.	19
20	.09	.28	.	.31	.	.29	.04	.	.	.	.	.06	20
21	.	.	.	.	.	.	.19	.11	.	.	.	.	21
22	.	.	.	.16	.	.	.04	.	.04	.	.	.	22
23	.	.	.	.04	.	.	.15	.	.	.	.	.31	23
24	.	.	.17	.14	.	.	–	.	.	.	.	.06	24
25	.	.05	.08	.04	.	.	.42	.	.	.	.	.	25
26	.24	.	.08	.	.	.	.02	.	.	.	.	.05	26
27	.10	.	.	.13	.08	.49	.	.	.	.	.51	.24	27
28	.51	.	.06	.	.02	.	.	.	.	.	.04	.04	28
29	.06	.	.19	.	.62	.04	.06	.	.	.	.09	.36	29
30	.	×	.	.08	.06	.05	.08	.	.10	.	.09	.17	30
31	.07	×	.04	×	.08	×	.	.	×	.21	×	.04	31
TOTAL	2.32	.86	2.23	4.87	2.12	1.75	2.78 ✓	1.15	1.80	1.06	1.07	2.05	YEAR'S TOTAL 24 . 06 ✓
Days with ·01 in. or more	14	8	14	23	15	8	20 ✓	9	12	8	9	17	157 ✓
Days with ·04 in. or more	11	8	13	23	13	8	16	7	11	8	6	16	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.